

Question # 1 of 10 (Start time: 06:01:43 PM, 02 September 2020)

Total Marks: 1

_____ for a specific protein are used as ligands on an affinity chromatography column.

Select the correct option

☐	Antibiotics	<i>Solved By</i> www.vuctn.com	//
☐	Antigens		//
☒	Antibodies		//
☐	Antibins		//

Question # 2 of 10 (Start time: 06:02:11 PM, 02 September 2020)

Total Marks: 1

Helicases and polymerases are _____ motors.

Select the correct option

☐	Cytoskeletal	<i>Solved By</i> www.vuctn.com	//
☐	Rotatory		//
☒	DNA		//
☐	Protective		//

Question # 3 of 10 (Start time: 06:02:34 PM, 02 September 2020)

Total Marks: 1

Rotational of ultracentrifuge speed is up to _____.

Select the correct option

☒	15000rpm	<i>Solved By</i> www.vuctn.com	//
☐	25000rpm		//
☐	35000rpm		//
☐	55000rpm		//

Question # 4 of 10 (Start time: 06:04:08 PM, 02 September 2020)

Total Marks: 1

When you heat an egg to around _____°C, the albumin proteins denature and aggregate.

Select the correct option

☐	0	<i>Solved By</i> www.vuctn.com	//
☒	60		//
☐	100		//
☐	20		//

Question # 5 of 10 (Start time: 06:04:31 PM, 02 September 2020)

Total Marks: 1

The _____ is suitable for the determination of the concentration of various antigens, hormones and drugs in different body fluids such as the human blood.

Select the correct option

☐	Immunoassay	<i>Solved By</i> www.vuctn.com
☐	Blotting	
☒	Radioimmunoassay	
☐	None of these	

Question # 6 of 10 (Start time: 06:05:08 PM, 02 September 2020)

Total Marks: 1

_____ couples gel electrophoresis and incubation with antibodies to detect specific proteins in a sample of tissue homogenate or extract.

Select the correct option

☐	Immuno-electrophoresis	<i>Solved By</i> www.vuctn.com
☒	Western blot	
☐	Enzyme-linked immunosorbent assay	
☐	Protein immune-staining	

Question # 7 of 10 (Start time: 06:06:25 PM, 02 September 2020)

Total Marks: 1

_____ is the process of separating molecules in solution by the difference in their rates of diffusion through a semipermeable membrane.

Select the correct option

☒	Dialysis	<i>Solved By</i> www.vuctn.com
☐	Blotting	
☐	PCR	
☐	Immunoblotting	

Question # 7 of 10 (Start time: 06:06:25 PM, 02 September 2020)

Total Marks: 1

_____ is the process of separating molecules in solution by the difference in their rates of diffusion through a semipermeable membrane.

Select the correct option

☒	Dialysis	<i>Solved By</i> www.vuctn.com
☐	Blotting	
☐	PCR	
☐	Immunoblotting	

Question # 8 of 10 (Start time: 06:06:57 PM, 02 September 2020)

Total Marks: 1

_____ are cylindrical Polymer and made of α and β tubulents.

Select the correct option

☐	Actin Filaments	
☒	Microtubules	
☐	Ribosomes	
☐	Mitochondria	

Solved By
www.vuctn.com

Question # 9 of 10 (Start time: 06:07:22 PM, 02 September 2020)

Total Marks: 1

_____ is a natural phenomenon by which all things with mass are brought toward (or gravitate toward) one another, including objects ranging from atoms and photons, to planets and stars.

Select the correct option

☐	Buoyancy	
☒	Gravity	
☐	Drag	
☐	Stoke	

Solved By
www.vuctn.com

Question # 10 of 10 (Start time: 06:07:47 PM, 02 September 2020)

Total Marks: 1

In almost all practical electro-dialysis processes, multiple electro-dialysis cells are arranged into a configuration called an _____ with alternating anion and cation exchange membranes forming the multiple electro-dialysis cells.

Select the correct option

☒	Electro-dialysis stack	/
☐	Electro-dialysis Disc	/
☐	Electro-dialysis flame	/
☐	Electro-dialysis ground	/

Solved By
www.vuctn.com