Mcqs current Zoo502

1. Example of negative feedback mechanism..... Breakdown of sugar in the cells generates ATP. • Excess ATP "feeds back" and inhibits an enzyme near the beginning of pathway. • ATP production stops.
2. Ache abundantly found in synaptic cleft.
3. Thick filament are composed..... Mayosin molecules.
4. Humane s-A node is..... 3 millimeters wide ,15 millimeters long,1 millimeter thick
5. Velocity of impulse conduction through atrial fibre is---0.3 m/s.
6. Rhythmic discharge of AV node is -- 40 to 60 times per minute
7. length of muscle twitch as short as.....10 milliseconds or as long as 100 ms.short 10ms . milliseconds.long 100
8. Troponin has afinnity for--- Ca^{2+}
9. Rod photoreceptor are sensitive to--- low intensity dimmer light.
10. Neurohypophysis is ----lobe of pituitary gland.
11. Happens due to chronic exposure to new, naturally occurring environmental conditions.. Acclimatization
12. . Neurotransmitters induce large increase to permeability to.. both nerve and muscle cell
13. Which is not an example mechanical stimulus..allergens
14. Delta cells constitutes.. 10%
15. Action potential is inflow of ..Na+ depolarization
16. Hallucination is caused by..androphins
17. Voltage gated Na+ channels are..fast acting channels
18. AP can lasts up to ..100 millisecond
19. Cytosolic concentration of Ca ions remains below $^{10\text{-}7M}$
20. Induces hallucination.. mascaline
21. Substance released via duct system and effects an epithelial of target cell..exocrine secretion
22. Cardiac output of resting person is 5L/m
23. More than _____receptors are present for bitter taste.. 40
24. Myosin found in...All (smooth, cardiac, skeletal muscles)
25. An adaptive change within an individual animal.Happens due to chronic exposure to new, naturally occurring environmental conditions____ Acclimatization
26. Antidiuretic hormone can increase water permeability of renal collecting duct in mammals up to _____ 10 times
27. . _____ are delayed rectifiers _____ Voltage – gated K+ channels
28. Which one of the following is not the feature of the Voltage –gated Ca+ channel _____ They are known as delayed rectifier
29. Which of the following statement is correct about action potential ___ inflow of sodium ion (depolarization)
30. Which of the following monitor the position of muscles and joints____ Proprioceptors
31. Taste receptors in terrestrial vertebrates are not located in/on _____ Larynx
32. Which is not the part of organ of Corti _____ Reissner's men

Created By Maria and Aftab

33. Near the end of pregnancy, placental estrogens are 30 times more than the normal levels. ____ 30 times
34. . Myofibers are ___ in diameter, and up to many centimeters in length____ 5 to 100 µm
35. Troponin has high affinity for_____ Ca2+
36. When the force exerted by the muscle contraction is equal to the opposing external force than ___ contraction __isometric
37. Atrial contraction provides only __volume of total mammalian ventricular output____30%
38. Which one is not related to diffusion option_____ None
39. melatonin belong to_____ pineal Gland
40. pineal gland found dorsal surface of.....in vertebrate _____forebrain
41. target cell of hormones usually have ....receptors _____2000 to 100,000
42. Thick filament are composed of ...._____ myosin.
43. Each molecule of calsequestrin protein can find around.....calcium_____ 50
44. human s-A node is ...thick_____ 1 millimeter thick
45. Velocity of impulse conduction through most atria fiber is....._____ 0.3 m/s
46. Average cardiac output for resting adult man-_____ 5L/mint
47. Myocytes are _____ muscles _____Cardiac
48. The knob of dendrite has ____olfactory cilia_____ 4 to 25
49. Synaptic cleft is ___ nm wide _____20
50. Pituitary gland is __ dm _____1cm
51. Rhythmical discharge of S-A node is: ____/mint _____70 to 80
52. Catecholamine is not the secretion of adrenal cortex___
53. InsP3 causes release of Ca2+ from intracellular stores that cause the cell to ____depolarize
54. Physiology is not related to.....
55. Depolarization range in threshold to trigger active potassium.....,.___-55 to -30 mV___
56. Not true about Voltage gated Na+ channels .....
57. Which is not inhibitory neurotransmitter.....
58. Electroreceptors of plytipus are present on its bill.
59. Rods and cones are present in .....
60. Loss of red cones is called protanop
61. InSp3 release calcium ion stored in within the cell.
62. Not secreted by adrenal hypophysis .....
63. Thryglobin stored in .....

64. during active transport concentration of .....10 to 20 highr inside the cell then out side.
65. electrical transmission has been discovered in.....
66. .....induced hallucinations.
67. each hair cell has 20 to 30.....
68. recaptor molecule are typically....
69. the electro receptor of Platt plus are present in.....
70. human retina .....cones.
71. secretion which have effect in .....
72. neurophysis is a .....lob of pituitary.
73. adenophysis is site for production of.....
74. receptor of thyroid hormne are present in.....
75. thick filaments are composed of.
76. isotoinic.....
77. cardic output of human adult is...
78. Example of negative feed back system.....
79. Melatonin belongs.....
80. Thick filaments are composed of ..... myosin molecules.
81. Human s-A node is ..... thick
82. Velocity of impulse conduction through most atria fiber is
83. Which is not part of cell body.....
84. .average cardiac out put during sleep
85. human S-A node is ---wide
86. In sp3 mobilizes ca2+ions form intracellular calcium stores like --------
87. mineralcaritocoids include -----
88. Visible spectrum range of human eye is ----
89. electroreceptors of platypus are present in its ------
90. Meissiner corpusles are linked to ------