CS-504 Quiz -3 File

By Vu Topper RM

Question No:1 **(Marks:1)** **Vu-Topper RM**
Comma is very dangerous because
Compiler does not recognize it
It creates linkage problem
Side effects
All of the above

Question No:2 **(Marks:1)** **Vu-Topper RM**
A self-documenting code is that explains itself without need of comments & extraneous documentation, like
Flow charts
UML diagram
PFS diagram
All

Question No:3 **(Marks:1)** **Vu-Topper RM**
—- & ——- r important short circuiting logical operators
AND,
OR,
Both
None

Question No:4 **(Marks:1)** **Vu-Topper RM**
The number---------is the most abused symbol in programs written in C or C++.
0 Page 169
1
2

Vu Topper RM

For More Help Contact What's app 03224021365

Question No:5 **(Marks:1)** **Vu-Topper RM**

Variables should be initialized where they are ——and they should be declared in the ——scope possible.

Select correct option:

defined and smallest

declared and medium

Declared and smallest Page 161

Question No:6 **(Marks:1)** **Vu-Topper RM**

----------was the first pure Object-Oriented language in which observer pattern was used in implementing its Model View Controller pattern

Smalltalk

PASCAL

JAVA

C++

Question No:7 **(Marks:1)** **Vu-Topper RM**

Names representing methods and functions should be—-and written in mixed case starting with ——case.

Noun—lower

Verb and lower

Noun —upper

Noun—-upper

Question No:8 **(Marks:1)** **Vu-Topper RM**

The size of ---------plays a significant role in making the program easy or difficult to understand.

Object

data type

Function **Page 170**

none of the above

Vu Topper RM

For More Help Contact What's app 03224021365

Question No:9 **(Marks:1)** **Vu-Topper RM**
In case of using unrelated operators in a single expression, _____ would be the best choice to prevent the logical errors.
Select correct option:
Comments
Indents
parenthesis **Page 166**
Short Cuts

Question No:10 **(Marks:1)** **Vu-Topper RM**
Goto statements violate the idea of
control structure
Structured code **Page 164**
repetition structure
object-oriented code

Question No:11 **(Marks:1)** **Vu-Topper RM**
Code should not be:
Select correct option:
Commented
indented
cryptic
aligned

Question No:12 **(Marks:1)** **Vu-Topper RM**
Complex expressions:
Make the code easy to modify
Make the code difficult to modify
Make the code easy to understand
Does not affect understandability

Question No:13 **(Marks:1)** **Vu-Topper RM**
A self-documenting code is a code that explains itself without the need of comments and extraneous documentation, like _____
Flowcharts
UML diagrams

Vu Topper RM

For More Help Contact What's app 03224021365

Process-flow state diagrams
All of above

Question No:14 (Marks:1) Vu-Topper RM
Global variables in C++ should always be referred to by using the
:: operator
: operator
Without an operator
None of the given

Question No:15 (Marks:1) Vu-Topper RM
The expressions with logical operators can be evaluated only from------
Right to left
Left to right
Top to bottom
Bottom to top

Question No:16 (Marks:1) Vu-Topper RM
Which indent size eliminates the chance of code lines splitting?
2
4
3
6

Question No:17 (Marks:1) Vu-Topper RM
Using proper parenthesis normally makes the code
Select correct option:
easy to read
easy to understand
less ambiguous
All of the given options

Question No:18 (Marks:1) Vu-Topper RM
In case of header files, construction is to avoid —— errors. The construction should appear in the top of the file (before the file header).
Compilation

Vu Topper RM

For More Help Contact What's app 03224021365

run time
logical
All of the given

Question No:19 (Marks:1) Vu-Topper RM
Which of the following is used for multi-level commenting?
// comment
/* Comment */
(Comment)
/ Comment/

Question No:20 (Marks:1) Vu-Topper RM
Constant values used in the program are called_____.
Select correct option:
Real Numbers
Magic numbers
Constant Numbers
Positive Numbers

Question No:21 (Marks:1) Vu-Topper RM
Charles Simonyi first discussed Hungarian Notation. He was of ——.
IBM
Dell
Cisco
Microsoft **Page 152**

Question No:22 (Marks:1) Vu-Topper RM
In order to make a code more portable, Instead of using vendor specific language extensions, use _____ as much as possible
STL
ISO
ANSI
CMMI

Question No:23 (Marks:1) Vu-Topper RM
Some bit field members are stored: I) left to right II) right to left III) in

Vu Topper RM

For More Help Contact What's app 03224021365

circular array
only (I) is true
Only (II) is true
Both (I) and (II) are true
All of the options (I, II and III) are true

Question No:24 (Marks:1) Vu-Topper RM
if (!(block < activeBlock)) is equvivalent to:
if ((block < activeBlock))
if ((block == activeBlock))
if ((block >= activeBlock))
None of the given

Question No:25 (Marks:1) Vu-Topper RM
Identifier names also play a significant role in enhancing the -------- of a program.
Writ ability
Readability
Reliability
All of given

Question No:26 (Marks:1) Vu-Topper RM
"is" prefix should be used for------ variables and methods.
General
Boolean
Constant
None of given

Question No:27 (Marks:1) Vu-Topper RM
It ensures that a class only has one instance and provides a global point of access to it.
Real Pattern
Observer Pattern
Singleton Pattern **Page 145**
None of the given

Vu Topper RM

For More Help Contact What's app 03224021365

Question No:28 **(Marks:1)** **Vu-Topper RM**

When a small set of functions (which use each other) is so overwhelmingly the bottleneck, there are two alternatives:

debug the code OR place assertions in code

remove the functions OR add more functions

Use a better algorithm OR re-write the code Page 177

changed programming language OR compiler at least

Question No:29 **(Marks:1)** **Vu-Topper RM**

One of the main reasons to make functions is _____

Reliability

Efficiency

Reusability **Page 171**

Maintainability

Question No:30 **(Marks:1)** **Vu-Topper RM**

Bit fields are a convenient way to express many difficult operations. However, bit fields suffer from one problem

Lack of usability

Lack of security

Lack of performance

Lack of portability **Page 183**

Question No:31 **(Marks:1)** **Vu-Topper RM**

which one is correct?

Double total=0.5;

Double total=.5;

Double total=.50;

All of the given

Question No:32 **(Marks:1)** **Vu-Topper RM**

if (!(block < active Block)) is equivalent to:

if ((block >= active Block))

Question No:33 **(Marks:1)** **Vu-Topper RM**

The form for (;;)should be used for

For More Help Contact What's app 03224021365

Empty loop

Question No:34 (Marks:1) Vu-Topper RM
The three basic principles that guide maintainability are: (a)clarity (b)enhancement (c)flexibility (d)simplicity
abc
acd
cba
abd

Question No:35 (Marks:1) Vu-Topper RM
Vertical partitioning is also known as…..
Balancing
Mutating
Factoring **Page 135**
Parallelizing

Question No:36 (Marks:1) Vu-Topper RM
if a major rework is required to translate a program written for one environment to another, it means code is not or less _____
Secure
Bug Free
Portable **Page 179**
platform dependent

Question No:37 (Marks:1) Vu-Topper RM
The C/C++ language has not specified whether _____ is arithmetic or logical.
Right shift >>
Right shift
&&
II

Question No:38 (Marks:1) Vu-Topper RM
Identify the TRUE statement:
Portability effects security

Vu Topper RM

For More Help Contact What's app 03224021365

Size of data types vary from one machine to other
Size of control structures vary from one machine to other
To write portable code, use vendor specific language extensions as much as possible

Question No:39 (Marks:1) Vu-Topper RM
In the classical thin-client architecture, the entire processing is carried-out by ----------
Single server
multiple servers
multiple servers
None of the given

Question No:40 (Marks:1) Vu-Topper RM
The C/C++ language does not define the alignment of items within
Structures
classes
unions
All of the given options

Question No:41 (Marks:1) Vu-Topper RM
In the architecture trade-off analysis method the architectural style should be described using the
data flow view
module view
process view

Question No:42 (Marks:1) Vu-Topper RM
In Client server model, the application is modeled as a set of .....that are provided by servers.
Requests
Protocols
Services
Requirements

Question No:43 (Marks:1) Vu-Topper RM

Vu Topper RM

For More Help Contact What's app 03224021365

Thin Client Model is one of the configurations of ……Model.
Layered
Reference
Data-centered
Client Server **Page 130**

Question No:44 **(Marks:1)** **Vu-Topper RM**
There are ……layers in OSI reference model.
5
6
7
8

Question No:45 **(Marks:1)** **Vu-Topper RM**
Which of the following is not a possible server in client server environment?
Database Server
Transaction Server
File Server
Time Server

Question No:46 **(Marks:1)** **Vu-Topper RM**
The clients and servers, in a client server environment, are connected through _____.
Interface
Groupware
Framework
Middleware

Question No:47 **(Marks:1)** **Vu-Topper RM**
Process view in Kuchen's 4+1 architectural view model captures __.
Object model of the design
Concurrency and synchronization aspects of the design
Mapping(s) of the software onto the hardware and reflects its

Vu Topper RM

For More Help Contact What's app 03224021365

distributed aspect
Static organization of the software in its development environment

Question No:48 (Marks:1) Vu-Topper RM
The key objective(s) of OOD process should achieve the following:
The class as far as possible should be Independent , but could be dependent on only a few classes.
Interaction between two classes should be explicit.
Class hierarchy should be built on specialization of higher class.
All of the given options

Question No:49 (Marks:1) Vu-Topper RM
Maintainability and Portability issues are discussed in _____.
Functional View
Physical View
Code View **Page 126**
Logical View

Question No:50 (Marks:1) Vu-Topper RM
Str = 0;// str is string Which rewritten from of above line of code is more in line with the self-documentation philosophy than the code above.
Str = false;
Str = NULL;
Str = '\0;
Str = 0.0;

Question No:51 (Marks:1) Vu-Topper RM
Struct packed_struct {unsigned int f1:1;} pack; Here in "packed_struct":
Value of f1 =1
Size of f1 = 1 bit
Value of f1 should not exceede 1
None of given options

Question No:52 (Marks:1) Vu-Topper RM

Vu Topper RM

For More Help Contact What's app 03224021365

In the switch statement, cases should always end with a -------statment.
Switch
Go
Break Page 167
Stop

Question No:53 (Marks:1) Vu-Topper RM
If(!(block < activeBlock)) is equvivalent to:
If ((block < activeBlock))
If ((block == activeBlock))
If ((block >= activeBlock))
None of the given

Question No:54 (Marks:1) Vu-Topper RM
Bit fields allow the packing of data in a structure. using Bit fields we can:
Avoid syntax errors
Read 9-bit integers Page182
Avoid memory leakages
Avoid memory overflow

Question No:55 (Marks:1) Vu-Topper RM
The order in which bytes of one word are stored is _____
dependent
Syntax
Software
Language
Hardware Page 181

Question No:56 (Marks:1) Vu-Topper RM
In order to write a portable code which of the following guideline will be helpful:
Stick to the standards
Program in the mainstream
Size of data types
All of give options

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:57 **(Marks:1)** **Vu-Topper RM**

x = 0; // x is floating pt. Which rewritten form of above line of code is more in line with the self-documentation philosophy than the code above.

x = '\0'

x = 0.0; Page 169

x = false

x = NULL

Question No:58 **(Marks:1)** **Vu-Topper RM**

The use of comments should be minimized by making the code self-documenting by appropriate name choices and an explicit logical structure.

True

False

Question No:59 **(Marks:1)** **Vu-Topper RM**

x = (a + 2 > 3)? a : a-1 ; 2) if((a + 2)> 3) x = a; else x = a - 1;

Statement (2) is more complex than (1)

Statement (2) is more complex than (1)

Both statements are very complex

None of the given options

Question No:60 **(Marks:1)** **Vu-Topper RM**

80/20 rule states that:

you spend 20 percent of your time in 80 percent of the code

you spend 80 percent of your time in 20 percent of the code

Page 177

We should try to optimized 80 percent or at least 20 percent of the code

None of the given options.

Question No:61 **(Marks:1)** **Vu-Topper RM**

Be very careful when you use functions with side effects – functions that change the values of the _____

Objects

For More Help Contact What's app 03224021365

Classes
Structures
Variables

Question No:62 (Marks:1) Vu-Topper RM
Comma (,) is very dangerous because
Compiler does not recognize this symbol
It creates linkage problem
It causes side effects
All of the given options

Question No:63 (Marks:1) Vu-Topper RM
_____ cause major portability issues
Loops
Bugs in code
Sizes of data types Page 179
Conditional Structures

Question No:64 (Marks:1) Vu-Topper RM
A test case involves:
Input/output specification plus a statement of the function under test
Steps to perform the function
Expected results that the software application produces
All of the given options

Question No:65 (Marks:1) Vu-Topper RM
If an application fulfills its specifications but deviates from users expectations or their desired behavior. This means, software is verified but not ----------
Validated Page 192
Corrected
Checked
Traced

Question No:66 (Marks:1) Vu-Topper RM
The raising of the imaginary error flag is simply called raising or

For More Help Contact What's app 03224021365

_____ an error
Catching
Casting
Throwing Page 184
None of given options

Question No:67 (Marks:1) Vu-Topper RM
struct packed_struct { unsigned int f1:1; } pack; Here in "packed_struct":
value of f1 = 1
size of f1 = 1 bit
value of f1 should not exceede 1
None of given options

Question No:68 (Marks:1) Vu-Topper RM
The idea behind exception handling is to raise some error flag every time _____
The code compiles
The code links
Memory is allocated
Something goes wrong

Question No:69 (Marks:1) Vu-Topper RM
A _____ is a variance from a desired product attribute.
Error
Defect Page 192
Mistake
Exception

Question No:70 (Marks:1) Vu-Topper RM
Consider the following statement: int a,b=10; Which of the following is correct:
Select correct option:
variable "a" is initialized to 10
Variable "b" is initialized to 10
Both variables "a" and "b" are initialized to 10

For More Help Contact What's app 03224021365

Question No:71 **(Marks:1)** **Vu-Topper RM**
Exception handling is a powerful technique that separates error-handling code from _____ code.
Normal
Faulty
Buggy
Complex

Question No:72 **(Marks:1)** **Vu-Topper RM**
The complexity of a program may _____ if there are exceptional paths in it
Decrease
Increase **Page 185**
Remain same
All of given options

Question No:73 **(Marks:1)** **Vu-Topper RM**
When an error is thrown the overall system (on the lookout for this error flag) responds by _____ the error.
Ignoring
Casting
Catching
All of the given options

Question No:74 **(Marks:1)** **Vu-Topper RM**
Comments are not syntax checked
TRUE
FALSE

Question No:75 **(Marks:1)** **Vu-Topper RM**
Modularity is a tool that can help us in increasing the size of individual functions, making them less readable.
True
False

Vu Topper RM

For More Help Contact What's app 03224021365

Question No:76 **(Marks:1)** **Vu-Topper RM**
Client Server model tries to data and processing.
Merge
Clone
Proceed
Distribute **Page 127**

Question No:77 **(Marks:1)** **Vu-Topper RM**
Anti- Patterns is another concept that corresponds to common in analysis and design.
Mistake
Issues
Problems
All of the given

Question No:78 **(Marks:1)** **Vu-Topper RM**
Three tier architecture contains layers.
Presentation
Application
Database
All of the above

Question No:79 **(Marks:1)** **Vu-Topper RM**
Fat client model is one of the configurations of model.
Data-Centered
Layered
Client Server

Question No:80 **(Marks:1)** **Vu-Topper RM**
Description of communicating objects and classes that are customized to solved a general problem in a particular context is called.
Design Pattern
System Patter
System Design

Vu Topper RM

For More Help Contact What's app 03224021365

None of the Given

Question No:81 (Marks:1) Vu-Topper RM
In the N-tier Architecture, the idea is to enhance scalability and by distributing both data and the application using multiple server machines.
Usability
Performance
Interpretability
None of the given

Question No:82 (Marks:1) Vu-Topper RM
Dynamic process model shows the process ……of the system.
Objects
Linkage
Structure **Page 129**
Components

Question No:83 (Marks:1) Vu-Topper RM
STL Stands for ——————— .
Standard Template Library
Standard Type Link
Standard Tempo Line
None of the given

Question No:84 (Marks:1) Vu-Topper RM
Patterns are devices that allow programs to share knowledge about their-----
Code
Design **Page 137**
Analysis
Implementation

Question No:85 (Marks:1) Vu-Topper RM
N-tier architecture stems from the struggle to find a ———— between the fat-client architecture and the thin-client architecture.

For More Help Contact What's app 03224021365

Vu Topper RM

Similarity
Concurrency
Middle ground
Distribution point

Question No:86 (Marks:1) Vu-Topper RM
Vertical partitioning divides the architecture application from a …… making perspective.
Decision
Design
Conclusion
Move

Question No:87 (Marks:1) Vu-Topper RM
Distributing the responsibilities to different subsystems so that we get a software system which is easy to maintain, is called ……the architecture.
Cloning
Balancing
Subtracting
Partitioning **Page 138**

Question No:88 (Marks:1) Vu-Topper RM
The nominal case should be put in the if-part and the exception in the else-part of an if statement.
TURE
FALSE

Question No:89 (Marks:1) Vu-Topper RM
The terms get/set must be used where an attribute is accessed.
Indirectly
Directly

Question No:90 (Marks:1) Vu-Topper RM
A self-documented pro gram/code contains the following attribute(s):
Size of each function

For More Help Contact What's app 03224021365

Choice of variable
Choice of variable
All of the given choices

Question No:91 (Marks:1) Vu-Topper RM
which of the following statements are same in output: 1) a = a >> 2 2) a = a / 4 3) a = a * 2.
(1) and (3) only
(2) and (3) only
(1) and (2) only
All produce the same result

Question No:92 (Marks:1) Vu-Topper RM
_____ was the first pure Object Oriented language in which observer pattern was used in implementing its Model View Controller pattern
C++
JAVA
PASCAL
Smalltalk

Question No:93 (Marks:1) Vu-Topper RM
Which of the following shows a commented statement in C++.
Ans = first + second
// Ans = first + second
\\ Ans = first + second
/# Ans = first + second

Question No:94 (Marks:1) Vu-Topper RM
The form for (;;) should be used for.
nested loop
empty loop
more than 1000 iterations

Question No:95 (Marks:1) Vu-Topper RM
A function should not be larger in any case and should not exceed

For More Help Contact What's app 03224021365

_____ in length .
Half page
One page **Page 150**
Two pages
Three Pages

Question No:96 **(Marks:1)** **Vu-Topper RM**
——provides a unified interface to a set of interfaces in a sub-system.
Observer Pattern
Singleton Pattern
Façade Pattern **Page 143**
All of the above

Question No:97 **(Marks:1)** **Vu-Topper RM**
Comments should NOT be indented relative to their position in the code.
TRUE
FALSE

Question No:98 **(Marks:1)** **Vu-Topper RM**
In Client Server model, there application is modeled as a set so — that are provided by server.
Application
Protocol
Services
All of the above

Question No:99 **(Marks:1)** **Vu-Topper RM**
Façade Pattern provides a unified interface to a set of interfaces ina sub-system.
True
False

Question No:100 **(Marks:1)** **Vu-Topper RM**
Which of the is/are among ten things which the basis template of GOF design pattern includes.

For More Help Contact What's app 03224021365

Vu Topper RM

Problem
Context
Forces
All of the above

Question No:101 (Marks:1) Vu-Topper RM
Thin Client Model places a heavy processing load on…….
Only Server
Only Network
Both Server and Network
Neither server nor network

Question No:102 (Marks:1) Vu-Topper RM
Zero install architecture does not need any installation on __.
Server side
Client side
Client & Server Side (Not Sure)
None of the above

Question No:103 (Marks:1) Vu-Topper RM
Data-Centered Architectural Style is also called ….
Repository model
Client Server model
Sub system model
Reference model

Question No:104 (Marks:1) Vu-Topper RM
A tricky sequence of fall through code using switch statement with no Break statements used, causes more trouble than being helpful.
True
False

Question No:105 (Marks:1) Vu-Topper RM
Which of the following is not part of software architecture?
Database
Data design

Vu Topper RM

For More Help Contact What's app 03224021365

Program structure
Algorithm details

Question No:106 (Marks:1) Vu-Topper RM
Defining the services of an object means
what it does?
what it knows?
who knows it?
whom it knows?

Question No:107 (Marks:1) Vu-Topper RM
The focus of sequence diagrams is:
On object constraints
On the flow of Control
On static model of system
on object(and classes) and message exchanged among them.

Question No:108 (Marks:1) Vu-Topper RM
The criteria used to assess the quality of an architectural design should be based on system.
accessibility and reliability
data and control
functionality
implementation details

Question No:109 (Marks:1) Vu-Topper RM
An architectural style encompasses which of the following elements?
constraints
set of components
semantic models
All of the given

Question No:110 (Marks:1) Vu-Topper RM
In sequence diagram, the solid lines depict:
Objects (or classes) 1
Life-time of an object

Vu Topper RM

For More Help Contact What's app 03224021365

Messages being sent from one object to the other
None of the given option

Question No:111 (Marks:1) Vu-Topper RM
A necessary supplement to transform or transaction mapping needed to create a complete architectural design is
the data dictionary
test cases for each module
entity relationship diagrams
processing narratives for each module **Page 422**

Question No:112 (Marks:1) Vu-Topper RM
C++ header files should have the extension---- Source files can have the extension ----
.c and .h
.cc and .h
.h and .cpp
All of the given

Question No:113 (Marks:1) Vu-Topper RM
Which one of these is a correct short cut used by the programmer?
x*=a
x=*a
x*a=
=a*x

Question No:114 (Marks:1) Vu-Topper RM
MVC stands for ----------**:**
Model View Center
Modern View Center
Model View Controller
Modern View Controller

Question No:115 (Marks:1) Vu-Topper RM
Data Centered Architectural Style is also called___

Vu Topper PM

For More Help Contact What's app 03224021365

Repository model
Client Server model
Sub System model
Reference model

Question No:116 (Marks:1) Vu-Topper RM
Which of the following is not a possible server in client server environment?
Database Server
Transaction Server
File Server
Time Server

Question No:117 (Marks:1) Vu-Topper RM
In case of a file server, client request selected records from a_and the server transmits recorded to client over the network
Local memory
Network
Database
File

Question No:118 (Marks:1) Vu-Topper RM
When an error is thrown the overall system (on the lookout for this error flag) responds by ____the error
Catching
t
Question No:119 (Marks:1) Vu-Topper RM
The process that involves verification of product with respect to its written requirements is called _____ .
Testing **Page 192**
Debugging
Maintenance
Development

Question No:120 (Marks:1) Vu-Topper RM
In order to write a p or table code which of the following guideline will

Vu Topper RM

For More Help Contact What's app 03224021365

not be helpful:
Using vendor specific language extensions

Question No:121 (Marks:1) Vu-Topper RM
Testing individual components independent of other components is called:
Unit testing

Question No:122 (Marks:1) Vu-Topper RM
Unit Testing will be done by
Developers

Question No:123 (Marks:1) Vu-Topper RM
Exception handling provides
Portability mechanism
Code Usability mechanism
Error Handling mechanism
Both Portability & Code Usability mechanism

Software architecture must address _____ requirements of a software system.

A. Functional
B. Non-functional
C. User Interface Requirements
D. Both functional and non-functional.

Specialization means:

A. Calling the same method with the object of child object
B. Hiding the data
C. Creating new subclasses for an existing class Page 86
D. None of the given options

A _____ relationship indicates that one entity is composed of one or more parts which are themselves instances of that or another entity.

A. Whole -part Google
B. Inheritance

For More Help Contact What's app 03224021365

Vu Topper RM

C. Generalization
D. Specialization

_____ and _____ are two important tools that helps in managing the program complexity.
Modularity, Composition
Aggregation, Inheritance
Composition, Inheritance
Abstraction, Encapsulation Page 170

Which of following is among ten things, which the basic template of GOF design pattern includes.
IQ
Context Page 142
Performance
Requirements

_____and _____ are important short circuiting logical operators.
a. AND b. OR c. NOTd. NOR
a&b Page 173
b&c
c&d
a&c

In sequence diagram, the objects are organized in a _____ line and the events in a _____ time line.
A. Horizontal, vertical Google
B. Horizontal, straight
C. Vertical, straight
D. Vertical, horizontal

_____ is a tool that can help us in reducing the size of individual functions.
Abstraction
Inheritance
Modularity Page 170
Association

VU Topper RM

For More Help Contact What's app 03224021365

Physical view in Krutchen's 4+1 architectural view model captures _____.
Object model of the design
Concurrency and synchronization aspects of the design
Static organization of the software in its development environment
Mapping(s) of the software onto the hardware and reflects its distributed aspect

In Object Oriented Design, combining the services offered by an object with the attributes they work on, results in:
Lower coupling and strong cohesion
Lower cohesion and strong coupling
Increased likelihood of reuse
Decrease the modularity of the system

A. A only
B. B and c only
C. A and c only
D. B and c only

A _____ is a system component that provides services to other components but would not normally be considered as a separate system.

A. Message
B. Method
C. Module **Page 121**
D. Relationship

_____ is concerned with decomposing a system into interacting sub-systems.
Control Modeling
System Structuring **Page 121**
Work breakdown structure
Work Breakdown Structure

As per Peter Coad's methodology, which of the following may not be a perfect candidate for being an object?

A. Zone
B. Recipient

Vu Topper RM

For More Help Contact What's app 03224021365

C. Garage
D. Password Page 93

In "Point of Sale system", the term "Payment" represents
A. Actor
B. Participant
C. Transaction Page 99
D. Container

The _____ provides the software engineer with a view of the system as a whole.
A. Process Model
B. Business model
C. Architectural Model
D. Requirements Model

When programmers use shortcuts and cryptic codes in their program, _____ becomes a major problem.
Reusability
Readability
Availability
Maintenance

Different messages in sequence diagrams includes:
A. Simple
B. Notify
C. Asynchronous
D. Both Simple and Asynchronous Page 108

Issues like system performance, availability, scalability, and security are analyzed in _____.
Code View
Logical View
Physical View Page 127
Concurrency View

Selecting Objects (in a domain) include:

For More Help Contact What's app 03224021365

Vu Topper RM

A. Only Actors
B. Only Participants
C. Only Actors and Places
D. Actors. Participants and Places

Which one of these represents the Krutchen's 4+1 architectural view model?

A. Dynamic view, Process view, Physical view, Development view, Use case view
B. Logical view, Process view, Physical view, Development view, Sequence view
C. Logical view, Process view, Physical view, Development view, Use case view
D. Logical view, Dynamic view, Physical view, Development view, Use case view

Switch statement is equal to _____ statement.
If
if-else
nested if
if-else if **Page 167**

In order to write a portable code which of the following guideline will not be helpful:
Size of data types
Stick to the standards
Program in the mainstream
Using vendor specific language extensions

Performance, Security and maintainability are the types of _____ requirements.
Domain
Business
Functional
Non-Functional

VuTopper RM

For More Help Contact What's app 03224021365

Verification and validation are the processes in which we check a product against its _____ and the _____ of the users who will be using it

statements, arguments

statements, expectations

specifications , arguments

specifications, expectations **Page 192**

Software _____ is the process of examining the software product against its requirements.

Fixing Page 192

Testing

Debugging

Exception handling

A self documenting code is a code that explains itself without the need of comments and extraneous documentation, like _____

Flowcharts

UML diagrams

process-flow

ALL

using proper paranthesis normally makes the code

easy to read

less ambiguous

easy to understand

All of the given options

Consider the following piece of code:

```
public class Square extends Shape {
// some code
}
```

The above code is an example of

A. Part-Whole relationship

B. Generalization/ Specialization

C. Data Sharing

Vu Topper RM

For More Help Contact What's app 03224021365

D. Data encapsulation

The greatest advantage of exception handling is its ability to handle:
Syntax errors
Memory errors
Asynchronous errors **Page 184**
Control Structure errors
Whole part structure is also called _____
A. Generalization
B. Aggregation
C. Specialization
D. Association

Vu Topper RM

For More Help Contact What's app 03224021365