Learning4help by Waqas

Asslam-o-Alaikum! In this file we'll provide you CS508 quiz 3 2023 Important Finalterm MCQs. Must Prepare Before Finalterm Exams. Verify Answers yourself too. If you found mistake then inform me.

If you found mistake then let us know.

You can contact us on WhatsApp https://wa.me/+923421718143

Or You can send us gmail: Learningn4help@gmail.com

Facebook page is https://m.facebook.com/WAQASQURESHI34555/


For more educational stuff keep visiting

https://learning4help.com

Subscribe to my Channel:
https://www.youtube.com/channel/UC_CGywvKgSGACQHPuq-951Q

LEARNING4HELP BY WAQAS QURESHI






Question # 11 of 15 (Start time: 08:59:53 PM, 31 January 2023) **Total Marks:** 1

Which of the given statement is True if "$a" is not equal to "$b" in php?

Select the correct option

- $a =! $
- $a !== $b
- $a != $
- $a ==! $




Question # 10 of 15 (Start time: 08:59:34 PM, 31 January 2023) **Total Marks:** 1

Which of the following code provides access to memory through pointers in C#?

Select the correct option

- Managed code
- Un-managed code
- Safe code
- Static code

LEARNING HELP BY WAQAS QURESHI



Question # 9 of 15 (Start time: 08:59:08 PM, 31 January 2023) **Total Marks:** 1


Which of the following conversion has to be done explicitly by the programmer in C#?

Select the correct option

Reload Math Equations

- float to double
- float to int
- int to long
- int to float

Click to Save Answer & Move to Next Question




Question # 8 of 15 (Start time: 08:58:16 PM, 31 January 2023) **Total Marks:** 1

_____ keyword is used in C# to inform the garbage collector not to relocate the object.


Select the correct option

- exclude
- fixed
- stop
- pause


LEARNING4 HELP BY WAQAS QURESHI



LEARNING A HELP BY WAQAS QURESHI



LEARNING A HELP BY WAQAS QURESHI



Question # 3 of 15 (Start time: 08:55:13 PM, 31 January 2023) **Total Marks:** 1


The _____ operator in C# is used to test if the operator/expression is of a certain type.

Select the correct option

Reload Math Equations

- 'OUT'
- 'AS'
- 'IS'
- 'IN'

Click to Save Answer & Move to Next Question



Question # 2 of 15 (Start time: 08:54:33 PM, 31 January 2023) **Total Marks:** 1

In the context of C#, a class that is defined in the body of another class is called:


Select the correct option

Reload Math Equations

- Private class
- Nested class
- Protected class
- Public class

Click to Save Answer & Move to Next Question

LEARNING4 HELP BY WAQAS QURESHI



Question # 1 of 15 (Start time: 08:54:17 PM, 31 January 2023) **Total Marks: 1**

Which of the following language was created by Microsoft as a part of .Net framework?

Select the correct option

- C++
- Java
- C# (selected)
- Prolog

CS508 - Modern Programming Languages (Quiz No 3) **Quiz Start Time: 09:55 PM, 04 February 2023**

Question # 15 of 15 (Start time: 10:01:08 PM, 04 February 2023) **Total Marks: 1**


In the context of C#, which of the following is not true about delegates?

Select the correct option

Reload Math Equations

- Delegates are value type (selected)
- Delegates are event based
- Delegates are reference type
- Delegates are like C/C++ function pointer


LEARNING4 HELP BY WAQAS QURESHI



An _____ in PHP is an ordered map.

Select the correct option

- string
- queue
- stack
- array



BC150202297: Muhammad Mahlail Samar

Time Left 74 sec(s)

CS508 - Modern Programming Languages (Quiz No 3)

Quiz Start Time: 09:55 PM, 04 February 2023

Question # 8 of 15 (Start time: 09:59:02 PM, 04 February 2023) **Total Marks:** 1


The concept of C# jagged array is similar in function to _____

Select the correct option

Reload Math Equations

- Java Array of Arrays
- C++ Pointers
- C++ rectangular Array
- Java structs

LEARNING4 HELP BY WAQAS QURESHI



Question # 7 of 15 (Start time: 09:57:27 PM, 04 February 2023) **Total Marks:** 1


C# does not support pointers for _____ types.

Select the correct option

Reload Math Equations

- Character
- Reference
- Value
- Integer

Click to Save Answer & Move to Next Question




The correct way to declare a class as unsafe in C# is:

Select the correct option

- unsafe class MyClass{...}
- class MyClass unsafe{...}
- class unsafe MyClass{...}
- unsafe MyClass{...}

LEARNING4 HELP BY WAQAS QURESHI




The division of two integers (i.e. 7/2) in PHP generates a/an:

Select the correct option

Reload Math Equations

- (●) Floating point number
- ( ) Exception
- ( ) Integer
- ( ) Runtime error

Click to Save Answer & Move to Next Question




In PHP, if a number is beyond the bounds of the integer type, then it will be interpreted as a _____ instead.

Select the correct option

- (●) float
- ( ) string
- ( ) long
- ( ) short

LEARNING4 HELP BY WAQAS QURESHI




If **x** and **y** are integer variables and **z** is a Boolean variable then which of the following statement causes compilation error in C#?

Select the correct option

Reload Math Equations

- if(x>y) { //some code }
- if(z) { //some code }
- if(y>x) { //some code }
- if(x=y) { //some code }




PHP stands for _____ .

Select the correct option

- PHP: Hypertext Preprocessor
- PHP: Home Preprocessor
- PHP: Hypertext Page
- PHP: Home Page


LEARNING4 HELP BY WAQAS QURESHI



Restricted use of pointers is permitted in C# within the code marked as:

Select the correct option

- static
- unsafe
- void
- safe



CS508 - Modern Programming Languages (Quiz No 3) **Quiz Start Time: 03:31 PM, 30 January 2023**

Question # 9 of 15 (Start time: 03:40:47 PM, 30 January 2023) **Total Marks:** 1

To dynamically generate a web page, which of the following programming language is most suitable?

Select the correct option

Reload Math Equations

- Prolog
- Ada
- C++
- PHP

LEARNING4 HELP BY WAQAS QURESHI

C# language is very similar to:

Select the correct option

- C-Language
- Prolog
- Java
- Delphi


Which of the following class in C# cannot be inherited from?

Select the correct option

Reload Math Equations

- Abstract class
- Public class
- Sealed class
- Internal class

LEARNING4 HELP BY WAQAS QURESHI



CS508 - Modern Programming Languages (Quiz No 3) Quiz Start Time: 03:31 PM, 30 January 2023


Question # 6 of 15 (Start time: 03:37:53 PM, 30 January 2023) **Total Marks:** 1

In C#, Managed code is executed under the control of:

Select the correct option

Reload Math Equations

- Debugger
- Comon Language Runtime (CLR)
- Assembler
- Disassembler



CS508 - Modern Programming Languages (Quiz No 3) Quiz Start Time: 03:31 PM, 30 January 2023

Question # 5 of 15 (Start time: 03:36:46 PM, 30 January 2023) **Total Marks:** 1


Which of the following language is used for server-side scripting?

Select the correct option

Reload Math Equations

- C#
- Ada
- PHP
- C++

LEARNING4 HELP BY WAQAS QURESHI




C# does not support pointers for _____ types.

Select the correct option

Reload Math Equations

- Value
- Reference
- Character
- Integer

Click to Save Answer & Move to Next Question



In order to pass a value by reference to a method in C#, which of the following keyword is used with method parameter?


Select the correct option

Reload Math Equations

- ref
- refer
- Explicit
- new

Click to Save Answer & Move to Next Question


LEARNING4 HELP BY WAQAS QURESHI



e able to attempt the quiz.


connection of internet), you will be able to attempt the
efore expiry of the deadline.

LEARNING4 HELP BY WAQAS QURESHI




vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
Question # 3 of 15 (Start time: 09:56:45 PM, 04 February 2023)
Total Marks: 1
Which of the following language is used for server-side scripting?
Select the correct option
Reload Math Equations
C#
PHP
C++
Ada
Click to Save Answer & Move to Next Question
Search
ENG
9:56 PM

LEARNING4 HELP BY WAQAS QURESHI



LEARNING & HELP BY WAQAS QURESHI



Question # 2 of 15 (Start time: 06:21:07 PM, 03 February 2023) **Total Marks:** 1


_____is more strongly typed language than _____

Select the correct option

Reload Math Equations

- Java, C++
- C++, C#
- C#, C++ (selected)
- C++, Java

Click to Save Answer & Move to Next Question




Question # 1 of 15 (Start time: 06:20:32 PM, 03 February 2023) **Total Marks:** 1

Which of the given is used before the declaration of variable in PHP?

Select the correct option

- # sign
- ? sign
- $ sign (selected)
- @ sign

LEARNING & HELP BY WAQAS QURESHI



Question # 11 of 15 (Start time: 05:51:08 PM, 03 February 2023) **Total Marks:** 1

The "***out***" keyword in C# is used to pass _____ variable by reference to a method.

Select the correct option

Reload Math Equations

- (●) Un-initialized
- ( ) Numeric
- ( ) Static
- ( ) String

Click to Save Answer & Move to Next Question

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx

Question # 8 of 15 (Start time: 05:49:13 PM, 03 February 2023) **Total Marks:** 1

In C#, which of the following is used to give information to .Net compiler that a class is compliant with Common Language Specifications (CLS)?


Select the correct option


Reload Math Equations

- (●) Class attribute
- ( ) Class definition
- ( ) Class variables
- ( ) Class functions


Click to Save Answer & Move to Next Question

LEARNING & HELP BY WAQAS QURESHI







LEARNING A HELP BY WAQAS QURESHI



LEARNING & HELP BY WAQAS QURESHI



LEARNING4 HELP BY WAQAS QURESHI




Question # 12 of 15 (Start time: 11:31:27 PM, 31 January 2023) **Total Marks:** 1

Enumeration type in C# may take any type of _____ in contrast to C++ where it take only _____

Select the correct option

- Value type value, reference type value
- Numeric value, integer value
- Value type value, numeric value
- Primitive type value, reference type value



Question # 9 of 15 (Start time: 11:30:45 PM, 31 January 2023) **Total Marks:** 1

_____is more strongly typed language than _____


Select the correct option

Reload Math Equations

- Java, C++
- C++, C#
- C++, Java
- C#, C++

Click to Save Answer & Move to Next Question

LEARNING4 HELP BY WAQAS QURESHI




Question # 5 of 15 (Start time: 11:29:03 PM, 31 January 2023) **Total Marks:** 1

In PHP 'switch' structure, the _____ starts or implements an implicit loop.

Select the correct option

- Continue Statement
- For Loop
- Return Statement
- Break Statement




Question # 2 of 15 (Start time: 11:28:24 PM, 31 January 2023) **Total Marks:** 1


Which of the given operator is used to return a reference from a function in PHP?

Select the correct option


- Dot
- $
- &
- &&

LEARNING A HELP BY WAQAS QURESHI







LEARNING4 HELP BY WAQAS QURESHI



LEARNING4 HELP BY WAQAS QURESHI



LEARNING4 HELP BY WAQAS QURESHI




Question # 5 of 15 (Start time: 11:09:34 PM, 31 January 2023) **Total Marks:** 1

Restricted use of pointers is permitted in C# within the code marked as:

Select the correct option

- safe
- static
- unsafe
- void




Question # 4 of 15 (Start time: 11:09:08 PM, 31 January 2023) **Total Marks:** 1

Which of the given statement is True if "$a" is not identical to "$b" in php?


Select the correct option


- $a != $
- $a ==! $
- $a !== $b
- $a =! $

LEARNING4 HELP BY WAQAS QURESHI





LEARNING4 HELP BY WAQAS QURESHI






LEARNING4 HELP BY WAQAS QURESHI





LEARNING4 HELP BY WAQAS QURESHI



Question # 15 of 15 (Start time: 09:13:06 PM, 31 January 2023) **Total Marks:** 1

If you want to override a method in C# then the overridden method must not be declared as:

Select the correct option

Reload Math Equations

- Override
- Abstract
- Static
- Virtual

Click to Save Answer & Move to Next Question

Question # 14 of 15 (Start time: 09:12:38 PM, 31 January 2023) **Total Marks:** 1

The code written in PHP is returned to the web browser as:


Select the correct option

Reload Math Equations


- Shell scripts
- CSS flexbox
- Plain HTML
- Applets

Click to Save Answer & Move to Next Question


LEARNING4 HELP BY WAQAS QURESHI



LEARNING A HELP BY WAQAS QURESHI



LEARNING4 HELP BY WAQAS QURESHI



Question # 7 of 15 (Start time: 09:09:05 PM, 31 January 2023) Total Marks: 1

For event driven mechanism in C#, we use _____ just like ____ in C++.

Select the correct option

Reload Math Equations

- Event handlers , Packages
- Templates , Delegates
- Event Buttons , Graphics code
- (•) Delegates , Function pointer

Click to Save Answer & Move to Next Question

Question # 6 of 15 (Start time: 09:08:38 PM, 31 January 2023) Total Marks: 1

The division of two integers (i.e. 7/2) in PHP generates a/an:


Select the correct option

Reload Math Equations


- Integer
- Exception
- Runtime error
- (•) Floating point number

Click to Save Answer & Move to Next Question

LEARNING & HELP BY WAQAS QURESHI



LEARNING & HELP BY WAQAS QURESHI




Question # 2 of 15 (Start time: 09:06:27 PM, 31 January 2023) **Total Marks:** 1

In _____, the 'break' statement may have an optional parameter or argument.

Select the correct option

- C#
- PHP
- Java
- C/C++



Question # 15 of 15 (Start time: 09:03:00 PM, 31 January 2023) **Total Marks:** 1

Which of the following type of numbers are not supported by PHP?


Select the correct option

Reload Math Equations

- Unsinged Integers
- Complex Numbers
- Singed Integers
- Real Numbers

Click to Save Answer & Move to Next Question

LEARNING4 HELP BY WAQAS QURESHI



Question # 14 of 15 (Start time: 09:02:32 PM, 31 January 2023) **Total Marks: 1**


In C#, which of the following is used to give information to .Net compiler that a class is compliant with Common Language Specifications (CLS)?

Select the correct option

Reload Math Equations

- ○ Class definition
- ○ Class functions
- ◉ Class attribute
- ○ Class variables

Click to Save Answer & Move to Next Question




Question # 13 of 15 (Start time: 09:02:08 PM, 31 January 2023) **Total Marks: 1**

Arrays in PHP are not like C/C++ arrays but they are _____.

Select the correct option

- ◉ Maps
- ○ Structures
- ○ Records
- Templates

LEARNING & HELP BY WAQAS QURESHI



LEARNING4 HELP BY WAQAS QURESHI
Learning4help.com