Learning4help by Waqas

Asslam-o-Alaikum! In this file we'll provide you CS304,CS304P quiz 3 2023 Important Finalterm MCQs. Must Prepare Before Finalterm Exams. Verify Answers yourself too. If you found any mistake then inform me.

If you found mistake then let us know.


You can contact us on WhatsApp https://wa.me/+923421718143

Or You can send us gmail: Learningn4help@gmail.com

Facebook page is https://m.facebook.com/WAQASQURESHI34555/

For more educational stuff keep visiting

https://learning4help.com




Subscribe to my Channel:

https://www.youtube.com/channel/UC_CGywvKgSGACQHPuq-951Q

LEARNING4HELP BY WAQAS QURESHI






Question # 15 of 15 (Start time: 10:30:25 PM, 03 February 2023) **Total Marks:** 1

If we have not given any constructor for the class, compiler generates which of the following constructors?

Select the correct option

- Explicit Parameterized Constructor
- Implicit Default Constructor
- Implicit Parameterized Constructor
- Explicit Default Constructor



Question # 14 of 15 (Start time: 10:29:51 PM, 03 February 2023) **Total Marks:** 1

Consider the code below:

```
class class1
{
    private: void func1();
};
class class2 : public class1
{ };
```

Function func1 of class1 is _____ in class2.

Select the correct option

Reload Math Equations

- public
- private

LEARNING HELP BY WAQAS QURESHI

When derived class has user defined assignment operator,

Select the correct option

- Compiler itself calls base class assignment operator.
- Compiler does nothing.
- (●) Compiler itself calls base class default constructor.
- Compiler itself calls base class copy constructor.

Click to Save Answer & Move to Next Question


Question # 12 of 15 (Start time: 10:27:31 PM, 03 February 2023) **Total Marks:** 1

When we want to have exactly identical operations on different data types, _____ are used.

Select the correct option

- Function Overriding
- None of the given options
- (●) Function Overloading
- Function Templates

LEARNING & HELP BY WAQAS QURESHI




Question # 11 of 15 (Start time: 10:26:47 PM, 03 February 2023) **Total Marks:** 1

In c++, compiler can generate which of the following operators' code,

Select the correct option

- &&
- = =
- =
- &




Question # 10 of 15 (Start time: 10:25:36 PM, 03 February 2023) **Total Marks:** 1


Friend Functions of a class are _____ members of that class.


Select the correct option

- Private
- None of the given options.
- Public
- Protected




LEARNING4 HELP BY WAQAS QURESHI






LEARNING4 HELP BY WAQAS QURESHI



Which of the following is/are casting operator(s) in C++?

Select the correct option

- static_cast
- dynamic_cast
- const_cast
- All of the given options




Question # 11 of 15 (Start time: 10:18:42 PM, 30 January 2023) **Total Marks:** 1

We can access private members of the class from outside the class using _____ operator with its object pointer.

Select the correct option

- .
- None of the given options
- ->
- &

LEARNING4 HELP BY WAQAS QURESHI




Question # 11 of 15 (Start time: 10:18:42 PM, 30 January 2023) **Total Marks:** 1

We can access private members of the class from outside the class using _____ operator with its object pointer.

Select the correct option

- .
- None of the given options
- ->
- &




Question # 10 of 15 (Start time: 10:17:39 PM, 30 January 2023) **Total Marks:** 1

Compiler generated copy constructor performs _____.

Select the correct option

- None of these options
- Deep copy
- Shallow copy
- Both Shallow and Deep copy

LEARNING4 HELP BY WAQAS QURESHI



Question # 9 of 15 (Start time: 10:17:01 PM, 30 January 2023) **Total Marks:** 1


Consider the following two lines of code written for a class Student,

1. Student sobj1,sobj2;
2. sobj2 = sobj1;

In line No.2, which constructor of Student class will be called?

Select the correct option

- (●) Copy constructor of Student class
- ( ) Default constructor of Student class
- ( ) Both Default and Copy constructor of Student class
- ( ) No constructor will be called



class class1

{

public: void func1();

};

class class2 : private class1

{ };


Function func1 of class1 is _____ in class2.

Select the correct option

Reload Math Equations

- ( ) public
- ( ) none of the given options
- (●) private/hidden
- ( ) protected

LEARNING4 HELP BY WAQAS QURESHI




Question # 7 of 15 (Start time: 10:15:45 PM, 30 January 2023) **Total Marks:** 1

```
private:
void func1();
};
class class2 : private class1 {
};
Function func1 of class1 is _____ in class2,
```

Select the correct option

- private
- public
- protected
- none of the given options




Question # 6 of 15 (Start time: 10:13:41 PM, 30 January 2023) **Total Marks:** 1

In c++, compiler can generate which of the following operators' code,

Select the correct option

- &&
- = =
- =
- &

LEARNING4 HELP BY WAQAS QURESHI



Consider the code below:


```
class class1
{
private: void func1();
};
class class2 : protected class1
{ };
```

Function func1 of class1 is _____ in class2.

Select the correct option

Reload Math Equations

- public
- protected
- none of the given options




A template provides a convenient way to make a family of

Select the correct option

- variables and data members
- classes and exceptions
- programs and algorithms
- functions and classes


LEARNING4 HELP BY WAQAS QURESHI



If the user does not specify the type of inheritance then the default type of inheritance is _____.

Select the correct option

- Public inheritance
- None of the given
- Private inheritance
- Protected inheritance




If the user does not specify the type of inheritance then the default type of inheritance is _____.

Select the correct option

- Public inheritance
- None of the given
- Private inheritance

LEARNING4 HELP BY WAQAS QURESHI




Question # 10 of 15 (Start time: 10:25:36 PM, 03 February 2023) **Total Marks:** 1

Friend Functions of a class are _____ members of that class.

Select the correct option

- Private
- None of the given options.
- Public
- Protected



CS304 - Object Oriented Programming (Quiz 3) **Quiz Start Time: 10:07 PM, 30 January 2023**


Question # 1 of 15 (Start time: 10:07:03 PM, 30 January 2023) **Total Marks:** 1


In C++ generic programming is done using_____

Select the correct option


- Packages
- Templates
- Procedures

LEARNING4 HELP BY WAQAS QURESHI







LEARNING4 HELP BY WAQAS QURESHI



LEARNING4 HELP BY WAQAS QURESHI



LEARNING & HELP BY WAQAS QURESHI




If the data members of an object have been dynamically allocated then it is required to do _____.

Select the correct option

Reload Math Equations

- Both of the given options
- Shallow copy
- None of the given options
- Deep copy

Click to Save Answer & Move to Next Question



Which of the following is insertion operator?


Select the correct option

Reload Math Equations

- >>
- V
- <<
- ^

Click to Save Answer & Move to Next Question

LEARNING4 HELP BY WAQAS QURESHI




In C++ classes, how many access specifiers are there?

Select the correct option

Reload Math Equations

- 3
- None of the given options
- 2
- 4

Click to Save Answer & Move to Next Question




Question # 2 of 15 (Start time: 10:19:36 PM, 03 February 2023) **Total Marks:** 1

In case of private inheritance, protected members of base class will be _____ in derived class?

Select the correct option

- protected
- hidden
- private
- public

LEARNING4 HELP BY WAQAS QURESHI




Question # 1 of 15 (Start time: 10:18:50 PM, 03 February 2023) **Total Marks:** 1

Child class can call constructor of its,

Select the correct option

- Both direct and indirect base classes
- None of these
- Direct base class
- Indirect base class



If any data members of a class is using dynamic memory allocation , implementation of _____would be better approach.


Select the correct option

Reload Math Equations

- None of the given
- Both Deep and Shallow copy
- Shallow copy
- Deep copy

Click to Save Answer & Move to Next Question

LEARNING4 HELP BY WAQAS QURESHI




Subscript operator is overloaded as member function of the class and there will be only one parameter with _____ data type.

Select the correct option

Reload Math Equations

- (●) char
- ( ) float
- ( ) int
- ( ) string

Click to Save Answer & Move to Next Question



In virtual inheritance, there can be _____ copy of the anonymous base class object.


Select the correct option

Reload Math Equations

- ( ) None of the given options
- (●) One
- ( ) Zero
- ( ) Two

Click to Save Answer & Move to Next Question

LEARNING4 HELP BY WAQAS QURESHI



Question # 10 of 20 (Start time: 08:53:24 PM, 30 January 2023) **Total Marks:** 1


The stream insertion and stream extraction operators are already over loaded for _____.

Select the correct option

Reload Math Equations

- None of the given options
- User Defined Data Type
- Built-in Data Type
- User Defined & Built-in Data Type

LEARNING A HELP BY WAQAS QURESHI




In _____, there is exactly one copy of the anonymous base class object.

Select the correct option

Reload Math Equations

- Multiple Inheritance
- Simple Inheritance
- Virtual inheritance
- Hybrid inheritance

Click to Save Answer & Move to Next Question



What is the name of Base class in the line below?

class Truck : public Vehicle


Select the correct option

Reload Math Equations

- Truck
- Public
- Vehicle
- None of the given options

Click to Save Answer & Move to Next Question

LEARNING4 HELP BY WAQAS QURESHI




Which of the following operator overloading declaration can be used for pre-increment operators implemented as member function of the class Complex?

Select the correct option

Reload Math Equations

- None of the given options
- Complex & Complex::operator++();
- Complex && operator ++ ();
- (●) Complex & operator ++ ();

Click to Save Answer & Move to Next Question



Which of the following is used to get data from the console?


Select the correct option

Reload Math Equations

- (●) Stream Extraction operator
- Binary Operators
- Stream Insertion operator
- Operator Overloading

Click to Save Answer & Move to Next Question

LEARNING4 HELP BY WAQAS QURESHI




Question # 1 of 20 (Start time: 08:46:07 PM, 30 January 2023) **Total Marks:** 1

Subscript operator is overloaded as _____ of the class and there will be only one parameter with integer data type.

Select the correct option

Reload Math Equations

- (●) Overloading Operator
- ( ) Static Function
- ( ) Member Function
- ( ) Overriding Function



Question # 5 of 5 (Start time: 08:43:49 PM, 30 January 2023) **Total Marks:** 1

Consider the following C++ code and identify pure virtual functions.


```
class Shape {
virtual void draw() = 0;
virtual double getArea(){}
};
```


Select the correct option

Reload Math Equations


- ( ) class Shape
- ( ) None of the given options
- ( ) virtual double getArea()
- (●) virtual void draw() = 0;

LEARNING4HELP BY WAQAS QURESHI






LEARNING4 HELP BY WAQAS QURESHI



LEARNING4 HELP BY WAQAS QURESHI




```
class class1
{
public: void func1();
};
class class2 : private class1
{};
Function func1 of class1 is _____ in class2.
```

Select the correct option

Reload Math Equations

- protected
- private/hidden
- none of the given options
- public



Question # 14 of 15 (Start time: 08:14:10 PM, 03 February 2023) **Total Marks:** 1


In case of protected inheritance, public members of base class will be _____ in derived class?

Select the correct option

- protected
- private
- hidden
- public



LEARNING4 HELP BY WAQAS QURESHI




Question # 12 of 15 (Start time: 08:11:49 PM, 03 February 2023) **Total Marks: 1**

We can access private members of the class from outside the class using _____ operator with its object pointer.

Select the correct option

- ->
-
- &
-




Question # 11 of 15 (Start time: 08:11:09 PM, 03 February 2023) **Total Marks: 1**

A template provides a convenient way to make a family of

Select the correct option

- functions and classes
- classes and exceptions
- variables and data members
- programs and algorithms

LEARNING4 HELP BY WAQAS QURESHI



Question # 10 of 15 (Start time: 08:10:07 PM, 03 February 2023) **Total Marks:** 1

Consider the code below,

```
class c1{
};
class c2 : public c1 {
};
class c3 : public c2 {
};
```

Select the correct option

- Direct child class of c2
- Direct base class of c3
- (●) Direct child class of c3
- Direct base class of c2


Question # 9 of 15 (Start time: 08:09:41 PM, 03 February 2023) **Total Marks:** 1

In private inheritance derived class pointer can be assigned to base class pointer in,

Select the correct option

- In derived class member and friend functions
- None of the given options
- (●) Main function
- In base class member and friend functions

LEARNING4 HELP BY WAQAS QURESHI




Question # 8 of 15 (Start time: 08:08:35 PM, 03 February 2023) **Total Marks: 1**

Outside world can access only _____ members of a class using its object.

Select the correct option

- No member is accessible.
- Public
- Protected
- Private




Question # 7 of 15 (Start time: 08:08:11 PM, 03 February 2023) **Total Marks: 1**

Which will be the Primary task or tasks of generic programming?

Select the correct option

- Build concrete models of the concepts
- All of given
- Categorize the abstractions in a domain into concepts
- Implement generic algorithms based on the concepts

LEARNING4 HELP BY WAQAS QURESHI




Question # 6 of 15 (Start time: 08:07:17 PM, 03 February 2023) **Total Marks:** 1

Two functions with same names, parameters and return type can exist in,

Select the correct option

- Operator overloading
- Function overriding
- None of these options
- Function overloading




Question # 4 of 15 (Start time: 08:05:23 PM, 03 February 2023) **Total Marks:** 1

In Protected Inheritance the public members of base class become _____ in derived class.

Select the correct option

- None of the given options.
- Public
- Protected
- Private

LEARNING & HELP BY WAQAS QURESHI



LEARNING4 HELP BY WAQAS QURESHI
Learning4help.com