AL-JUNAID INSTITUTE GROUP

vulmshelp.com

GRAND QUIZ

0304-1659294

JUNAID MALIK

LMS handling service are available

PAID

Assignment, QUIZ, GDBZ and GRAND QUIZ SERVICE are available

0304-1659294

AL-JUNAID INSTITUTE GROUP

CS403 GRAND QUIZ

1. Which is not the function of Database Management System?
    a. A user accessible Catalog
    b. Concurrency Control Services
    c. Failure Response Service
    d. Support for Data Communication
2. The conceptual database design can be transformed into any _____.
    a. Data model
    b. Database design
    c. E-R model
    d. Entity set
3. Which is the second stage in the database development process?
    a. Database design
    b. Preliminary Study
    c. Physical Design
    d. Requirement Analysis
4. Functional dependencies under interference rule reflexivity are called _____ dependencies.
    a. Augmentation
    b. Transitivity
    c. Projectivity
    d. Trivial
5. If many instances of the "Book" entity are associated with the many instances of the "Student" entity, then the relationship between them is:
    a. One to one
    b. One to many
    c. Many to many
    d. Many to one
6. Which of the following constraints enforces entity integrity?
    a. PRIMARY KEY
    b. FOREIGN KEY
    c. CHECK
    d. NOT NULL
7. Unary operations involves
    a. Only one relation
    b. Only two relations
    c. More than two relations
    d. Not more than five relations

vulmshelp.com

AL-JUNAID INSTITUTE GROUP

8. A _____ entity has a primary key that is partially or totally derived from the parent entity in the relationship.
    a. Strong
    b. Weak
c. Business
    d. Relationship
9. In _____ appropriate data model is chosen.
    a. ERD
    b. Conceptual Database Design
    c. Logical Database Design
    d. DFA
10. Which of the following is drawback of standardization?
    a. Difficult to understand
    b. Uniformity
    c. Lack of uniqueness
    d. Easy to develop applications
11. Recursive relationship is also called _____.
    a. Unary
    b. Ternary
    c. Primary
    d. Secondary
12. The foreign key attribute, which is present as a primary key in another relation is called as _____ of the foreign key attribute.
    a. Binary relation
    b. Composite relation
    c. Home relation
    d. Recursive relation
13. DFD does not provide us a way to represent _____
    a. Entities
    b. Decisions
    c. Date stores
    d. Processes

vumshelp.com

14. A _____ is used to maintain a connection between the users of the database system.
    a. Virtual server
    b. File server
    c. Client server
    d. FTP server

15. Which of the following is an advantage of using the Traditional File Organization?
    a. Time consuming
    b. Data security
    c. Simplicity
    d. Efficiency

16. Which of the following is the input to Analysis Phase?
    a. DFD
    b. Logical database design
    c. Physical database design
    d. Data model

17. Name and _____ are part of the definitions of an attribute.
    a. Domain
    b. Symbol
    c. Property
    d. Entity instance

18. Which of the following most certainly implies the need for an entire table to implement?
    a. A ternary relationship
    b. A recursive relationship
    c. An identify relationship
    d. A binary relationship

19. Core of the Database Architecture is _____
    a. Internal level
    b. External level
    c. Conceptual level
    d. ANSI SPARK

20. _____ is same as equi-join with a slight difference.
    a. Natural join

vumshelp.com

b. Semi join
c. Outer join
d. Theta join

21. Conceptual database design is implemented using a _____.
a. Hierarchical data model
b. Semantic data model
c. Relational data model
d. Network data model

22. Which constraint is generally used for efficiency purposes in the data entry process?
a. Null value
b. Integer value
c. Default value
d. String value

23. A 3 NF relation is converted to BCNF by
a. Removing composite keys
b. Removing multivalued dependencies
c. Dependent attributes of overlapping composite keys are put in a separate relation
d. Dependent non-key attributes are put in a separate table

24. Each _____ of a table contains atomic/single value.
a. Cell
b. Row
c. Column
d. Record

25. A relation is said to be in BCNF when
a. It has overlapping composite keys
b. It has no composite keys
c. It has no multivalued dependencies
d. It has no overlapping composite keys which have related attributes

26. Which one of the following is not a part of three-level architecture?
a. External level

vulmshelp.com

b. Conceptual level
c. Internal level
d. Physical level

27. Which of the following is INCORRECT about naming entities?
a. Singular nouns are used
b. Write in capitals
c. Organization specific names can be used
d. Always use abbreviations as they are convenient

28. An instance is
a. A particular occurance of an entity
b. A special type of relation
c. An attribute of an entity
d. Any particular entity

29. _____ is an example of metadata
a. Ali
b. Address
c. Person
d. Student

30. Level of data at which entities or objects exist in reality is called
a. Real world data
b. Schema for real world data
c. Meta data
d. Data about data

31. There are _____ basic properties of the database relations.
a. Four
b. Three
c. Six
d. Two

32. How many types of dependencies are?
a. One
b. Two

vumshelp.com

c. Three
d. Four

33. In _____ join, only selected rows of a relation are made cross product with second relation.
a. Normal
b. Theta
c. Outer
d. Semi

34. Which of the following is not a key?
a. Super key
b. Alternate key
c. Integrity constraint key
d. Primary key

35. A collection of concepts that can be used to describe the structure of a database
a. Database
b. DBMS
c. Data model
d. Data

36. Any combination of attributes with super key is ____
a. Primary key
b. Foreign key
c. Super key
d. Candidate key

37. Binary relationships are those, which are established between
a. One entity type
b. Two entity type
c. Three entity type
d. Unlimited entities

38. _____ are called participants, when enrolled in a relationship.
a. Attributes
b. Relations
c. Entities
d. Keys

vulmshelp.com

AL-JUNAID INSTITUTE GROUP

39. Incase of Context-level Diagram, the system is represented by
    a. One process atleast
    b. Two processes atleast
    c. One process only
    d. Any number of processes
40. Collection of raw facts is called _____.
    a. Information
    b. Object
    c. Output
    d. Data
41. A software package designed to store and manage database
    a. Database
    b. DBMS
    c. Data model
    d. Data
42. In _____ join common attributes appear twice in the output with selected rows.
    a. Normal join
    b. Semi join
    c. Natural join
    d. Equi join
43. Within a table, each primary key value _____.
    a. Is a minimal super key
    b. Is always the first field in each table
    c. Must be numeric
    d. Must be unique
44. _____ is not an operation of relational algebra.
    a. Addition
    b. Union
    c. Cartesian product
    d. Set difference
45. Candidate keys which are not selected as primary key are called _____
    a. Secondary keys

vulmshelp.com

b. Foreign keys
c. Alternate keys
d. Composite keys

46. Major benefits of data sharing is:
    a. Data of same applications placed at same place.
    b. Data of same applications placed at different places
    c. Data of different application places at same place
    d. Data of different applications stored at placed place
47. Functional dependency between two attributes or sets of attributes i.e. Q and P is represented as _____.
    a. Q → P
    b. Q P
    c. Q * P
    d. Q + P
48. Which of the following is not the component of Relational Data Model?
    a. Integrity Constraint
    b. Manipulation Language
    c. Relation / Table
    d. Domain Constraint
49. The attribute that is calculated from other attribute is called _____.
    a. Derived attribute
    b. Multi-valued attribute
    c. Composite attribute
    d. Simple attribute
50. Consider the two attributes "CNIC_NO" and "Registration_NO". Both the attributes can be used for the unique identification. Now if the user selects the "CNIC_NO" as primary key, then "Registration_NO" is a ____ key.
    a. Foreign
    b. Secondary
    c. Primary
    d. Alternative

vulmshelp.com

AL-JUNAID INSTITUTE GROUP

51. Which of the following constraint is included in the definition of the table?
    a. Default value
    b. Foreign key
    c. Null
    d. Domain
52. The database deals with large amount of data. This property is called
    a. Database design
    b. Scalability
    c. Concurrency
    d. Robustness
53. Which one of the following is NOT a characteristic of meta data?
    a. Data about data
    b. Describes a data dictionary
    c. Self-describing
    d. Includes user data
54. Theta join is denoted mathematically as _____.
    a. R X S
    b. R X
    c. R X ⌀ S
    d. RX RS
55. In cross reference matrix transitions are specified on _____ and database objects are specified on _____.
    a. Y axis, X axis
    b. X axis, Y axis
    c. X axis, X axis
    d. Y axis, Y axis
56. Each component of DBMS performs _____ functions.
    a. Similar
    b. Different
    c. Identical
    d. Computational
57. Which of the following data model is not record based?
    a. Hierarchical Data Model
    b. Network Data model
    c. Semantic Data model
    d. Relational Data model
58. The basic purpose of diamond in ER diagram is to show the _____.

vulmshelp.com

AL-JUNAID INSTITUTE GROUP

a. Attributes
b. Relationships
c. Composite attribute
d. Entity set

59. Which of the following tool is used to design conceptual database design?
a. SQL
b. MS Access
c. Oracle
d. This model is independent of any tool

60. In "one to many" cardinality one instance of a relation is mapped with _____.
a. Many instances of second entity type
b. One instance of second entity type
c. Primary key of second relation
d. Foreign key of second relation

61. Cross reference matrix is developed at the _____ stage of the database.
a. Analysis
b. Designing
c. Implementation
d. Application

62. The population of the data of the organization for which the database is created is called the _____ of the database.
a. Extension
b. Intension
c. Model
d. Schema

63. User rights information is stored in
a. Physical database
b. Catalog
c. Logical database
d. Buffer

64. Logical data independency provides independency to change _____ model.
a. External
b. Logical
c. Conceptual
d. Internal

vulmshelp.com

AL-JUNAID INSTITUTE GROUP

65. In natural join the common attribute in the output table appears _____.
    a. Twice
    b. Three times
    c. Four times
    d. Once
66. Which levels are mostly used for detailed DFD?
    a. Level-0, Level-1
    b. Level-1, Level-2
    c. Level-2, Level-3
    d. Level-3, Level-4
67. By default, a non-key attribute in a relation can have _____ value.
    a. Binary
    b. Null
    c. Character
    d. Integer
68. The three levels architecture is useful for _____.
    a. Arranging the data in an organized manner
    b. Hiding the details of internal systems
    c. Breaking the data access restriction
    d. Storing definitions of the structures
69. With the help of _____ technique data values with the smaller sized codes can further reduce the space needed by the data for storage in the database.
    a. Compression
    b. Expansions
    c. Negation
    d. Extension
70. If an entity is linked with itself, than it is called _____ relationship.
    a. Binary
    b. Ternary
    c. Nary
    d. Recursive
71. Duplication of data in controlled redundancy is controlled and _____.

vulmshelp.com

a. Deliberate
b. Necessary
c. Precise
d. Unintentional

72. Teleprocessing is a sub-type of _____.

a. Single user database
b. Multi-user database
c. File server
d. Client server

73. In an ERD, the focus is on the _____ and the relationships between them.
a. Attributes
b. Entities
c. Keys
d. Indexes

74. The most widely used conceptual model is the _____ model.
a. Implementation
b. ER
c. Object oriented
d. Internal

75. Student and book are two entities, what is the cardinality between the two?
a. Many to one
b. One to many
c. Many to many
d. One to one

76. RDM is a simple there is just one structure and that is _____.
a. A relation or a table
b. E-R model
c. Attributes
d. Data model

77. A description on a particular collection of data using the given data model.
a. Database
b. Relation

vulmshelp.com

c. Schema
d. None

78. Consider thy key "CNIC, Name" and choose the best option that describes the key most effectively.
    a. The given key is a super key and alternate key.
    b. The given key is not a super key but a candidate key.
    c. The given key is a super key and candidate key as well.
    d. The given key is a super key but not a candidate key.
79. Normalization is a process of restricting a relation to
    a. Minimize duplication of data in a database
    b. Maximize duplication of data to ensure reliability
    c. Make if of uniform size
    d. Allow addition of data
80. Unary relationship involves a single entity it is also called _____.
    a. One to one relationship
    b. One to many relationship
    c. Many to many relationship
    d. Recursive relationship
81. Which of the following is a part of a DFD but not included in the ERD?
    a. The attribute having a single instance
    b. The external entity having a single instance
    c. The relationship having a single instance
    d. The role having a single instance
82. The database management system (DBMS) is used to
    a. Store the data
    b. Access the data
    c. Manage its users
    d. All of above
83. In cross reference matrix attributes are mention on _____ and reports are mention on _____.
    e. Y axis, X axis
    f. Y axis, Z axis

vulmshelp.com

g. X axis, Y axis
h. X axis, Z axis

84. A table can be logically connected to another table by defining a _____.
a. Hyper link
b. Common attribute
c. Primary key
d. Super key

85. Data Redundancy means
a. Security of data
b. Duplication of data
c. Management of data
d. Recovery of data

86. Which of the following is a type of dependency?
a. DBMS
b. ERD
c. DFD
d. Referential

87. In your opinion, why relational database is widely acceptable?
a. Due to its complexity
b. Due to its approach
c. Due to its dependencies
d. Due to its strength

88. _____ is the first comprehensive complete database design.
a. Logical database design
b. Relational database design
c. Conceptual database design
d. Hierarchical database design

89. How data security can be assured in the database?
a. By hiding data from all
b. Through concurrent access of users
c. By asking users not to share things

vulmshelp.com

d. Implementing encryption algorithms

90. The attributes whose value is not stored in a database is known as _____ attribute.
    a. Stored
    b. Single value
    c. Multi value
    d. Derived

91. Logical database design, like conceptual database design is our _____
    a. Data model
    b. Weak entity set
    c. Strong entity set
    d. Database design

92. If a single instance of "student" is associated with the many instances of the "subjects" entity, then the relationship between them is:
    a. One to one
    b. One to many
    c. Many to many
    d. Many to one

93. The conceptual database design is drawn through _____.
    a. Data model
    b. ER model
    c. Database design
    d. Entity set

94. A relational database is
    a. One that consist of two or more tables
    b. A database that is able to process tables, queries, forms, reports and macros
    c. One that consists of two or more tables that are joined in some way
    d. The same as a flat file database

95. Database is a computerized representation of any organization's flow of _____ and storage of _____.
    a. Data, information
    b. Details, data
    c. Data, details
    d. Information, data

96. In which stage of the database development process logical design is created?
    a. Requirement analysis
    b. Database design
    c. Physical design
    d. Implementation

97. Which of the following is NOT an entity?
    a. Employee

vulmshelp.com

b. Hobby
c. Student
d. Playground

98. After moving the determined columns from the original table to the new table while converting to 2NF, the determinate becomes the _____ of the new table.
a. Primary key
b. Foreign key
c. Secondary key
d. Composite key

99. The select operation works horizontally on the table, on the other hand the _____ operates on a single table vertically.
a. Binary operator
b. Project operator
c. Join operator
d. Select operator

100. Free standing data dictionary is created by
a. DFD
b. Database
c. CASE tools
d. Cross reference matrix

101. A patient can be an outdoor or indoor. Analyze this statement and tell what type of constraint will be applied on patient?
a) Total completeness
b) Partial completeness
c) Total disjoint
d) Partial disjoint

102. If A → B and A → C, then A → BC. The inference Rule applies is:
a) Union
b) Decomposition
c) Augmentation
d) Reflexivity

103. Which of the following is the correct abbreviation of ERD?
a) Entity relationship diagram
b) Entity relation diagram
c) Entity reality diagram
d) Entity real distance

104. Database relation is also represented in a two dimensional structure called _____
a) Row
b) Table
c) Entity

vulmshelp.com

d) Column

105. Data about data is metadata

a) True

b) False

106. Which of the following describes the job of a database administrator?

a) Development, implementation operation of the physical database

b) Creation of the system catalog

c) Monitoring and controlling database security and authorization: setting up controls to ensure the quality and integrity of data

d) All of the above

107. Each table must have a _____ key.

a) Primary

b) Secondary

c) Logical

d) Foreign

108. A relational database system is based on the concept(s) of:

a) A network of data records

b) Nested tables

c) Tables, row and columns

d) A tree-like structure of data

109. A → BC and A → B, then A → C follow _____ inference rule.

a) Augmentation

b) Transitivity

c) Projectivity

d) Additivity

110. Suppose, we have two entities “shape” and “triangle”, then which of the following is a correct statement?

a) Shape is a super type entity and triangle is a sub type entity

b) Shape is a sub type entity and triangle is a super type entity

c) Shape and triangle both are super type entities

d) Shape and triangle both are sub type entities

111. The entity that is NOT dependent on any other entity for its existence is known as _____ entity.

a) Weak

b) Strong

c) Derived

d) Dependent

112. In cross reference matrix attributes are specified on _____

a) X axis

b) Y axis

vulmshelp.com

c) Z axis
d) None of the above

113. Which of the following clarify the semantics of a relationship?
a) Entity
b) Roles
c) Relationship set
d) Participants

114. How many types of cardinality is specified about relationship?
a) Two
b) One
c) Three
d) Four

115. Which of the following is NOT a component of a DFD?
a) Dataflow
b) Datastore
c) External entities
d) Relationship between external entities

116. Which of the following provides us the facility to add properties of one entity to another entity automatically?
a) Abstraction
b) Encapsulation
c) Inheritance
d) Dependencies

117. If there is more than one relationship between two entities and we mentioned role on the relationship link, then it is called:
a) Unary relationship
b) Binary relationships
c) Ternary relationships
d) Multiple relationships

118. Which one of the following is not an advantage of DBMS
a) Data consistency
b) Recovery procedure is difficult
c) Faster development of new applications
d) Better backup and recovery procedures

119. In many to many relationship a third table is created for the relationship, which is also called as _____
a) Binary relation
b) Associative entity type
c) Unary relationship
d) Composite attributes

vulmshelp.com

AL-JUNAID INSTITUTE GROUP

120. When one entity instance of another entity for its existence, then it is called _____
   a) Existence dependency
   b) Identifier dependency
   c) Referential dependency
   d) Acceptance dependency

121. Relational data model is widely accepted due to its mathematically proven foundation and its _____
   a) Complexity
   b) Simplicity
   c) Hierarchical structure
   d) Traditional structure

122. If an entity "motor cycle" is associated with at most one "driver", then the relationship between these two entities is:
   a) One to one
   b) One to many
   c) Many to many
   d) Many to one

123. Database application is a program which is used for performing certain operations such as
   a) Insertion of data
   b) Extraction of data
   c) Updating the data
   d) All of above

124. Creating the relationships between new tables and their predecessors through the use of foreign keys is general requirements of _____
   a) First normal form
   b) Second normal form
   c) Third normal form
   d) Fourth normal form

125. In _____ the domains of attributes of a relation are atomic, that is they consist of single units that cannot be broken down further.
   a) First normal form
   b) Second normal form
   c) Third normal form
   d) Augmentation

126. Atomicity is a feature of _____.
   a) 1NF
   b) 2NF
   c) 3NF

vulmshelp.com

d) BCNF

127. The _____ can see entire information structure of the database.
a) BA
b) DBTG
c) Database user
d) External viewer

128. The attribute whose value is not stored in a database is known as _____ attribute.
a) Stored
b) Single value
c) Multi value
d) Derived

129. _____ are the structure defined for placing data in the attributes while designing physical design of database.
a) Objects
b) Variables
c) Attributes
d) Data types

130. Suppose a relation has five columns and ten rows, select the correct option to identify cardinality of relation.
a) Five
b) Ten
c) Fifteen
d) Twenty

131. Which feature of database provides conversion from inconsistent state of DB to a consistent state ensuring minimum data loss?
a) User accessible catalog
b) Data processing
c) Recovery service
d) Authorization service

132. The maximum PL/SQL size of data type "VARCHAR2" in DBMS is _____ bytes
a) 42767
b) 52767
c) 32767
d) 28767

133. _____ is state of database where a "course" cannot be inserted in the table, because this course has not been registered to any "student".
a) Insertion anomaly
b) Deletion anomaly
c) Updation anomaly

vulmshelp.com

d) Redundancy

134. The maximum PL/SQL size of data type "BLOG" in DBMS is_____
a) 4 gigabytes
b) 8 gigabytes
c) 10 gigabytes
d) 12 gigabytes

135. _____ states that in a relation no attributes of a primary key (PK) can have a null value.
a) Referential integrity constraint
b) Null constraint
c) Domain constraint
d) Entity integrity constraint

136. A database state where deletion of the information about the student record deletes the course information as well is called _____.
a) Insertion anomaly
b) Updation anomaly
c) Redundancy
d) Deletion anomaly

137. An entity type is
a) Defined when the database is actually constructed
b) A specific type such as an integer, text, date, logical etc.
c) A coherent set of similar objects that we want to store data on (e.g. STUDENTS, COURSE, CAR)
d) Defined by the database designer

138. "select" and "project" are the examples of _____
a) Unary operation
b) Binary operation
c) Ternary operation
d) Nary operation

139. External scheme evolves as user needs are _____ over the time.
a) Ends
b) Modified
c) Switch
d) Stable

140. An attribute that is the collection of some other attribute(s) is known as _____ attributes.
a) Multi-valued
b) Single-valued
c) No-valued

vulmshelp.com

d) Composite

141. Which of the following is correct regarding Dataflow diagram?
a) Single DFD is required to represent a system
b) The dataflow must be bidirectional
c) Created at increasing levels of detail
d) Used to represent the relationships among the external entities

142. _____ are those attributes that are a combination of two or more than two attributes.
a) Default value
b) Null value
c) Primary key
d) Composite attributes

143. Controlling redundancy in a database management system DOES NOT help to
a) avoid duplication
b) avoid unnecessary wastage of storage space
c) avoid unauthorized access to data
d) avoid inconsistency among data

144. Which of the following concepts is applicable with respect to 3NF?
a) Full functional dependency
b) Any kind of dependency
c) Transitive dependency
d) Partial functional dependency

145. Identify the operation which is NOT one of the parts of the five basic set operations in relational algebra?
a) Join
b) Union
c) Cartesian Product
d) Set Difference

146. Making a change to the conceptual schema of a database but not affecting the existing external schemas is an example of
a) Physical data independence.
b) Concurrency control.
c) Logical data independence.
d) Functional dependency

147. For a third normal form we concentrate on relations with one _____ key, and we eliminate transitive dependencies
a) Candidate
b) Composite
c) Super key
d) Primary key

vulmshelp.com

AL-JUNAID INSTITUTE GROUP

148. The entity relationship diagram is used to graphically represent the _____ database model.
   a) Condensed
   b) Physical
   c) Logical
   d) Conceptual

149. The _____ determines that the link between two entities is optional or mandatory.
   a) Maximum cardinality
   b) Minimum cardinality
   c) Maximum degree
   d) Minimum degree

150. Select the most appropriate statement. Which of the following data model is used to design logical database design?
   a) Relational
   b) Hierarchal
   c) Object oriented
   d) Any model can be used

vulmshelp.com

CS-403 Important Mcq's For Mid Term !! Solve By Vu-Topper RM!!

Question No:1 **(Marks:1)** **Vu-Topper RM**

The foreign key attribute, which is present as a primary key in another relation is called as _____ of the foreign key attribute.

A. Binary relation
B. Composite relation
C. Home relation **Page 134**
D. Recursive relation

Question No:2 **(Marks:1)** **Vu-Topper RM**

While mapping many-to-many relationship _____ table(s) are created

A. One
B. Two
C. Three **Google**
D. Five

Question No:3 **(Marks:1)** **Vu-Topper RM**

Which is not the function of Database Management System?

A. A user accessible Catalog
B. Concurrency Control Services
C. **Failure Response Service**
D. Support for Data Communication

Question No:4 **(Marks:1)** **Vu-Topper RM**

The conceptual database design can be transformed into any _____.

A. **Data model**
B. Database design
C. E-R model
D. Entity set

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:5 **(Marks:1)** **Vu-Topper RM**

Which is the second stage in the database development process?

A. Database design
B. Preliminary Study
C. Physical Design
D. Requirement Analysis

Question No:6 **(Marks:1)** **Vu-Topper RM**

Functional dependencies under interference rule reflexivity are called _____ dependencies.

A. Augmentation
B. Transitivity
C. Projectivity
D. Trivial

Question No:7 **(Marks:1)** **Vu-Topper RM**

If many instances of the "Book" entity are associated with the many instances of the "Student" entity, then the relationship between them is:

A. One to one
B. One to many
C. **Many to many**
D. Many to one

Question No:8 **(Marks:1)** **Vu-Topper RM**

Which of the following constraints enforces entity integrity?

A. **PRIMARY KEY**
B. FOREIGN KEY
C. CHECK
D. NOT NULL

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:9 **(Marks:1)** **Vu-Topper RM**

Unary operations involve

A. **Only one relation**
B. Only two relations
C. More than two relations
D. Not more than five relations

Question No:10 **(Marks:1)** **Vu-Topper RM**

A _____ entity has a primary key that is partially or totally derived from the parent entity in the relationship.

A. Strong
B. **Weak**
C. Business
D. Relationship

Question No:11 **(Marks:1)** **Vu-Topper RM**

In _____ appropriate data model is chosen.

A. ERD
B. Conceptual Database Design
C. **Logical Database Design**
D. DFA

Question No:12 **(Marks:1)** **Vu-Topper RM**

Which of the following is drawback of standardization?

A. Difficult to understand
B. Uniformity
C. **Lack of uniqueness**
D. Easy to develop applications

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:13 **(Marks:1)** **Vu-Topper RM**

Recursive relationship is also called _____.

A. **Unary**
B. Ternary
C. Primary
D. Secondary

Question No:14 **(Marks:1)** **Vu-Topper RM**

DFD does not provide us a way to represent _____

A. Entities
B. **Decisions**
C. Date stores
D. Processes

Question No:15 **(Marks:1)** **Vu-Topper RM**

A _____ is used to maintain a connection between the users of the database system.

A. Virtual server
B. **File server**
C. Client server
D. FTP server

Question No:16 **(Marks:1)** **Vu-Topper RM**

Which of the following is an advantage of using the Traditional File Organization?

A. Time consuming
B. Data security
C. **Simplicity**
D. Efficiency

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:17 **(Marks:1)** **Vu-Topper RM**

Which of the following is the input to Analysis Phase?

A. **DFD**
B. Logical database design
C. Physical database design
D. Data model

Question No:18 **(Marks:1)** **Vu-Topper RM**

Name and _____ are part of the definitions of an attribute.

A. Domain
B. Symbol
C. Property
D. Entity instance

Question No:19 **(Marks:1)** **Vu-Topper RM**

Which of the following most certainly implies the need for an entire table to implement?

A. **A ternary relationship**
B. A recursive relationship
C. An identify relationship
D. A binary relationship

Question No:20 **(Marks:1)** **Vu-Topper RM**

Core of the Database Architecture is _____

A. **Internal level**
B. External level
C. Conceptual level
D. ANSI SPARK

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:21 **(Marks:1)** **Vu-Topper RM**

_____ is same as equi-join with a slight difference.

A. **Natural join**
B. Semi join
C. Outer join
D. Theta join

Question No:22 **(Marks:1)** **Vu-Topper RM**

Conceptual database design is implemented using a _____.

A. Hierarchical data model
B. **Semantic data model**
C. Relational data model
D. Network data model

Question No:23 **(Marks:1)** **Vu-Topper RM**

Which constraint is generally used for efficiency purposes in the data entry process?

A. Null value
B. Integer value
C. **Default value**
D. String value

Question No:24 **(Marks:1)** **Vu-Topper RM**

A 3 NF relation is converted to BCNF by

A. Removing composite keys
B. Removing multivalued dependencies
C. **Dependent attributes of overlapping composite keys are put in a separate relation**
D. Dependent non-key attributes are put in a separate table

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:25 **(Marks:1)** **Vu-Topper RM**

Each _____ of a table contains atomic/single value.

A. **Cell**
B. Row
C. Column
D. Record

Question No:26 **(Marks:1)** **Vu-Topper RM**

A relation is said to be in BCNF when

A. It has overlapping composite keys
B. It has no composite keys
C. It has no multivalued dependencies
D. **It has no overlapping composite keys which have related attributes**

Question No:27 **(Marks:1)** **Vu-Topper RM**

Which one of the following is not a part of three-level architecture?

A. External level
B. Conceptual level
C. Internal level
D. **Physical level**

Question No:28 **(Marks:1)** **Vu-Topper RM**

Which of the following is INCORRECT about naming entities?

A. Singular nouns are used
B. Write in capitals
C. Organization specific names can be used
D. **Always use abbreviations as they are convenient**

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:29 **(Marks:1)** **Vu-Topper RM**

An instance is

A. A particular occurance of an entity
B. A special type of relation
C. An attribute of an entity
D. Any particular entity

Question No:30 **(Marks:1)** **Vu-Topper RM**

_____ is an example of metadata

A. Ali
B. Address
C. Person
D. Student

Question No:31 **(Marks:1)** **Vu-Topper RM**

Level of data at which entities or objects exist in reality is called

A. **Real world data**
B. Schema for real world data
C. Meta data
D. Data about data

Question No:32 **(Marks:1)** **Vu-Topper RM**

There are _____ basic properties of the database relations.

A. Four
B. Three
C. **Six**
D. Two

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:33 **(Marks:1)** **Vu-Topper RM**

How many types of dependencies are?

A. One
B. Two
C. **Three**
D. Four

Question No:34 **(Marks:1)** **Vu-Topper RM**

In _____ join, only selected rows of a relation are made cross product with second relation.

A. Normal
B. **Theta**
C. Outer
D. Semi

Question No:35 **(Marks:1)** **Vu-Topper RM**

Which of the following is not a key?

A. Super key
B. Alternate key
C. **Integrity constraint key**
D. Primary key

Question No:36 **(Marks:1)** **Vu-Topper RM**

A collection of concepts that can be used to describe the structure of a database

A. Database
B. DBMS
C. **Data model**
D. Data

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:37 **(Marks:1)** **Vu-Topper RM**

Any combination of attributes with super key is ____

A. Primary key
B. Foreign key
C. **Super key**
D. Candidate key

Question No:38 **(Marks:1)** **Vu-Topper RM**

Binary relationships are those, which are established between

A. One entity type
B. **Two entity type**
C. Three entity type
D. Unlimited entities

Question No:39 **(Marks:1)** **Vu-Topper RM**

_____ are called participants, when enrolled in a relationship.

A. Attributes
B. Relations
C. **Entities**
D. Keys

Question No:40 **(Marks:1)** **Vu-Topper RM**

In case of Context-level Diagram, the system is represented by

A. One process atleast
B. Two processes atleast
C. **One process only**
D. Any number of processes

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:41 **(Marks:1)** **Vu-Topper RM**

Collection of raw facts is called _____.

A. Information
B. Object
C. Output
D. Data

Question No:42 **(Marks:1)** **Vu-Topper RM**

A software package designed to store and manage database

A. Database
B. **DBMS**
C. Data model
D. Data

Question No:43 **(Marks:1)** **Vu-Topper RM**

In _____ join common attributes appear twice in the output with selected rows.

A. Normal join
B. Semi join
C. Natural join
D. **Equi join**

Question No:44 **(Marks:1)** **Vu-Topper RM**

Within a table, each primary key value _____.

A. Is a minimal super key
B. Is always the first field in each table
C. Must be numeric
D. **Must be unique**

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:45 **(Marks:1)** **Vu-Topper RM**

_____ is not an operation of relational algebra.

A. **Addition**
B. Union
C. Cartesian product
D. Set difference

Question No:46 **(Marks:1)** **Vu-Topper RM**

Candidate keys which are not selected as primary key are called ___

A. Secondary keys
B. Foreign keys
C. **Alternate keys**
D. Composite keys

Question No:47 **(Marks:1)** **Vu-Topper RM**

Major benefits of data sharing is:

A. Data of same applications placed at same place.
B. Data of same applications placed at different places
C. **Data of different application places at same place**
D. Data of different applications stored at placed place

Question No:48 **(Marks:1)** **Vu-Topper RM**

Functional dependency between two attributes or sets of attributes i.e. Q and P is represented as _____.

A. **Q → P**
B. Q P
C. Q * P
D. Q + P

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:49 **(Marks:1)** **Vu-Topper RM**

Which of the following is not the component of Relational Data Model?

A. Integrity Constraint
B. **Manipulation Language**
C. Relation / Table
D. Domain Constraint

Question No:50 **(Marks:1)** **Vu-Topper RM**

The attribute that is calculated from other attribute is called _____.

A. **Derived attribute**
B. Multi-valued attribute
C. Composite attribute
D. Simple attribute

Question No:51 **(Marks:1)** **Vu-Topper RM**

Consider the two attributes “CNIC_NO” and “Registration_NO”. Both the attributes can be used for the unique identification. Now if the user selects the “CNIC_NO” as primary key, then “Registration_NO” is a ____ key.

A. Foreign
B. Secondary
C. Primary
D. Alternative

Question No:52 **(Marks:1)** **Vu-Topper RM**

Which of the following constraint is included in the definition of the table?

A. Default value
B. Foreign key
C. **Null**

Question No:53 **(Marks:1)** **Vu-Topper RM**

The database deals with large amount of data. This property is called

A. Database design

B. **Scalability**

C. Concurrency

D. Robustness

Question No:54 **(Marks:1)** **Vu-Topper RM**

Which one of the following is NOT a characteristic of meta data?

A. Data about data

B. Describes a data dictionary

C. Self-describing

D. Includes user data

Question No:55 **(Marks:1)** **Vu-Topper RM**

Theta join is denoted mathematically as _____.

A. R X S

B. R X

C. R X Θ S

D. RX RS

Question No:56 **(Marks:1)** **Vu-Topper RM**

In cross reference matrix transitions are specified on _____ and database objects are specified on _____.

A. Y axis, X axis

B. X axis, Y axis

C. X axis, X axis

D. Y axis, Y axis

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:57 **(Marks:1)** **Vu-Topper RM**

Each component of DBMS performs _____ functions.

A. Similar
B. **Different**
C. Identical
D. Computational

Question No:58 **(Marks:1)** **Vu-Topper RM**

Which of the following data model is not record based?

A. Hierarchical Data Model
B. Network Data model
C. **Semantic Data model**
D. Relational Data model

Question No:59 **(Marks:1)** **Vu-Topper RM**

The basic purpose of diamond in ER diagram is to show the _____.

A. Attributes
B. **Relationships**
C. Composite attribute
D. Entity set

Question No:60 **(Marks:1)** **Vu-Topper RM**

Which of the following tool is used to design conceptual database design?

A. SQL
B. MS Access
C. Oracle
D. **This model is independent of any tool**

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:61 **(Marks:1)** **Vu-Topper RM**

In "one to many" cardinality one instance of a relation is mapped with _____.

A. **Many instances of second entity type**
B. One instance of second entity type
C. Primary key of second relation
D. Foreign key of second relation

Question No:62 **(Marks:1)** **Vu-Topper RM**

Cross reference matrix is developed at the _____ stage of the database.

A. Analysis
B. **Designing**
C. Implementation
D. Application

Question No:63 **(Marks:1)** **Vu-Topper RM**

The population of the data of the organization for which the database is created is called the__ of the database.

A. **Extension**
B. Intension
C. Model
D. Schema

Question No:64 **(Marks:1)** **Vu-Topper RM**

User rights information is stored in

A. Physical database
B. **Catalog**
C. Logical database
D. Buffer

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:65 **(Marks:1)** **Vu-Topper RM**

Logical data independency provides independency to change __ model.

A. External
B. Logical
C. **Conceptual**
D. Internal

Question No:66 **(Marks:1)** **Vu-Topper RM**

In natural join the common attribute in the output table appears ____.

A. Twice
B. Three times
C. Four times
D. Once

Question No:67 **(Marks:1)** **Vu-Topper RM**

Which levels are mostly used for detailed DFD?

A. **Level-0, Level-1**
B. Level-1, Level-2
C. Level-2, Level-3
D. Level-3, Level-4

Question No:68 **(Marks:1)** **Vu-Topper RM**

By default, a non-key attribute in a relation can have _____ value.

A. Binary
B. **Null**
C. Character
D. Integer

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:69 **(Marks:1)** **Vu-Topper RM**

The three levels architecture is useful for _____.

A. Arranging the data in an organized manner

B. Hiding the details of internal systems

C. Breaking the data access restriction

D. Storing definitions of the structures

Question No:70 **(Marks:1)** **Vu-Topper RM**

With the help of _____ technique data values with the smaller sized codes can further
reduce the space needed by the data for storage in the database.

A. **Compression**

B. Expansions

C. Negation

D. Extension

Question No:71 **(Marks:1)** **Vu-Topper RM**

If an entity is linked with itself, than it is called _____ relationship.

A. Binary

B. Ternary

C. Nary

D. Recursive

Question No:72 **(Marks:1)** **Vu-Topper RM**

Duplication of data in controlled redundancy is controlled and _____.

A. **Deliberate**

B. Necessary

C. Precise

D. Unintentional

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:73 **(Marks:1)** **Vu-Topper RM**

Teleprocessing is a sub-type of _____.

A. Single user database
B. **Multi-user database**
C. File server
D. Client server

Question No:74 **(Marks:1)** **Vu-Topper RM**

In an ERD, the focus is on the _____ and the relationships between them.

A. Attributes
B. **Entities**
C. Keys
D. Indexes

Question No:75 **(Marks:1)** **Vu-Topper RM**

The most widely used conceptual model is the _____ model.

A. Implementation
B. **ER**
C. Object oriented
D. Internal

Question No:76 **(Marks:1)** **Vu-Topper RM**

Student and book are two entities, what is the cardinality between the two?

A. Many to one
B. One to many
C. **Many to many**
D. One to one

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:77 **(Marks:1)** **Vu-Topper RM**

RDM is a simple there is just one structure and that is _____.

A. **A relation or a table**
B. E-R model
C. Attributes
D. Data model

Question No:78 **(Marks:1)** **Vu-Topper RM**

A description on a particular collection of data using the given data model.

A. **Database**
B. Relation
C. Schema
D. None

Question No:79 **(Marks:1)** **Vu-Topper RM**

Consider thy key "CNIC, Name" and choose the best option that describes the key most effectively.

A. The given key is a super key and alternate key.
B. The given key is not a super key but a candidate key.
C. **The given key is a super key and candidate key as well.**
D. The given key is a super key but not a candidate key.

Question No:80 **(Marks:1)** **Vu-Topper RM**

Normalization is a process of restricting a relation to

A. **Minimize duplication of data in a database**
B. Maximize duplication of data to ensure reliability
C. Make if of uniform size
D. Allow addition of data

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:81 **(Marks:1)** **Vu-Topper RM**

Unary relationship involves a single entity it is also called _____.

A. One to one relationship
B. One to many relationship
C. Many to many relationship
D. **Recursive relationship**

Question No:82 **(Marks:1)** **Vu-Topper RM**

Which of the following is a part of a DFD but not included in the ERD?

A. The attribute having a single instance
B. **The external entity having a single instance**
C. The relationship having a single instance
D. The role having a single instance

Question No:83 **(Marks:1)** **Vu-Topper RM**

The database management system (DBMS) is used to

A. Store the data
B. Access the data
C. Manage its users
D. All of above

Question No:84 **(Marks:1)** **Vu-Topper RM**

In cross reference matrix attributes are mention on _____ and reports are mention on__.

A. Y axis, X axis
B. Y axis, Z axis
C. **X axis, Y axis**
D. X axis, Z axis

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:85 **(Marks:1)** **Vu-Topper RM**

A table can be logically connected to another table by defining a ___.

A. Hyper link
B. Common attribute
C. **Primary key**
D. Super key

Question No:86 **(Marks:1)** **Vu-Topper RM**

Data Redundancy means

A. Security of data
B. **Duplication of data**
C. Management of data
D. Recovery of data

Question No:87 **(Marks:1)** **Vu-Topper RM**

Which of the following is a type of dependency?

A. DBMS
B. ERD
C. DFD
D. Referential

Question No:88 **(Marks:1)** **Vu-Topper RM**

In your opinion, why relational database is widely acceptable?

A. Due to its complexity
B. Due to its approach
C. **Due to its dependencies**
D. Due to its strength

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:89 **(Marks:1)** **Vu-Topper RM**

_____ is the first comprehensive complete database design.

A. Logical database design
B. Relational database design
C. **Conceptual database design**
D. Hierarchical database design

Question No:90 **(Marks:1)** **Vu-Topper RM**

How data security can be assured in the database?

A. By hiding data from all
B. Through concurrent access of users
C. By asking users not to share things
D. Implementing encryption algorithms

Question No:91 **(Marks:1)** **Vu-Topper RM**

The attributes whose value is not stored in a database is known as _____ attribute.

A. Stored
B. Single value
C. Multi value
D. **Derived**

Question No:92 **(Marks:1)** **Vu-Topper RM**

Logical database design, like conceptual database design is our _____

A. Data model
B. Weak entity set
C. Strong entity set
D. Database design

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:93 **(Marks:1)** **Vu-Topper RM**

If a single instance of "student" is associated with the many instances of the "subjects" entity, then the relationship between them is:

A. One to one
B. **One to many**
C. Many to many
D. Many to one

Question No:94 **(Marks:1)** **Vu-Topper RM**

The conceptual database design is drawn through _____.

A. Data model
B. **ER model**
C. Database design
D. Entity set

Question No:95 **(Marks:1)** **Vu-Topper RM**

A relational database is

A. One that consist of two or more tables
B. **A database that is able to process tables, queries, forms, reports and macros**
C. One that consists of two or more tables that are joined in some way
D. The same as a flat file database

Question No:96 **(Marks:1)** **Vu-Topper RM**

Database is a computerized representation of any organization's flow of ___ and storage of_.

A. Data, information
B. Details, data
C. Data, details
D. **Information, data**

Question No:97 **(Marks:1)** **Vu-Topper RM**

In which stage of the database development process logical design is created?

A. Requirement analysis
B. Database design
C. Physical design
D. Implementation

Question No:98 **(Marks:1)** **Vu-Topper RM**

Which of the following is NOT an entity?

A. Employee
B. Hobby
C. Student
D. Playground

Question No:99 **(Marks:1)** **Vu-Topper RM**

After moving the determined columns from the original table to the new table while converting to 2NF, the determinate becomes the _____ of the new table.

A. Primary key
B. Foreign key
C. Secondary key
D. Composite key

Question No:100 **(Marks:1)** **Vu-Topper RM**

The select operation works horizontally on the table, on the other hand the _____
operates on a single table vertically.

A. Binary operator
B. Project operator

C. Join operator
D. Select operator

Question No:101 **(Marks:1)** **Vu-Topper RM**

Free standing data dictionary is created by

A. DFD
B. Database
C. **CASE tools**
D. Cross reference matrix

Question No:102 **(Marks:1)** **Vu-Topper RM**

A patient can be an outdoor or indoor. Analyze this statement and tell what type of constraint will be applied on patient?

A. **Total completeness**
B. Partial completeness
C. Total disjoint
D. Partial disjoint

Question No:103 **(Marks:1)** **Vu-Topper RM**

If A → B and A → C, then A → BC. The inference Rule applies is:

A. **Union**
B. Decomposition
C. Augmentation
D. Reflexivity

Question No:104 **(Marks:1)** **Vu-Topper RM**

Which of the following is the correct abbreviation of ERD?

A. **Entity relationship diagram**
B. Entity relation diagram
C. Entity reality diagram

D. Entity real distance

Question No:105 (Marks:1) Vu-Topper RM

Database relation is also represented in a two dimensional structure called ____

A. Row
B. **Table**
C. Entity
D. Column

Question No:106 (Marks:1) Vu-Topper RM

Data about data is metadata

A. **True**
B. False

Question No:107 (Marks:1) Vu-Topper RM

Which of the following describes the job of a database administrator?

A. Development, implementation operation of the physical database
B. Creation of the system catalog
C. **Monitoring and controlling database security and authorization: setting up controls to ensure the quality and integrity of data**
D. All of the above

Question No:108 (Marks:1) Vu-Topper RM

Each table must have a _____ key.

A. **Primary**
B. Secondary
C. Logical
D. Foreign

Question No:109 **(Marks:1)** **Vu-Topper RM**

A relational database system is based on the concept(s) of:

A. A network of data records
B. Nested tables
C. **Tables, row and columns**
D. A tree-like structure of data

Question No:110 **(Marks:1)** **Vu-Topper RM**

A → BC and A → B, then A → C follow _____ inference rule.

A. Augmentation
B. Transitivity
C. **Projectivity**
D. Additivity

Question No:111 **(Marks:1)** **Vu-Topper RM**

Suppose, we have two entities "shape" and "triangle", then which of the following is a correct statement?

A. **Shape is a super type entity and triangle is a sub type entity**
B. Shape is a sub type entity and triangle is a super type entity
C. Shape and triangle both are super type entities
D. Shape and triangle both are sub type entities

Question No:112 **(Marks:1)** **Vu-Topper RM**

The entity that is NOT dependent on any other entity for its existence is known as__ entity.

A. Weak
B. **Strong**
C. Derived
D. Dependent

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:113 **(Marks:1)** **Vu-Topper RM**

In cross reference matrix attributes are specified on _____

A. **X axis**
B. Y axis
C. Z axis
D. None of the above

Question No:114 **(Marks:1)** **Vu-Topper RM**

Which of the following clarify the semantics of a relationship?

A. Entity
B. **Roles**
C. Relationship set
D. Participants

Question No:115 **(Marks:1)** **Vu-Topper RM**

How many types of cardinalities is specified about relationship?

A. Two
B. One
C. Three
D. **Four**

Question No:116 **(Marks:1)** **Vu-Topper RM**

Which of the following is NOT a component of a DFD?

A. Dataflow
B. Datastore
C. External entities
D. **Relationship between external entities**

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:117 **(Marks:1)** **Vu-Topper RM**

Which of the following provides us the facility to add properties of one entity to another entity automatically?

A. Abstraction
B. Encapsulation
C. **Inheritance**
D. Dependencies

Question No:118 **(Marks:1)** **Vu-Topper RM**

If there is more than one relationship between two entities and we mentioned role on the relationship link, then it is called:

A. Unary relationship
B. Binary relationships
C. Ternary relationships
D. Multiple relationships

Question No:119 **(Marks:1)** **Vu-Topper RM**

Which one of the following is not an advantage of DBMS?

A. Data consistency
B. **Recovery procedure is difficult**
C. Faster development of new applications
D. Better backup and recovery procedures

Question No:120 **(Marks:1)** **Vu-Topper RM**

In many to many relationships a third table is created for the relationship, which is also called as _____

A. Binary relation
B. **Associative entity type**
C. Unary relationship
D. Composite attributes

Question No:121 **(Marks:1)** **Vu-Topper RM**

When one entity instance of another entity for its existence, then it is called _____

A. **Existence dependency**
B. Identifier dependency
C. Referential dependency
D. Acceptance dependency

Question No:122 **(Marks:1)** **Vu-Topper RM**

Relational data model is widely accepted due to its mathematically proven foundation and its _____

A. Complexity
B. **Simplicity**
C. Hierarchical structure
D. Traditional structure

Question No:123 **(Marks:1)** **Vu-Topper RM**

If an entity “motor cycle” is associated with at most one “driver”, then the relationship between these two entities is:

A. **One to one**
B. One to many
C. Many to many
D. Many to one

Question No:124 **(Marks:1)** **Vu-Topper RM**

Database application is a program which is used for performing certain operations such as-----

A. Insertion of data
B. Extraction of data
C. Updating the data

D. All of above

Question No:125 (Marks:1) Vu-Topper RM

Creating the relationships between new tables and their predecessors through the use of foreign keys is general requirements of _____

A. First normal form
B. **Second normal form**
C. Third normal form
D. Fourth normal form

Question No:126 (Marks:1) Vu-Topper RM

In _____ the domains of attributes of a relation are atomic, that is they consist of single units that cannot be broken down further.

A. **First normal form**
B. Second normal form
C. Third normal form
D. Augmentation

Question No:127 (Marks:1) Vu-Topper RM

Atomicity is a feature of _____.

A. **1NF**
B. 2NF
C. 3NF
D. BCNF

Question No:128 (Marks:1) Vu-Topper RM

The _____ can see entire information structure of the database.

A. **BA**
B. DBTG
C. Database user

D. External viewer

Question No:129 **(Marks:1)** **Vu-Topper RM**

The attribute whose value is not stored in a database is known as _____ attribute.

A. Stored
B. Single value
C. Multi value
D. Derived

Question No:130 **(Marks:1)** **Vu-Topper RM**

_____ are the structure defined for placing data in the attributes while designing physical design of database.

A. Objects
B. Variables
C. Attributes
D. Data types

Question No:131 **(Marks:1)** **Vu-Topper RM**

Suppose a relation has five columns and ten rows, select the correct option to identify cardinality of relation.

A. Five
B. **Ten**
C. Fifteen
D. Twenty

Question No:132 **(Marks:1)** **Vu-Topper RM**

Which feature of database provides conversion from inconsistent state of DB to a consistent state ensuring minimum data loss?

A. User accessible catalog

B. Data processing
C. **Recovery service**
D. Authorization service

Question No:133 (Marks:1) Vu-Topper RM

The maximum PL/SQL size of data type "VARCHAR2" in DBMS is _____ bytes

A. 42767
B. 52767
C. **32767**
D. 28767

Question No:134 (Marks:1) Vu-Topper RM

_____ is state of database where a "course" cannot be inserted in the table, because this course has not been registered to any "student".

A. **Insertion anomaly**
B. Deletion anomaly
C. Updation anomaly
D. Redundancy

Question No:135 (Marks:1) Vu-Topper RM

The maximum PL/SQL size of data type "BLOG" in DBMS is_____

A. **4 gigabytes**
B. 8 gigabytes
C. 10 gigabytes
D. 12 gigabytes

Question No:136 (Marks:1) Vu-Topper RM

_____ states that in a relation no attributes of a primary key (PK) can have a null value.

A. Referential integrity constraint
B. Null constraint
C. Domain constraint
D. Entity integrity constraint

Question No:137 (Marks:1) Vu-Topper RM

A database state where deletion of the information about the student record deletes the course information as well is called _____.

A. Insertion anomaly
B. Updation anomaly
C. Redundancy
D. Deletion anomaly

Question No:138 (Marks:1) Vu-Topper RM

An entity type is

A. Defined when the database is actually constructed
B. A specific type such as an integer, text, date, logical etc.
C. A coherent set of similar objects that we want to store data on (e.g. STUDENTS, COURSE, CAR)

Question No:139 (Marks:1) Vu-Topper RM

Defined by the database designer
"select" and "project" are the examples of _____

A. Unary operation
B. Binary operation
C. Ternary operation
D. Nary operation

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:140 **(Marks:1)** **Vu-Topper RM**

External scheme evolves as user needs are _____ over the time.

A. Ends
B. Modified
C. **Switch**
D. Stable

Question No:141 **(Marks:1)** **Vu-Topper RM**

An attribute that is the collection of some other attribute(s) is known as _____ attributes.

A. Multi-valued
B. Single-valued
C. No-valued
D. Composite

Question No:142 **(Marks:1)** **Vu-Topper RM**

Which of the following is correct regarding Dataflow diagram?

A. Single DFD is required to represent a system
B. The dataflow must be bidirectional
C. Created at increasing levels of detail

Question No:143 **(Marks:1)** **Vu-Topper RM**

Used to represent the relationships among the external entities_ are those attributes that are a combination of two or more than two attributes.

A. Default value
B. Null value
C. Primary key
D. Composite attributes

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:144 **(Marks:1)** **Vu-Topper RM**

Controlling redundancy in a database management system DOES NOT help to

A. avoid duplication
B. avoid unnecessary wastage of storage space
C. **avoid unauthorized access to data**
D. avoid inconsistency among data

Question No:145 **(Marks:1)** **Vu-Topper RM**

Which of the following concepts is applicable with respect to 3NF?

A. Full functional dependency
B. Any kind of dependency
C. **Transitive dependency**
D. Partial functional dependency

Question No:146 **(Marks:1)** **Vu-Topper RM**

Identify the operation which is NOT one of the parts of the five basic set operations in relational algebra?

A. **Join**
B. Union
C. Cartesian Product
D. Set Difference

Question No:147 **(Marks:1)** **Vu-Topper RM**

Making a change to the conceptual schema of a database but not affecting the existing external schemas is an example of

A. Physical data independence.
B. Concurrency control.
C. **Logical data independence.**
D. Functional dependency

Question No:148 **(Marks:1)** **Vu-Topper RM**

For a third normal form we concentrate on relations with one _____ key, and we eliminate transitive dependencies

A. **Candidate**
B. Composite
C. Super key
D. Primary key

Question No:149 **(Marks:1)** **Vu-Topper RM**

The entity relationship diagram is used to graphically represent the _____ database model.

A. Condensed
B. Physical
C. Logical
D. **Conceptual**

Question No:150 **(Marks:1)** **Vu-Topper RM**

The _____ determines that the link between two entities is optional or mandatory.

A. Maximum cardinality
B. **Minimum cardinality**
C. Maximum degree
D. Minimum degree

Question No:151 **(Marks:1)** **Vu-Topper RM**

Select the most appropriate statement. Which of the following data model is used to design logical database design?

A. **Relational**
B. Hierarchal

C. object oriented
D. Any model can be used

Question No:152 (Marks:1) Vu-Topper RM
The process of defining one or more subtypes of a super type and forming relationships is known as
Specialization Google

Question No:153 (Marks:1) Vu-Topper RM
_____ are used by database administrator in situations where we have large number of records and wastage of small amount of space in each record can lead to loss of huge amount of data storage space.
Code

Question No:154 (Marks:1) Vu-Topper RM
An attribute in a relation is foreign key If the _____ key from one relation is used as an attribute in that relation.
Primary

Question No:155 (Marks:1) Vu-Topper RM
in data flow diagram which of the following operator is used, when data flows from a source process to one of the mentioned sinks?
Ring Sum Operator

Question No:156 (Marks:1) Vu-Topper RM
The _____ rule specifies that an entity can be a member of only one subtype at a time.
Disjoint

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:157 **(Marks:1)** **Vu-Topper RM**

In relational algebra, which of the following Greek is used to represent the project operator?

∏ (PI)

Question No:158 **(Marks:1)** **Vu-Topper RM**

In three level architecture of the database, which views is called community views of the database?

Conceptual view

Question No:159 **(Marks:1)** **Vu-Topper RM**

Which of the following normal forms deals multivalued dependency?

4NF

Question No:160 **(Marks:1)** **Vu-Topper RM**

While mapping _____ relationship, primary key of the entity type against one side of relationship will be included in the entity type on the many sides of the relationship as foreign key.

One to many

Question No:161 **(Marks:1)** **Vu-Topper RM**

In data flow diagram _____ symbol is used to represents data flows.

Arrow

Question No:162 **(Marks:1)** **Vu-Topper RM**

In the below entity type which attribute can work as an alternate key?

Employee (Reg# Primary key,Name,CNIC,designation,address,phone)

CNIC

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:163 **(Marks:1)** **Vu-Topper RM**

From the following who is responsible for proper working of the database and DBMS?

Database administrator

Question No:164 **(Marks:1)** **Vu-Topper RM**

Suppose that "Program" is an entity which represents different courses are being offered by an institute, like MCS. BCS etc. Following are the major attributes of this entity.

Identify the attribute which can be used as primary key.

Program_Code

Question No:165 **(Marks:1)** **Vu-Topper RM**

The following is an of _____ inference rule.

If stId –>prName and prName –> credits then stId –> credits

Transitivity

Question No:166 **(Marks:1)** **Vu-Topper RM**

Which of the following is the example of a weak entity?

The tire can exist without being attached to the car

Question No:167 **(Marks:1)** **Vu-Topper RM**

In Relational Data Model, the _____ of a relation is the number of columns in that relation

Degree

Question No:168 **(Marks:1)** **Vu-Topper RM**

Which of the following normal form deals with possible loss less decompositions?

5NF

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:169 **(Marks:1)** **Vu-Topper RM**

Suppose we have a list of bank customers which availed loan facility from different branches of a bank. If we want to get a list of all customers and the amount of the loans excluding branch name. Which of the following operation allows us to generate this relation?

Union

Question No:170 **(Marks:1)** **Vu-Topper RM**

Which of the following provides us data independency?

3-Level Architecture

Question No:171 **(Marks:1)** **Vu-Topper RM**

Cross reference matrix is a tool available in the data dictionary, which helps us in finding ____.

Entities of the database and their associations

Question No:172 **(Marks:1)** **Vu-Topper RM**

Conceptual database design, expressed in E-R data model can be implemented using any _____.

Database Management System (DBMS)

Question No:173 **(Marks:1)** **Vu-Topper RM**

Which of the following might be represented with a single-valued attribute?

Computer's processor speed

Question No:174 **(Marks:1)** **Vu-Topper RM**

Which of the following is a Unary operation?

Project

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:175 **(Marks:1)** **Vu-Topper RM**

Which of the following data model has the following components?

Relational

Question No:176 **(Marks:1)** **Vu-Topper RM**

Which of the following Greek is used to represent the select operation?

σ

Question No:177 **(Marks:1)** **Vu-Topper RM**

Data about data is called metadata.

True

False

Question No:178 **(Marks:1)** **Vu-Topper RM**

Normalization of database is used to _____.

Eliminate redundancy

Question No:179 **(Marks:1)** **Vu-Topper RM**

In student entity which of the following is the best example of multivalued attribute?

Email address

Question No:180 **(Marks:1)** **Vu-Topper RM**

In which normal form, we convert composite attributes into individual attributes?

1NF

Question No:181 **(Marks:1)** **Vu-Topper RM**

Which of the following tool is used to graphically represent the components and design of the system?

DFD

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:182 **(Marks:1)** **Vu-Topper RM**

Data type "BLOB" in database management system stands for ___.

Binary Large Object

Question No:183 **(Marks:1)** **Vu-Topper RM**

In a three level DBMS architecture, the _____ level interacts directly with the users.

External

Question No:184 **(Marks:1)** **Vu-Topper RM**

In the Database System _____ provides many features to ensure the data integrity.

Database Management System (DBMS)

Question No:185 **(Marks:1)** **Vu-Topper RM**

_____ of the Database is most difficult to change when a database is created.

Extension

Question No:186 **(Marks:1)** **Vu-Topper RM**

In Database development process, which phase involves designing of any new application for the enhancement of the system?

Maintenance phase

Question No:187 **(Marks:1)** **Vu-Topper RM**

An attribute of an entity is associated with another attribute of the same entity is called:

Recursive relationship

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:188 **(Marks:1)** **Vu-Topper RM**

Relational Data model is created in the _____ phase.

Analysis

Question No:189 **(Marks:1)** **Vu-Topper RM**

Database system saves lots of efforts and finances, this advantage provides _____.

Time saving structure

Question No:190 **(Marks:1)** **Vu-Topper RM**

Data inconsistency leads to a number of a problems such as _____.

Loss of information and incorrect results

Question No:191 **(Marks:1)** **Vu-Topper RM**

A row of a table represents a _____, whereas the column of the table represents the _____.

Record, attribute

Question No:192 **(Marks:1)** **Vu-Topper RM**

Every primary key (PK) will be a candidate key and every candidate key will be a _____.

Super key

Question No:193 **(Marks:1)** **Vu-Topper RM**

If we want to include attributes from two different relations, which of the following operations will be used?

Union

Question No:194 **(Marks:1)** **Vu-Topper RM**

When have two entities “Person” and “Doctor. Which of all is best suitable type of relationship between the mentioned entities?

Sub type

Question No:195 (Marks:1) Vu-Topper RM

The relationship between department to employee is _____.

One to many

Question No:196 (Marks:1) Vu-Topper RM

The attribute HOBBY can have more than one values in ERD. The HOBBY is a-----attribute.

Multivalued attribute

Question No:197 (Marks:1) Vu-Topper RM

_____ is used to find out that what values or attributes will appear in which reports, for this purpose the major item names are written in the row wise order and the reports which will be generated will be written in column wise order.

Cross Reference Matrix

Question No:198 (Marks:1) Vu-Topper RM

Which of the following constraint states that in a relation, no attribute of a primary key (PK) can have null value?

Entity Integrity Constraint

Question No:199 (Marks:1) Vu-Topper RM

Which of the following constraint means that if we do not give any value to any particular attribute, it will be given a certain value?

Default Value

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:200 **(Marks:1)** **Vu-Topper RM**

_____ are those languages in which what to do and how to do on the database is required.

Procedural Languages

Question No:201 **(Marks:1)** **Vu-Topper RM**

The primary key of EMP table is _____ whereas foreign key of EMP table is _____.

Empty

Question No:202 **(Marks:1)** **Vu-Topper RM**

Which of the following is not the component of Relational Data Model?

Manipulation Language

Question No:203 **(Marks:1)** **Vu-Topper RM**

_____ are those attributes that are a combination of two or more than two attributes.

Composite attributes

Question No:204 **(Marks:1)** **Vu-Topper RM**

Which of the following Greek letter is used to denote the select operation?

Greek sigma ( )

Question No:205 **(Marks:1)** **Vu-Topper RM**

Which of the following is the example of a strong entity?

Ahmad account of ABC bank has no existence if the ABC bank doesn't exist anymore

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:206 **(Marks:1)** **Vu-Topper RM**

Major benefit of data sharing is _____.

Different applications need not to be stored repeatedly Page 15

Question No:207 **(Marks:1)** **Vu-Topper RM**

A relationship that involves three entities called _____.

Ternary relationship

Question No:208 **(Marks:1)** **Vu-Topper RM**

Once the data has been transported to the physical level it is then managed by the ___

System analysis

Question No:209 **(Marks:1)** **Vu-Topper RM**

Which of the following is not a part of the Database Application Development Process?

Validation

Question No:210 **(Marks:1)** **Vu-Topper RM**

Changes at ____ levels of database architecture need _____ levels of user's attention.

Different, different Page 34

Question No:211 **(Marks:1)** **Vu-Topper RM**

The total participation by entities is represented in E-R diagram as

Double lines Google

Question No:212 **(Marks:1)** **Vu-Topper RM**

A key which consists of two or more attributes is called_____.

Composite key

Question No:213 **(Marks:1)** **Vu-Topper RM**

The Entity Relationship Model consists of the following major constructs_____.

Entity, Attribute and relationship

Question No:214 **(Marks:1)** **Vu-Topper RM**

Which model operates at the lowest level of abstraction?

The physical model **Google**

Question No:215 **(Marks:1)** **Vu-Topper RM**

Candidate keys, which are not selected as primary key are called_____.

Alternate key. **Google**

Question No:216 **(Marks:1)** **Vu-Topper RM**

In which phase of Database development process, specific Database management system (DBMS) is chosen?

Logical data base design **Google**

Question No:217 **(Marks:1)** **Vu-Topper RM**

Entities enrolled in a relationship are called its_____.

Participants

Question No:218 **(Marks:1)** **Vu-Topper RM**

Which of the following is correct about Database modelling?

Process of creating the logical structure of the database

For More Help Vu Topper RM Contact What's app 0322-4021365

Question No:219 **(Marks:1)** **Vu-Topper RM**

In a three-level DBMS architecture, the _____ level interacts directly with the users.

External

Question No:220 **(Marks:1)** **Vu-Topper RM**

Which model operates at the lowest level of abstraction?

Internal

Question No:221 **(Marks:1)** **Vu-Topper RM**

From the following, who is responsible for proper working of the database and DBMS?

Database administrator **Google**

Question No:222 **(Marks:1)** **Vu-Topper RM**

RDM is simple there is just one structure and that is_____.

Relation or a table **Google**

Question No:223 **(Marks:1)** **Vu-Topper RM**

A _____ is used to combine rows from two or more tables, based on a related column between them.

Joins **Google**

Free Of Cost All Study Helping Material Is Available.!

>>> Provide By Vu-Toper Team <<<

Contact On What's app #03224021365

بِسۡمِ ٱللَّهِ ٱلرَّحۡمَٰنِ ٱلرَّحِيمِ

(Start the day with the name of Allah)

Welcome To Virtual University

لوح قرآنی

الٓمٓ	حٰمٓ عٓسٓقٓ	نٓ
المٓصٓ	حٰمٓ	یٰسٓ
کٓهٰیٰعٓصٓ	قٓ	اٰمٓینَ

AR PRINTERS
0321-9660987

اس کے دیکھنے والوں کی سب مشکلیں آسان ہو جائیں گی صبح اس کو دیکھ کر جو کام شروع کیا جائیگا' پورا ہوگا' اور غیبی طریقوں سے رزق آنے لگے گا!

بِسۡمِ ٱللَّهِ ٱلرَّحۡمَٰنِ ٱلرَّحِيمِ

کیا آپ نے آج درود شریف پڑھا

نہیں تو ابھی پڑھ لیجئے

صلی اللہ علیہ وسلم

بسم اللہ الرحمن الرحیم

VU Stars

اسلام علیکم:

امید کرتا ہوں سب خیریت سے ہوں گئے۔ آنے والے تمام نیو طالب علم کو میں ورچوئل یونیورسٹی آف پاکستان میں خوش آمدید کرتا ہوں۔

اگر کسی سٹوڈنٹ کو کسی بھی قسم کی ہیلپ چاہے ہو تو ہم سے رابطہ کر سکتا ہے جیسا کہ: پاسٹ پیپرز، کورس سلیکشن، پروجیکٹ سلیکشن، ڈیٹ شیٹ، فیس پے اور چینج سٹڈی پروگرام وغیرہ۔

Paid VU LMS

اگر کوئی سٹوڈنٹ کسی مجبوری کی وجہ سے یا جاب ہولڈر ہونے کی وجہ سے اپنا ایل ایم ایس خود ہینڈل نہیں کر سکتا تو وہ ہم سے پیڈ سروس حاصل کر سکتا ہے کوشش کرے کے آپ ہر چیز خود اٹیمپٹ کریں اگر نہیں کر سکتے تو سروس حاصل کریں۔

انشاءاللہ آپ ہماری سروس سے مطمئن ہوں گے۔

Email:
waqasahmeduog@gmail.com

Whatsapp: 03066295623

مزید اگر کسی رہنمائی کی ضرورت ہو تو وہ رابطہ کر سکتا ہے۔

LMS Management

یکم نومبر سے 30 نومبر تک ایل ایم ایس مینجمنٹ کے چار جز 2000 ہیں بیشک کسی کی ایک کتاب ہو یا چھ۔

ان چار جز میں تمام چیزیں Submit کی جائیں گی۔ اگر کوئی سٹوڈنٹ فی ایکٹیویٹی کے حساب سے کرانا چاہتا ہے تو وہ بھی کروا سکتا ہے

. Note: Quiz, Assignment & GDB submit ho Gi

Normal Quiz Price: 130 (adv booking) **Quiz Price Last Date**: 180

جیسا کہ کافی اولڈ سٹوڈنٹس کو پتہ ہے کہ میں جو بات کرتا ہوں اس پر ضرور عمل کرتا ہوں۔ یہ جو مارکس وغیرہ بتا رہا وہ کم از کم ہوتے ہیں۔ لیکن میرے مارکس اس سے زیادہ ہی آتے ہیں۔

آپ میرے اولڈ رزلٹ کی فائلز دیکھ سکتے ہیں۔ **WhatsApp**: 0306-6295623

I will provide you Data for Preparation of Exam

Grand Quiz files (my own file 99% correct answers), Mid Term, Final Term and some important data

Note: (**Paid Group** k lia Inbox msg kry)

Ma logo ki tara apko 100% result ki guarantee day kr result 50% nhi day skta. Wo sub fake hai k hum apko 100% result day gy.

My Minimum Result 70% Overall

(Inbox for Previous Result (my exp only almost **10 semesters** lms handling)

VU Stars 03066295623

LMS Charges

Whole Semester (Self-Check lms)	7000
1 Month	2000 (1-6) books
(Mid Term)	3500
Quiz Only (If marks are below then 50% then half payment will be **returned** OR adjust in next Quiz)	
Registration Fee (500) whole semester (List ma add hony ki fee hai)	Self LMS Check for Quiz only Per Quiz Rate: 130
Quiz before Last date inform	**RS:** 130 Per Quiz
Quiz Inform on Last Date:	**RS:** 180 Per Quiz
Note:	Beshk ap ny LMS Handling Service 15 Date say bad li phr b wo usi month k end tak ki fee hogi. **Example**: 15 November 2022 say 30 November 2022
Videos	Videos watch service also available

CS403:Quiz No.1

Question # 9 of 10 (Start time: 07:59:51 PM, 22 June 2022)

Detailed data flow diagram is created for only those processes from the _____for which we want to show the details.

Select the correct option

- ○ Level 3 diagram
- ○ Context level diagram
- ● Level 0 diagram
- ○ Level 2 diagram

VU Stars by Waqas Ahmed
03066295623

CS403:Quiz No.1

Question # 1 of 10 (Start time: 08:39:50 PM, 22 June 2022)

Internal schema/view defines the _____ of the data.

Select the correct option

- ○ Functionality
- ○ Transaction
- ● Structure
- ○ Source

VU Stars by Waqas Ahmed
0306629623

CS403:Quiz No.1

Question # 8 of 10 (Start time: 08:43:15 PM, 22 June 2022)

Level of data at which entities or objects exist in reality is called _____.

Select the correct option

- ○ Data about data
- ○ Schema for real world data
- ○ Meta data
- ● Real world data

VU Stars by Waqas Ahmed
0306629623

CS403:Quiz No.1

Question # 2 of 10 (Start time: 08:47:21 PM, 22 June 2022)

Recursive relationship is also called_____

Select the correct option

- ○ Ternary
- ○ Primary
- ● Unary
- ○ Secondary

VU Stars by Waqas Ahmed
03066295623

CS403:Quiz No.1

Question # 4 of 10 (Start time: 08:47:59 PM, 22 June 2022)

A _____ is used to maintain a connection between the users of the database system.

Select the correct option

- ○ Client Server
- ● File Server
- ○ FTP Server
- ○ Virtual Server

VU Stars by Waqas Ahmed
03066295623

CS403P:Lab - Quiz No. 1

Question # 1 of 10 (Start time: 08:41:45 PM, 02 June 2022)

A graphical representation of system showing flow of data between its different components is knowns as _____.

Select the correct option

- (●) Data Flow Diagram
- ( ) Pie Chart
- ( ) Gantt Chart
- ( ) Hierarchy Charts

VU Stars by Waqas Ahmed
03066295623

CS403P:Lab - Quiz No. 1

Question # 3 of 10 (Start time: 08:44:22 PM, 02 June 2022)

Which of the following company develops SQL server software?

Select the correct option

- ○ HP
- ● Microsoft
- ○ Acer
- ○ Oracle

VU Stars by Waqas Ahmed
03066295623

CS403P:Lab - Quiz No. 1

Question # 4 of 10 (Start time: 08:45:08 PM, 02 June 2022)

In a Data Flow Diagram, _____ symbol is used to express the convergence of several data flow connections to a single point.

Select the correct option

- (●) Collector
- ( ) Diamond
- ( ) Oval
- ( ) Merger

VU Stars by Waqas Ahmed
03066295623

CS403P:Lab - Quiz No. 1

Question # 5 of 10 (Start time: 08:45:37 PM, 02 June 2022)

A person who is responsible for proper working of database and DBMS is known as _____.

Select the correct option

- ○ Analyst
- ○ End User
- ○ Application Programmer
- ● Database Administrator

VU Stars by Waqas Ahmed
03066295623

CS403P:Lab - Quiz No. 1

Question # 9 of 10 (Start time: 08:48:29 PM, 02 June 2022)

A DATA STORE in Data Flow Diagram is represented by _____.

Select the correct option

- Rectangle open on right width and left width of the rectangle drawn with double lines
- Rectangle open on left width and right width of the rectangle drawn with single line
- An arrow
- Diamond symbol

VU Stars by Waqas Ahmed
03066295623

CS403P:Lab - Quiz No. 1

Question # 9 of 10 (Start time: 08:48:29 PM, 02 June 2022)

A DATA STORE in Data Flow Diagram is represented by _____.

Select the correct option

- (●) Rectangle open on right width and left width of the rectangle drawn with double lines
- ( ) Rectangle open on left width and right width of the rectangle drawn with single line
- ( ) An arrow
- ( ) Diamond symbol

VU Stars by Waqas Ahmed
03066295623

CS403P:Lab - Quiz No. 1

Question # 10 of 10 (Start time: 08:48:57 PM, 02 June 2022)

Which of the following software is used to create and manage the database?

Select the correct option

- ○ Adobe Acrobat
- ● Microsoft SQL Server
- ○ MS Word
- ○ WordPerfect

VU Stars by Waqas Ahmed
03066295623

CS403:Quiz No.2

Question # 8 of 10 (Start time: 09:19:51 PM, 05 July 2022)

_____ are those attributes that are a combination of two or more than two attributes.

Select the correct option

- ○ Primary key
- ○ Null value
- ○ Default value
- ● Composite Attributes

VU Stars by Waqas Ahmed
0306629623

CS403:Quiz No.2

Question # 9 of 10 (Start time: 09:20:15 PM, 05 July 2022)

Theta join is denoted mathematically as _____.

Select the correct option

- ○ R X ϴ
- ● R X ϴ S
- ○ R X S
- ○ R X ϴ RS

VU Stars by Waqas Ahmed
03066295623

CS403:Quiz No.2

Question # 5 of 10 (Start time: 09:38:35 PM, 05 July 2022)

The _____ model is independent of any tool or data model.

Select the correct option

- ○ Hierarchal
- ● Entity Relationship
- ○ Relational
- ○ Network

VU Stars by Waqas Ahmed
03066295623

CS403:Quiz No.2

Question # 7 of 10 (Start time: 09:40:57 PM, 05 July 2022)

In Relational Data Model, the _____ of a relation is the number of columns in that relation.

Select the correct option

- ○ Constraint
- ○ Domain
- ● Degree
- ○ Cardinality

VU Stars by Waqas Ahmed
03066295623

بسم اللہ الرحمن الرحیم

VU Stars

اسلام علیکم:

امید کرتا ہوں سب خیریت سے ہوں گئے۔ آنے والے تمام نیو طالب علم کو میں ورچوئل یونیورسٹی آف پاکستان میں خوش آمدید کرتا ہوں۔

اگر کسی سٹوڈنٹ کو کسی بھی قسم کی ہیلپ چاہے ہو تو ہم سے رابطہ کر سکتا ہے جیسا کہ: پاسٹ پیپرز، کورس سلیکشن، پروجیکٹ سلیکشن، ڈیٹ شیٹ، فیس پے اور چینج سٹڈی پروگرام وغیرہ۔

Paid VU LMS

اگر کوئی سٹوڈنٹ کسی مجبوری کی وجہ سے یا جاب ہولڈر ہونے کی وجہ سے اپنا ایل ایم ایس خود ہینڈل نہیں کر سکتا تو وہ ہم سے پیڈ سروس حاصل کر سکتا ہے کوشش کرے کے آپ ہر چیز خود اٹیمپٹ کریں اگر نہیں کر سکتے تو سروس حاصل کریں۔

انشاءاللہ آپ ہماری سروس سے مطمئن ہوں گے۔

Email:
waqasahmeduog@gmail.com

Whatsapp: 03066295623

مزید اگر کسی رہنمائی کی ضرورت ہو تو وہ رابطہ کر سکتا ہے۔

CS403:Quiz No.2

Question # 10 of 10 (Start time: 09:42:53 PM, 05 July 2022)

In _____ join common attributes appear twice in the output with selected rows.

Select the correct option

- ○ Natural Join
- ○ Normal Join
- ● Equi Join
- ○ Semi Join

VU Stars by Waqas Ahmed
03066295623

CS403:Quiz No.2

Question # 3 of 10 (Start time: 04:22:54 PM, 06 July 2022)

In_____ appropriate data model is chosen.

Select the correct option

- ○ Conceptual Database Design
- ○ ERD
- ● Logical Database Design
- ○ DFD

VU Stars by Waqas Ahmed
03066295623

CS403:Quiz No.2

Question # 8 of 10 (Start time: 04:26:26 PM, 06 July 2022)

There are _____basic properties of the database relations.

Select the correct option

- ○ Four
- ● Six
- ○ Three
- ○ Two

VU Stars by Waqas Ahmed
03066295623

CS403:Quiz No.2

Question # 10 of 10 (Start time: 04:27:47 PM, 06 July 2022)

RDM is simple there is just one structure and that is_____.

Select the correct option

- (●) A relation or a table
- ( ) Attributes
- ( ) E-R model
- ( ) Data model

VU Stars by Waqas Ahmed
03066295623

CS403:Quiz No.2

Question # 1 of 10 (Start time: 04:30:00 PM, 06 July 2022)

In Relational Data model, the values of the attributes come from the _____domain.

Select the correct option

- (●) same
- ( ) unique
- ( ) heterogeneous
- ( ) universal

VU Stars by Waqas Ahmed
03066295623

CS403:Quiz No.2

Question # 3 of 10 (Start time: 04:31:20 PM, 06 July 2022)

Relational Calculus is a _____ relational data manipulation language.

Select the correct option

- (●) Non-Procedural, Formal
- ( ) Non-Procedural, Informal
- ( ) Procedural, Informal
- ( ) Procedural, Formal

VU Stars by Waqas Ahmed
03066295623

CS403:Quiz No.2

Question # 6 of 10 (Start time: 04:32:30 PM, 06 July 2022)

Logical database design, like conceptual database design is our_____.

Select the correct option

- ○ Weak entity set
- ○ Data model
- ● Database design
- ○ Strong entity set

VU Stars by Waqas Ahmed
0306629623

CS403:Quiz No.2

Question # 8 of 10 (Start time: 04:33:10 PM, 06 July 2022)

The RDM(Relational Data Model) is popular due to its two major strengths and they are_____.

Select the correct option

- (●) Simplicity/ Strong Mathematical Foundation
- ( ) Simplicity/ Weak Mathematical Foundation
- ( ) Complexity/ Weak Mathematical Foundation
- ( ) Complexity/Easy Mathematical Foundation

VU Stars by Waqas Ahmed
0306629623

CS403:Quiz No.2

Question # 1 of 10 (Start time: 04:36:35 PM, 06 July 2022)

Which of the following Greek letter is used to denote the select operation?

Select the correct option

- ● σ
- ○ Ω
- ○ π
- ○ £

VU Stars by Waqas Ahmed
03066295623

CS403:Quiz No.2

Question # 6 of 10 (Start time: 04:39:12 PM, 06 July 2022)

The _____ model is independent of any tool or data model.

Select the correct option

- ○ Network
- ○ Hierarchal
- ● Entity Relationship
- ○ Relational

VU Stars by Waqas Ahmed
03066295623

VIRTUAL UNIVERSITY OF PAKISTAN

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922
TEAM HADI(VU)

MID TERM PAST PAPER

We Deal All Kind of VU Project
(PHP, .NET,ANDROID,PYTHON)

MADE AND SOLVED BY HADI

WARNING: Team HADI is not responsible for any mistake or wrong answer. All students reading and using this document may check and confirm the answers at their own.

WhatsApp:03087122922

FACEBOOK ID: https://www.facebook.com/hadipastpapers/

Best of luck!

PAST PAPER

CS403 - Database Management Systems (Quiz No.1)

Quiz Start Time: 10:52 PM, 13 December 2022

Question # 3 of 10 (Start time: 10:53:55 PM, 13 December 2022)

Total Marks: 1

Each component of DBMS performs _____ functions.

Select the correct option

- Similar
- Computational
- Identical
- Different

HADI
A PROJECT OF TEAM HADI VU
ph: 0308-7122922

MADE BY HADI
Email:hadirajputofficial@gmail.com Whatsapp:03087122922 \/\/ TeamHadi(VU)

BITOUT SOFTWARE HOUSE LAHORE
(WE DEAL ALL KIND OF VU PROJECT)

CS403 - Database Management Systems (Quiz No.1) Quiz Start Time: 10:52 PM, 13 December 2022

Question # 8 of 10 (Start time: 11:00:11 PM, 13 December 2022). **Total Marks:** 1

Once the data has been transported to the physical level it is then managed by the _____.

Select the correct option

- (●) Operating system
- ( ) File manager
- ( ) Database administrator (DBA)
- ( ) DBMS

HADI
A PROJECT OF TEAM HADI VU
ph: 0308-7122922

MADE BY HADI
Email:hadirajputofficial@gmail.com Whatsapp:03087122922 \/\/ TeamHadi(VU)
BITOUT SOFTWARE HOUSE LAHORE
(WE DEAL ALL KIND OF VU PROJECT)

CS403 - Database Management Systems (Quiz No.1) Quiz Start Time: 10:52 PM, 13 December 2022

Question # 9 of 10 (Start time: 11:01:02 PM, 13 December 2022) Total Marks: 1

Which of the following is NOT a Key?

Select the correct option

- Alternate key
- Super key
- Integrity constraint key
- Primary key

HADI
A PROJECT OF TEAM HADI VU
ph: 0308-7122922

MADE BY HADI
Email:hadirajputofficial@gmail.com Whatsapp:03087122922 \/\/ TeamHadi(VU)
BITOUT SOFTWARE HOUSE LAHORE
(WE DEAL ALL KIND OF VU PROJECT)

Question # 10 of 10 (Start time: 11:01:35 PM, 13 December 2022) **Total Marks:** 1

If there is more than one relationship between two entities and we mentioned role on the relationship link, then it is called:

Select the correct option

- Unary relationship
- Ternary relationships
- Binary relationships
- Multiple relationships

HADI
A PROJECT OF TEAM HADI VU
ph: 0308-7122922
MADE BY HADI
Email:hadirajputofficial@gmail.com Whatsapp:03087122922 \/\/ TeamHadi(VU)
BITOUT SOFTWARE HOUSE LAHORE
(WE DEAL ALL KIND OF VU PROJECT)

CS403P - Database Management Systems (Practical) (Lab - Quiz No. 2) **Quiz Start Time: 11:26 PM, 08 December 2022**

Question # 1 of 10 (Start time: 11:26:38 PM, 08 December 2022) **Total Marks:** 1

Consider the following two sets:
X = [a, b]
Y = {1,3,5}
Then the Cartesian product of A and B (i.e. X**x**Y) will be equal to:

Select the correct option

Reload Math Equations

- {(a,1), (a,5), (a,3), (b,5), (b,1), (b,5)}
- {(a, a), (a,3), (a,1), (b,5), (b,5), (b,3)}
- {(a,1), (b,1), (a,5), (b,3), (a,5), (b,5)}
- {(a,1), (a,3), (a,5), (b,1), (b,3), (b,5)}

HADI A PROJECT OF TEAM HADI VU ph: 0308-7122922

MADE BY HADI
Email:hadirajputofficial@gmail.com Whatsapp:03087122922 \/\/ TeamHadi(VU)
BITOUT SOFTWARE HOUSE LAHORE
(WE DEAL ALL KIND OF VU PROJECT)

CS403 - Database Management Systems (Quiz No.1) **Quiz Start Time: 10:52 PM, 13 December 2022**

Question # 2 of 10 (Start time: 10:53:17 PM, 13 December 2022) **Total Marks: 1**

The database management system (DBMS) is used to _____.

Select the correct option

- Store the data
- All of above
- Manage its users
- Access the data

HADI A PROJECT OF TEAM HADI VU ph: 0308-7122922

MADE BY HADI
Email:hadirajputofficial@gmail.com Whatsapp:03087122922 \/\/ TeamHadi(VU)
BITOUT SOFTWARE HOUSE LAHORE
(WE DEAL ALL KIND OF VU PROJECT)

Question # 4 of 10 (Start time: 10:55:19 PM, 13 December 2022) **Total Marks:** 1

Free standing data dictionary is created by Using _____.

Select the correct option

- ○ Cross Reference Matrix
- ○ Database
- ○ DFD
- ● CASE tools

HADI
A PROJECT OF TEAM HADI VU
ph: 03087122922

MADE BY HADI
Email:hadirajputofficial@gmail.com Whatsapp:03087122922 \/\/ TeamHadi(VU)
BITOUT SOFTWARE HOUSE LAHORE
(WE DEAL ALL KIND OF VU PROJECT)

HADI VU PAST PAPER

WE DEAL ALL KIND OF VU PROJECT
(PHP,ANDROID,PYTHON)

DEAR STUDENTS

ARE YOU LOOKING
FOR ASSISTANCE

1) ASSIGNMENTS
2) QUIZZES
3) GDB
4) GRAND QUIZZES

We Provide,You Solution of VU Academic Activities include Assignments, Quizzes,GDBs,Grand Quizze If You Need Help in Services Kindly inform us.

TEAM HADI
(VU LAHORE)

TEAM HADI
(VU LAHORE)

HADI TECH

#PAID_TASK

CONTACT US

CALL & WHATSAPP

0308-7122922

Cs403

Database Management Systems

Midterm Current Paper

02-01-2023 & 03-01-2023

Subscribe Channel

All Subjects Past Paper are Available in this Channel

https://youtube.com/c/LearningWithAI

ان سوالات کو مختلف گروپوں سے آپ کی آسانی کے لیے ایک جگہ جمع کیا گیا ہے تاکہ سٹوڈنٹ کو اپنے سبجیکٹ کے سوالات ایک جگہ مل سکے ۔ مزید سبجیکٹ کے کرنٹ پیپر دیکھنے اور ہماری حوصلہ افزائی کے لیے ہمارے چینل کو لازمی سبسکرائب کریں

https://youtube.com/c/LearningWithAI

Paper No 1

Today 403 paper

Mcqs

Mcqs from past paper

And very easy MCQs

Subjective

Question No 1

Constraints…..

Question No 2

Cartesian product find AxB……

Question No 3

Data redundancy…

Question No 4

Type of attribute

Learning With A&I

Paper No 2

Cs403 Done

8:30am

Mcqs Mostly from handouts

And some from handouts

Subjective

Relational algebra ki properties thi 3 mark

3 level architecture men use hone wali mapping ki types 3 marks

Foreign keys and home relation btana tha 5 number

Total relationship and partial relationship with real life example for both 5 marks

Learning With A&I

Paper No 3

8:30

Cs403 today paper

Mcqs from Midterm Files

And Past Paper

Some Handouts.

Very Easy paper

Subjective

Cartisian product wala ek question tha

Ek question m multivalued ,simple and dried attributes ko recognize krna tha

Procedural and nonprocedural language m difference btana tha

Application development process btana tha

Learning With A&I

Cs403 Midterm Complete Preparation 2023

https://youtu.be/5jp9SbKU9yA

Subscribe Channel for Vu Short Notes, Past Paper, Current Paper, Important Topic, Important Question, Important Mcqs, Assignment, GDB Solution, Quiz File, And Virtual University Updates

https://youtube.com/c/LearningWithAI

https://youtube.com/playlist?list=PL3ycrwLjg6r_Qiuu4TIcb3HULeNYiIGU2

All Subjects Midterm Preparation Playlist

VIRTUAL UNIVERSITY OF PAKISTAN

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922
TEAM HADI(VU LAHORE)

MID TERM PAST PAPER

We Deal All Kind of VU Project
(PHP, .NET,ANDROID,PYTHON)

MADE AND SOLVED BY HADI

WARNING: Team HADI is not responsible for any mistake or wrong answer. All students reading and using this document may check and confirm the answers at their own.

WhatsApp:03087122922

FACEBOOK ID: https://www.facebook.com/hadipastpapers/

Best of luck!

PAST PAPER

TEAM HADI(VU)

Question No : 1 of 26 Marks: 1 (Budgeted Time 1 Min)

Maximum Cardinality shows that how many _____ of one entity can be placed in another relation at most.

Answer (Please select your correct option)

- Keys
- Instances
- Attributes
- Relationships

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

TEAM HADI(VU)

MADE BY HADI
PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 2 of 26 Marks: 1 (Budgeted Time 1 Min)

Identify the incorrect statement among the given.

Answer (Please select your correct option)

- Employee cannot be considered as an entity.
- Existence of course in a degree program can be considered as an entity.
- Student "ID" can be considered as a single value attribute.
- Parking Area can be considered as an entity.

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 3 of 26 Marks: 1 (Budgeted Time 1 Min)

Which of the following is true about NOT NULL constraint?

Answer (Please select your correct option)

- enforce domain integrity.
- limit the values that can be placed in a column.
- prevents any actions that would destroy links between tables with the corresponding data values.
- enforces the uniqueness of the values in a set of columns.

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

TEAM HADI(VU)

MADE BY HADI
PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 4 of 26 Marks: 1 (Budgeted Time 1 Min)

"Database System" is the combination of_____.

Answer (Please select your correct option)

- Database and DBMS
- Database and Data
- Data and Information
- Operating System and Database

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 5 of 26 Marks: 1 (Budgeted Time 1 Min)

Metadata is also known as _____ for the real world data.

Answer (Please select your correct option)

- Attribute
- Schema
- Entity
- Relation

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

TEAM HADI(VU)

MADE BY HADI
PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 6 of 26 Marks: 1 (Budgeted Time 1 Min)

Which of the following shows least amount of detail?

Answer (Please select your correct option)

- Context DFD
- Level 0 DFD
- Level 1 DFD
- Level 2 DFD

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

MADE BY HADI
PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

TEAM HADI(VU)

Question No : 7 of 26 Marks: 1 (Budgeted Time 1 Min)

Incase of Context Level DFD, the System is represented by

Answer (Please select your correct option)

- At least one Process
- One Process only
- Two Processes
- Three Processes

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

TEAM HADI(VU)

MADE BY HADI
PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 8 of 26 Marks: 1 (Budgeted Time 1 Min)

Which of the following is created by "Database Management System" for its usage?

Answer (Please select your correct option)

- Free Standing Data Dictionary
- Cross Reference Matrix
- Weak Entity
- Integrated Data Dictionary

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 9 of 26 Marks: 1 (Budgeted Time 1 Min)

Which of the following is the input to Analysis Phase?

Answer (Please select your correct option)

- DFD
- Logical database design
- Physical database design
- Data model

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL-hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

TEAM HADI(VU)

MADE BY HADI
PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 10 of 26 Marks: 1 (Budgeted Time 1 Min)

Consider two sets A and B. A contains 2 elements and B contains 3. How many elements do their Cartesian product contains?

Answer (Please select your correct option)

- 6
- 9
- 4
- 5

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

TEAM HADI(VU)

MADE BY HADI
PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 11 of 26 Marks: 1 (Budgeted Time 1 Min)

Which of the following is true for the relation (table)?

Answer (Please select your correct option)

- Degree of a relation is not possible to determine
- Candidate key can be chosen as a primary key of a relation.
- Primary key always consists of a single attribute
- Primary key can not be selected from the set of candidate key

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 12 of 26 Marks: 1 (Budgeted Time 1 Min)

If in a relation R, all non key attributes are fully functionally dependent on key attributes. The relation R is in _____.

Answer (Please select your correct option)

- 2NF
- 3NF
- BCNF
- Higher NF

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

TEAM HADI(VU)

MADE BY HADI
PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 13 of 26 Marks: 1 (Budgeted Time 1 Min)

If W, X, Y and Z are attributes of a relation, which of the following inference rules for functional dependencies is correct?

Answer (Please select your correct option)

- If (X, Z) -> Y then X -> Y and Z -> Y
- If X -> Y and X -> Z then X -> Y, Z
- If X ⊇ Y then Y -> X
- If X -> Y then X, Z -> Y,W

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

TEAM HADI(VU)

MADE BY HADI
PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 14 of 26 Marks: 1 (Budgeted Time 1 Min)

Which of the following is not a benefit of normalization?

Answer (Please select your correct option)

- Minimize insertion anomalies
- Minimize deletion anomalies
- Minimize updating anomalies
- Maximize redundancy

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 15 of 26 Marks: 1 (Budgeted Time 1 Min)

Association between entities is called as _____.

Answer (Please select your correct option)

- Attribute
- Relationship
- Primary Key
- Relation

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL-hadirajputofficial@gmail.com
WHATSAPP& CALL-03087122922

MADE BY HADI
PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

TEAM HADI(VU)

Question No : 16 of 26 Marks: 1 (Budgeted Time 1 Min)

If D --> E, F then D --> E and D --> F.
This inference rules is called as _____.

Answer (Please select your correct option)

- Transitivity
- Additive
- Projectivity
- Augmentation

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 17 of 26 Marks: 1 (Budgeted Time 1 Min)

DBA is not responsible for _____

Answer (Please select your correct option)

- Monitoring Disk Space
- Database Backup
- Managing Print Jobs
- Development of Database Application Programs

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 18 of 26 Marks: 1 (Budgeted Time 1 Min)

A relation (from the relational database model) consists of a set of tuples, which implies that

Answer (Please select your correct option)

- it supports multi-valued attributes whose values can be represented in sets.
- for any two tuples, the values associated with all of their attributes may be the same.
- for any two tuples, the values associated with one or more of their attributes must differ.
- all tuples in a particular relation may have different attributes.

TEAM HADI(VU)

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

MADE BY HADI

Question No : 19 of 26 Marks: 1 (Budgeted Time 1 Min)

Which of the following constraints enforces Entity Integrity?

Answer (Please select your correct option)

- PRIMARY KEY
- FOREIGN KEY
- CHECK
- NOT NULL

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 20 of 26 Marks: 1 (Budgeted Time 1 Min)

In _____ normal form, all determinants are candidate keys.

Answer (Please select your correct option)

- 3NF
- BCNF
- 4NF
- 5NF

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

MADE BY HADI
PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

TEAM HADI(VU)

Question No : 21 of 26 Marks: 2 (Budgeted Time 4 Min)

If we map a unary relationship into relation and ERD has one to one cardinality then what would be the mapping procedure?

Answer (Please click here to Add Answer)



TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 22 of 26 Marks: 2 (Budgeted Time 4 Min)

Relate Column A with Column B of the given table. You are only required to mention the index of both columns in a way as mentioned below.
5 -> e

Column A	Column B
1 - θ	a – Equi Join

Answer (Please click here to Add Answer)

Normal Arial 12 100%

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 22 of 26 Marks: 2 (Budgeted Time 4 Min)

1 -	θ	a – Equi Join
2 -		b – Semi Join
3 -		c – Theta Join

Answer (Please click here to Add Answer)

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:-hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

TEAM HADI(VU)

MADE BY HADI
PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 22 of 26 Marks: 2 (Budgeted Time 4 Min)

	b – Join
3 -	c – Theta Join
4 -	d - Projection

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 23 of 26 Marks: 3 (Budgeted Time 6 Min)

Relation 1

Student ID	Name	Address	Degree ID
1	ABC	ABC123	Null
Default	XYZ	XYZ123	01
2	WXY	WXY123	05

Answer (Please click here to Add Answer)

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

TEAM HADI(VU)

MADE BY HADI
PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 23 of 26 Marks: 3 (Budgeted Time 6 Min)

Relation 2

Degree ID	Degree Title	Duration
01	BCS	4 Years
02	MCS	2 Years
03	MSCS	2 Years

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 23 of 26 Marks: 3 (Budgeted Time 6 Min)

03	MSCS	2 Years

Where, Degree ID is a reference / foreign key in Relation 1.

Specify the constraint (s) applied on FK (Foreign Key) in the case given above from the list provided. Also justify your answer.
[Referential, Default, Domain]

Answer (Please click here to Add Answer)

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

TEAM HADI (VU)

MADE BY HADI
PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 24 of 26 Marks: 3 (Budgeted Time 6 Min)

Convert the following relation into one normal form ahead. (For example: if relation is in 2nd normal form, convert it into 3rd normal form.)

Student

Student-ID	Student-Name	Father-Name	City	Hobby

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 24 of 26 Marks: 3 (Budgeted Time 6 Min)

Student

Student-ID	Student-Name	Father-Name	City	Hobby
1	ABC	BC	Lahore	Cricket, Movies
2	DEF	EF	Islamabad	Football, Basketball

Answer (Please click here to Add Answer)

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

TEAM HADI(VU)

MADE BY HADI
PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 24 of 26 Marks: 3 (Budgeted Time 6 Min)

				Movies
2	DEF	EF	Islamabad	Football, Basketball
3	GHI	HI	Lahore	Movies, Body building,

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 24 of 26 Marks: 3 (Budgeted Time 6 Min)

				Body building, Badminton
4	JKL	KL	Karachi	Cricket

Answer (Please click here to Add Answer)

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

TEAM HADI(VU)

MADE BY HADI
PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 25 of 26 Marks: 5 (Budgeted Time 10 Min)

Draw Cross Reference Matrix for the given diagram. Where

I, II, III and IV are Reports of an organization.

A, B, C, D, E and F are Attributes of these Reports.

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

Question No : 25 of 26 Marks: 5 (Budgeted Time 10 Min)



Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 25 of 26 Marks: 5 (Budgeted Time 10 Min)



Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 25 of 26 Marks: 5 (Budgeted Time 10 Min)



Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 25 of 26 Marks: 5 (Budgeted Time 10 Min)



Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 26 of 26 Marks: 5 (Budgeted Time 10 Min)

Course

Course-ID	Course-Title	Instructor-ID	Instructor-Specialization
101	ABC	1	PQR
201	DEF	2	STU
301	GHI	1	PQR

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 26 of 26 Marks: 5 (Budgeted Time 10 Min)

201	DEF	2	STU
301	GHI	1	PQR
401	JKL	3	YZX
402	MNO	4	ASD

Where

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 26 of 26 Marks: 5 (Budgeted Time 10 Min)

402	MNO	4	ASD

Where
Course-ID is a Primary Key of the relation Course

Find that the relation is in which normal form and also discuss, how Update Anomalies would occur in the relation.

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

HADI VU PAST PAPER

WE DEAL ALL KIND OF VU PROJECT
(PHP,ANDROID,PYTHON)

DEAR STUDENTS

ARE YOU LOOKING
FOR ASSISTANCE

1) ASSIGNMENTS
2) QUIZZES
3) GDB
4) GRAND QUIZZES

We Provide,You Solution of VU Academic Activities include Assignments, Quizzes,GDBs,Grand Quizze If You Need Help in Services Kindly inform us.

TEAM HADI
(VU LAHORE)

TEAM HADI
(VU LAHORE)

HADI TECH

#PAID_TASK

CONTACT US

CALL & WHATSAPP

0308-7122922

VIRTUAL UNIVERSITY OF PAKISTAN

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922
TEAM HADI(VU LAHORE)

MID TERM PAST PAPER

We Deal All Kind of VU Project
(PHP, .NET,ANDROID,PYTHON)

MADE AND SOLVED BY HADI

WARNING: Team HADI is not responsible for any mistake or wrong answer. All students reading and using this document may check and confirm the answers at their own.

WhatsApp:03087122922

FACEBOOK ID: https://www.facebook.com/hadipastpapers/

Best of luck!

PAST PAPER

TEAM HADI(VU)

Question No : 1 of 26 Marks: 1 (Budgeted Time 1 Min)

Identify the incorrect statement among the given.

Answer (Please select your correct option)

- An entity may be an object with a physical existence like a car.
- Age can be considered as a single value attribute of a person.
- The attribute Date_of_birth can be considered as a derived attribute.
- Skill is a multivalued attribute.

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 2 of 26 Marks: 1 (Budgeted Time 1 Min)

_____ Constraint states that primary key can not be null.

Answer (Please select your correct option)

- Entity Integrity
- Referential Integrity
- Null
- Domain

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL-hadirajputofficial@gmail.com
WHATSAPP& CALL-03087122922

TEAM HADI(VU)

MADE BY HADI
PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 3 of 26 Marks: 1 (Budgeted Time 1 Min)

Which of the following shows least amount of detail?

Answer (Please select your correct option)

- Context DFD
- Level 0 DFD
- Level 1 DFD
- Level 2 DFD

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 4 of 26 Marks: 1 (Budgeted Time 1 Min)

Incase of Context Level DFD, the System is represented by

Answer (Please select your correct option)

- At least one Process
- One Process only
- Two Processes
- Three Processes

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

MADE BY HADI
PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

TEAM HADI(VU)

Question No : 5 of 26 Marks: 1 (Budgeted Time 1 Min)

Which of the following is created by "Database Management System" for its usage?

Answer (Please select your correct option)

- Free Standing Data Dictionary
- Cross Reference Matrix
- Weak Entity
- Integrated Data Dictionary

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 6 of 26 Marks: 1 (Budgeted Time 1 Min)

Which of the following is Semantic Data Model?

Answer (Please select your correct option)

- E-R Data Model
- Hierarchical Data Model
- Network Data Model
- Relational Data Model

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:-hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

TEAM HADI(VU)

MADE BY HADI
PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 7 of 26 Marks: 1 (Budgeted Time 1 Min)

Name and _____ are part of the Definitions of an attribute.

Answer (Please select your correct option)

- Domain
- Symbol
- Property
- Entity Instance

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 8 of 26 Marks: 1 (Budgeted Time 1 Min)

_____ provides the change transparency between Conceptual and External level.

Answer (Please select your correct option)

- Physical Data Independence
- Concurrency Control
- Logical Data Independence
- Functional Dependency

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

TEAM HADI(VU)

MADE BY HADI
PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 9 of 26 Marks: 1 (Budgeted Time 1 Min)

Which of the following is CORRECT about Three Level Schema Architecture?

Answer (Please select your correct option)

- External level presents data to the user
- Internal level in a database system will definitely be relational .
- External Level cannot contain user views
- Conceptual Level is core of the architecture

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 10 of 26 Marks: 1 (Budgeted Time 1 Min)

_____ is not the responsibility of DBMS

Answer (Please select your correct option)

- Support for Data Communication
- Integrity Services
- Data processing
- Grant of access rights

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 11 of 26 Marks: 1 (Budgeted Time 1 Min)

The ER- data model is an example of:

Answer (Please select your correct option)

- Physical database design
- Logical database design
- Relational database design
- Conceptual database design

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922
MADE BY HA
TEAM HADI(VU)

Question No : 12 of 26 Marks: 1 (Budgeted Time 1 Min)

Which of the following design elements does not require an entire table to implement?

Answer (Please select your correct option)

- Entity
- Recursive relationship
- Many-to-Many relationship
- Multi-valued attribute

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 13 of 26 Marks: 1 (Budgeted Time 1 Min)

Consider two sets A and B. A contains 3 elements and B contains 4. How many elements do their Cartesian product contains?

Answer (Please select your correct option)

- 12
- 9
- 16
- 7

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

TEAM HADI(VU)

MADE BY HADI
PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 14 of 26 Marks: 1 (Budgeted Time 1 Min)

_____ is not an operation of relational algebra.

Answer (Please select your correct option)

- Addition
- Union
- Cartesian Product
- Set Difference

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 15 of 26 Marks: 1 (Budgeted Time 1 Min)

Which of the following features enforces a relation into 2nd normal form?

Answer (Please select your correct option)

- Relation is in 1NF and every non-key attribute is partially dependent on super key.
- Relation is not in 1NF and non-key attribute is non-transitively dependent on primary key.
- Relation is in 1NF and every non-key attribute is fully functionally dependent on primary key.
- The domain of attribute may include multiple values.

TEAM HADI(VU)

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

MADE BY HADI

Question No : 16 of 26 Marks: 1 (Budgeted Time 1 Min)

If in a relation R, all non key attributes are fully functionally dependent on key attributes. The relation R is in _____.

Answer (Please select your correct option)

- 2NF
- 3NF
- BCNF
- Higher NF

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 17 of 26 Marks: 1 (Budgeted Time 1 Min)

A Student has five courses at max registered in a semester and there are many students as well in a course.
Student and Course entities have _____ cardinality.

Answer (Please select your correct option)

- One to One
- One to Many
- Many to One
- Many to Many

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 18 of 26 Marks: 1 (Budgeted Time 1 Min)

R X θ S, If R and S are relations and θ is a _____.

Answer (Please select your correct option)

- Table Name
- Attributes
- Primary Key
- Condition

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL-hadirajputofficial@gmail.com
WHATSAPP& CALL-03087122022
MADE BY HA
TEAM HADI(VU)

Question No : 19 of 26 Marks: 1 (Budgeted Time 1 Min)

Which of the following represents a valid Primary Key for a Student Registeration table?

Answer (Please select your correct option)

- Student-ID
- Student-Father-Name
- Student-Class
- Student-Semester

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 20 of 26 Marks: 1 (Budgeted Time 1 Min)

Which of the following Normal Form deals with multi valued dependency?

Answer (Please select your correct option)

- 2NF
- 3NF
- 4NF
- 5NF

TEAM HADI(VU)

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:-hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

MADE BY HADI

Question No : 21 of 26 Marks: 2 (Budgeted Time 4 Min)

List down the two types of Completeness Constraints.

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 22 of 26 Marks: 2 (Budgeted Time 4 Min)

"Student CGPA (StdCGPA) is identified through student name (StdName)"

Represent the above statement into the functional dependency (FD) notation.

Answer (Please click here to Add Answer)



TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 23 of 26 Marks: 3 (Budgeted Time 6 Min)

Employee

Emp-ID	Emp-Name	City
1	ABC	Lahore
2	DEF	Islamabad
3	GHI	Lahore
4	JKL	Karachi

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 23 of 26 Marks: 3 (Budgeted Time 6 Min)

2	DEF	Islamabad
3	GHI	Lahore
4	JKL	Karachi

Dept-Head

Head-ID	Dept-Name

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

Question No : 23 of 26 Marks: 3 (Budgeted Time 6 Min)

Dept-Head

Head-ID	Dept-Name
1	HR Dept
3	Accounts Dept

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 23 of 26 Marks: 3 (Budgeted Time 6 Min)

1	HR Dept
3	Accounts Dept

We have two relations Employee and Dept-Head. You have to write resultant table after applying Semi join on these two relations as Employee X (Semi Join) Dept-Head.
Where,
Condition for Semi Join is, Employee.Emp-ID = Dept-Head.Head-ID

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME...THANKS(Team Hadi Lahore)Whatsapp: 03087122022

Question No : 24 of 26 Marks: 3 (Budgeted Time 6 Min)

Why do the relational data model considered as simple?

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 25 of 26 Marks: 5 (Budgeted Time 10 Min)

Course

Course-ID	Course-Title	Instructor-ID	Instructor-Specialization
101	ABC	1	PQR
201	DEF	2	STU
301	GHI	1	PQR

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 25 of 26 Marks: 5 (Budgeted Time 10 Min)

101	ABC	1	PQR
201	DEF	2	STU
301	GHI	1	PQR
401	JKL	3	YZX
402	MNO	4	ASD

Answer (Please click here to Add Answer)



TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 25 of 26 Marks: 5 (Budgeted Time 10 Min)

401	JKL	3	YZX
402	MNO	4	ASD

Where
Course-ID is a Primary Key of the relation Course

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 25 of 26 Marks: 5 (Budgeted Time 10 Min)

402	MNO	4	ASD

Where
Course-ID is a Primary Key of the relation Course

Find that the relation is in which normal form and also discuss, how Update Anomalies would occur in the relation.

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 26 of 26 Marks: 5 (Budgeted Time 10 Min)

Consider the following two columns. The Column A consists of terms related to the ER model and Column B consists of terms used in the relational model.

Column A	Column B
1. Entity Type	A. Primary or Candidate Key
2. Key Attribute	B. Domain
3. Composition Attribute	C. Relation and foreign Key

Answer (Please click here to Add Answer)



TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 26 of 26 Marks: 5 (Budgeted Time 10 Min)

1. Entity Type	A. Primary or Candidate Key
2. Key Attribute	B. Domain
3. Composition Attribute	C. Relation and foreign Key
4. Multi-Valued Attribute	D. Set of simple component attributes
5. Value Set	E. Relation

Answer (Please click here to Add Answer)

TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

Question No : 26 of 26 Marks: 5 (Budgeted Time 10 Min)

3. Composition Attribute	C. Relation and foreign Key
4. Multi-Valued Attribute	D. Set of simple component attributes
5. Value Set	E. Relation

The terms in Column A have been mapped to Column B so that it corresponds to the mapping process of the ER Model into a Relational model. Map each of the entry in column A to the appropriate entry in column B?

Answer (Please click here to Add Answer)



TEAM HADI(VU)

MADE BY HADI

PRAY FOR ME ..THANKS(Team Hadi Lahore)Whatsapp: 03087122922

HADI VU PAST PAPER

WE DEAL ALL KIND OF VU PROJECT
(PHP,ANDROID,PYTHON)

DEAR STUDENTS

ARE YOU LOOKING
FOR ASSISTANCE

1) ASSIGNMENTS
2) QUIZZES
3) GDB
4) GRAND QUIZZES

We Provide,You Solution of VU Academic Activities include Assignments, Quizzes,GDBs,Grand Quizze If You Need Help in Services Kindly inform us.

TEAM HADI
(VU LAHORE)

TEAM HADI
(VU LAHORE)

HADI TECH

#PAID_TASK

CONTACT US

CALL & WHATSAPP

0308-7122922

VIRTUAL UNIVERSITY OF PAKISTAN

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

TEAM HADI(VU LAHORE)

We Deal All Kind of VU Project
(PHP, .NET,ANDROID,PYTHON)

MID TERM PAST PAPER

MADE AND SOLVED BY HADI

WARNING: Team HADI is not responsible for any mistake or wrong answer. All students reading and using this document may check and confirm the answers at their own.

WhatsApp:03087122922

FACEBOOK ID: https://www.facebook.com/hadipastpapers/

Best of luck!

PAST PAPER

TEAM HADI VU

CS403:Grand Quiz

Quiz Start Time: 09:55 PM, 28 December 2020

Question # 6 of 30 (Start time: 09:58:41 PM, 28 December 2020)

Total Marks: 1

In_____ appropriate data model is chosen.

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

Select the correct option

- ERD
- Conceptual Database Design
- Logical Database Design
- DFD

TEAM HADI (VU)

MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

CS403:Grand Quiz

Quiz Start Time: 03:18 PM, 28 December 2020

Question # 1 of 30 (Start time: 03:18:13 PM, 28 December 2020)

Total Marks: 1

What do you mean by one to many relationship between "Teacher" and "Class" table?

Select the correct option

- One Class may have many Teachers
- One Teacher can have many Classes
- Many Classes may have many Teachers
- Many Teachers may have many Classes

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

CS403:Grand Quiz

Quiz Start Time: 09:55 PM, 28 December 2020

Question # 7 of 30 (Start time: 09:59:49 PM, 28 December 2020)

Total Marks: 1

Each _____ of a table contains atomic/single value.

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

Select the correct option

- (●) Cell
- ( ) Row
- ( ) Column
- ( ) Record

TEAM HADI (VU)
MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore

CS403:Grand Quiz

Quiz Start Time: 09:55 PM, 28 December 2020

Question # 7 of 30 (Start time: 09:59:49 PM, 28 December 2020)

Total Marks: 1

Each _____ of a table contains atomic/single value.

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

Select the correct option

- (●) Cell
- ( ) Row
- ( ) Column
- ( ) Record

TEAM HADI (VU)
MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore

CS403:Grand Quiz

Quiz Start Time: 03:18 PM, 28 December 2020

Question # 11 of 30 (Start time: 03:26:04 PM, 28 December 2020)

Total Marks: 1

Data about data is called metadata.

Select the correct option

- (●) True
- ( ) False

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

CS403:Grand Quiz

Quiz Start Time: 09:55 PM, 28 December 2020

Question # 29 of 30 (Start time: 10:14:28 PM, 28 December 2020)

Total Marks: 1

The _____ is performed to select certain rows or tuples of a table, so it performs its action on the table horizontally.

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

Select the correct option

- Select operation
- Alter operation
- Insert operation
- Delete operation

TEAM HADI (VU)
MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

CS403:Grand Quiz

Quiz Start Time: 09:55 PM, 28 December 2020

Question # 11 of 30 (Start time: 10:03:23 PM, 28 December 2020) **Total Marks:** 1

Theta join is denoted mathematically as _____.

Select the correct option

- R X S
- R X Θ
- R X Θ S
- R X Θ RS

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

CS403:Grand Quiz

Quiz Start Time: 09:55 PM, 28 December 2020

Question # 15 of 30 (Start time: 10:06:52 PM, 28 December 2020) **Total Marks:** 1

Which of the following is an example of metadata?

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

Select the correct option

- Ali
- Image (Height, Width)
- Person
- Student

TEAM HADI(VU)

MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

CS403:Grand Quiz

Quiz Start Time: 09:55 PM, 28 December 2020

Question # 26 of 30 (Start time: 10:12:12 PM, 28 December 2020)

Total Marks: 1

Which of the following is correct regarding Dataflow diagram?

Select the correct option

- Single DFD is required to represent a system
- Created at increasing levels of detail
- The dataflow must be bidirectional
- Used to represent the relationships among the external entities

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

CS403:Grand Quiz

Quiz Start Time: 09:55 PM, 28 December 202

Question # 17 of 30 (Start time: 10:08:06 PM, 28 December 2020)

Total Marks:

A _____ is used to maintain a connection between the users of the database system.

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

Select the correct option

- Virtual Server
- File Server
- Client Server
- FTP Server

TEAM HADI(VU)

MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

CS403:Grand Quiz

Quiz Start Time: 03:18 PM, 28 December 2020

Question # 17 of 30 (Start time: 03:29:22 PM, 28 December 2020) **Total Marks: 1**

Which constraint is generally used for efficiency purposes in the data entry process?

Select the correct option

- Null value
- Integer value
- Default value
- String value

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

sec(s)

CS403:Grand Quiz

Quiz Start Time: 03:18 PM, 28 December 2020

Question # 3 of 30 (Start time: 03:20:24 PM, 28 December 2020) **Total Marks: 1**

A relational database system is based on the concept(s) of _____.

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

Select the correct option

- ○ A network of data records
- ○ Objects
- ● Tables, rows and columns
- ○ A tree-like structure of data

TEAM HADI(VU)

MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

CS403:Grand Quiz

Quiz Start Time: 09:55 PM, 28 December 2020

Question # 29 of 30 (Start time: 10:14:28 PM, 28 December 2020)

Total Marks: 1

The _____ is performed to select certain rows or tuples of a table, so it performs its action on the table horizontally.

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

Select the correct option

- Select operation
- Alter operation
- Insert operation
- Delete operation

TEAM HADI (VU)
MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

CS403:Grand Quiz

Quiz Start Time: 03:18 PM, 28 December 2020

Question # 14 of 30 (Start time: 03:28:19 PM, 28 December 2020) **Total Marks:** 1

Logical database design, like conceptual database design is our_____.

Select the correct option

- (●) Data model
- ( ) Weak entity set
- ( ) Strong entity set
- ( ) Database design

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

CS403:Grand Quiz

Quiz Start Time: 03:18 PM, 28 December 2020

Question # 26 of 30 (Start time: 03:38:20 PM, 28 December 2020)

Total Marks: 1

How many types of cardinality are specified about relationship?

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

Select the correct option

- Two
- One
- Three
- Four

TEAM HADI (VU)

MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

CS403:Grand Quiz

Quiz Start Time: 03:18 PM, 28 December 2020

Question # 24 of 30 (Start time: 03:35:22 PM, 28 December 2020) **Total Marks:** 1

Major benefit of data sharing is _____.

Select the correct option

- Data of same applications placed at same place
- Data of same applications placed at different places
- Data of different application placed at same place
- Data of different applications stored at placed place

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

CS403:Grand Quiz

Quiz Start Time: 03:18 PM, 28 December 2020

Question # 24 of 30 (Start time: 03:35:22 PM, 28 December 2020) **Total Marks:** 1

Major benefit of data sharing is _____.

Select the correct option

- Data of same applications placed at same place
- Data of same applications placed at different places
- Data of different application placed at same place
- Data of different applications stored at placed place

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

CS403:Grand Quiz

Quiz Start Time: 03:18 PM, 28 December 2020

Question # 18 of 30 (Start time: 03:29:47 PM, 28 December 2020)

Total Marks: 1

Database Application is a program which is used for performing certain operations such as _____.

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

Select the correct option

- Insertion of data
- Extraction of data
- Updating the data
- All of above

TEAM HADI(VU)

MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

CS403:Grand Quiz

Quiz Start Time: 09:55 PM, 28 December 2020

Question # 27 of 30 (Start time: 10:12:54 PM, 28 December 2020)

Total Marks: 1

Cross reference matrix is a tool available in the data dictionary, which helps us in finding _____.

Select the correct option

- (●) Entities of the database and their associations
- ( ) Relationship between different tables
- ( ) Requirements for database
- ( ) User of the database

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

CS403:Grand Quiz

Quiz Start Time: 03:18 PM, 28 December 2020

Question # 4 of 30 (Start time: 03:20:58 PM, 28 December 2020)

Total Marks: 1

A collection of concepts that can be used to describe the structure of a database is called _____.

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

Select the correct option

- Database
- DBMS
- Data model
- Data

TEAM HADI (VU)

MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

CS403:Grand Quiz

Quiz Start Time: 09:55 PM, 28 December 202

Question # 30 of 30 (Start time: 10:15:10 PM, 28 December 2020)

Total Marks:

Which of the following provides us the facility to add properties of one entity to another entity automatically?

Select the correct option

- ○ Abstraction
- ○ Encapsulation
- ● Inheritance
- ○ Dependencies

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

CS403:Grand Quiz

Quiz Start Time: 03:18 PM, 28 December 2020

Question # 26 of 30 (Start time: 03:38:20 PM, 28 December 2020)

Total Marks: 1

How many types of cardinality are specified about relationship?

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

Select the correct option

- Two
- One
- Three
- Four

TEAM HADI (VU)

MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

CS403:Grand Quiz

Quiz Start Time: 03:18 PM, 28 December 2020

Question # 11 of 30 (Start time: 03:26:04 PM, 28 December 2020)

Total Marks: 1

Data about data is called metadata.

Select the correct option

- (●) True
- ( ) False

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

CS403:Grand Quiz

Quiz Start Time: 03:18 PM, 28 December 2020

Question # 18 of 30 (Start time: 03:29:47 PM, 28 December 2020)

Total Marks: 1

Database Application is a program which is used for performing certain operations such as _____.

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

Select the correct option

- Insertion of data
- Extraction of data
- Updating the data
- All of above

TEAM HADI(VU)

MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

sec(s)

CS403:Grand Quiz

Quiz Start Time: 03:18 PM, 28 December 2020

Question # 29 of 30 (Start time: 03:40:25 PM, 28 December 2020)

Total Marks: 1

Which of the following Greek letter is used to denote the select operation?

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

Select the correct option

- £
- Ω
- σ
- π

TEAM HADI(VU)

MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

CS403:Grand Quiz

Quiz Start Time: 03:18 PM, 28 December 2020

Question # 30 of 30 (Start time: 03:41:19 PM, 28 December 2020) **Total Marks:** 1

Which of the following tool is used to graphically represent the components and design of the system?

Select the correct option

- ○ CRM
- ● DFD
- ○ CRF
- ○ EDF

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

CS403:Grand Quiz

Quiz Start Time: 09:55 PM, 28 December 2020

Question # 27 of 30 (Start time: 10:12:54 PM, 28 December 2020)

Total Marks: 1

Cross reference matrix is a tool available in the data dictionary, which helps us in finding _____.

Select the correct option

- (●) Entities of the database and their associations
- ( ) Relationship between different tables
- ( ) Requirements for database
- ( ) User of the database

TEAM HADI(VU)

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

HADI VU PAST PAPER

WE DEAL ALL KIND OF VU PROJECT
(PHP,ANDROID,PYTHON)

DEAR STUDENTS

ARE YOU LOOKING
FOR ASSISTANCE

1) ASSIGNMENTS
2) QUIZZES
3) GDB
4) GRAND QUIZZES

We Provide,You Solution of VU Academic Activities include Assignments, Quizzes,GDBs,Grand Quizze If You Need Help in Services Kindly inform us.

TEAM HADI
(VU LAHORE)

TEAM HADI
(VU LAHORE)

HADI TECH

#PAID_TASK

CONTACT US

CALL & WHATSAPP

0308-7122922

VIRTUAL UNIVERSITY OF PAKISTAN

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:-hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922
HADI VU PAST PAPER

MID TERM PAST PAPER

We Deal All Kind of VU Project
(PHP, .NET,ANDROID,PYTHON)

MADE AND SOLVED BY HADI

WARNING: Team HADI is not responsible for any mistake or wrong answer. All students reading and using this document may check and confirm the answers at their own.

WhatsApp:03087122922

FACEBOOK ID: https://www.facebook.com/hadipastpapers/

Best of luck!

PAST PAPER

TEAM HADI VU

CS403 - Database Management Systems (Quiz No.1) Quiz Start Time: 11:33 PM, 04 January 2022

Question # 3 of 10 (Start time: 11:36:05 PM, 04 January 2022) Total Marks:

While mapping _____ relationship, primary key of the entity type against one side of relationship will be included in the entity type on the many side of the relationship as foreign key.

Select the correct option

Reload Math Equations

- Many to one
- One to one
- One to many
- Many to many

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

MADE BY HADI
Email:hadirajputofficial@gmail.com WhatsApp:03087122922 (Bitout Software House)

TEAM HADI(VU)

Question # 6 of 10 (Start time: 11:38:36 PM, 04 January 2022) Total Marks:

How many different types of joins exist in DBMS?

Select the correct option

Reload Math Equations

- 4
- 5
- 3
- 2

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

MADE BY HADI
Email:hadirajputofficial@gmail.com WhatsApp:03087122922 (Bitout Software House)

HADI HADI(VU)

Question # 9 of 10 (Start time: 11:41:00 PM, 04 January 2022) **Total Marks:** 1

Relational data model is widely accepted due to its mathematically proven foundation and its _____.

Select the correct option

- Traditional structure
- Simplicity
- Complexity
- Hierarchical structure

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

MADE BY HADI
Email:hadirajputofficial@gmail.com WhatsApp:03087122922 (Bitout Software House)

Question # 7 of 10 (Start time: 11:39:13 PM, 04 January 2022) Total Marks:

The attribute that is calculated from other attribute is called_____.

Select the correct option

- (•) Derived attribute
- ( ) Composite attribute
- ( ) Multi-valued attribute
- ( ) Simple attribute

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

TEAM HADI(VU)

MADE BY HADI
Email:hadirajputofficial@gmail.com WhatsApp:03087122922 (Bitout Software House)

Question # 5 of 10 (Start time: 11:37:59 PM, 04 January 2022) Total Marks: 1

In Relational Data model, the values of the attributes come from the _____domain.

Select the correct option

- heterogeneous
- unique
- same
- universal

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

MADE BY HADI
Email:hadirajputofficial@gmail.com WhatsApp:03087122922 (Bitout Software House)

TEAM HADI(VU)

CS403 - Database Management Systems (Quiz No.1) Quiz Start Time: 11:33 PM, 04 January 2022

Question # 2 of 10 (Start time: 11:34:29 PM, 04 January 2022) Total Marks:

Which constraint is generally used for efficiency purposes in the data entry process?

Select the correct option

- Null value
- Integer value
- String value
- Default value

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

MADE BY HADI
Email:hadirajputofficial@gmail.com WhatsApp:03087122922 (Bitout Software House)

TEAM HADI(VU)

Question # 4 of 10 (Start time: 11:37:11 PM, 04 January 2022) Total Marks:

Which of the following provides us the facility to add properties of one entity to another entity automatically?

Select the correct option

- Dependencies
- Inheritance
- Encapsulation
- Abstraction

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

TEAM HADI(VU)

MADE BY HADI
Email:hadirajputofficial@gmail.com WhatsApp:03087122922 (Bitout Software House)

CS403 - Database Management Systems (Quiz No.1) Quiz Start Time: 11:33 PM, 04 January 2022

Question # 10 of 10 (Start time: 11:41:25 PM, 04 January 2022) Total Marks: 1

In _____ join, only selected rows of a relation are made cross product with second relation.

Select the correct option

- Outer
- Normal
- Semi
- Theta

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

MADE BY HADI
Email:hadirajputofficial@gmail.com WhatsApp:03087122922 (Bitout Software House)

TEAM HADI(VU)

Question # 1 of 10 (Start time: 11:33:29 PM, 04 January 2022) **Total Marks: 1**

Which of the following might be represented with a single-valued attribute?

Select the correct option

- (●) Computer's processor speed
- ( ) Person's hobby
- ( ) Employee's educational background
- ( ) Person's phone number

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

TEAM HADI(VU)

MADE BY HADI
Email:hadirajputofficial@gmail.com WhatsApp:03087122922 (Bitout Software House)



HADI VU PAST PAPER

WE DEAL ALL KIND OF VU PROJECT
(PHP,ANDROID,PYTHON)

DEAR STUDENTS

ARE YOU LOOKING
FOR ASSISTANCE

1) ASSIGNMENTS
2) QUIZZES
3) GDB
4) GRAND QUIZZES

We Provide,You Solution of VU Academic Activities include Assignments, Quizzes,GDBs,Grand Quizze If You Need Help in Services Kindly inform us.

TEAM HADI
BITOUT SOFTWARE HOUSE

TEAM HADI
(VU LAHORE)

HADI TECH

#PAID_TASK

CONTACT US

CALL & WHATSAPP
0308-7122922

CS304-OOP
MIDTERM TERM MCQS
Prepared by: JUNAID MALIK

AL-JUNAID TECH INSTITUTE

www.vulmshelp.com

Language Courses Training Available

I'm providing paid courses in different languages within 3 Months,Certificate will be awarded after completion.

- HTML
- CSS
- JAVASCRIPT
- BOOTSTRAPS
- JQUERY
- PHP MYSQL
- NODES.JS
- REACT JS

LMS Handling Services

LMS Activities Paid Task

Assignments 95% Results

Quizes 95% Results

GDB 95% Results

For CS619 Project Feel Free To Contact With Me

Ph# 0304-1659294

Email: junaidfazal08@gmail.com

AL-JUNAID TECH INSTITUTE

1. **Which is not the function of Database Management System?**
    a. **A user accessible Catalog**
    b. **Concurrency Control Services**
    c. **Failure Response Service**
    d. **Support for Data Communication**
2. **The conceptual database design can be transformed into any _____.**
    a. **Data model**
    b. **Database design**
    c. **E-R model**
    d. **Entity set**
3. **Which is the second stage in the database development process?**
    a. **Database design**
    b. **Preliminary Study**
    c. **Physical Design**
    d. **Requirement Analysis**
4. **Functional dependencies under interference rule reflexivity are called _____ dependencies.**
    a. **Augmentation**
    b. **Transitivity**
    c. **Projectivity**
    d. **Trivial**
5. **If many instances of the "Book" entity are associated with the many instances of the "Student" entity, then the relationship between them is:**
    a. **One to one**
    b. **One to many**
    c. **Many to many**
    d. **Many to one**
6. **Which of the following constraints enforces entity integrity?**
    a. **PRIMARY KEY**
    b. **FOREIGN KEY**
    c. **CHECK**
    d. **NOT NULL**

AL-JUNAID TECH INSTITUTE
0304-1039294
www.vulmshelp.com

7. Unary operations involves
   a. Only one relation
   b. Only two relations
   c. More than two relations
   d. Not more than five relations
8. A _____ entity has a primary key that is partially or totally derived from the parent entity in the relationship.
   a. Strong
   b. Weak
   c. Business
   d. Relationship
9. In _____ appropriate data model is chosen.
   a. ERD
   b. Conceptual Database Design
   c. Logical Database Design
   d. DFA
10. Which of the following is drawback of standardization?
   a. Difficult to understand
   b. Uniformity
   c. Lack of uniqueness
   d. Easy to develop applications
11. Recursive relationship is also called _____.
   a. Unary
   b. Ternary
   c. Primary
   d. Secondary
12. The foreign key attribute, which is present as a primary key in another relation is called as _____ of the foreign key attribute.
   a. Binary relation
   b. Composite relation
   c. Home relation
   d. Recursive relation

AL JUNAID TECH INSTITUTE 0304-1659294 www.ilmshelp.com

13. DFD does not provide us a way to represent _____
    a. Entities
    b. Decisions AL-JUNAID INSTITUTE OF GROUP
    c. Date stores
    d. Processes
14. A _____ is used to maintain a connection between the users of the database system.
    a. Virtual server
    b. File server
    c. Client server
    d. FTP server
15. Which of the following is an advantage of using the Traditional File Organization?
    a. Time consuming
    b. Data security
    c. Simplicity
    d. Efficiency
16. Which of the following is the input to Analysis Phase?
    a. DFD
    b. Logical database design
    c. Physical database design
    d. Data model
17. Name and _____ are part of the definitions of an attribute.
    a. Domain
    b. Symbol
    c. Property
    d. Entity instance
18. Which of the following most certainly implies the need for an entire table to implement?
    a. A ternary relationship
    b. A recursive relationship
    c. An identify relationship
    d. A binary relationship
19. Core of the Database Architecture is _____

0304-1659294
www.vulmshelp.com

a. Internal level
b. External level
c. Conceptual level
d. ANSI SPARK

20. _____ is same as equi-join with a slight difference.
a. Natural join
b. Semi join
c. Outer join
d. Theta join

21. Conceptual database design is implemented using a _____.
a. Hierarchical data model
b. Semantic data model AL-JUNAID INSTITUTE OF GROUP
c. Relational data model
d. Network data model

22. Which constraint is generally used for efficiency purposes in the data entry process?
a. Null value
b. Integer value
c. Default value
d. String value

23. A 3 NF relation is converted to BCNF by
a. Removing composite keys
b. Removing multivalued dependencies
c. Dependent attributes of overlapping composite keys are put in a separate relation
d. Dependent non-key attributes are put in a separate table

24. Each _____ of a table contains atomic/single value.
a. Cell
b. Row
c. Column
d. Record

25. A relation is said to be in BCNF when
a. It has overlapping composite keys

b. It has no composite keys
c. It has no multivalued dependencies
d. It has no overlapping composite keys which have related attributes

26. Which one of the following is not a part of three-level architecture?
a. External level
b. Conceptual level
c. Internal level
d. Physical level

27. Which of the following is INCORRECT about naming entities?
a. Singular nouns are used
b. Write in capitals
c. Organization specific names can be used
d. Always use abbreviations as they are convenient

28. An instance is
a. A particular occurance of an entity
b. A special type of relation
c. An attribute of an entity
d. Any particular entity AL-JUNAID INSTITUTE OF GROUP

29. _____ is an example of metadata
a. Ali
b. Address
c. Person
d. Student

30. Level of data at which entities or objects exist in reality is called
a. Real world data
b. Schema for real world data
c. Meta data
d. Data about data

AL-JUNAID TECH INSTITUTE 0304-1659294 www.ajmshelp.com

31. There are _____ basic properties of the database relations.
    a. Four
    b. Three
    c. Six
    d. Two
32. How many types of dependencies are?
    a. One
    b. Two
    c. Three
    d. Four
33. In _____ join, only selected rows of a relation are made cross product with second relation.
    a. Normal
    b. Theta
    c. Outer
    d. Semi
34. Which of the following is not a key?
    a. Super key
    b. Alternate key
    c. Integrity constraint key
    d. Primary key
35. A collection of concepts that can be used to describe the structure of a database
    a. Database
    b. DBMS
    c. Data model
    d. Data
36. Any combination of attributes with super key is ____
    a. Primary key
    b. Foreign key
    c. Super key
    d. Candidate key
37. Binary relationships are those, which are established between

0304-1659294 AL-JUNAID INSTITUTE OF GROUP www.vulmshelp.com

a. One entity type
b. Two entity type
c. Three entity type
d. Unlimited entities

38. _____ are called participants, when enrolled in a relationship.
a. Attributes
b. Relations
c. Entities
d. Keys

39. Incase of Context-level Diagram, the system is represented by
a. One process atleast
b. Two processes atleast
c. One process only
d. Any number of processes

40. Collection of raw facts is called _____.
a. Information
b. Object
c. Output
d. Data

41. A software package designed to store and manage database
a. Database
b. DBMS
c. Data model
d. Data

42. In _____ join common attributes appear twice in the output with selected rows.
a. Normal join
b. Semi join
c. Natural join
d. Equi join

43. Within a table, each primary key value _____.
a. Is a minimal super key
b. Is always the first field in each table

AL-JUNAID TECH INSTITUTE 0304-1659294 www.vulmshelp.com

c. Must be numeric
d. Must be unique

44. _____ is not an operation of relational algebra.
a. Addition AL-JUNAID INSTITUTE OF GROUP
b. Union
c. Cartesian product
d. Set difference

45. Candidate keys which are not selected as primary key are called _____
a. Secondary keys
b. Foreign keys
c. Alternate keys
d. Composite keys

46. Major benefits of data sharing is:
a. Data of same applications placed at same place.
b. Data of same applications placed at different places
c. Data of different application places at same place
d. Data of different applications stored at placed place

47. Functional dependency between two attributes or sets of attributes i.e. Q and P is represented as _____.
a. Q → P
b. Q P
c. Q * P
d. Q + P

48. Which of the following is not the component of Relational Data Model?
a. Integrity Constraint
b. Manipulation Language
c. Relation / Table
d. Domain Constraint

49. The attribute that is calculated from other attribute is called _____.
a. Derived attribute
b. Multi-valued attribute

AL-JUNAID TECH INSTITUTE 0304-1659294 www.aitshelp.com

c. Composite attribute
d. Simple attribute

50. Consider the two attributes "CNIC_NO" and "Registration_NO". Both the attributes can be used for the unique identification. Now if the user selects the "CNIC_NO" as primary key, then "Registration_NO" is a ____ key.
a. Foreign
b. Secondary
c. Primary
d. Alternative

51. Which of the following constraint is included in the definition of the table?
a. Default value
b. Foreign key
c. Null
d. Domain

52. The database deals with large amount of data. This property is called
a. Database design
b. Scalability
c. Concurrency
d. Robustness

AL-JUNAID INSTITUTE OF GROUP

53. Which one of the following is NOT a characteristic of meta data?
a. Data about data
b. Describes a data dictionary
c. Self-describing
d. Includes user data

0304-1659294
www.lmshelp.com

54. Theta join is denoted mathematically as _____.
a. R X S
b. R X
c. R X Ø S
d. RX RS

55. In cross reference matrix transitions are specified on _____ and database objects are specified on _____.
    a. Y axis, X axis
    b. X axis, Y axis
    c. X axis, X axis
    d. Y axis, Y axis

56. Each component of DBMS performs _____ functions.
    a. Similar
    b. Different
    c. Identical
    d. Computational

57. Which of the following data model is not record based?
    a. Hierarchical Data Model
    b. Network Data model
    c. Semantic Data model
    d. Relational Data model

58. The basic purpose of diamond in ER diagram is to show the _____.
    a. Attributes
    b. Relationships
    c. Composite attribute
    d. Entity set

AL-JUNAID INSTITUTE OF GROUP

59. Which of the following tool is used to design conceptual database design?
    a. SQL
    b. MS Access
    c. Oracle
    d. This model is independent of any tool

60. In “one to many” cardinality one instance of a relation is mapped with _____.
    a. Many instances of second entity type
    b. One instance of second entity type
    c. Primary key of second relation
    d. Foreign key of second relation

0304-1659294

61. Cross reference matrix is developed at the _____ stage of the database.
    a. Analysis
    b. Designing
    c. Implementation
    d. Application

62. The population of the data of the organization for which the database is created is called the _____ of the database.
    a. Extension
    b. Intension
    c. Model
    d. Schema

63. User rights information is stored in
    a. Physical database
    b. Catalog
    c. Logical database
    d. Buffer

64. Logical data independency provides independency to change _____ model.
    a. External
    b. Logical
    c. Conceptual
    d. Internal

65. In natural join the common attribute in the output table appears _____.
    a. Twice
    b. Three times
    c. Four times
    d. Once

66. Which levels are mostly used for detailed DFD?
    a. Level-0, Level-1
    b. Level-1, Level-2
    c. Level-2, Level-3

0304-1659294 www.vulmshelp.com

d. Level-3, Level-4

67. By default, a non-key attribute in a relation can have _____ value.

a. Binary
b. Null
c. Character
d. Integer

68. The three levels architecture is useful for _____.

a. Arranging the data in an organized manner
b. Hiding the details of internal systems
c. Breaking the data access restriction
d. Storing definitions of the structures

69. With the help of _____ technique data values with the smaller sized codes can further reduce the space needed by the data for storage in the database.

a. Compression
b. Expansions
c. Negation
d. Extension

70. If an entity is linked with itself, than it is called _____ relationship.

a. Binary
b. Ternary
c. Nary
d. Recursive

71. Duplication of data in controlled redundancy is controlled and _____.

a. Deliberate
b. Necessary
c. Precise
d. Unintentional

72. Teleprocessing is a sub-type of _____.

a. Single user database
b. Multi-user database

0304-1659294
www.vulmshelp.com

c. File server
d. Client server

73. In an ERD, the focus is on the _____ and the relationships between them.
a. Attributes
b. Entities
c. Keys
d. Indexes

74. The most widely used conceptual model is the _____ model.
a. Implementation
b. ER
c. Object oriented
d. Internal

75. Student and book are two entities, what is the cardinality between the two?
a. Many to one
b. One to many
c. Many to many
d. One to one

76. RDM is a simple there is just one structure and that is _____.
a. A relation or a table
b. E-R model
c. Attributes
d. Data model

77. A description on a particular collection of data using the given data model.
a. Database
b. Relation
c. Schema
d. None

78. Consider thy key "CNIC, Name" and choose the best option that describes the key most effectively.
a. The given key is a super key and alternate key.

AL-JUNAID TECH INSTITUTE 0304-1659294 www.vulmshelp.com

b. The given key is not a super key but a candidate key.
c. The given key is a super key and candidate key as well.
d. The given key is a super key but not a candidate key.

79. Normalization is a process of restricting a relation to
a. Minimize duplication of data in a database
b. Maximize duplication of data to ensure reliability
c. Make if of uniform size
d. Allow addition of data

80. Unary relationship involves a single entity it is also called _____.
a. One to one relationship
b. One to many relationship
c. Many to many relationship
d. Recursive relationship

81. Which of the following is a part of a DFD but not included in the ERD?
a. The attribute having a single instance
b. The external entity having a single instance
c. The relationship having a single instance
d. The role having a single instance

82. The database management system (DBMS) is used to
a. Store the data
b. Access the data
c. Manage its users
d. All of above

83. In cross reference matrix attributes are mention on _____ and reports are mention on _____.
e. Y axis, X axis
f. Y axis, Z axis
g. X axis, Y axis
h. X axis, Z axis

84. A table can be logically connected to another table by defining a _____.

0304-1659294 www.vulmshelp.com

a. Hyper link
b. Common attribute
c. Primary key
d. Super key

85. Data Redundancy means
a. Security of data
b. Duplication of data
c. Management of data
d. Recovery of data

86. Which of the following is a type of dependency?
a. DBMS
b. ERD
c. DFD
d. Referential

87. In your opinion, why relational database is widely acceptable?
a. Due to its complexity
b. Due to its approach AL-JUNAID INSTITUTE OF GROUP
c. Due to its dependencies
d. Due to its strength

88. _____ is the first comprehensive complete database design.
a. Logical database design
b. Relational database design
c. Conceptual database design
d. Hierarchical database design

89. How data security can be assured in the database?
a. By hiding data from all
b. Through concurrent access of users
c. By asking users not to share things
d. Implementing encryption algorithms

90. The attributes whose value is not stored in a database is known as _____ attribute.

0304-1659294 www.vulmshelp.com

a. Stored
b. Single value
c. Multi value
d. Derived

91. Logical database design, like conceptual database design is our _____
a. Data model
b. Weak entity set
c. Strong entity set
d. Database design

92. If a single instance of "student" is associated with the many instances of the "subjects" entity, then the relationship between them is:
a. One to one
b. One to many
c. Many to many
d. Many to one

93. The conceptual database design is drawn through _____.
a. Data model
b. ER model
c. Database design
d. Entity set

94. A relational database is
a. One that consist of two or more tables
b. A database that is able to process tables, queries, forms, reports and macros
c. One that consists of two or more tables that are joined in some way
d. The same as a flat file database

95. Database is a computerized representation of any organization's flow of _____ and storage of _____.
a. Data, information
b. Details, data

©0304-1059294 www.vulmshelp.com

c. Data, details
d. Information, data

96. In which stage of the database development process logical design is created?
a. Requirement analysis
b. Database design
c. Physical design
d. Implementation

97. Which of the following is NOT an entity?
a. Employee
b. Hobby
c. Student
d. Playground

98. After moving the determined columns from the original table to the new table while converting to 2NF, the determinate becomes the _____ of the new table.
a. Primary key
b. Foreign key
c. Secondary key
d. Composite key

99. The select operation works horizontally on the table, on the other hand the _____
operates on a single table vertically.
a. Binary operator
b. Project operator
c. Join operator
d. Select operator

100. Free standing data dictionary is created by
a. DFD
b. Database
c. CASE tools
d. Cross reference matrix

101. A patient can be an outdoor or indoor. Analyze this statement and tell what type of

AL-JUNAID TECH INSTITUTE 0304-1659294 www.vuhelp.com

constraint will be applied on patient?

a) Total completeness
b) Partial completeness
c) Total disjoint
d) Partial disjoint

102. If A → B and A → C, then A → BC. The inference Rule applies is:

a) Union
b) Decomposition
c) Augmentation
d) Reflexivity

103. Which of the following is the correct abbreviation of ERD?

a) Entity relationship diagram
b) Entity relation diagram
c) Entity reality diagram
d) Entity real distance

104. Database relation is also represented in a two dimensional structure called _____

a) Row
b) Table
c) Entity
d) Column

105. Data about data is metadata

a) True
b) False

106. Which of the following describes the job of a database administrator?

a) Development, implementation operation of the physical database
b) Creation of the system catalog
c) Monitoring and controlling database security and authorization: setting up controls to ensure the quality and integrity of data
d) All of the above

0304-1659294
www.vulmshelp.com

107. Each table must have a _____ key.
a) Primary
b) Secondary
c) Logical
d) Foreign

108. A relational database system is based on the concept(s) of:
a) A network of data records
b) Nested tables
c) Tables, row and columns
d) A tree-like structure of data

109. A → BC and A → B, then A → C follow _____ inference rule.
a) Augmentation
b) Transitivity
c) Projectivity
d) Additivity

110. Suppose, we have two entities "shape" and "triangle", then which of the following is a correct statement?
a) Shape is a super type entity and triangle is a sub type entity
b) Shape is a sub type entity and triangle is a super type entity
c) Shape and triangle both are super type entities
d) Shape and triangle both are sub type entities

111. The entity that is NOT dependent on any other entity for its existence is known as _____ entity.
a) Weak
b) Strong
c) Derived
d) Dependent

112. In cross reference matrix attributes are specified on _____
a) X axis
b) Y axis
c) Z axis
d) None of the above

0304-1659294
www.vulmshelp.com

113. Which of the following clarify the semantics of a relationship?
   a) Entity
   b) Roles
   c) Relationship set
   d) Participants

114. How many types of cardinality is specified about relationship?
   a) Two
   b) One
   c) Three
   d) Four

115. Which of the following is NOT a component of a DFD?
   a) Dataflow
   b) Datastore
   c) External entities
   d) Relationship between external entities

116. Which of the following provides us the facility to add properties of one entity to another entity automatically?
   a) Abstraction
   b) Encapsulation
   c) Inheritance
   d) Dependencies

117. If there is more than one relationship between two entities and we mentioned role on the relationship link, then it is called:
   a) Unary relationship
   b) Binary relationships
   c) Ternary relationships
   d) Multiple relationships

118. Which one of the following is not an advantage of DBMS
   a) Data consistency
   b) Recovery procedure is difficult
   c) Faster development of new applications
   d) Better backup and recovery procedures

0304-1635294
www.vulmshelp.com

119. In many to many relationship a third table is created for the relationship, which is also called as _____

a) Binary relation
b) Associative entity type
c) Unary relationship
d) Composite attributes

120. When one entity instance of another entity for its existence, then it is called _____

a) Existence dependency
b) Identifier dependency
c) Referential dependency
d) Acceptance dependency

121. Relational data model is widely accepted due to its mathematically proven foundation and its _____

a) Complexity
b) Simplicity
c) Hierarchical structure
d) Traditional structure

122. If an entity "motor cycle" is associated with at most one "driver", then the relationship between these two entities is:

a) One to one
b) One to many
c) Many to many
d) Many to one

123. Database application is a program which is used for performing certain operations such as

a) Insertion of data
b) Extraction of data
c) Updating the data
d) All of above

0304-1659294 www.vulmshelp.com

124. Creating the relationships between new tables and their predecessors through the use of foreign keys is general requirements of _____
   a) First normal form
   b) Second normal form
   c) Third normal form
   d) Fourth normal form

125. In _____ the domains of attributes of a relation are atomic, that is they consist of single units that cannot be broken down further.
   a) First normal form
   b) Second normal form
   c) Third normal form
   d) Augmentation

126. Atomicity is a feature of _____.
   a) 1NF
   b) 2NF
   c) 3NF
   d) BCNF

127. The _____ can see entire information structure of the database.
   a) BA
   b) DBTG
   c) Database user
   d) External viewer

128. The attribute whose value is not stored in a database is known as _____ attribute.
   a) Stored
   b) Single value
   c) Multi value
   d) Derived

0304-1659294
www.vulmshelp.com

129. _____ are the structure defined for placing data in the attributes while designing physical design of database.
   a) Objects
   b) Variables
   c) Attributes
   d) Data types

130. Suppose a relation has five columns and ten rows, select the correct option to identify cardinality of relation.
   a) Five
   b) Ten
   c) Fifteen
   d) Twenty

131. Which feature of database provides conversion from inconsistent state of DB to a consistent state ensuring minimum data loss?
   a) User accessible catalog
   b) Data processing
   c) Recovery service
   d) Authorization service

132. The maximum PL/SQL size of data type "VARCHAR2" in DBMS is _____ bytes
   a) 42767
   b) 52767
   c) 32767
   d) 28767

133. _____ is state of database where a "course" cannot be inserted in the table, because this course has not been registered to any "student".
   a) Insertion anomaly
   b) Deletion anomaly
   c) Updation anomaly
   d) Redundancy

0304-1659294

134. The maximum PL/SQL size of data type "BLOG" in DBMS is_____
a) 4 gigabytes
b) 8 gigabytes
c) 10 gigabytes
d) 12 gigabytes

135. _____ states that in a relation no attributes of a primary key (PK) can have a null value.
a) Referential integrity constraint
b) Null constraint
c) Domain constraint
d) Entity integrity constraint

136. A database state where deletion of the information about the student record deletes the course information as well is called _____.
a) Insertion anomaly
b) Updation anomaly
c) Redundancy
d) Deletion anomaly

137. An entity type is
a) Defined when the database is actually constructed
b) A specific type such as an integer, text, date, logical etc.
c) A coherent set of similar objects that we want to store data on (e.g. STUDENTS, COURSE, CAR)
d) Defined by the database designer

138. "select" and "project" are the examples of _____
a) Unary operation
b) Binary operation
c) Ternary operation
d) Nary operation

139. External scheme evolves as user needs are _____ over the time.
a) Ends

b) Modified
c) Switch
d) Stable

140. An attribute that is the collection of some other attribute(s) is known as _____ attributes.
a) Multi-valued
b) Single-valued
c) No-valued
d) Composite

141. Which of the following is correct regarding Dataflow diagram?
a) Single DFD is required to represent a system
b) The dataflow must be bidirectional
c) Created at increasing levels of detail
d) Used to represent the relationships among the external entities

142. _____ are those attributes that are a combination of two or more than two attributes.
a) Default value
b) Null value
c) Primary key
d) Composite attributes

143. Controlling redundancy in a database management system DOES NOT help to
a) avoid duplication
b) avoid unnecessary wastage of storage space
c) avoid unauthorized access to data
d) avoid inconsistency among data

144. Which of the following concepts is applicable with respect to 3NF?
a) Full functional dependency
b) Any kind of dependency
c) Transitive dependency

d) Partial functional dependency

145. Identify the operation which is NOT one of the parts of the five basic set operations in relational algebra?

a) Join
b) Union
c) Cartesian Product
d) Set Difference

146. Making a change to the conceptual schema of a database but not affecting the existing external schemas is an example of

a) Physical data independence.
b) Concurrency control.
c) Logical data independence.
d) Functional dependency

147. For a third normal form we concentrate on relations with one _____ key, and we eliminate transitive dependencies

a) Candidate
b) Composite
c) Super key
d) Primary key

148. The entity relationship diagram is used to graphically represent the _____ database model.

a) Condensed
b) Physical
c) Logical
d) Conceptual

149. The _____ determines that the link between two entities is optional or mandatory.

a) Maximum cardinality
b) Minimum cardinality
c) Maximum degree
d) Minimum degree

0304-1659294 www.vulmshelp.com

150. Select the most appropriate statement. Which of the following data model is used to design logical database design?

a) **Relational**
b) **Hierarchal**
c) **Object oriented**
d) **Any model can be used**

AL-JUNAID TECH INSTITUTE
0304-1659294
www.vulmshelp.com