Zoo506 finalterm objective. 🙊

By Maryam 🧸



1) Whiteflies have……. Mouthparts.
   Sucking
2) True bugs belongs to order…….
   Hemiptera
3) Which class have two pairs of legs per body segment……diplopoda
4) the time of planting and of harvesting are Important in _____practice.
   tillage
5) Mosquito are included in ……..order of class hexapoda. Diptera
6) Which of following have four pairs of jointed appendages? Arachnida

7) Most primitive of All Insect is…… Thysanura

8) ……have five pairs of jointed appendages? Crayfish

9) True bugs belongs to order…….of class hexapoda. Hemiptera

10) Which is not a type of mechanical agitation use in Tilage? Implanting

11) Aphids are included in order…….of class hexapoda. Homopetra

12) Bees, Wasps, Ants are included in order…….of class hexapoda. Hymenoptera

13) Isoptera lay …….egg in 5 seconds. 1

14) Dragon fly are included in order…….of class hexapoda. . Odonata

15) Which class have One pair of legs per body segment, …. Chilopoda

16) There are 31 different orders of insects in the class…… Hexapoda.

17) Grasshopper are included in order…….of class hexapoda. . Orthoptera

18) Centipedes are member of class…….. chilopoda

19) ……can't be used in an IPM program, however only as a last resort. Pesticides

20) Release of predators/parasites/disease of an insect or weed is……. Biological control.

21) Butterflies and moths are included in order…….of class hexapoda. . Lepidoptera

22) Class hexapoda consists of …….. different orders of insects. 31

23) Antlions creat a…….. to capture unsuspecting prey sand pit

24) Manipulating the crop to withstand or tolerate pests by Natural breeding method and Genetically modified plants is called……. Host Plant Resistance

25) Grasshopper damage…….. both a and b (here a,is chewing leaves and b is Crop grains)

26) Planting certified seed is the part of…… sanitary control

27) …..can live 100 days without feeding. Fleas

28) Beetles and weevils are included in order…….of class hexapoda. . Coleoptera

29) _____lay eggs hatching later called. Oviparous

30) Name of top borer_____. Trichogramma chilonis or T. japonicum, Isotima javensis

31) Rice Hispa length_____. 5mm

32) Honey dew causes_____ mould. Sooty

33) Worm is _____ insect pest of cotton. Chewing

34) The yellow stem borer is a specific pest of rice. Yellow Rice Stem Borer

35) Diptera has Mouthparts: Sponging, Piercing sucking-

36) Rice ear- head bug are slender and about. 20mm long.

37) leaves become dry and Brown after insect feeding and patches of Burned plants are often lodged. Hopper burn

38) Odonata has Mouthparts: Chewing-Lapping

39) Pink worm damage_____. Cotton

40) Routine monitoring the _____of pest population. Crop

41) Thysanoptera has mouth parts_____. Rasping-sucking

42) Siphonaptera has Mouthpart. Piercing Sucking

43) Insect become abundant and food become_____. Parasites

44) Fused with head to form crustacean called_____. Cephalothorax

45) Cave inhabit insect don't have_____. Eyes

46) Thorax has_____ segments. 3

47) Hollow rod in wings called_____. Veins or nerves

48) _____entirely absent in some insects. Wings

49) Insect becomes _____plant to plant. Carriers

50) _____land is barriers to mountain types. Low

51) Injurious insects can be controlled_____ by method. Biological Control

52) Only _____entomologists import secondary pests. **Trained**

53) Cold is _____ factor. **Physical**

54) _____of insects help in prevention and management plan. **Identification**

55) _____of sugarcane is/are more infested by sugar cane scale. **Nodal region**

56) Oldest known fossil of order Dermaptera dates back to _____period. **Jurassic**

57) A pest appearing in the spring before its crop food plant is available may find Certain _____palatable until the crop has appeared. **Weeds**

58) After molting Insect is called_____ **adult**

59) Front margin of wing is called_____ **costa**

60) Organisms causes plants disease. **All** :. (Here all are fungi, bacteria, virus)

61) insects electrical window screens are available for_____ Insects Electrocuting

62) Gland in Insect _____stage produce silk. Cocoon

63) There are……types of Metamorphosis. 3

64) Insects which lay eggs are termed As _____. Oviparous

65) Which of the following insect is Amatabolous?. Silverfish

66) In some insects, eggs remain in the body of the parent for a time after hatching are termed _____. Ovoviviparous

67) .But after digging into the earth a few inches, the insect forms a little….chamber or cell in which to Lie and generally lines this more or less a densely with silk, probably to keep the earthen walls From falling in and crushing it .

_____earthe

n

68) Manipulation of biological organism to control pests by: _____ Biological control

69) . Green Lacewing, are example of. Odonata

70) Growing conditions for the insects is optimize_____ control. _____Cultural

71) Introduction of a foreign pest is a_____ legislative control

72) Insects which undergo complete Metamorphosis are called _____. Holometabola

73) .Adult rice ear are_____ in color. _____Yellow

74) Coal tar is a _____Repellent

75) Potato leaf hopper _____ plant sap. _____Suck

76) Dusky cotton bug make the seed_____ Discolored and shrunken

77) Length of to-borer larvae_____ mm. ____30-35

78) .Pinkworm damages the_____ flower.

_____Rosette

79) .The destruction of weeds in_____ of insects. _____Reduction

80) In the female insect the eggs are Produced in a pair of _____located In the upper front part of the abdomen ovaries

81) The _____ is the outer shell of An insect's egg. Chorion

82) Egg of the shoot borer changes to larvae within_____ days.

_____5-7

83) .The introduction of parasite is _____Artificial Control

84) In the egg the energy for Development is provided by the _____. Yolk

85) he nervous system of insects is located along the _____of the body quite near its under. middle line

86) Bollworm makes _____on bolls. Holes

87) routine monitoring is _____of pest populations backbone

88) Measures for the artificial control of insects may be Divided into _____groups: . Six

89) Snail belongs to phylum. Mollusca.

90) Which of the following is not belong to IPM. Less labour intensive.

91) A single larva can damage 30-40 bolls. American Bollworm.

92) Pest Monitoring, sometimes call field scouting, is an activity that can be accomplished By anyone with a _____training. little advanced

93) Drying and drooping of terminal shoots during pre – flowering stage is caused by _____. Spotted Bollworm

94) They cut window holes (interlocular burrowing) in the two adjoining seeds thereby Forming “double seeds“_____ pink Bollworms

95) It is the most important vegetable fiber and is woven into fabrics either alone or Combined with other fibers. Cotton lint:

96) It is used in production of mattresses, surgical cotton, photographic film and paper. Fuzz

97) Depending on varieties, it contains 20-25% semi-drying edible oil which is used for cooking. Cotton seed

98) Seed cakes contain 40% protein and serves as a important concentrated feed for livestock Cotton seed cake

99) The stem can be used as organic manure or fuel. Cotton stem

100) Approaches to the science that underpins the Development of working integrated pest management systems

101) Economic Injury Level is the information that is necessary to develop an, _____which is used by crop advisors. Economic Threshold

102) Inner boll wall with warty growth or water soaked spots. Red cotted bug

103) The larval feeding damage may cause death of the central leaf whorl at the

vegetative Stage, which is known as **dead heart.**

104) They are considered pests as they feed on plant juices and act as vector of various Diseases. **Mealybugs**

105) Isopetera Live for_____ **15 years.**

106) Cotton (Gossypium spp), the king of fibers, usually commercial referred as **white gold**

107) These tiny yellow to black, selender insects are annual pest in cotton field. **Thrips**

108) An important sucking insect of cotton crop. **Cotton aphids**

109) Larvae of butterflies and moths are commonly called **Caterpillars**

110)

111) In case of _____ transmission the pathogen is simply carried externally or internally by the insect Physical

112) 16. Sucking insects are the agents of _____ transmission Biological

113) In insects Cuticle is present outside the _____.

Hypodermis

114) Mango sudden death disease is caused by _____. Fastidious bud mite

115) The number of ocelli in insects is _____.1-3

116) It is a major and important chewing insect

Pest of cotton crop. Armyworm

Regards Admin 🙈

Maryam saleem 🐣



Group links 🍬

Zoo506 VU Expert Zoologist: https://chat.whatsapp.com/GSEXPT33r6G13IeihYgaCD

Zoo506 zoology legends https://chat.whatsapp.com/DszoDQiNCkDJzxt7drsjx2