

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

(Start the day with the name of Allah)

Welcome To Virtual
University

لوح قرآنی

ن

حَمْدُكَ

الْحَمْدُ

لَیْسَ

عَمَّ

الْمَصَّ

أَمِینَ

ق

كَلَّعَصَّ

AR PRINTERS
0321-9660987

اس کے دیکھنے والوں کی سب مشکلیں آسان ہو جائیں گی صبح اس کو دیکھ کر جو کام شروع کیا جائیگا پورا ہوگا اور غیبی طریقوں سے رزق آنے لگے گا!

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

کیا آپ نے آج درود شریف پڑھا

نہیں تو ابھی پڑھ لیجئے

صلی اللہ علیہ وسلم



VU Stars

اسلام علیکم:

امید کرتا ہوں سب خیریت سے ہوں گئے۔ آنے والے تمام نیو طالب علم کو میں ورچوئل یونیورسٹی آف پاکستان میں خوش آمدید کرتا ہوں۔
اگر کسی سٹوڈنٹ کو کسی بھی قسم کی ہیلپ چاہے ہو تو ہم سے رابطہ کر سکتا ہے جیسا کہ: پاسٹ پیپرز، کورس سلیکشن، پروجیکٹ سلیکشن، ڈیٹ شیٹ،
فیس پے اور چینج سٹڈی پروگرام وغیرہ۔

Paid

VU LMS

اگر کوئی سٹوڈنٹ کسی مجبوری کی وجہ سے یا جاب ہو لڈر ہونے کی وجہ سے اپنا ایل ایم ایس خود ہینڈل نہیں کر سکتا تو وہ ہم سے پیڈ سروس حاصل کر
سکتا ہے کوشش کرے کے آپ ہر چیز خود اٹھیمپٹ کریں اگر نہیں کر سکتے تو سروس حاصل کریں۔

Email:

waqasahmeduog@gmail.com

انشاء اللہ آپ ہماری سروس سے مطمئن ہوں گے۔

Whatsapp: 03066295623

مزید اگر کسی رہنمائی کی ضرورت ہو تو وہ رابطہ کر سکتا ہے۔

LMS Management

یکم نومبر سے 30 نومبر تک ایل ایم ایس مینجمنٹ کے چار جز 2000 ہیں بیشک کسی کی ایک کتاب ہو یا چھ۔

ان چار جز میں تمام چیزیں Submit کی جائیں گی۔ اگر کوئی سٹوڈنٹ فی ایکٹیویٹی کے حساب سے کرانا

چاہتا ہے تو وہ بھی کروا سکتا ہے۔ Note: Quiz, Assignment & GDB submit ho Gi

Normal Quiz Price: 130 (adv booking)

Quiz Price Last Date: 180

جیسا کہ کافی اولڈ سٹوڈنٹس کو پتہ ہے کہ میں جو بات کرتا ہوں اس پر ضرور عمل کرتا ہوں۔ یہ جو مارکس وغیرہ بتا رہا ہوں کم از کم ہوتے ہیں۔ لیکن میرے مارکس اس سے زیادہ ہی آتے ہیں۔

آپ میرے اولڈ رزلٹ کی فائلز دیکھ سکتے ہیں۔

WhatsApp: 0306-6295623

I will provide you Data for Preparation of Exam

Grand Quiz files (my own file 99% correct answers), Mid Term, Final Term and some important data

Note: (Paid Group k lia Inbox msg kry)

Ma logo ki tara apko 100% result ki guarantee day kr result 50% nhi day skta. Wo sub fake hai k hum apko 100% result day gy.

My Minimum Result 70% Overall

(Inbox for Previous Result (my exp only almost 10 semesters lms handling)

LMS Charges

Whole Semester
(Self-Check lms)

7000

1 Month

2000 (1-6) books

(Mid Term)

3500

Quiz Only

(If marks are below then 50% then half payment will be returned

OR

adjust in next Quiz)

Registration Fee (500)
whole semester

Self LMS Check for Quiz only

(List ma add hony ki fee
hai)

Per Quiz Rate: 130

Quiz before Last date
inform

RS: 130 Per Quiz

Quiz Inform on Last
Date:

RS: 180 Per Quiz

Note:

Beshk ap ny LMS Handling Service 15 Date say
bad li phr b wo usi month k end tak ki fee hogi.
Example: 15 November 2022 say 30 November
2022

Videos

Videos watch service also available

Question # 6 of 10 (Start time: 03:46:32 PM, 18 August 2022)

When a complete binary tree represented by an array then if right child is at position 5 then left child will be at position _____

Select the correct option

VU Stars by Waqas Ahmed
03066295623



4



3



2



6

Question # 6 of 10 (Start time: 11:59:45 AM, 07 June 2022)

In _____ various cells of memory are not located continuously.

Select the correct option



Circular array



List



Linked list



Arrays

VU Stars by Waqas Ahmed

03066295623

Question # 7 of 10 (Start time: 12:00:14 PM, 07 June 2022)

Which kind of data structure is used to evaluate postfix expression?

Select the correct option



Queue



Linked List



Stack



Tree

VU Stars by Waqas Ahmed

03066295623

Question # 8 of 10 (Start time: 12:00:41 PM, 07 June 2022)

At the time while evaluating an expression, if we want to give higher precedence to lower precedence operator, we used _____.

Select the correct option

☒	Parenthesis
☐	Operands
☐	Dots
☐	Comas

VU Stars by Waqas Ahmed

03066295623

Question # 9 of 10 (Start time: 12:01:36 PM, 07 June 2022)

Array cells are _____ in computer memory.

Select the correct option



Store in multiple variables



Random



Contiguous



Store in multiple functions

VU Stars by Waqas Ahmed

03066295623

Question # 10 of 10 (Start time: 12:01:52 PM, 07 June 2022)

What will be postfix expression of the following infix expression?

Infix Expression : $a+b*c-d$

Select the correct option

☒ abc^+d ☐ $ab+c*d-$ ☐ $abc+*d-$ ☐ $abcd+*-$

VU Stars by Waqas Ahmed
03066295623

Question # 3 of 10 (Start time: 02:45:20 PM, 07 June 2022)

Stack.push(15) will push 15 on _____.

Select the correct option



Top of the Stack



Middle of the Stack



Bottom of Stack



Anywhere in the Stack

VU Stars by Waqas Ahmed

03066295623

Question # 5 of 10 (Start time: 02:47:37 PM, 07 June 2022)

A template is a function or class that is written with a _____ data type.

Select the correct option

☐	Definite
☐	None of the above.
☒	Generic
☐	Specific

VU Stars by Waqas Ahmed

03066295623

Question # 1 of 10 (Start time: 05:54:09 PM, 07 June 2022)

If we use array to implement list, then there is an issue that it gives difficulty when:

Select the correct option



We will increase its size



We will access values randomly



We will decrease its size



We will remove data from it

VU Stars by Waqas Ahmed

03066295623

Question # 2 of 10 (Start time: 05:54:36 PM, 07 June 2022)

Consider the linked list having data [6, 72, 35, 65, 25] stored in it. While current pointer is pointing to memory location having 35 stored in it. What will be the next node's data?

Select the correct option



6, 72, 18, 35, 65, 25



6, 72, 35, 65, 25, 18



6, 72, 35, 18, 65, 25



6, 18, 72, 35, 65, 25

VU Stars by Waqas Ahmed

03066295623

Question # 3 of 10 (Start time: 05:55:25 PM, 07 June 2022)

Array cells are _____ in computer memory.

Select the correct option



Store in multiple variables



Random



Store in multiple functions



Contiguous

VU Stars by Waqas Ahmed

03066295623

Question # 4 of 10 (Start time: 05:55:38 PM, 07 June 2022)

Whenever we call a function, the compiler makes a stack, the top element of the stack is _____ of the function.

Select the correct option

☐

Last argument

☐

Variable name only

☒

Return address

☐

First argument

VU Stars by Waqas Ahmed
03066295623

Question # 5 of 10 (Start time: 05:56:43 PM, 07 June 2022)

Current pointer always points to the _____ of the linked list.

Select the correct option

☐

current node

☐

lastcurrent node

☒

first node

☐

last node

VU Stars by Waqas Ahmed
03066295623

Question # 7 of 10 (Start time: 05:58:58 PM, 07 June 2022)

_____ is a collection of elements arranged in a linear order.

Select the correct option



AVL Tree



Stack



Heap



Binary Search Tree

VU Stars by Waqas Ahmed

03066295623

Question # 10 of 10 (Start time: 06:01:55 PM, 07 June 2022)

In _____, a programmer uses two pointers in the node, i.e. one to point to next node and the other to point to the previous node.

Select the correct option

☐	structure
☐	array
☐	Linked list
☒	doubly-link list

VU Stars by Waqas Ahmed

03066295623

Question # 2 of 10 (Start time: 06:17:32 PM, 07 June 2022)

The expression $DE+H^*$ is called _____

Select the correct option



Hybrid expression



Prefix expression



Postfix expression



Infix expression

VU Stars by Waqas Ahmed

03066295623

Question # 4 of 10 (Start time: 06:19:24 PM, 07 June 2022)

Which one option is associated with the data structures?

Select the correct option



Class



Time to perform each basic operation



Quality



Function

VU Stars by Waqas Ahmed

03066295623

Question # 5 of 10 (Start time: 06:19:57 PM, 07 June 2022)

Which one of the following operations returns and removes top value of the stack?

Select the correct option

☐	First
☒	Pop
☐	Top
☐	Push

VU Stars by Waqas Ahmed

03066295623

Question # 2 of 10 (Start time: 08:46:40 PM, 07 June 2022)

Each operator in a postfix expression refers to the previous _____ operand(s).

Select the correct option



four



three



one



two

VU Stars by Waqas Ahmed
03066295623

Question # 3 of 10 (Start time: 08:46:54 PM, 07 June 2022)

add(12) method of linked list class will:

Select the correct option



Add 12 as value in linked list



Add 12 pointers in linked list



Add 12 values in the linked list



Add 12 nodes in linked list

VU Stars by Waqas Ahmed

03066295623

Question # 4 of 10 (Start time: 08:47:11 PM, 07 June 2022)

Which one option is associated with the data structures?

Select the correct option



Quality



Function



Class



Time to perform each basic operation

VU Stars by Waqas Ahmed

03066295623

Question # 5 of 10 (Start time: 08:47:30 PM, 07 June 2022)

copy() method of List data structure _____

Select the correct option



Copy first item of list



Set one list to be a copy of another



Copy last item of list



Copy any item of list

VU Stars by Waqas Ahmed

03066295623

Question # 8 of 10 (Start time: 08:48:29 PM, 07 June 2022)

The _____ method of list will position the currentNode and lastCurrentNode at the start of the list.

Select the correct option



Next



Start



Remove



Back

VU Stars by Waqas Ahmed

03066295623

Question # 6 of 10 (Start time: 12:16:12 PM, 29 June 2022)

In a doubly linked list, we can traverse the list in _____.

Select the correct option

☐

Reverse direction

☒

Both directions

☐

Forward direction

☐

No direction

VU Stars by Waqas Ahmed
03066295623

Question # 7 of 10 (Start time: 12:17:21 PM, 29 June 2022)

The _____ level of any leaf in a binary tree is called the depth of the tree

Select the correct option

☐

Minimum

☐

Zero

☐

Mid

☒

Maximum

VU Stars by Waqas Ahmed
03066295623

Question # 7 of 10 (Start time: 12:17:21 PM, 29 June 2022)

The _____ level of any leaf in a binary tree is called the depth of the tree

Select the correct option

☐

Minimum

☐

Zero

☐

Mid

☒

Maximum

VU Stars by Waqas Ahmed
03066295623

Question # 3 of 10 (Start time: 01:03:17 AM, 30 June 2022)

The balance of a node in a binary tree is defined as the height of its _____ sub tree minus height of its right sub tree.

Select the correct option



upper



lower



right



left

VU Stars by Waqas Ahmed

03066295623

Question # 4 of 10 (Start time: 01:03:41 AM, 30 June 2022)

~BinarySearchTree() is a _____.

Select the correct option

☒

Destructor

☐

Template method call

☐

Constructor

☐

Switch case

VU Stars by Waqas Ahmed

03066295623

Question # 5 of 10 (Start time: 01:04:58 AM, 30 June 2022)

We can calculate the _____ of a subtree by counting its levels from the bottom.

Select the correct option



Nodes



Balance



Data items



Height

VU Stars by Waqas Ahmed

03066295623

LMS Management

یکم نومبر سے 30 نومبر تک ایل ایم ایس مینجمنٹ کے چار جز 2000 ہیں بیشک کسی کی ایک کتاب ہو یا چھ۔

ان چار جز میں تمام چیزیں Submit کی جائیں گی۔ اگر کوئی سٹوڈنٹ فی ایکٹیویٹی کے حساب سے کرانا

چاہتا ہے تو وہ بھی کروا سکتا ہے۔ Note: Quiz, Assignment & GDB submit ho Gi

Normal Quiz Price: 130 (adv booking)

Quiz Price Last Date: 180

جیسا کہ کافی اولڈ سٹوڈنٹس کو پتہ ہے کہ میں جو بات کرتا ہوں اس پر ضرور عمل کرتا ہوں۔ یہ جو مارکس وغیرہ بتا رہا ہوں کم از کم ہوتے ہیں۔ لیکن میرے مارکس اس سے زیادہ ہی آتے ہیں۔

آپ میرے اولڈ رزلٹ کی فائلز دیکھ سکتے ہیں۔

WhatsApp: 0306-6295623

I will provide you Data for Preparation of Exam

Grand Quiz files (my own file 99% correct answers), Mid Term, Final Term and some important data

Note: (Paid Group k lia Inbox msg kry)

Ma logo ki tara apko 100% result ki guarantee day kr result 50% nhi day skta. Wo sub fake hai k hum apko 100% result day gy.

My Minimum Result 70% Overall

(Inbox for Previous Result (my exp only almost 10 semesters lms handling)

Question # 10 of 10 (Start time: 01:10:13 AM, 30 June 2022)

The _____ of every node should be 1, 0 or -1 otherwise, it will not be an AVL tree.

Select the correct option



width



balance



length



size

VU Stars by Waqas Ahmed

03066295623

Question # 1 of 10 (Start time: 03:51:20 PM, 30 June 2022)

Every _____ tree is a binary search tree.

Select the correct option



big



small



binary



AVL

VU Stars by Waqas Ahmed
03066295623

Question # 2 of 10 (Start time: 03:52:54 PM, 30 June 2022)

The statement

"The insertion operation in AVL tree, generally takes more time than insertion operation in simple binary search tree" is

Select the correct option



Insertion time is same in AVL and BST



Can be correct in some cases only



Is always incorrect



Always correct

VU Stars by Waqas Ahmed

03066295623

Question # 3 of 10 (Start time: 03:53:37 PM, 30 June 2022)

We allocate memory dynamically by using _____ operator.

Select the correct option



decrement



new



this



increment

VU Stars by Waqas Ahmed
03066295623

```
void Func1(int& num) {  
    num++;  
}  
  
void Func2(int num) {  
    num++;  
}
```

Select the correct option



Both Func1 and Func2



Func1



Func2



C++ do not have concept of function call by value

VU Stars by Waqas Ahmed
03066295623

Question # 6 of 10 (Start time: 03:56:57 PM, 30 June 2022)

We can use Binary Search Tree with _____

Select the correct option



String data only



Both Integer and String data



Integer data only



Non-integer data only

VU Stars by Waqas Ahmed

03066295623

Question # 7 of 10 (Start time: 03:57:46 PM, 30 June 2022)

In a strictly complete binary tree, the number of _____ at any level k will be 2^k .

Select the correct option



children



nodes



sets



links

VU Stars by Waqas Ahmed
03066295623

Question # 8 of 10 (Start time: 03:58:47 PM, 30 June 2022)

After deletion of a node from a binary search tree , _____ traversal method should be maintained.

Select the correct option

☒	Inorder
☐	Level order
☐	Postorder
☐	Preorder

VU Stars by Waqas Ahmed
03066295623

Question # 8 of 10 (Start time: 03:58:47 PM, 30 June 2022)

After deletion of a node from a binary search tree , _____ traversal method should be maintained.

Select the correct option

☒	Inorder
☐	Level order
☐	Postorder
☐	Preorder

VU Stars by Waqas Ahmed
03066295623

Question # 9 of 10 (Start time: 03:59:38 PM, 30 June 2022)

_____ objects (objects accessed by pointers) are called anonymous objects.

Select the correct option

☐	Public
☒	Nameless
☐	Private
☐	Friend

VU Stars by Waqas Ahmed
03066295623

Question # 10 of 10 (Start time: 04:00:25 PM, 30 June 2022)

Factorial is an example of _____ function.

Select the correct option



Cube



Non-Recursive



Log



Recursive

VU Stars by Waqas Ahmed

03066295623

Question # 1 of 10 (Start time: 04:01:39 PM, 30 June 2022)

_____ is used for Reference variables in C++.

Select the correct option



@



&



#



!

VU Stars by Waqas Ahmed

03066295623

Analyze the given code carefully and identify which type of binary tree traversal this is :

```
void traversal (TreeNode<int>* treeNode)
{
    if( treeNode != NULL )
    {
        traversal (treeNode->getLeft());
    }
}
```

Select the correct option



Levelorder



Inorder



Postorder



Preorder

VU Stars by Waqas Ahmed
03066295623

Question # 3 of 10 (Start time: 04:04:02 PM, 30 June 2022)

The _____ symbol is used when we want to get the value of a variable using pointer.

Select the correct option



||



*



::



&

VU Stars by Waqas Ahmed
03066295623

Question # 4 of 10 (Start time: 04:04:54 PM, 30 June 2022)

In which traversal method root node is visited at last step?



Select the correct option

☐	Inorder
☐	Level order
☒	Postorder
☐	Preorder

VU Stars by Waqas Ahmed
03066295623

Question # 5 of 10 (Start time: 04:06:27 PM, 30 June 2022)

In C++, we place the class interface in _____ file.

Select the correct option



.cpp



.h



.cppp



.hh

VU Stars by Waqas Ahmed

03066295623

Question # 6 of 10 (Start time: 04:08:01 PM, 30 June 2022)

Analyze the given code carefully and identify which type of binary tree traversal this is :

```
void traversal (TreeNode<int>* treeNode)
{
    if( treeNode != NULL )
    {
        cout << *(treeNode->getInfo())<<" ";
    }
}
```

Select the correct option

VU Stars by Waqas Ahmed

03066295623

☐

Postorder

☐

Sorted order

☐

Preorder

☒

Inorder

Question # 7 of 10 (Start time: 04:08:31 PM, 30 June 2022)

What will be the return type of the findMin method in the statement given below?
`int& findMin( ) const;`

Select the correct option

☐	constant integer
☒	integer reference
☐	integer pointer
☐	integer variable

VU Stars by Waqas Ahmed

03066295623

Question # 8 of 10 (Start time: 04:09:38 PM, 30 June 2022)

_____ is a self-balancing tree.

Select the correct option



Binary Tree



Binary Search Tree



AVL



ALV

VU Stars by Waqas Ahmed

03066295623

Question # 9 of 10 (Start time: 04:10:32 PM, 30 June 2022)

All the objects created using _____ operator have to be destroyed explicitly.

Select the correct option

☒	new
☐	construct
☐	build
☐	create

VU Stars by Waqas Ahmed
03066295623

Question # 1 of 10 (Start time: 04:13:41 PM, 30 June 2022)

The _____ of a binary tree is the maximum level of its leaves (also called the depth).

Select the correct option



Width



Height



Level



Balance

VU Stars by Waqas Ahmed
03066295623

Question # 1 of 10 (Start time: 04:13:41 PM, 30 June 2022)

The _____ of a binary tree is the maximum level of its leaves (also called the depth).

Select the correct option



Width



Height



Level



Balance

VU Stars by Waqas Ahmed
03066295623

Question # 2 of 10 (Start time: 04:14:11 PM, 30 June 2022)

We can calculate the _____ of a subtree by counting its levels from the bottom.

Select the correct option

☐	Data items
☐	Balance
☒	Height
☐	Nodes

VU Stars by Waqas Ahmed

03066295623

Question # 3 of 10 (Start time: 04:14:44 PM, 30 June 2022)

When a function calling itself is called as _____.

Select the correct option

☐	Iteration
☐	Inline
☒	Recursion
☐	Nested loop

VU Stars by Waqas Ahmed

03066295623

Question # 4 of 10 (Start time: 04:15:37 PM, 30 June 2022)

Which one is the correct function call for the following function of calculating cube?

```
int cube(int& num)
{
    :
    :
    :
```

Select the correct option



cube(*num)



cube(&num)



cube(&&num)



cube(num)

VU Stars by Waqas Ahmed

03066295623

Question # 5 of 10 (Start time: 04:16:25 PM, 30 June 2022)

We can use Binary Search Tree with _____

Select the correct option

☒

Both Integer and String data

☐

String data only

☐

Integer data only

☐

Non-integer data only

VU Stars by Waqas Ahmed

03066295623



VU Stars

اسلام علیکم:

امید کرتا ہوں سب خیریت سے ہوں گئے۔ آنے والے تمام نیو طالب علم کو میں ورچوئل یونیورسٹی آف پاکستان میں خوش آمدید کرتا ہوں۔
اگر کسی سٹوڈنٹ کو کسی بھی قسم کی ہیلپ چاہے ہو تو ہم سے رابطہ کر سکتا ہے جیسا کہ: پاسٹ پیپرز، کورس سلیکشن، پروجیکٹ سلیکشن، ڈیٹ شیٹ،
فیس پے اور چینج سٹڈی پروگرام وغیرہ۔

Paid

VU LMS

اگر کوئی سٹوڈنٹ کسی مجبوری کی وجہ سے یا جاب ہو لڈر ہونے کی وجہ سے اپنا ایل ایم ایس خود ہینڈل نہیں کر سکتا تو وہ ہم سے پیڈ سروس حاصل کر
سکتا ہے کوشش کرے کے آپ ہر چیز خود اٹھیمپٹ کریں اگر نہیں کر سکتے تو سروس حاصل کریں۔

Email:

waqasahmeduog@gmail.com

انشاء اللہ آپ ہماری سروس سے مطمئن ہوں گے۔

Whatsapp: 03066295623

مزید اگر کسی رہنمائی کی ضرورت ہو تو وہ رابطہ کر سکتا ہے۔

Question # 1 of 10 (Start time: 04:22:38 PM, 30 June 2022)

We can make a lexicographic order of characters based on their _____.

Select the correct option



Random choice



Memory addresses



Binary digits



ASCII values

VU Stars by Waqas Ahmed

03066295623

Question # 2 of 10 (Start time: 04:23:46 PM, 30 June 2022)

If a function has recursive call as the last statement, it is known as _____.

Select the correct option

☒	Tail recursion
☐	Function recursion
☐	Local Recursion
☐	Last recursion

VU Stars by Waqas Ahmed

03066295623

Question # 4 of 10 (Start time: 04:25:43 PM, 30 June 2022)

What will be the return type of the findMin method in the statement given below?
`int& findMin( ) const;`

Select the correct option



integer pointer



integer reference



integer variable



constant integer

VU Stars by Waqas Ahmed

03066295623

Question # 5 of 10 (Start time: 04:26:24 PM, 30 June 2022)

In tree, the search operation is _____ as compared to the linked list.

Select the correct option



not fast



very fast



very slow



equally time-taken

VU Stars by Waqas Ahmed

03066295623

Question # 6 of 10 (Start time: 04:26:59 PM, 30 June 2022)

Which of the following traversal method traverses the binary tree in sorted order?

Select the correct option

☐	Level order
☒	In-order
☐	Post-order
☐	Pre-order

VU Stars by Waqas Ahmed
03066295623

Question # 8 of 10 (Start time: 04:29:26 PM, 30 June 2022)

For making Binary Search Tree for Strings we need, _____ data type.

Select the correct option



char



double



float



int

VU Stars by Waqas Ahmed

03066295623

Question # 1 of 10 (Start time: 04:35:10 PM, 30 June 2022)

In level-order traversal for Binary Search Tree, at each level, we visit the nodes in _____ order.

Select the correct option



any



right-to-left



left-to-right



top to bottom

VU Stars by Waqas Ahmed

03066295623

Question # 2 of 10 (Start time: 04:36:16 PM, 30 June 2022)

Following is true in case of using Recursive method calls.

Select the correct option

☐

Code will not execute if it contains recursive calls

☐

There is no effect on length of code

☒

The code becomes very short

☐

The code becomes very long

VU Stars by Waqas Ahmed

03066295623

Question # 3 of 10 (Start time: 04:36:53 PM, 30 June 2022)

In the perspective of memory organization every process executing, the second part of the memory is for _____ of the program.

Select the correct option

☐	Heap
☒	Static Data
☐	Code
☐	Stack

VU Stars by Waqas Ahmed
03066295623

Question # 4 of 10 (Start time: 04:37:47 PM, 30 June 2022)

Binary Search Tree violates the condition of AVL tree when any node has balance factor equal to

Select the correct option



1



0



-1



2 or -2

VU Stars by Waqas Ahmed
03066295623

Question # 6 of 10 (Start time: 04:40:09 PM, 30 June 2022)

If the root of a tree is at level zero, its two children (subtrees) i.e. nodes will be at _____

Select the correct option



Level 3



Level 0



Level 1



Level 2

VU Stars by Waqas Ahmed
03066295623

Question # 8 of 10 (Start time: 04:41:50 PM, 30 June 2022)

When a function calls another function, the parameters and return address of the calling function are put in _____.

Select the correct option

☒	Stack
☐	Heap
☐	Queue
☐	Binary Tree

VU Stars by Waqas Ahmed
03066295623

Question # 10 of 10 (Start time: 04:42:56 PM, 30 June 2022)

_____ is an area in computer memory that is used to allocate memory dynamically.

Select the correct option

☐	Global
☐	Stack
☐	Static
☒	Heap

VU Stars by Waqas Ahmed
03066295623

Question # 4 of 10 (Start time: 04:51:41 PM, 30 June 2022)

Following is a keyword of C++ _____

Select the correct option



eliminate



remove



delete



del

VU Stars by Waqas Ahmed

03066295623

Question # 10 of 10 (Start time: 04:55:35 PM, 30 June 2022)

A tree is an AVL tree if

Select the correct option



All the nodes fulfill the AVL condition



Any one node fulfills the AVL condition



Root node fulfills the AVL condition



At least half of the nodes fulfill the AVL condition

VU Stars by Waqas Ahmed

03066295623

Question # 2 of 10 (Start time: 05:06:23 PM, 30 June 2022)

In Preorder traversal of a binary tree the second step is _____

Select the correct option



traverse the left subtree



traverse the right subtree



traverse the root



traverse the leaf node

VU Stars by Waqas Ahmed

03066295623

Question # 6 of 10 (Start time: 05:08:47 PM, 30 June 2022)

The _____ of every node should be 1, 0 or -1 otherwise, it will not be an AVL tree.

Select the correct option

☐	width
☐	length
☒	balance
☐	size

VU Stars by Waqas Ahmed

03066295623

Question # 7 of 10 (Start time: 05:09:35 PM, 30 June 2022)

_____ parameter passing (by value or by reference) is similar to PASCAL.

Select the correct option

☐	FORTTRAN
☐	JAVA
☐	COBOL
☒	C++

VU Stars by Waqas Ahmed
03066295623

Question # 9 of 10 (Start time: 05:10:56 PM, 30 June 2022)

Suppose we have the following values to be inserted in constructing AVL tree,
20,23,25,10,12,13
Tell when first rotation will take place,

Select the correct option



after inserting node 10



after inserting node 12



after inserting node 25



after inserting node 23

VU Stars by Waqas Ahmed

03066295623



Question # 2 of 10 (Start time: 05:16:20 PM, 30 June 2022)

After deletion of a node from a binary search tree , _____ traversal method should be maintained.

Select the correct option

☐

Postorder

☒

Inorder

☐

Level order

☐

Preorder

VU Stars by Waqas Ahmed
03066295623

Question # 3 of 10 (Start time: 05:16:42 PM, 30 June 2022)

To create a reference variable, we need to use _____ sign.

Select the correct option



ampersand



dollar



asterisk



sigma

VU Stars by Waqas Ahmed
03066295623

Question # 3 of 10 (Start time: 05:16:42 PM, 30 June 2022)

To create a reference variable, we need to use _____ sign.

Select the correct option

☒	ampersand
☐	dollar
☐	asterisk
☐	sigma

VU Stars by Waqas Ahmed
03066295623

Question # 3 of 10 (Start time: 04:50:01 PM, 18 August 2022)

If there are 56 internal nodes in a binary tree then how many external nodes this binary tree will have?

Select the correct option

☐

56

☐

55

☒

57

☐

54

VU Stars by Waqas Ahmed
03066295623

Question # 4 of 10 (Start time: 04:50:22 PM, 18 August 2022)

If the height of a perfect binary tree is 4. What will be the total number of nodes in it?

Select the correct option

VU Stars by Waqas Ahmed
03066295623



15



16



32



31

Question # 4 of 10 (Start time: 04:50:22 PM, 18 August 2022)

If the height of a perfect binary tree is 4. What will be the total number of nodes in it?

Select the correct option

VU Stars by Waqas Ahmed
03066295623

☐

15

☐

16

☐

32

☒

31

LMS Management

کیم نومبر سے 30 نومبر تک ایل ایم ایس مینجمنٹ کے چار جز 2000 ہیں بیشک کسی کی ایک کتاب ہو یا چھ۔

ان چار جز میں تمام چیزیں Submit کی جائیں گی۔ اگر کوئی سٹوڈنٹ فی ایکٹیویٹی کے حساب سے کرانا

چاہتا ہے تو وہ بھی کروا سکتا ہے . Note: Quiz, Assignment & GDB submit ho Gi

Normal Quiz Price: 130 (adv booking)

Quiz Price Last Date: 180

جیسا کہ کافی اولڈ سٹوڈنٹس کو پتہ ہے کہ میں جو بات کرتا ہوں اس پر ضرور عمل کرتا ہوں۔ یہ جو مارکس وغیرہ بتا رہا ہوں کم از کم ہوتے ہیں۔ لیکن میرے مارکس اس سے زیادہ ہی آتے ہیں۔

آپ میرے اولڈ رزلٹ کی فائلز دیکھ سکتے ہیں۔

WhatsApp: 0306-6295623

I will provide you Data for Preparation of Exam

Grand Quiz files (my own file 99% correct answers), Mid Term, Final Term and some important data

Note: (Paid Group k lia Inbox msg kry)

Ma logo ki tara apko 100% result ki guarantee day kr result 50% nhi day skta. Wo sub fake hai k hum apko 100% result day gy.

My Minimum Result 70% Overall

(Inbox for Previous Result (my exp only almost 10 semesters lms handling)

Question # 6 of 10 (Start time: 04:51:08 PM, 18 August 2022)

If both pointers of the node in a binary tree are NULL then it will be a/an

Select the correct option

VU Stars by Waqas Ahmed
03066295623

☐

Inner node

☐

Root node

☐

None of the given options

☒

Leaf node

Question # 7 of 10 (Start time: 04:51:37 PM, 18 August 2022)

Finding the minimum is easy; it is _____ of the min heap.

Select the correct option

☐	Right most child
☒	Top
☐	Left most child
☐	None of the given options.

VU Stars by Waqas Ahmed
03066295623

Question # 9 of 10 (Start time: 04:52:05 PM, 18 August 2022)

See the below code and fill the appropriate answer for ? sign.

```
void fastInorder(TreeNode* p)
{
    while((p=nexInorder(p)) != ? )
        cout << p->getInfo();
}
```

Select the correct option

☐	LTH
☐	RTH
☒	dummy
☐	rootNode

VU Stars by Waqas Ahmed
03066295623



Question # 10 of 10 (Start time: 04:52:12 PM, 18 August 2022)

A binary tree with 45 internal nodes has _____ links to external nodes.

Select the correct option

VU Stars by Waqas Ahmed
03066295623



44



46



90



45

Question # 2 of 5 (Start time: 03:32:27 PM, 25 August 2022)

Which of the following formula gives the index position of the left child of "i"?

Select the correct option

- | | |
|----------------------------------|--------|
| ☐ | $i/2$ |
| ☒ | $2*i$ |
| ☐ | $2i+1$ |
| ☐ | $2+i$ |

VU Stars by Waqas Ahmed
03066295623

Question # 4 of 10 (Start time: 03:44:14 PM, 18 August 2022)

By using _____ we avoid the recursive method of traversing a Tree, which makes use of stacks and consumes a lot of memory and time

Select the correct option

- | | |
|----------------------------------|----------------------|
| ☐ | Heap data structure |
| ☒ | Threaded binary tree |
| ☐ | Binary tree only |
| ☐ | Huffman encoding |

VU Stars by Waqas Ahmed
03066295623

Question # 5 of 10 (Start time: 03:45:03 PM, 18 August 2022)

For a perfect binary tree of height h , having N nodes, the sum of heights of nodes is _____.

Select the correct option

VU Stars by Waqas Ahmed
03066295623



$N - h - 1$



$N - 1 + h$



$N - (h - 1)$



$N - 1$

Question # 10 of 10 (Start time: 03:48:41 PM, 18 August 2022)

If a tree has 50 nodes, then the total edges/links in the tree will be :

Select the correct option

VU Stars by Waqas Ahmed
03066295623



51



49



55



50

Question # 1 of 10 (Start time: 03:51:42 PM, 18 August 2022)

See the below code and fill the appropriate answer for ? sign.

```
void fastInorder(TreeNode* p)
{
    while((p=nexInorder(p)) != ? )
        cout << p->getInfo();
}
```

Select the correct option

☐	rootNode
☐	RTH
☒	dummy
☐	LTH

VU Stars by Waqas Ahmed
03066295623

Question # 1 of 10 (Start time: 03:51:42 PM, 18 August 2022)

See the below code and fill the appropriate answer for ? sign.

```
void fastInorder(TreeNode* p)
{
    while((p=nexInorder(p)) != ? )
        cout << p->getInfo();
}
```

Select the correct option

VU Stars by Waqas Ahmed
03066295623



rootNode



RTH



dummy



LTH



Question # 5 of 10 (Start time: 03:55:09 PM, 18 August 2022)

A complete binary tree of height 3 has between _____ nodes.

Select the correct option

VU Stars by Waqas Ahmed
03066295623



8 to 15



8 to 16



8 to 14



8 to 17

Question # 6 of 10 (Start time: 03:55:31 PM, 18 August 2022)

The percolateDown procedure will move the smaller value_____ and bigger value_____.

Select the correct option

VU Stars by Waqas Ahmed
03066295623

☐

right,left

☐

left,right

☐

down,up

☒

up,down

Question # 8 of 10 (Start time: 03:56:01 PM, 18 August 2022)

We are given N items to build a heap of items , this can be done with _____ successive inserts.

Select the correct option

VU Stars by Waqas Ahmed
03066295623



N-1



N+1



N



N^2

Question # 9 of 10 (Start time: 04:07:58 PM, 18 August 2022)

Which of the following is a property of binary tree?

Select the correct option

VU Stars by Waqas Ahmed

03066295623



A binary tree of N internal nodes has $N+1$ external node.



A binary tree of N external nodes has $N+1$ internal node.



A binary tree of N external nodes has N internal node.



A binary tree of N internal nodes has $N-1$ external node.

Question # 2 of 10 (Start time: 05:26:00 PM, 30 June 2022)

Whenever a node is deleted from a binary search tree, _____ has to be maintained.

Select the correct option



Pre order traversal



Any traversal can be maintained



Post order traversal



In order traversal

VU Stars by Waqas Ahmed

03066295623

Question # 10 of 10 (Start time: 04:08:40 PM, 18 August 2022)

In complete binary tree the bottom level is filled from _____

Select the correct option

☐	Not filled at all
☒	Left to right
☐	Right to left
☐	None of the given options

VU Stars by Waqas Ahmed
03066295623

Question # 1 of 10 (Start time: 04:11:14 PM, 18 August 2022)

Consider a min heap, represented by the following array:
3,4,6,7,5,10

After inserting a node with value 1. Which of the following is the updated min heap?

Select the correct option

☐	3,4,6,7,5,10,1
☐	3,4,6,7,5,1,10
☐	1,4,6,7,5,10,3
☒	1,4,3,7,5,10,6

VU Stars by Waqas Ahmed
03066295623

Question # 4 of 10 (Start time: 04:13:17 PM, 18 August 2022)

Finding the minimum is easy; it is _____ of the min heap.

Select the correct option

- | | |
|----------------------------------|----------------------------|
| ☐ | Right most child |
| ☐ | Left most child |
| ☐ | None of the given options. |
| ☒ | Top |

VU Stars by Waqas Ahmed
03066295623

Question # 4 of 10 (Start time: 04:13:17 PM, 18 August 2022)

Finding the minimum is easy; it is _____ of the min heap.

Select the correct option

☐	Right most child
☐	Left most child
☐	None of the given options.
☒	Top

VU Stars by Waqas Ahmed
03066295623

Question # 5 of 10 (Start time: 04:13:51 PM, 18 August 2022)

Which of the following statement is NOT true about threaded binary tree?

Select the correct option

☒	Left thread of the right-most node points to the dummy node.
☐	The left pointer of dummy node points to the root node of the tree.
☐	Right thread of the right-most node points to the dummy node.
☐	Left thread of the left-most node points to the dummy node.

VU Stars by Waqas Ahmed
03066295623

Question # 6 of 10 (Start time: 04:14:26 PM, 18 August 2022)

By using _____ we avoid the recursive method of traversing a Tree, which makes use of stacks and consumes a lot of memory and t

Select the correct option

☐	Heap data structure
☒	Threaded binary tree
☐	Huffman encoding
☐	Binary tree only

VU Stars by Waqas Ahmed
03066295623

Question # 8 of 10 (Start time: 04:16:05 PM, 18 August 2022)

A complete binary tree is a tree that is _____ filled, with the possible exception of the bottom level.

Select the correct option

☒	completely
☐	partly
☐	partially
☐	incompletely

VU Stars by Waqas Ahmed
03066295623

Question # 9 of 10 (Start time: 04:16:21 PM, 18 August 2022)

Traversing a binary tree can only be done using _____

Select the correct option

☐	Iteration
☐	Recursion
☒	Both recursion and iteration
☐	None of the given options

VU Stars by Waqas Ahmed
03066295623

Question # 2 of 10 (Start time: 04:20:18 PM, 18 August 2022)

While building Huffman encoding tree the new node that is the result of joining two nodes has the frequency.

Select the correct option

☐	Equal to the greater frequency
☐	Equal to the small frequency
☐	Equal to the difference of the two frequencies
☒	Equal to the sum of the two frequencies

VU Stars by Waqas Ahmed
03066295623

Question # 4 of 10 (Start time: 04:22:11 PM, 18 August 2022)

A complete binary tree is a tree that is _____ filled, with the possible exception of the bottom level.

Select the correct option

☐	partially
☐	incompletely
☒	completely
☐	partly

VU Stars by Waqas Ahmed
03066295623



Question # 5 of 10 (Start time: 04:22:29 PM, 18 August 2022)

We can build a heap in _____ time.

Select the correct option

☐	Polynomial
☒	Linear
☐	Exponential
☐	None of the given options

VU Stars by Waqas Ahmed
03066295623



Question # 9 of 10 (Start time: 04:24:12 PM, 18 August 2022)

For a perfect binary tree of height h , having N nodes, the sum of heights of nodes is _____.

Select the correct option

- | | |
|----------------------------------|---------------|
| ☐ | $N - 1$ |
| ☐ | $N - 1 + h$ |
| ☒ | $N - h - 1$ |
| ☐ | $N - (h - 1)$ |

VU Stars by Waqas Ahmed
03066295623

Question # 3 of 5 (Start time: 04:29:22 PM, 18 August 2022)

A hole is created which needs to be filled if the element is _____ from the heap.

Select the correct option

☒	Deleted
☐	Inserted
☐	Updated
☐	There is no concept of hole in heap

VU Stars by Waqas Ahmed
03066295623

Question # 3 of 10 (Start time: 04:50:01 PM, 18 August 2022)

If there are 56 internal nodes in a binary tree then how many external nodes this binary tree will have?

Select the correct option

☐

56

☐

55

☒

57

☐

54

VU Stars by Waqas Ahmed
03066295623

Question # 10 of 10 (Start time: 02:51:38 PM, 07 June 2022)

A kind of expressions where the operator is present between two operands called _____expressions.

Select the correct option

☐	Prefix
☐	None of the above
☐	Postfix
☒	Infix

VU Stars by Waqas Ahmed

03066295623

Question # 2 of 10 (Start time: 09:20:56 AM, 07 June 2022)

"end()" method of list performs it's tasks in

Select the correct option



Two steps



Many steps



One steps



Three steps

VU Stars by Waqas Ahmed

03066295623

Question # 3 of 10 (Start time: 09:21:47 AM, 07 June 2022)

A list is the collection of items of the _____

Select the correct option



same type



May be of same or may be of different type



different type



Structure type

VU Stars by Waqas Ahmed

03066295623



Question # 4 of 10 (Start time: 09:22:24 AM, 07 June 2022)

In the statement template <T>, T represents_____.

Select the correct option

☒	Generic data type
☐	Integer data type
☐	Character data type
☐	String data type

VU Stars by Waqas Ahmed
03066295623

Question # 5 of 10 (Start time: 09:23:32 AM, 07 June 2022)

Which one of the following operations returns and removes top value of the stack?

Select the correct option

☒	Pop
☐	Push
☐	First
☐	Top

VU Stars by Waqas Ahmed

03066295623

Question # 5 of 10 (Start time: 09:23:32 AM, 07 June 2022)

Which one of the following operations returns and removes top value of the stack?

Select the correct option

☒	Pop
☐	Push
☐	First
☐	Top

VU Stars by Waqas Ahmed

03066295623

Question # 6 of 10 (Start time: 09:25:04 AM, 07 June 2022)

The _____ method of list will position the currentNode and lastCurrentNode at the start of the list.

Select the correct option



Next



Start



Remove



Back

VU Stars by Waqas Ahmed

03066295623

Question # 7 of 10 (Start time: 09:25:36 AM, 07 June 2022)

Which of the following operation is used to get an element from the top of stack?

Select the correct option



get()



push()



top()



pop()

VU Stars by Waqas Ahmed

03066295623

Question # 8 of 10 (Start time: 09:26:27 AM, 07 June 2022)

Consider the following expression:

$$P = A * B + C - D$$

In the above expression "+" is a _____ operator.

Select the correct option

☐	Unary
☐	Technical
☐	Logical
☒	Binary

VU Stars by Waqas Ahmed

03066295623

Question # 8 of 10 (Start time: 09:26:27 AM, 07 June 2022)

Consider the following expression:

$$P = A * B + C - D$$

In the above expression "+" is a _____ operator.

Select the correct option



Unary



Technical



Logical



Binary

VU Stars by Waqas Ahmed

03066295623

Question # 9 of 10 (Start time: 09:27:56 AM, 07 June 2022)

An efficient program executes faster and helps in _____ the usage of resources like memory and disk.

Select the correct option

☒	Minimizing
☐	Equalizing
☐	Increase
☐	Maximizing

VU Stars by Waqas Ahmed
03066295623



Question # 10 of 10 (Start time: 09:28:41 AM, 07 June 2022)

Whenever we call a function, the compiler makes a _____ that it uses to fulfill this function call.

Select the correct option



Heap



Stack



Macro



Queue

VU Stars by Waqas Ahmed

03066295623

Question # 2 of 10 (Start time: 11:35:50 AM, 07 June 2022)

If we use doubly linked list to implement list, then there is an issue of:

Select the correct option



next pointer of first node and pre pointer of last node are NULL



pre pointer of first node and pre pointer of last node are NULL



pre pointer of first node and next pointer of last node are NULL



next pointer of first node and next pointer of last node are NULL

VU Stars by Waqas Ahmed

03066295623

Question # 3 of 10 (Start time: 11:37:10 AM, 07 June 2022)

If the input symbol is not ')' and the stack is not empty then which of the following option will be pushed on the stack.

Select the correct option

☐	Operand
☐	Operand and operator
☐	Nothing can be pushed in stack
☒	Operator

VU Stars by Waqas Ahmed
03066295623

Question # 4 of 10 (Start time: 11:37:48 AM, 07 June 2022)

The back() method decreases the value of variable current by _____.

Select the correct option



Three



Two



One



Four

VU Stars by Waqas Ahmed

03066295623

Question # 5 of 10 (Start time: 11:38:28 AM, 07 June 2022)

The usage of the class of a data structure causes the code of the program

Select the correct option



Difficult



Simplifies



Lengthy



Complicated

VU Stars by Waqas Ahmed

03066295623

Question # 6 of 10 (Start time: 11:39:10 AM, 07 June 2022)

back() method of List class is used to:

Select the correct option



Moves the "current" pointer to backward three elements.



Moves the "current" pointer to backward four elements.



Moves the "current" pointer to backward two elements.



Moves the "current" pointer to backward one element.

VU Stars by Waqas Ahmed

03066295623

Question # 7 of 10 (Start time: 11:39:49 AM, 07 June 2022)

Which of the following operation is used to get and remove top element from the stack?

Select the correct option



remove()



pop()



top()



push()

VU Stars by Waqas Ahmed

03066295623

Question # 8 of 10 (Start time: 11:40:37 AM, 07 June 2022)

In simple or singly linked list there is/are _____ pointer/s in each node.

Select the correct option



Three



One



Two



Four

VU Stars by Waqas Ahmed

03066295623

Question # 9 of 10 (Start time: 11:41:30 AM, 07 June 2022)

Array cells are _____ in computer memory.

Select the correct option



Store in multiple functions



Random



Store in multiple variables



Contiguous

VU Stars by Waqas Ahmed

03066295623

Question # 1 of 10 (Start time: 11:45:10 AM, 07 June 2022)

start() method of List class is used to:

Select the correct option



Moves the "current" pointer to very first element.



Moves the "current" pointer to very last element.



Moves the "current" pointer to one step before the first element of the array.



Moves the "current" pointer to one step after the first element of the array.

VU Stars by Waqas Ahmed

03066295623

Question # 3 of 10 (Start time: 11:47:14 AM, 07 June 2022)

The computer memory can be thought of as a/an

Select the correct option



Stack



Array



List



Queue

VU Stars by Waqas Ahmed

03066295623

Question # 4 of 10 (Start time: 11:47:39 AM, 07 June 2022)

_____ is the major factor to see the efficiency of a program.

Select the correct option



Quality



Time



Correctness



Code

VU Stars by Waqas Ahmed

03066295623

Question # 5 of 10 (Start time: 11:47:52 AM, 07 June 2022)

Trying to remove an element from an empty stack is called _____.

Select the correct option

☒

Underflow of stack

☐

Empty collection

☐

Garbage collection

☐

Overflow of stack

VU Stars by Waqas Ahmed

03066295623

Question # 6 of 10 (Start time: 11:49:00 AM, 07 June 2022)

Which of the following operation returns but do not removes top value of the stack?

Select the correct option



push



pop



top



first

VU Stars by Waqas Ahmed

03066295623

Question # 7 of 10 (Start time: 11:49:26 AM, 07 June 2022)

Last node in circular linked list contains

Select the correct option



At least one null pointer



tail pointer



Maximum two null pointers



No null pointer

VU Stars by Waqas Ahmed

03066295623

Question # 8 of 10 (Start time: 11:50:27 AM, 07 June 2022)

isFull() method of stack class will return true when:

Select the correct option



Stack is not empty nor full



Stack is partially full



Stack is empty



Stack is full

VU Stars by Waqas Ahmed

03066295623

LMS Management

یکم نومبر سے 30 نومبر تک ایل ایم ایس مینجمنٹ کے چار جز 2000 ہیں بیشک کسی کی ایک کتاب ہو یا چھ۔

ان چار جز میں تمام چیزیں Submit کی جائیں گی۔ اگر کوئی سٹوڈنٹ فی ایکٹیویٹی کے حساب سے کرانا

چاہتا ہے تو وہ بھی کروا سکتا ہے۔ Note: Quiz, Assignment & GDB submit ho Gi

Normal Quiz Price: 130 (adv booking)

Quiz Price Last Date: 180

جیسا کہ کافی اولڈ سٹوڈنٹس کو پتہ ہے کہ میں جو بات کرتا ہوں اس پر ضرور عمل کرتا ہوں۔ یہ جو مارکس وغیرہ بتا رہا ہوں کم از کم ہوتے ہیں۔ لیکن میرے مارکس اس سے زیادہ ہی آتے ہیں۔

آپ میرے اولڈ رزلٹ کی فائلز دیکھ سکتے ہیں۔

WhatsApp: 0306-6295623

I will provide you Data for Preparation of Exam

Grand Quiz files (my own file 99% correct answers), Mid Term, Final Term and some important data

Note: (Paid Group k lia Inbox msg kry)

Ma logo ki tara apko 100% result ki guarantee day kr result 50% nhi day skta. Wo sub fake hai k hum apko 100% result day gy.

My Minimum Result 70% Overall

(Inbox for Previous Result (my exp only almost 10 semesters lms handling)

Question # 9 of 10 (Start time: 11:51:04 AM, 07 June 2022)

Head node pointer always points to the _____ of the linked list?

Select the correct option



first node



last node



newly added node



current node

VU Stars by Waqas Ahmed
03066295623

Question # 10 of 10 (Start time: 11:52:10 AM, 07 June 2022)

Consider the following expression:

$$P = A * B + C - D$$

In the above expression "+" is a _____ operator.

Select the correct option

☐	Technical
☒	Binary
☐	Unary
☐	Logical

VU Stars by Waqas Ahmed

03066295623

Question # 1 of 10 (Start time: 11:55:53 AM, 07 June 2022)

If we use array to implement list, then there is an issue that it gives difficulty when:

Select the correct option



We will decrease its size



We will remove data from it



We will increase its size



We will access values randomly

VU Stars by Waqas Ahmed

03066295623

Question # 2 of 10 (Start time: 11:57:15 AM, 07 June 2022)

If we do not have to move too much in the list then use of which one type of list is not necessary/essential.

Select the correct option

☒	Circular linked list
☐	Linked list
☐	Doubly linked list
☐	Simple list

VU Stars by Waqas Ahmed

03066295623

Question # 3 of 10 (Start time: 11:57:53 AM, 07 June 2022)

In the calling function, after the execution of the function called, the program continues its execution from the _____after the function call.

Select the correct option

☐	Previous line
☐	End
☐	Beginning
☒	Next line

VU Stars by Waqas Ahmed
03066295623

Question # 7 of 10 (Start time: 05:19:44 PM, 30 June 2022)

In the perspective of memory organization every process executing, the last part of the memory is for the _____ of the program.

Select the correct option

☐	Code
☐	Stack
☒	Heap
☐	Data

VU Stars by Waqas Ahmed
03066295623

Question # 3 of 10 (Start time: 11:57:53 AM, 07 June 2022)

In the calling function, after the execution of the function called, the program continues its execution from the _____ after the function call.

Select the correct option

☐	Previous line
☐	End
☐	Beginning
☒	Next line

VU Stars by Waqas Ahmed
03066295623

Question # 4 of 10 (Start time: 11:58:12 AM, 07 June 2022)

Which of the following is the correct conversion of infix to postfix expression?

$Z+B-(D-H)/K$

Select the correct option



$ZB+DH-K-/$



$ZB+DH-K/$



$ZB+D-H-K/$



$ZB+DHK--/$

VU Stars by Waqas Ahmed

03066295623

Question # 5 of 10 (Start time: 11:58:58 AM, 07 June 2022)

What will be the postfix expression of following infix expression?

 $A * B / C + D - E$

Select the correct option

 $A B * C / D + E -$  $A B * C + D E / -$  $A B / C * D + E -$  $A B + C D / + E -$

VU Stars by Waqas Ahmed

03066295623