Download Solved Mid/Final Term Past Papers by Waqar Siddhu in PDF form

VUNET.BLOGSPOT.COM

Facebook.com/vunets

Question No : 1 of 52 Marks: 1 (Budgeted Time 1 Min)

A network that permits many sources to take turns accessing a shared communication resource is providing a form of ----------

VuAnswers.com

Answer (Please select your correct option)

- Packet Division Multiplexing
- Time Division Multiplexing
- Frequency Division Multiplexing
- Wave Division Multiplexing

Made by: Waqar Siddhu

Question No : 2 of 52 Marks: 1 (Budgeted Time 1 Min)

If the sending computer crashes before transmitting a complete frame, the---------- will not arrive, and the receiver will know that the frame is ----------

VuAnswers.com

Answer (Please select your correct option)

- eot, complete

doubt

- soh, complete
- soh, incomplete
- eot , incomplete

Made by: Waqar Siddhu

Question No : 3 of 52 Marks: 1 (Budgeted Time 1 Min)

ATM was designed for _____ and use a_____

VuAnswers.com

Answer (Please select your correct option)

- LANs, Connectionless service paradigm
- WANs, Connectionless service paradigm
- Both LANs and WANs, Connectionless service paradigm
- Both LANs and WANs, Connection-oriented service paradigm

Made by: Waqar Siddhu

Question No : 4 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ protocols of TCP/IP layering model specify how to ensure reliable transfer.

VuAnswers.com

Answer (Please select your correct option)

- Physical Layer
- Network Interface Layer
- Internet Layer
- Transport Layer

Made by: Waqar Siddhu

Question No : 5 of 52 Marks: 1 (Budgeted Time 1 Min)

The interconnection of two or more networks, usually local area networks so that data can pass between hosts on the different networks as though they were one network, this requires some kind of _____, which led to the motivation for internetworking.

VuAnswers.com

Answer (Please select your correct option)

- Router and Gateway
- Router or software
- Router or Gateway
- Switch

Made by: Waqar Siddhu

Question No : 6 of 52 Marks: 1 (Budgeted Time 1 Min)

In the _____ large organizations began to acquire multiple networks. Each network in the organization formed island. Employees needed to choose a computer appropriate for each task. So they needed multiple screens, keyboards and computers.

VuAnswers.com

Answer (Please select your correct option)

- 1990s
- 1970s
- 1960s
- 1950s

Made by: Waqar Siddhu

Question No : 7 of 52 Marks: 1 (Budgeted Time 1 Min)

Which method of Address Resolution Protocol is useful with any hardware?

Were "T" stands for Table lookup, "C" for Closed-form Computation and "D" for Data Exchange?

VuAnswers.com

Answer (Please select your correct option)

- T
- C
- D
- C, D

Made by: Waqar Siddhu

Question No : 8 of 52 Marks: 1 (Budgeted Time 1 Min)

In which method of Address Resolution Protocol address change affects all Hosts?

Were "T" stands for Table lookup, "C" for Closed-form Computation and "D" for Data Exchange?

VuAnswers.com

Answer (Please select your correct option)

- T
- C
- D
- T, C

Made by: Waqar Siddhu

Question No : 9 of 52 Marks: 1 (Budgeted Time 1 Min)

We use the term _____ to refer to a measure of the path that routing software use when choosing a route.

VuAnswers.com

Answer (Please select your correct option)

- routing path
- routing metric
- routing
- switching

Made by: Waqar Siddhu

Question No : 10 of 52 Marks: 1 (Budgeted Time 1 Min)

Incase of TCP retransmission, acknowledgement from a computer on a local area network are expected to arrive within few, _____.

VuAnswers.com

Answer (Please select your correct option)

- seconds idea
- microseconds
- milliseconds
- nanoseconds

Made by: Waqar Siddhu

Question No : 11 of 52 Marks: 1 (Budgeted Time 1 Min)

Part of the 3-way handshake used to create a connection, requires each end to generate a random ____ sequence number.

VuAnswers.com

Answer (Please select your correct option)

- 8-bit
- 64-bit
- 32-bit
- 16-bit

Made by: Waqar Siddhu

Question No : 12 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following protocol uses UDP for all message transmission?

VuAnswers.com

Answer (Please select your correct option)

- RIP
- OSPF
- BGP
- RIP and OSPF

Made by: Waqar Siddhu

A OSPF area is ---------

Answer (Please select your correct option)

- Part of an Autonomous System
- Composed of at least two As's
- Another term of an internet
- A collection stub area

VuAnswers.com

Made by: Waqar Siddhu

Start Time: 8:48 PM

Dotted decimal notation is a syntactic form the IP software uses to express __ bit binary values when interacting with humans.

Answer (Please select your correct option)

VuAnswers.com

- 16
- 24
- 32 ✓
- 64

Made by: Waqar Siddhu

Typical internet routing uses a combination of two metrics_____.

Answer (Please select your correct option)

VuAnswers.com

- administrative cost and routing metrics
- administrative count and hop cost
- administrative cost and hop count
- routing metrics and hop count :ooO doubt

Made by: Waqar Siddhu

Start Time: 8:48 PM

Hardware that calculates a CRC uses two simple components.

Answer (Please select your correct option)

VuAnswers.com

- AND unit with XOR unit
- Shift register with XOR unit
- Shift register with AND unit
- Shift register with shift XOR unit

Made by: Waqar Siddhu

A network uses a ------ to arranges computers to be connected in a single closed loop.

Answer (Please select your correct option)

VuAnswers.com

- Star Topology
- Ring Topology
- Bus Topology
- Dual Ring Topology

Made by: Waqar Siddhu

Start Time: 8:48 PM

Computers attached to an ethernet use ------ in which a computer waits for the ether to be idle before transmitting a frame.

Answer (Please select your correct option)

VuAnswers.com

- CSMA/CD
- CSMA/CA
- TOKEN PASSING
- Round Robin

Made by: Waqar Siddhu

Start Time: 8:48 PM

A ---------- relies on the hardware manufacturer to assign a unique physical address to each network interface.

Answer (Please select your correct option)

VuAnswers.com

- Burned MAC
- Static addressing scheme
- Configurable addressing scheme
- Dynamic addressing scheme

Made by: Waqar Siddhu

Start Time: 8:48 PM

A network with throughput T and delay D would have a total no of _____ bits in transit at any time.

Answer (Please select your correct option)

VuAnswers.com

- T + D
- T x D/Unit Time
- T / D
- T x D



Made by: Waqar Siddhu

Start Time: 8:48 PM

_____ is used for audio and video, since these have predefined maximum data rates

Answer (Please select your correct option)

- Constant Bit Rate (CBR) service
- Variable Bit Rate (VBR) service
- Available Bit Rate (ABR) service
- Uniform Bit Rate (UBR) service

VuAnswers.com

Made by: Waqar Siddhu

Start Time: 8:48 PM

------ Program sends a message to a remote computer and reports whether the computer responds.

Answer (Please select your correct option)

VuAnswers.com

- Telnet
- Ping
- Ping
- Traceroute
- ICMP

Made by: Waqar Siddhu

Start Time: 8:48 PM

_____ identifies the application program that sent the data.

Answer (Please select your correct option)

VuAnswers.com

- Destination Port
- Source port
- Logical address
- Physical Address

Made by: Waqar Siddhu

Start Time: 8:48 PM

The process of using a routing table to select a next hop for a given datagram is called_____

Answer (Please select your correct option)

VuAnswers.com

- Encapsulation
- Reassembling
- Routing or forwarding
- Fragmentation

Made by: Waqar Siddhu

Start Time: 8:48 PM

_____measures distance in network hops, where each network between the source and destination counts as single hop.

Answer (Please select your correct option)

VuAnswers.com

- BGP
- OSPF
- RIP ✓
- EGP

Made by: Waqar Siddhu

Start Time: 8:48 PM

_____ uses distance vector approach to define routing

Answer (Please select your correct option)

VuAnswers.com

- BGP
- OSPF
- RIP
- EGP

Made by: Waqar Siddhu

Start Time: 8:48 PM

_____ includes a 32-bits address mask with each address, which allows the address to be classful, classless, or subnetted.

Answer (Please select your correct option)

VuAnswers.com

- IGP
- RIP
- OSPF
- BGP

Made by: Waqar Siddhu

Start Time: 8:48 PM

_____ is ideal in a situation where the group is geographically dispersed (i-e., has a few members at each site, with sites separated by long distances).

Answer (Please select your correct option)

VuAnswers.com

- Flood-and -Prune
- Configuration-and -Tunneling
- Core-Based Discovery
- Forwarding

Made by: Waqar Siddhu

Start Time: 8:48 PM

TCP/IP defines the term_____ to refer any computer system that connects to an internet and runs applications.

Answer (Please select your correct option)

VuAnswers.com

- Router
- Host computer
- Bridge
- Hub

Made by: Waqar Siddhu

Start Time: 8:48 PM

An Internet Address (IP address) is a unique _____ binary number assigned to a host and used for all communication with other hosts.

Answer (Please select your correct option)

VuAnswers.com

- 48-bit
- 32-bit
- 24-bit
- 12-bit

Made by: Waqar Siddhu

Start Time: 8:48 PM

Whenever IP software handles a packet, it needs to separate the destination address into a _____ and _____.

Answer (Please select your correct option)

VuAnswers.com

- suffix, prefix
- postfix, Infix
- Infix, prefix
- prefix, suffix

Made by: Waqar Siddhu

Start Time: 8:48 PM

Mapping between a protocol address and a hardware address is called _____.

Answer (Please select your correct option)

VuAnswers.com

- ICMP
- Address Resolution
- Message Exchange
- Hashing

Made by: Waqar Siddhu

Start Time: 8:48 PM

A datagram cannot be larger than _____ of a network over which it is sent.

Answer (Please select your correct option)

VuAnswers.com

- IP header
- MTU
- Size
- Frame header

Made by: Waqar Siddhu

Start Time: 8:48 PM

_____ field of header indicates whether a datagram is a fragment or a complete datagram.

Answer (Please select your correct option)

VuAnswers.com

- FLAGS
- SERVICE TYPE
- IDENTIFICATION
- FRAGMENT OFFSET

Made by: Waqar Siddhu

Start Time: 8:48 PM

_____field tells the receiver how to order fragments within a given datagram.

Answer (Please select your correct option)

VuAnswers.com

- FRAGMENT OFFSET
- IDENTIFICATION
- HEADER CHECKSUM
- FLAGS

Made by: Waqar Siddhu

Start Time: 8:48 PM

NEXT HEADER field in the base header defines type of header and it appears at end of _____ base header.

Answer (Please select your correct option)

VuAnswers.com

- Static
- Variable size
- dynamic
- fixed-size ✓

Made by: Waqar Siddhu

Start Time: 8:48 PM

_____ (Windows version) sends ICMP echo messages with increasing TTL.

Answer (Please select your correct option)

VuAnswers.com

- Ping
- Tracert
- cmd
- routers

Made by: Waqar Siddhu

Start Time: 8:48 PM

Connectionless service, Message-Oriented protocol, best effort delivery service, arbitrary interaction and operating system independent are the characteristics of _____

Answer (Please select your correct option)

VuAnswers.com

- TCP
- UDP
- IP
- ICMP

Made by: Waqar Siddhu

Start Time: 8:48 PM

_____ provide computer-to-computer communication also called machine-to- machine communication.

Answer (Please select your correct option)

VuAnswers.com

- IP
- Transport Protocols
- RIP
- UDP

Made by: Waqar Siddhu

Start Time: 8:48 PM

_____ message is encapsulated in an _____ datagram and sent across the Internet.

Answer (Please select your correct option)

VuAnswers.com

- IP, TCP
- TCP, IP
- TCP, UDP
- UDP, TCP

Made by: Waqar Siddhu

Start Time: 8:48 PM

Question No : 1 of 52 Marks: 1 (Budgeted Time 1 Min)

An interface for twisted pair Ethernet must have an _____ connector , and must generate signals according to the_____ specification.

Answer (Please select your correct option)

VuAnswers.com

- RJ-45, 10 Base T
- RJ-45, 10 Base 5
- BNC, 10 Base 2
- BNC, 10 Base T

Made by: Waqar Siddhu

Question No : 24 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ computes shortest paths in a graph by using weights on edges as a measure of distance.

Answer (Please select your correct option)

VuAnswers.com

- Greedy Algorithm
- Distance vector Algorithm
- Dijksta's algorithm ✓
- Binary Search Algorithm

Made by: Waqar Siddhu

Question No : 5 of 52 Marks: 1 (Budgeted Time 1 Min)

Base header is fixed size i.e. __ octets.

VuAnswers.com

Answer (Please select your correct option)

- 32
- 64
- 40
- 16

Made by: Waqar Siddhu

Question No : 45 of 52 Marks: 3 (Budgeted Time 6 Min)

IP datagram format is same as a hardware frame format. Can network engineer change the size of header in IP datagram? What is the size of IP datagram header?

Answer (Please click here to Add Answer)

VuAnswers.com

Made by: Waqar Siddhu

Question No : 2 of 52 Marks: 1 (Budgeted Time 1 Min)

A bridges function in the _____ layers(s).

Answer (Please select your correct option)

VuAnswers.com

- Physical (MAC)
- Data link
- Network
- Physical (MAC) and Data link

Made by: Waqar Siddhu

Question No : 3 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ protocols of TCP/IP layering model specify how to ensure reliable transfer.

Answer (Please select your correct option)

VuAnswers.com

- Physical Layer
- Network Interface Layer
- Internet Layer
- Transport Layer

Made by: Waqar Siddhu

Question No : 4 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ places the boundary between the second and third octets

Answer (Please select your correct option)

VuAnswers.com

- Class A
- Class B
- Class C
- Class D

Made by: Waqar Siddhu

Question No : 5 of 52 Marks: 1 (Budgeted Time 1 Min)

Base header is fixed size i.e. __ octets.

Answer (Please select your correct option)

VuAnswers.com

- 32
- 64
- 40
- 16

Made by: Waqar Siddhu

Question No : 6 of 52 Marks: 1 (Budgeted Time 1 Min)

Router that decrements TTL to __ sends ICMP time exceeded message, with router's address as source address

Answer (Please select your correct option)

VuAnswers.com

- 3
- 2
- 1
- 0

Made by: Waqar Siddhu

Question No : 7 of 52 Marks: 1 (Budgeted Time 1 Min)

In the _____ large organizations began to acquire multiple networks. Each network in the organization formed island. Employees needed to choose a computer appropriate for each task. So they needed multiple screens, keyboards and computers.

Answer (Please select your correct option)

VuAnswers.com

- 1990s
- 1970s
- 1960s
- 1950s

Made by: Waqar Siddhu

Question No : 8 of 52 Marks: 1 (Budgeted Time 1 Min)

In which method of Address Resolution Protocol the protocol address independent of hardware address?

Were "T" stands for Table lookup, "C" for Closed-form Computation and "D" for Data Exchange?

VuAnswers.com

Answer (Please select your correct option)

- T, C
- D
- C
- T, D

Made by: Waqar Siddhu

Question No : 9 of 52 Marks: 1 (Budgeted Time 1 Min)

In which method of Address Resolution Protocol the hardware address must be smaller than protocol address?

Were "T" stands for Table lookup, "C" for Closed-form Computation and "D" for Data Exchange?

VuAnswers.com

Answer (Please select your correct option)

- D
- C
- T, D
- C, D

Made by: Waqar Siddhu

Question No : 10 of 52 Marks: 1 (Budgeted Time 1 Min)

The computation to examine the i^{th} entry in the table can be expressed as:

Answer (Please select your correct option)

VuAnswers.com

- if ((Mask[i] & D) != Dest[i]) forward to NextHop[i]
- if ((Mask[i] & D) == Dest[i]) forward to NextHop[i]
- if ((Mask[i] & D) >= Dest[i]) forward to NextHop[i]
- if ((Mask[i] & D) <= Dest[i]) forward to NextHop[i]

Made by: Waqar Siddhu

Question No : 11 of 52 Marks: 1 (Budgeted Time 1 Min)

The IP multicast abstraction allows an application running on an arbitrary computer to leave a multicast group at any time. While _____ application on a computer remain a member of a group.

VuAnswers.com

Answer (Please select your correct option)

- one or more
- only one
- no
- many

Made by: Waqar Siddhu

Question No : 12 of 52 Marks: 1 (Budgeted Time 1 Min)

Reliability is the responsibility of the _____ layer

Answer (Please select your correct option)

VuAnswers.com

- Network
- Datalink
- Transport
- Application

Made by: Waqar Siddhu

Question No : 13 of 52 Marks: 1 (Budgeted Time 1 Min)

Incase of TCP retransmission, acknowledgement from a computer on a local area network are expected to arrive within few, _____.

Answer (Please select your correct option)

VuAnswers.com

- seconds
- microseconds
- milliseconds
- nanoseconds

Made by: Waqar Siddhu

Question No : 14 of 52 Marks: 1 (Budgeted Time 1 Min)

Part of the 3-way handshake used to create a connection, requires each end to generate a random ____ sequence number.

Answer (Please select your correct option)

VuAnswers.com

- 8-bit
- 64-bit
- 32-bit
- 16-bit

Made by: Waqar Siddhu

Question No : 15 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following protocol uses UDP for all message transmission?

Answer (Please select your correct option)

VuAnswers.com

- RIP
- OSPF
- BGP
- RIP and OSPF

Made by: Waqar Siddhu

Question No : 16 of 52 Marks: 1 (Budgeted Time 1 Min)

One of the design goals for unicast route propagation is _____.

Answer (Please select your correct option)

VuAnswers.com

- consistency
- inconsistency
- stability
- dynamic addressing

Made by: Waqar Siddhu

Question No : 17 of 52 Marks: 1 (Budgeted Time 1 Min)

Find the class of the address:
11110011 10011011 11111011 00001111

Answer (Please select your correct option)

VuAnswers.com

- A
- C
- E
- B

Made by: Waqar Siddhu

Question No : 18 of 52 Marks: 1 (Budgeted Time 1 Min)

In broadcast topology there are two categories____.

Answer (Please select your correct option)

VuAnswers.com

- Satellite/Radio and Ring
- Satellite/Radio and Star
- Ring and star
- Satellite/Radio

Made by: Waqar Siddhu

Question No : 19 of 52 Marks: 1 (Budgeted Time 1 Min)

---------- have advantages arisen from the size and ease of computation

Answer (Please select your correct option)

VuAnswers.com

- CRC
- Parity
- Checksums
- VRC

Made by: Waqar Siddhu

Question No : 20 of 52 Marks: 1 (Budgeted Time 1 Min)

A network uses a ------ if all computers attach to a central point

Answer (Please select your correct option)

VuAnswers.com

- Star Topology
- Ring Topology
- Bus Topology
- Mesh Topology

Made by: Waqar Siddhu

Question No : 21 of 52 Marks: 1 (Budgeted Time 1 Min)

A ---------- provides mechanism that a customer can use to set a physical address.

Answer (Please select your correct option)

VuAnswers.com

- Static addressing scheme
- Configurable addressing scheme
- Dynamic addressing scheme
- Masking

Made by: Waqar Siddhu

Question No : 22 of 52 Marks: 1 (Budgeted Time 1 Min)

IEEE LLC/SNAP header is --------, which is used to specify the type of data.

Answer (Please select your correct option)

VuAnswers.com

- 8 octets
- 8 bytes
- 8 bits
- 16 bits

Made by: Waqar Siddhu

Question No : 23 of 52 Marks: 1 (Budgeted Time 1 Min)

The product of delay and throughput measures the _____ of data that can be presented on the network.

Answer (Please select your correct option)

VuAnswers.com

- Area
- Volume
- Length
- Size

Made by: Waqar Siddhu

Question No : 25 of 52 Marks: 1 (Budgeted Time 1 Min)

------ has no way to determine the cause of the problem.

Answer (Please select your correct option)

VuAnswers.com

- ICMP
- ARP
- Ping
- Trace route

Made by: Waqar Siddhu

Question No : 26 of 52 Marks: 1 (Budgeted Time 1 Min)

The routers within an autonomous system use a _____ to exchange routing information.

Answer (Please select your correct option)

VuAnswers.com

- Interior Gateway protocols(IGPs)
- Exterior Gateway protocol (EGPs)
- Both Interior Gateway protocols(IGPs) and Exterior Gateway protocol (EGPs)
- Border Gateway Protocol (BGP)
- None of the given

Made by: Waqar Siddhu

Question No : 27 of 52 Marks: 1 (Budgeted Time 1 Min)

_____measures distance in network hops, where each network between the source and destination counts as single hop.

Answer (Please select your correct option)

VuAnswers.com

- BGP
- OSPF
- RIP
- EGP

Made by: Waqar Siddhu

Question No : 28 of 52 Marks: 1 (Budgeted Time 1 Min)

A standard protocol exits that allows a host to inform a nearby router whenever the host needs to join or leave a particular multicast group is known as _____.

Answer (Please select your correct option)

VuAnswers.com

- IGMP
- OSPF
- BGP
- UDP

Made by: Waqar Siddhu

Question No : 29 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ includes a 32-bits address mask with each address, which allows the address to be classful, classless, or subnetted.

Answer (Please select your correct option)

VuAnswers.com

- IGP
- RIP
- OSPF
- BGP

Made by: Waqar Siddhu

Question No : 1 of 52 Marks: 1 (Budgeted Time 1 Min)

ATM assigns each VC a _____ identifier that is divided two parts to produce a hierarchy.

VuAnswers.com

Answer (Please select your correct option)

- 21-bit
- 22-bit
- 23-bit
- 24-bit

Made by: Waqar Siddhu

Question No : 2 of 52 Marks: 1 (Budgeted Time 1 Min)

A network that uses a ------ usually consist of a single long cable to which computers attach.

Answer (Please select your correct option)

VuAnswers.com

- Star Topology
- Ring Topology
- Bus Topology
- Tree Topology

Made by: Waqar Siddhu

Question No : 3 of 52 Marks: 1 (Budgeted Time 1 Min)

The Fast Ethernet hardware operates at a rate of --------

Answer (Please select your correct option)

VuAnswers.com

- 10 Mbps
- 100 Mbps
- 1000 Mbps
- 1 Gbps

Made by: Waqar Siddhu

Question No : 4 of 52 Marks: 1 (Budgeted Time 1 Min)

A network uses a ------ if all computers attach to a central point

Answer (Please select your correct option)

VuAnswers.com

- Star Topology
- Ring Topology
- Bus Topology
- Mesh Topology

Made by: Waqar Siddhu

Question No : 5 of 52 Marks: 1 (Budgeted Time 1 Min)

A ---------- relies on the hardware manufacturer to assign a unique physical address to each network interface.

Answer (Please select your correct option)

VuAnswers.com

- Burned MAC
- Static addressing scheme
- Configurable addressing scheme
- Dynamic addressing scheme

Made by: Waqar Siddhu

Question No : 6 of 52 Marks: 1 (Budgeted Time 1 Min)

Basic LAN technologies such as Ethernet, Token Ring, and FDDI use a _____.

Answer (Please select your correct option)

VuAnswers.com

- Connectionless service paradigm ✓
- Connection-oriented service paradigm
- Both Connectionless and Connection-oriented service paradigm
- Connection-oriented service paradigm without acknowledgment

Made by: Waqar Siddhu

Question No : 7 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following is exterior routing protocol?

Answer (Please select your correct option)

VuAnswers.com

- RIP and OSPF
- RIP
- OSPF
- BGP

Made by: Waqar Siddhu

Question No : 8 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ uses distance vector approach to define routing

Answer (Please select your correct option)

VuAnswers.com

- BGP
- OSPF
- RIP
- EGP

Made by: Waqar Siddhu

Question No : 9 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ is ideal in a situation where the group is small and all members are attached to contiguous Local Area Networks.

Answer (Please select your correct option)

VuAnswers.com

- Flood-and -Prune
- Configuration-and -Tunneling
- Core-Based Discovery
- Forwarding

Made by: Waqar Siddhu

Question No : 10 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ is ideal in a situation where the group is geographically dispersed (i-e., has a few members at each site, with sites separated by long distances).

Answer (Please select your correct option)

VuAnswers.com

- Flood-and -Prune
- Configuration-and -Tunneling
- Core-Based Discovery
- Forwarding

Made by: Waqar Siddhu

Question No : 11 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ message is encapsulated in an _____ datagram and sent across the Internet.

Answer (Please select your correct option)

VuAnswers.com

- IP, TCP
- TCP, IP
- TCP, UDP
- UDP, TCP

Made by: Waqar Siddhu

Question No : 12 of 52 Marks: 1 (Budgeted Time 1 Min)

In which type of topology computers are connected to a central device?

Answer (Please select your correct option)

VuAnswers.com

- Ring
- Mesh
- Bus
- Star

Made by: Waqar Siddhu

Question No : 13 of 52 Marks: 1 (Budgeted Time 1 Min)

One repeater _____, two repeaters _____ the maximum cable length limitation.

Answer (Please select your correct option)

VuAnswers.com

- Square root, Cube root
- Double, Triple
- Triple, Quad
- Double, Quad

Made by: Waqar Siddhu

Question No : 14 of 52 Marks: 1 (Budgeted Time 1 Min)

Due to advancement in IT world as the Internet grew, the original _____scheme became a limitation.

Answer (Please select your correct option)

VuAnswers.com

- Subnet addressing
- Classful addressing
- Address mask
- Classless addressing

Made by: Waqar Siddhu

Question No : 15 of 52 Marks: 1 (Budgeted Time 1 Min)

Inside a computer, each classful address mask is stored as a _____value.

Answer (Please select your correct option)

VuAnswers.com

- 16-bit
- 48-bit
- 32-bit ✓
- 8-bit

Made by: Waqar Siddhu

Question No : 16 of 52 Marks: 1 (Budgeted Time 1 Min)

For loopback testing prefix value will be _____in address.

Answer (Please select your correct option)

VuAnswers.com

- 127
- 128
- 131
- 192

Made by: Waqar Siddhu

Question No : 17 of 52 Marks: 1 (Budgeted Time 1 Min)

In which method of Address Resolution Protocol the implementation is more difficult?

Where "T" stands for Table lookup, "C" for Closed-form Computation and "D" for Data Exchange

VuAnswers.com

Answer (Please select your correct option)

- T, C
- T
- C
- D

Made by: Waqar Siddhu

Question No : 18 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ provides application-to-application communication, also called end-to-end communication.

Answer (Please select your correct option)

VuAnswers.com

- IP
- Transport Protocol
- RIP
- ARP

Made by: Waqar Siddhu

Question No : 19 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ provides computer-to-computer communication also, called machine-to-machine communication.

Answer (Please select your correct option)

VuAnswers.com

- UDP
- Transport Protocols
- RIP
- IP

Made by: Waqar Siddhu

Question No : 20 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ does not need to pre-establish communication and also there is no need to terminate communication.

Answer (Please select your correct option)

VuAnswers.com

- ICMP
- UDP
- TCP
- IP

Made by: Waqar Siddhu

Question No : 21 of 52 Marks: 1 (Budgeted Time 1 Min)

A popular use of _____ is TCP Splicing.

Answer (Please select your correct option)

VuAnswers.com

- NAT
- NAPT
- Twice NAT
- CAT

Made by: Waqar Siddhu

Question No : 22 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following are interior routing protocols ?

Answer (Please select your correct option)

VuAnswers.com

- RIP and BGP
- OSPF and BGP
- BGP and OSPF
- RIP and OSPF

Made by: Waqar Siddhu

Question No : 23 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ use IP-in-IP encapsulation to send multicast datagrams from one site on the Internet to another.

Answer (Please select your correct option)

VuAnswers.com

- Distance Vector Multicast Routing Protocol
- Core Based Trees
- Protocol Independent Multicast_ Sparse Mode
- Protocol Independent Multicast _ Dense Mode

Made by: Waqar Siddhu

Question No : 24 of 52 Marks: 1 (Budgeted Time 1 Min)

Which method of Address Resolution Protocol is useful with any hardware?

Where "T" stands for Table lookup, "C" for Closed-form Computation and "D" for Data Exchange.

VuAnswers.com

Answer (Please select your correct option)

- T
- C
- D
- C, D

Made by: Waqar Siddhu

Question No : 25 of 52 Marks: 1 (Budgeted Time 1 Min)

In which method of Address Resolution Protocol, address change affects all hosts?

Where "T" stands for Table lookup, "C" for Closed-form Computation and "D" for Data Exchange.

VuAnswers.com

Answer (Please select your correct option)

- T
- C
- D
- T, C

Made by: Waqar Siddhu

Question No : 26 of 52 Marks: 1 (Budgeted Time 1 Min)

Local Talk is a LAN technology that employs _____.

Answer (Please select your correct option)

VuAnswers.com

- Bus topology
- Ring topology
- Mesh topology
- Star topology

Made by: Waqar Siddhu

Question No : 27 of 52 Marks: 1 (Budgeted Time 1 Min)

Formally named _____ informally known as the twisted pair Ethernet or TP Ethernet.

Answer (Please select your correct option)

VuAnswers.com

- 10 Base 2
- 10 Base 5
- 10 Base T
- 100 Base T

Made by: Waqar Siddhu

Question No : 28 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ places the boundary between third and fourth octets.

Answer (Please select your correct option)

VuAnswers.com

- Class A
- Class B
- Class C
- Class D

Made by: Waqar Siddhu

Question No : 29 of 52 Marks: 1 (Budgeted Time 1 Min)

Find the class of the address:

11110011.10011011.11111011.00001111

Answer (Please select your correct option)

VuAnswers.com

- A
- C
- E
- B

Made by: Waqar Siddhu

Question No : 30 of 52 Marks: 1 (Budgeted Time 1 Min)

Virtual packets serve same purpose on _____ as frames on _____

Answer (Please select your correct option)

VuAnswers.com

- Intranet, LAN
- Internet, WAN
- Intranet, WAN
- Internet, LAN

Made by: Waqar Siddhu

Question No : 31 of 52 Marks: 1 (Budgeted Time 1 Min)

Address mask defines how many bits of address are in _____.

Answer (Please select your correct option)

VuAnswers.com

- Suffix
- Frame
- Prefix
- Packet

Made by: Waqar Siddhu

Question No : 32 of 52 Marks: 1 (Budgeted Time 1 Min)

In the _____ large organizations began to acquire multiple networks.

Answer (Please select your correct option)

VuAnswers.com

- 1990s
- 1970s
- 1960s
- 1950s

Made by: Waqar Siddhu

Question No : 33 of 52 Marks: 1 (Budgeted Time 1 Min)

A_____ is a special-purpose device dedicated to the task of interconnecting networks.

Answer (Please select your correct option)

VuAnswers.com

- Router
- Hub
- Switch
- Repeater

Made by: Waqar Siddhu

Question No : 34 of 52 Marks: 1 (Budgeted Time 1 Min)

Base header of IPv6 is fixed size and consists of _____ octets.

Answer (Please select your correct option)

VuAnswers.com

- 32
- 64
- 40
- 16

Made by: Waqar Siddhu

Question No : 35 of 52 Marks: 1 (Budgeted Time 1 Min)

NEXT HEADER field in the base header defines type of header and it appears at the end of _____ base header.

VuAnswers.com

Answer (Please select your correct option)

- Fixed-size
- Static
- Variable size
- Dynamic

Made by: Waqar Siddhu

Question No : 36 of 52 Marks: 1 (Budgeted Time 1 Min)

Both UDP and TCP are _____ layer protocols

Answer (Please select your correct option)

VuAnswers.com

- Physical
- Data link
- Network
- Transport

Made by: Waqar Siddhu

Question No : 37 of 52 Marks: 1 (Budgeted Time 1 Min)

_____is called an end-to-end protocol because it provide a connection directly from an application on one computer to an application on a remote computer.

Answer (Please select your correct option)

VuAnswers.com

- UDP
- TCP
- ICMP
- IP

Made by: Waqar Siddhu

Question No : 38 of 52 Marks: 1 (Budgeted Time 1 Min)

OSPF is based on_____.

Answer (Please select your correct option)

VuAnswers.com

- Distance vector routing
- Link state routing
- Path vector routing
- Distance vector routing and Link state routing

Made by: Waqar Siddhu

Question No : 39 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ includes 32-bits address mask with each address to make the address class full, classless or sub netted.

Answer (Please select your correct option)

VuAnswers.com

- RIP
- OSPF
- BGP
- IGP

Made by: Waqar Siddhu

Question No : 40 of 52 Marks: 1 (Budgeted Time 1 Min)

In TCP when a computer sends a segment, the_____ and _____ fields refer to incoming data.

VuAnswers.com

Answer (Please select your correct option)

- Acknowledgement number, Window
- Sequence number, Window
- Acknowledgement number, Sequence number
- Source address, Sequence number

Made by: Waqar Siddhu

Question No : 1 of 52 Marks: 1 (Budgeted Time 1 Min)

ATM was designed for _____ and use a_____

Answer (Please select your correct option)

VuAnswers.com

- LANs, Connectionless service paradigm
- WANs, Connectionless service paradigm
- Both LANs and WANs, Connectionless service paradigm
- Both LANs and WANs, Connection-oriented service paradigm ✓

Made by: Waqar Siddhu

Question No : 2 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ protocols of TCP/IP layering model specify how to ensure reliable transfer.

Answer (Please select your correct option)

VuAnswers.com

- Physical Layer
- Network Interface Layer
- Internet Layer
- Transport Layer

Made by: Waqar Siddhu

Question No : 3 of 52 Marks: 1 (Budgeted Time 1 Min)

---------- have advantages arisen from the size and ease of computation.

Answer (Please select your correct option)

VuAnswers.com

- CRC
- Parity
- Checksums
- VRC

Made by: Waqar Siddhu

Question No : 4 of 52 Marks: 1 (Budgeted Time 1 Min)

A ---------- relies on the hardware manufacturer to assign a unique physical address to each network interface.

Answer (Please select your correct option)

VuAnswers.com

- Static addressing scheme
- Configurable addressing scheme
- Dynamic addressing scheme
- Burned MAC

Made by: Waqar Siddhu

Question No : 5 of 52 Marks: 1 (Budgeted Time 1 Min)

A ---------- provides mechanism that a customer can use to set a physical address.

VuAnswers.com

Answer (Please select your correct option)

- Static addressing scheme
- Configurable addressing scheme ✓
- Dynamic addressing scheme
- Masking

Made by: Waqar Siddhu

Question No : 6 of 52 Marks: 1 (Budgeted Time 1 Min)

_____identifies which application program on receiving computer should receive the data

Answer (Please select your correct option)

VuAnswers.com

- Logical address
  Source port
  Logical address
- Source port
- Destination Port
- Physical Address

Made by: Waqar Siddhu

Question No : 7 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ identifies the application program that sent the data.

Answer (Please select your correct option)

VuAnswers.com

- Destination Port
- Source port
- Logical address
- Physical Address

Made by: Waqar Siddhu

Question No : 8 of 52 Marks: 1 (Budgeted Time 1 Min)

The Border Gateway Protocol (BGP) uses_____ for all communication

VuAnswers.com

Answer (Please select your correct option)

- TCP
- Both UDP and TCP
- TCP/IP
- UDP

Made by: Waqar Siddhu

Question No : 9 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following is exterior routing protocol?

Answer (Please select your correct option)

VuAnswers.com

- RIP
- OSPF
- BGP
- RIP and OSPF

Made by: Waqar Siddhu

Question No : 10 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ is ideal in a situation where the group is geographically dispersed (i-e., has a few members at each site, with sites separated by long distances).

Answer (Please select your correct option)

VuAnswers.com

- Forwarding
- Flood-and -Prune
- Configuration-and -Tunneling
- Core-Based Discovery

Made by: Waqar Siddhu

Question No : 11 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ message is encapsulated in an _____ datagram and sent across the Internet.

Answer (Please select your correct option)

VuAnswers.com

- IP, TCP
- TCP, IP
- TCP, UDP
- UDP, TCP

Made by: Waqar Siddhu

Question No : 12 of 52 Marks: 1 (Budgeted Time 1 Min)

"Frame type" field of the header consists of _____ bits.

VuAnswers.com

Answer (Please select your correct option)

- 8
- 10
- 16 doubt
- 32

Made by: Waqar Siddhu

Question No : 13 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ senses a signal on a cable and then transmits an amplified copy of the signal.

Answer (Please select your correct option)

VuAnswers.com

- Repeater
- Bridge
- Hub
- Transceiver

Made by: Waqar Siddhu

Question No : 14 of 52 Marks: 1 (Budgeted Time 1 Min)

One repeater _____, two repeaters _____ the maximum cable length limitation.

Answer (Please select your correct option)

VuAnswers.com

- Square root, Cube root
- Double, Triple
- Triple, Quad
- Double, Quad

Made by: Waqar Siddhu

Question No : 15 of 52 Marks: 1 (Budgeted Time 1 Min)

If router detects datagram _____ than network MTU then it splits the datagram into pieces and each piece should be _____ than outbound network MTU.

Answer (Please select your correct option)

VuAnswers.com

- Larger, smaller
- Smaller, larger
- Larger, larger
- Smaller, smaller

Made by: Waqar Siddhu

Question No : 16 of 52 Marks: 1 (Budgeted Time 1 Min)

In IPv6 the type of address used for collection of computers with same prefix is known as_____.

VuAnswers.com

Answer (Please select your correct option)

- Cluster
- Unicast
- Multicast
- Anycast

Made by: Waqar Siddhu

Question No : 17 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ provides application-to-application communication, also called end-to-end communication.

Answer (Please select your correct option)

VuAnswers.com

- IP
- Transport Protocol
- RIP
- ARP

Made by: Waqar Siddhu

Question No : 18 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following are interior routing protocols ?

Answer (Please select your correct option)

VuAnswers.com

- RIP and BGP
- OSPF and BGP
- BGP and OSPF
- RIP and OSPF

Made by: Waqar Siddhu

Question No : 19 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ use IP-in-IP encapsulation to send multicast datagrams from one site on the Internet to another.

Answer (Please select your correct option)

VuAnswers.com

- Distance Vector Multicast Routing Protocol
- Core Based Trees
- Protocol Independent Multicast_ Sparse Mode
- Protocol Independent Multicast _ Dense Mode

Made by: Waqar Siddhu

Question No : 20 of 52 Marks: 1 (Budgeted Time 1 Min)

A multicast routing scheme in which the protocol software builds a delivery tree from a central point is called_____.

Answer (Please select your correct option)

VuAnswers.com

- Protocol Independent Multicast_ Sparse Mode
- Protocol Independent Multicast _ Dense Mode
- Distance Vector Multicast Routing Protocol
- Core Based Trees

Made by: Waqar Siddhu

Question No : 21 of 52 Marks: 1 (Budgeted Time 1 Min)

Network part of IP address needs not to be stored in_____ approach of ARP.

VuAnswers.com

Answer (Please select your correct option)

- Table look-up
- Direct indexing
- Closed-form computation
- Message Exchange

Made by: Waqar Siddhu

Question No : 22 of 52 Marks: 1 (Budgeted Time 1 Min)

In which method of Address Resolution Protocol, address change affects all hosts?

Where "T" stands for Table lookup, "C" for Closed-form Computation and "D" for Data Exchange.

VuAnswers.com

Answer (Please select your correct option)

- T
- C
- D
- T, C

Made by: Waqar Siddhu

Question No : 23 of 52 Marks: 1 (Budgeted Time 1 Min)

In which method of Address Resolution Protocol the protocol address is independent of hardware address?

Where "T" stands for Table lookup, "C" for Closed-form Computation and "D" for Data Exchange

Answer (Please select your correct option)

VuAnswers.com

- T, C
- D
- C
- T, D

Made by: Waqar Siddhu

Question No : 24 of 52 Marks: 1 (Budgeted Time 1 Min)

_____has no way to determine the cause of the problem.

Answer (Please select your correct option)

VuAnswers.com

- ICMP
- ARP
- Ping
- Traceroute

Made by: Waqar Siddhu

Question No : 25 of 52 Marks: 1 (Budgeted Time 1 Min)

Most LANs that employ ring topology use an access mechanism known as _____.

Answer (Please select your correct option)

VuAnswers.com

- CSMA/CD
- CSMA/CA
- Token Passing
- Aloha

Made by: Waqar Siddhu

Question No : 26 of 52 Marks: 1 (Budgeted Time 1 Min)

The product of delay and throughput measures the _____ of data that can be presented on the network.

Answer (Please select your correct option)

VuAnswers.com

- Area
- Volume
- Length
- Size

Made by: Waqar Siddhu

Question No : 27 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ places the boundary between the second and third octets.

Answer (Please select your correct option)

VuAnswers.com

- Class A
- Class B
- Class C
- Class D

Made by: Waqar Siddhu

Question No : 28 of 52 Marks: 1 (Budgeted Time 1 Min)

An Internet Address (IPv4 address) is a unique _____ binary number assigned to a host and used for all communication with other hosts.

Answer (Please select your correct option)

VuAnswers.com

- 48-bit
- 32-bit
- 24-bit
- 12-bit

Made by: Waqar Siddhu

Question No : 29 of 52 Marks: 1 (Budgeted Time 1 Min)

11000001.10000011.00011011.11111111

The above address is of class _____ .

Answer (Please select your correct option)

VuAnswers.com

- C
- D
- A
- E

Made by: Waqar Siddhu

Question No : 30 of 52 Marks: 1 (Budgeted Time 1 Min)

Find the class of the address.

10100111.11011011.10001011.01101111

Answer (Please select your correct option)

VuAnswers.com

A

B

E

C

Made by: Waqar Siddhu

Question No : 31 of 52 Marks: 1 (Budgeted Time 1 Min)

Address mask defines how many bits of address are in _____.

Answer (Please select your correct option)

VuAnswers.com

- Suffix
- Frame
- Prefix
- Packet

Made by: Waqar Siddhu

Question No : 32 of 52 Marks: 1 (Budgeted Time 1 Min)

In the _____ large organizations began to acquire multiple networks.

Answer (Please select your correct option)

VuAnswers.com

- 1990s
- 1970s
- 1960s
- 1950s

Made by: Waqar Siddhu

Question No : 33 of 52 Marks: 1 (Budgeted Time 1 Min)

TCP/IP defines the term_____ to refer any computer system that connects to internet and gets services.

VuAnswers.com

Answer (Please select your correct option)

- Router
- Host Computer
- Bridge
- Hub

Made by: Waqar Siddhu

Question No : 34 of 52 Marks: 1 (Budgeted Time 1 Min)

IPng stands for _____.

Answer (Please select your correct option)

VuAnswers.com

- IP New Generation
- IP Nth Generation
- IP Next Generation
- IP Net Generation

Made by: Waqar Siddhu

Question No : 35 of 52 Marks: 1 (Budgeted Time 1 Min)

Router that decrements TTL to _____ and sends ICMP time exceeded message with router's address as source address.

VuAnswers.com

Answer (Please select your correct option)

- 3
- 2
- 1
- 0

Made by: Waqar Siddhu

Question No : 36 of 52 Marks: 1 (Budgeted Time 1 Min)

Both UDP and TCP are _____ layer protocols

Answer (Please select your correct option)

VuAnswers.com

- Physical
- Data link
- Network
- Transport

Made by: Waqar Siddhu

Question No : 37 of 52 Marks: 1 (Budgeted Time 1 Min)

Reliability is the responsibility of the _____ layer

Answer (Please select your correct option)

VuAnswers.com

- Network
- Data link
- Transport
- Application

Made by: Waqar Siddhu

Question No : 38 of 52 Marks: 1 (Budgeted Time 1 Min)

_____is called an end-to-end protocol because it provide a connection directly from an application on one computer to an application on a remote computer.

Answer (Please select your correct option)

VuAnswers.com

- UDP
- TCP
- ICMP
- IP

Made by: Waqar Siddhu

Question No : 39 of 52 Marks: 1 (Budgeted Time 1 Min)

OSPF is based on_____.

Answer (Please select your correct option)

VuAnswers.com

- Distance vector routing
- Link state routing
- Path vector routing
- Distance vector routing and Link state routing

Made by: Waqar Siddhu

Question No : 40 of 52 Marks: 1 (Budgeted Time 1 Min)

A OSPF area is _____.

Answer (Please select your correct option)

VuAnswers.com

- A collection stub area
- A part of an Autonomous System
- Composed of at least two Autonomous Systems
- A complete Autonomous System

Made by: Waqar Siddhu

Question No : 1 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ protocols of TCP/IP layering model specify how to ensure reliable transfer.

Answer (Please select your correct option)

VuAnswers.com

- Physical Layer
- Network Interface Layer
- Internet Layer
- Transport Layer

Made by: Waqar Siddhu

Question No : 2 of 52 Marks: 1 (Budgeted Time 1 Min)

In broadcast topology there are two categories____.

Answer (Please select your correct option)

VuAnswers.com

- Satellite/Radio and Ring
- Satellite/Radio and Star
- Ring and star
- Satellite/Radio

Made by: Waqar Siddhu

Question No : 3 of 52 Marks: 1 (Budgeted Time 1 Min)

In ----------, network occupies the smaller area like a room a floor or a building

Answer (Please select your correct option)

VuAnswers.com

- LAN
- WAN
- MAN
- PAN

Made by: Waqar Siddhu

Question No : 4 of 52 Marks: 1 (Budgeted Time 1 Min)

A---------- provides mechanism that automatically assignes a physical address to a station when the station first boots.

Answer (Please select your correct option)

VuAnswers.com

- Static addressing scheme
- Configurable addressing scheme
- Dynamic addressing scheme
- Dynamic Host Configuration

Made by: Waqar Siddhu

Question No : 5 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ uses distance vector approach to define routing

Answer (Please select your correct option)

VuAnswers.com

- BGP
- OSPF
- RIP
- EGP

Made by: Waqar Siddhu

Question No : 6 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ is ideal in a situation where the group is small and all members are attached to contiguous Local Area Networks.

Answer (Please select your correct option)

VuAnswers.com

- Flood-and -Prune
- Configuration-and -Tunneling
- Core-Based Discovery
- Forwarding

Made by: Waqar Siddhu

Question No : 7 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ is ideal in a situation where the group is geographically dispersed (i-e., has a few members at each site, with sites separated by long distances).

Answer (Please select your correct option)

VuAnswers.com

- Flood-and -Prune
- Configuration-and -Tunneling
- Core-Based Discovery
- Forwarding

Made by: Waqar Siddhu

Question No : 8 of 52 Marks: 1 (Budgeted Time 1 Min)

A datagram cannot be larger than _____ of a network over which it is sent.

Answer (Please select your correct option)

VuAnswers.com

- IP header
- MTU doubt
- Size
- Frame header

Made by: Waqar Siddhu

Question No : 9 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ message is encapsulated in an _____ datagram and sent across the Internet.

Answer (Please select your correct option)

VuAnswers.com

- IP, TCP
- TCP, IP
- TCP, UDP
- UDP, TCP

Made by: Waqar Siddhu

Question No : 10 of 52 Marks: 1 (Budgeted Time 1 Min)

If the sending computer crashes before transmitting a complete frame, the_____will not arrive and the receiver will know that the frame is_____.

Answer (Please select your correct option)

VuAnswers.com

- soh, complete
- soh, incomplete
- eot, incomplete
- eot, complete

Made by: Waqar Siddhu

Question No : 11 of 52 Marks: 1 (Budgeted Time 1 Min)

---------- was especially most concerned about the lack of highly powered computers.

Answer (Please select your correct option)

VuAnswers.com

- ARPA
- IEEE
- EIA
- Goverment

Made by: Waqar Siddhu

Question No : 12 of 52 Marks: 1 (Budgeted Time 1 Min)

"Frame type" field of the header consists of _____ bits.

Answer (Please select your correct option)

VuAnswers.com

- 8
- 10
- 16
- 32

Made by: Waqar Siddhu

Question No : 13 of 52 Marks: 1 (Budgeted Time 1 Min)

A bridge functions in the _____ layer(s).

Answer (Please select your correct option)

VuAnswers.com

- Physical
- Data link
- Network and Data link
- Physical and Data link

Made by: Waqar Siddhu

Question No : 14 of 52 Marks: 1 (Budgeted Time 1 Min)

If bridge cannot find _____in its tables then forwards frames to the other segment.

Answer (Please select your correct option)

VuAnswers.com

- IP address
- Destination address
- Source address
- Port address

Made by: Waqar Siddhu

Question No : 15 of 52 Marks: 1 (Budgeted Time 1 Min)

In network address suffix values will be _____.

Answer (Please select your correct option)

VuAnswers.com

- Half 1s
- All 1s
- Half 0s
- All 0s

Made by: Waqar Siddhu

Question No : 16 of 52 Marks: 1 (Budgeted Time 1 Min)

In which method of Address Resolution Protocol the implementation is more difficult?

Where "T" stands for Table lookup, "C" for Closed-form Computation and "D" for Data Exchange

Answer (Please select your correct option)

VuAnswers.com

- T, C
- T
- C
- D

Made by: Waqar Siddh

Question No : 17 of 52 Marks: 1 (Budgeted Time 1 Min)

Connectionless service and arbitrary interaction are the characteristics of _____

Answer (Please select your correct option)

VuAnswers.com

- TCP
- UDP
- IP
- ICMP

Made by: Waqar Siddhu

Question No : 18 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ provides application-to-application communication, also called end-to-end communication.

Answer (Please select your correct option)

VuAnswers.com

- IP
- Transport Protocol
- RIP
- ARP

Made by: Waqar Siddhu

Question No : 19 of 52 Marks: 1 (Budgeted Time 1 Min)

We use the term _____refers to measure the path that routing software uses at the time of selecting optimal route.

Answer (Please select your correct option)

VuAnswers.com

- Routing metrics
- Routing path
- Routing
- Switching

Made by: Waqar Siddhu

Question No : 20 of 52 Marks: 1 (Budgeted Time 1 Min)

Typical internet routing uses a combination of two metrics_____.

Answer (Please select your correct option)

VuAnswers.com

- Administrative cost and routing metrics
- Routing metrics and hop count
- Administrative count and hop cost
- Administrative cost and hop count

Made by: Waqar Siddhu

Question No : 21 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ use IP-in-IP encapsulation to send multicast datagrams from one site on the Internet to another.

Answer (Please select your correct option)

VuAnswers.com

- Distance Vector Multicast Routing Protocol
- Core Based Trees
- Protocol Independent Multicast_ Sparse Mode
- Protocol Independent Multicast _ Dense Mode

Made by: Waqar Siddhu

Question No : 22 of 52 Marks: 1 (Budgeted Time 1 Min)

ATM is designed to work on_____.

Answer (Please select your correct option)

VuAnswers.com

- Twisted Pair
- Coaxial
- Radio Frequency
- Fiber

Made by: Waqar Siddhu

Question No : 23 of 52 Marks: 1 (Budgeted Time 1 Min)

In which method of Address Resolution Protocol the protocol address is independent of hardware address?

Where "T" stands for Table lookup, "C" for Closed-form Computation and "D" for Data Exchange

Answer (Please select your correct option)

VuAnswers.com

- T, C
- D
- C
- T, D

Made by: Waqar Siddhu

Question No : 24 of 52 Marks: 1 (Budgeted Time 1 Min)

Most LANs that employ ring topology use an access mechanism known as_____.

Answer (Please select your correct option)

VuAnswers.com

- CSMA/CD
- CSMA/CA
- Token Passing
- Aloha

Made by: Waqar Siddhu

Question No : 25 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ places the boundary between the first and second octets.

Answer (Please select your correct option)

VuAnswers.com

- Class A
- Class B
- Class C
- Class D

Made by: Waqar Siddhu

Question No : 26 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ places the boundary between third and fourth octets.

Answer (Please select your correct option)

VuAnswers.com

- Class A
- Class B
- Class C
- Class D

Made by: Waqar Siddhu

Question No : 27 of 52 Marks: 1 (Budgeted Time 1 Min)

_____interconnects two independent TCP connections and performs segment rewriting.

Answer (Please select your correct option)

VuAnswers.com

- Twice NAT
- CAT
- TCP Splicing
- NAT

Made by: Waqar Siddhu

Question No : 28 of 52 Marks: 1 (Budgeted Time 1 Min)

Whenever IP software handles a packet, it needs to separate the destination address into a _____ and _____.

Answer (Please select your correct option)

VuAnswers.com

- Infix, suffix
- Postfix, Infix
- Infix, prefix
- Prefix, suffix

Made by: Waqar Siddhu

Question No : 29 of 52 Marks: 1 (Budgeted Time 1 Min)

Virtual packets serve same purpose on _____ as frames on _____

Answer (Please select your correct option)

VuAnswers.com

- Intranet, LAN
- Internet, WAN
- Intranet, WAN
- Internet, LAN

Made by: Waqar Siddhu

Question No : 30 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ protocols of TCP/IP layering model specify the format of packets sent across internet through one or more routers to a final destination.

Answer (Please select your correct option)

VuAnswers.com

- Physical Layer
- Data link Layer
- Internet Layer
- Transport Layer

Made by: Waqar Siddhu

Question No : 31 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ protocols of TCP/IP layering model specify how to organize data into frames and how a computer transmits frames over a network.

Answer (Please select your correct option)

VuAnswers.com

- Physical Layer
- Network Interface Layer
- Data link Layer
- Transport Layer

Made by: Waqar Siddhu

Question No : 32 of 52 Marks: 1 (Budgeted Time 1 Min)

A_____ is a special-purpose device dedicated to the task of interconnecting networks.

Answer (Please select your correct option)

VuAnswers.com

- Router
- Hub
- Switch
- Repeater

Made by: Waqar Siddhu

Question No : 33 of 52 Marks: 1 (Budgeted Time 1 Min)

IPng stands for _____.

Answer (Please select your correct option)

VuAnswers.com

- IP New Generation
- IP Nth Generation
- IP Next Generation
- IP Net Generation

Made by: Waqar Siddhu

Question No : 34 of 52 Marks: 1 (Budgeted Time 1 Min)

Router that decrements TTL to _____ and sends ICMP time exceeded message with router's address as source address.

Answer (Please select your correct option)

VuAnswers.com

- 1
- 0
- 3
- 2

Made by: Waqar Siddhu

Question No : 35 of 52 Marks: 1 (Budgeted Time 1 Min)

ICMP is used by _____ to communicate the network-level information.

Answer (Please select your correct option)

VuAnswers.com

- Hub
- Router
- Repeater
- Amplifier

Made by: Waqar Siddhu

Question No : 36 of 52 Marks: 1 (Budgeted Time 1 Min)

Reliability is the responsibility of the _____ layer

Answer (Please select your correct option)

VuAnswers.com

- Network
- Data link
- Transport
- Application

Made by: Waqar Siddhu

Question No : 37 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ includes 32-bits address mask with each address to make the address class full, classless or sub netted.

Answer (Please select your correct option)

VuAnswers.com

- RIP
- OSPF
- BGP
- IGP

Made by: Waqar Siddhu

Question No : 38 of 52 Marks: 1 (Budgeted Time 1 Min)

The process of using a routing table to select a next hop for a given datagram is called_____

Answer (Please select your correct option)

VuAnswers.com

- Routing or forwarding
- Fragmentation
- Switching
- Reassembling

Made by: Waqar Siddhu

Question No : 39 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following protocols allow(s) the sender and receiver to enforce polices.

Answer (Please select your correct option)

VuAnswers.com

- RIP
- OSPF
- BGP
- RIP and OSPF

Made by: Waqar Siddhu

Question No : 40 of 52 Marks: 1 (Budgeted Time 1 Min)

In TCP when a computer sends a segment, the_____ and _____ fields refer to incoming data.

Answer (Please select your correct option)

VuAnswers.com

- Acknowledgement number, Window
- Sequence number, Window
- Acknowledgement number, Sequence number
- Source address, Sequence number

Made by: Waqar Siddhu

Question No : 1 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ protocols of TCP/IP layering model specify how to ensure reliable transfer.

Answer (Please select your correct option)

VuAnswers.com

- Physical Layer
- Network Interface Layer
- Internet Layer
- Transport Layer

Made by: Waqar Siddhu

Question No : 2 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following protocols provide the routing information at the autonomous system level?

Answer (Please select your correct option)

VuAnswers.com

- RIP
- OSPF
- BGP
- RIP and OSPF

Made by: Waqar Siddhu

Question No : 3 of 52 Marks: 1 (Budgeted Time 1 Min)

ATM assigns each VC a _____ identifier that is divided two parts to produce a hierarchy.

Answer (Please select your correct option)

VuAnswers.com

- 21-bit
- 22-bit
- 23-bit
- 24-bit

Made by: Waqar Siddhu

Question No : 4 of 52 Marks: 1 (Budgeted Time 1 Min)

The Gigabit Ethernet hardware operates at a rate of --------

Answer (Please select your correct option)

VuAnswers.com

- 10 Mbps
- 100 Mbps
- 1000 Mbps
- 10 Gbps

Made by: Waqar Siddhu

Question No : 5 of 52 Marks: 1 (Budgeted Time 1 Min)

A---------- provides mechanism that automatically assignes a physical address to a station when the station first boots.

Answer (Please select your correct option)

VuAnswers.com

- Static addressing scheme
- Configurable addressing scheme
- Dynamic addressing scheme
- Dynamic Host Configuration

Made by: Waqar Siddhu

Question No : 6 of 52 Marks: 1 (Budgeted Time 1 Min)

_____identifies which application program on receiving computer should receive the data

Answer (Please select your correct option)

VuAnswers.com

- Logical address
  Source port
  Logical address
- Source port
- Destination Port
- Physical Address

Made by: Waqar Siddhu

Question No : 7 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ identifies the application program that sent the data.

Answer (Please select your correct option)

VuAnswers.com

- Destination Port
- Source port
- Logical address
- Physical Address

Made by: Waqar Siddhu

Question No : 8 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ uses distance vector approach to define routing

Answer (Please select your correct option)

VuAnswers.com

- BGP
- OSPF
- RIP
- EGP

Made by: Waqar Siddhu

Question No : 9 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ is ideal in a situation where the group is small and all members are attached to contiguous Local Area Networks.

Answer (Please select your correct option)

VuAnswers.com

- Flood-and -Prune
- Configuration-and -Tunneling
- Core-Based Discovery
- Forwarding

Made by: Waqar Siddhu

Question No : 10 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ is ideal in a situation where the group is geographically dispersed (i-e., has a few members at each site, with sites separated by long distances).

Answer (Please select your correct option)

VuAnswers.com

- Flood-and -Prune
- Configuration-and -Tunneling
- Core-Based Discovery
- Forwarding

Made by: Waqar Siddhu

Question No : 11 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following is not a transmission medium?

Answer (Please select your correct option)

VuAnswers.com

- Copper wire
- Coaxial cable
- Optical fiber
- Optical waves

Made by: Waqar Siddhu

Question No : 12 of 52 Marks: 1 (Budgeted Time 1 Min)

"Frame type" field of the header consists of _____ bits.

Answer (Please select your correct option)

VuAnswers.com

- 8
- 10
- 16 doubt
- 32

Made by: Waqar Siddhu

Question No : 13 of 52 Marks: 1 (Budgeted Time 1 Min)

Mostly preamble and _____is often not shown in Ethernet frame.

Answer (Please select your correct option)

VuAnswers.com

- Frame type
- CRC
- Destination address
- Source address

Made by: Waqar Siddhu

Question No : 14 of 52 Marks: 1 (Budgeted Time 1 Min)

Virtual Circuit connection identifier occupies _____bits.

Answer (Please select your correct option)

VuAnswers.com

- 16
- 24
- 32
- 8

Made by: Waqar Siddhu

Question No : 15 of 52 Marks: 1 (Budgeted Time 1 Min)

Header of cell takes _____ of network capacity.

Answer (Please select your correct option)

VuAnswers.com

- 5%
- 10%
- 12%
- 15%

Made by: Waqar Siddhu

Question No : 16 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ has a zero jitter.

Answer (Please select your correct option)

VuAnswers.com

- Virtual Private Network
- Isochronous Network
- Asynchronous Network not sure
- Synchronous Network

Made by: Waqar Siddhu

Question No : 17 of 52 Marks: 1 (Budgeted Time 1 Min)

In network address suffix values will be _____.

Answer (Please select your correct option)

VuAnswers.com

- Half 1s
- All 1s
- Half 0s
- All 0s

Made by: Waqar Siddhu

Question No : 18 of 52 Marks: 1 (Budgeted Time 1 Min)

Special type of address in IPv6 used for multiple destinations; possibly not at same site is known as_____.

Answer (Please select your correct option)

VuAnswers.com

- Unicast
- Anycast
- Multicast
- Broadcast

Made by: Waqar Siddhu

Question No : 19 of 52 Marks: 1 (Budgeted Time 1 Min)

In IPv6 the type of address used for collection of computers with same prefix is known as_____.

Answer (Please select your correct option)

VuAnswers.com

- Cluster
- Unicast
- Multicast
- Anycast

Made by: Waqar Siddhu

Question No : 20 of 52 Marks: 1 (Budgeted Time 1 Min)

Connectionless service and arbitrary interaction are the characteristics of _____

Answer (Please select your correct option)

VuAnswers.com

- TCP
- UDP
- IP
- ICMP

Made by: Waqar Siddhu

Question No : 21 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ provides computer-to-computer communication also, called machine-to-machine communication.

Answer (Please select your correct option)

VuAnswers.com

- UDP
- Transport Protocols
- RIP
- IP

Made by: Waqar Siddhu

Question No : 22 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ does not need to pre-establish communication and also there is no need to terminate communication.

Answer (Please select your correct option)

VuAnswers.com

- ICMP
- UDP
- TCP
- IP

Made by: Waqar Siddhu

Question No : 23 of 52 Marks: 1 (Budgeted Time 1 Min)

Three-way handshake is used to create a connection and requires each end to generate a random _____sequence number.

Answer (Please select your correct option)

VuAnswers.com

- 8-bit
- 64-bit
- 32-bit
- 16-bit

Made by: Waqar Siddhu

Question No : 24 of 52 Marks: 1 (Budgeted Time 1 Min)

Typical internet routing uses a combination of two metrics_____.

Answer (Please select your correct option)

VuAnswers.com

- Administrative cost and routing metrics
- Routing metrics and hop count
- Administrative count and hop cost
- Administrative cost and hop count

Made by: Waqar Siddhu

Question No : 25 of 52 Marks: 1 (Budgeted Time 1 Min)

The routers within an autonomous system use a _____ to exchange routing information.

Answer (Please select your correct option)

VuAnswers.com

- Exterior Gateway protocol (EGPs)
- Both Interior Gateway protocols (IGPs) and Exterior Gateway protocol (EGPs)
- Border Gateway Protocol (BGP)
- Interior Gateway protocols (IGPs)

Made by: Waqar Siddhu

Question No : 26 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ use IP-in-IP encapsulation to send multicast datagrams from one site on the Internet to another.

Answer (Please select your correct option)

VuAnswers.com

- Distance Vector Multicast Routing Protocol
- Core Based Trees
- Protocol Independent Multicast_ Sparse Mode
- Protocol Independent Multicast _ Dense Mode

Made by: Waqar Siddhu

Question No : 27 of 52 Marks: 1 (Budgeted Time 1 Min)

A Bridge forwards or filters a frame by comparing the information in its address table to the frame's_____.

Answer (Please select your correct option)

VuAnswers.com

- Layer 2 source address
- Layer 3 source address
- Layer 2 destination address
- Layer 3 destination address

Made by: Waqar Siddhu

Question No : 28 of 52 Marks: 1 (Budgeted Time 1 Min)

Network part of IP address needs not to be stored in_____ approach of ARP.

Answer (Please select your correct option)

VuAnswers.com

- Closed-form computation
- Message Exchange
- Table look-up
- Direct indexing ✓ doubt

Made by: Waqar Siddhu

Question No : 29 of 52 Marks: 1 (Budgeted Time 1 Min)

Which method of Address Resolution Protocol is useful with any hardware?

Where "T" stands for Table lookup, "C" for Closed-form Computation and "D" for Data Exchange.

Answer (Please select your correct option)

VuAnswers.com

- T
- C
- D
- C, D

Made by: Waqar Siddhu

Question No : 30 of 52 Marks: 1 (Budgeted Time 1 Min)

Which method of Address Resolution Protocol adds traffic to a network?

Where "T" stands for Table lookup, "C" for Closed-form Computation and "D" for Data Exchange.

Answer (Please select your correct option)

VuAnswers.com

- C
- T
- D
- D, C

Made by: Waqar Siddhu

Question No : 31 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ places the boundary between third and fourth octets.

Answer (Please select your correct option)

VuAnswers.com

- Class A
- Class B
- Class C
- Class D

Made by: Waqar Siddhu

Question No : 32 of 52 Marks: 1 (Budgeted Time 1 Min)

An Internet Address (IPv4 address) is a unique _____ binary number assigned to a host and used for all communication with other hosts.

Answer (Please select your correct option)

VuAnswers.com

- 48-bit
- 32-bit
- 24-bit
- 12-bit

Made by: Waqar Siddhu

Question No : 33 of 52 Marks: 1 (Budgeted Time 1 Min)

Whenever IP software handles a packet, it needs to separate the destination address into a _____ and _____.

Answer (Please select your correct option)

VuAnswers.com

- Infix, suffix
- Postfix, Infix
- Infix, prefix
- Prefix, suffix

Made by: Waqar Siddhu

Question No : 34 of 52 Marks: 1 (Budgeted Time 1 Min)

Virtual packets serve same purpose on _____ as frames on _____

Answer (Please select your correct option)

VuAnswers.com

- Intranet, LAN
- Internet, WAN
- Intranet, WAN
- Internet, LAN

Made by: Waqar Siddhu

Question No : 35 of 52 Marks: 1 (Budgeted Time 1 Min)

In the _____ large organizations began to acquire multiple networks.

Answer (Please select your correct option)

VuAnswers.com

- 1990s
- 1970s
- 1960s
- 1950s

Made by: Waqar Siddhu

Question No : 36 of 52 Marks: 1 (Budgeted Time 1 Min)

A_____ is a special-purpose device dedicated to the task of interconnecting networks.

Answer (Please select your correct option)

VuAnswers.com

- Router
- Hub
- Switch
- Repeater

Made by: Waqar Siddhu

Question No : 37 of 52 Marks: 1 (Budgeted Time 1 Min)

Base header of IPv6 is fixed size and consists of _____ octets.

Answer (Please select your correct option)

VuAnswers.com

- 32
- 64
- 40 ✓
- 16

Made by: Waqar Siddhu

Question No : 38 of 52 Marks: 1 (Budgeted Time 1 Min)

IPV6 addresses are of _____.

Answer (Please select your correct option)

VuAnswers.com

- 128 bytes
- 32 bits
- 128 bits
- 64 bits

Made by: Waqar Siddhu

Question No : 39 of 52 Marks: 1 (Budgeted Time 1 Min)

Reliability is the responsibility of the _____ layer

Answer (Please select your correct option)

VuAnswers.com

- Network
- Data link
- Transport
- Application

Made by: Waqar Siddhu

Question No : 40 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following protocols allow(s) the sender and receiver to enforce polices.

Answer (Please select your correct option)

VuAnswers.com

- RIP
- OSPF
- BGP
- RIP and OSPF

Made by: Waqar Siddhu

Question No : 1 of 52 Marks: 1 (Budgeted Time 1 Min)

The Gigabit Ethernet hardware operates at a rate of --------

Answer (Please select your correct option)

VuAnswers.com

- 10 Mbps
- 100 Mbps
- 1000 Mbps
- 10 Gbps

Made by: Waqar Siddhu

Question No : 2 of 52 Marks: 1 (Budgeted Time 1 Min)

Formally named _____ informally known as the thick wire Ethernet or Thick net.

Answer (Please select your correct option)

VuAnswers.com

- 10 Base 2
- 10 Base 5
- 10 Base T
- 100 Base T

Made by: Waqar Siddhu

Question No : 3 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ identifies the application program that sent the data.

Answer (Please select your correct option)

VuAnswers.com

- Destination Port
- Source port
- Logical address
- Physical Address

Made by: Waqar Siddhu

Question No : 4 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ uses distance vector approach to define routing

Answer (Please select your correct option)

VuAnswers.com

- BGP
- OSPF
- RIP
- EGP

Made by: Waqar Siddhu

Question No : 5 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ is ideal in a situation where the group is small and all members are attached to contiguous Local Area Networks.

Answer (Please select your correct option)

VuAnswers.com

- Flood-and -Prune
- Configuration-and -Tunneling
- Core-Based Discovery
- Forwarding

Made by: Waqar Siddhu

Question No : 6 of 52 Marks: 1 (Budgeted Time 1 Min)

By size there are.....classifications of networks.

Answer (Please select your correct option)

VuAnswers.com

- 2
- 3
- 4
- 5

Made by: Waqar Siddhu

Question No : 7 of 52 Marks: 1 (Budgeted Time 1 Min)

Inside a computer, each classful address mask is stored as a _____value.

VuAnswers.com

Answer (Please select your correct option)

- 16-bit
- 48-bit
- 32-bit
- 8-bit

Made by: Waqar Siddhu

Question No : 8 of 52 Marks: 1 (Budgeted Time 1 Min)

Connectionless service and arbitrary interaction are the characteristics of _____

Answer (Please select your correct option)

VuAnswers.com

- TCP
- UDP
- IP
- ICMP

Made by: Waqar Siddhu

Question No : 9 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ provides computer-to-computer communication also, called machine-to-machine communication.

Answer (Please select your correct option)

VuAnswers.com

- UDP
- Transport Protocols
- RIP
- IP

Made by: Waqar Siddhu

Question No : 10 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ does not need to pre-establish communication and also there is no need to terminate communication.

Answer (Please select your correct option)

VuAnswers.com

- ICMP
- UDP
- TCP
- IP

Made by: Waqar Siddhu

Question No : 11 of 52 Marks: 1 (Budgeted Time 1 Min)

The time for arrival of acknowledgement packet depends upon _____.

Answer (Please select your correct option)

VuAnswers.com

- Distance to destination and current traffic conditions
- Current traffic conditions
- Distance to destination
- Nature of the data

Made by: Waqar Siddhu

Question No : 12 of 52 Marks: 1 (Budgeted Time 1 Min)

Unlike Frame Relay and ATM, SMDS (Switched multi-megabit Data service) offers_____ .

Answer (Please select your correct option)

VuAnswers.com

- Connectionless service paradigm
- Connection oriented service paradigm
- Both Connectionless and Connection-oriented service paradigm
- Stateless Connection oriented service paradigm

Made by: Waqar Siddhu

Question No : 13 of 52 Marks: 1 (Budgeted Time 1 Min)

Typical internet routing uses a combination of two metrics_____.

Answer (Please select your correct option)

VuAnswers.com

- Administrative cost and routing metrics
- Routing metrics and hop count
- Administrative count and hop cost
- Administrative cost and hop count

Made by: Waqar Siddhu

Question No : 14 of 52 Marks: 1 (Budgeted Time 1 Min)

The routers within an autonomous system use a _____ to exchange routing information.

Answer (Please select your correct option)

VuAnswers.com

- Exterior Gateway protocol (EGPs)
- Both Interior Gateway protocols (IGPs) and Exterior Gateway protocol (EGPs)
- Border Gateway Protocol (BGP)
- Interior Gateway protocols (IGPs)

Made by: Waqar Siddhu

Question No : 15 of 52 Marks: 1 (Budgeted Time 1 Min)

A multicast routing scheme in which the protocol software builds a delivery tree from a central point is called_____.

Answer (Please select your correct option)

VuAnswers.com

- Protocol Independent Multicast_ Sparse Mode
- Protocol Independent Multicast _ Dense Mode
- Distance Vector Multicast Routing Protocol
- Core Based Trees

Made by: Waqar Siddhu

Question No : 16 of 52 Marks: 1 (Budgeted Time 1 Min)

Mapping between a protocol address and a hardware address is called _____.

Answer (Please select your correct option)

VuAnswers.com

- ICMP
- Address Resolution
- Message Exchange
- Hashing

Made by: Waqar Siddhu

Question No : 17 of 52 Marks: 1 (Budgeted Time 1 Min)

Network part of IP address needs not to be stored in_____ approach of ARP.

Answer (Please select your correct option)

VuAnswers.com

- Closed-form computation
- Message Exchange
- Table look-up
- Direct indexing

doubt

Made by: Waqar Siddhu

Question No : 18 of 52 Marks: 1 (Budgeted Time 1 Min)

In which method of Address Resolution Protocol the hardware address must be smaller than protocol address?

Where "T" stands for Table lookup, "C" for Closed-form Computation and "D" for Data Exchange

Answer (Please select your correct option)

VuAnswers.com

- D
- C
- T, D
- C, D

Made by: Waqar Siddhu

Question No : 19 of 52 Marks: 1 (Budgeted Time 1 Min)

Which method of Address Resolution Protocol adds traffic to a network?

Where "T" stands for Table lookup, "C" for Closed-form Computation and "D" for Data Exchange.

Answer (Please select your correct option)

VuAnswers.com

- C
- T
- D
- D, C

Made by: Waqar Siddhu

Question No : 20 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ computes shortest paths in a graph by using weights on edges as a measure of distance.

Answer (Please select your correct option)

VuAnswers.com

- Greedy Algorithm
- Distance vector Algorithm
- Dijksta's algorithm
- Binary Search Algorithm

Made by: Waqar Siddhu

Question No : 21 of 52 Marks: 1 (Budgeted Time 1 Min)

A network with throughput T and delay D would have a total no of _____ bits in transit at any time.

Answer (Please select your correct option)

VuAnswers.com

- T + D
- T x D/Unit Time
- T / D
- T x D

Made by: Waqar Siddhu

Question No : 22 of 52 Marks: 1 (Budgeted Time 1 Min)

Computers attached to an ethernet use _____ in which a computer waits for the Ether to be idle before transmitting a frame.

Answer (Please select your correct option)

VuAnswers.com

- CSMA/CD
- CSMA/CA
- Token Passing
- Round Robin

Made by: Waqar Siddhu

Question No : 23 of 52 Marks: 1 (Budgeted Time 1 Min)

FDDI can transmits data at a rate of _____.

Answer (Please select your correct option)

VuAnswers.com

- 100 million bits per second
- 10 million bits per second
- 1000 million bits per second
- 3 million bits per second

Made by: Waqar Siddhu

Question No : 24 of 52 Marks: 1 (Budgeted Time 1 Min)

The next hop to which a packet is sent depends only on_____.

Answer (Please select your correct option)

VuAnswers.com

- Packet's destination
- Packet's original source
- Path the packet has taken
- Routed Protocol

Made by: Waqar Siddhu

Question No : 25 of 52 Marks: 1 (Budgeted Time 1 Min)

A system with redundant bridges might have a problem with_____ in the system.

Answer (Please select your correct option)

VuAnswers.com

- Loop
- Filters
- Spanning Trees
- Addressing

Made by: Waqar Siddhu

Question No : 26 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ places the boundary between the second and third octets.

Answer (Please select your correct option)

VuAnswers.com

- Class A
- Class B
- Class C
- Class D

Made by: Waqar Siddhu

Question No : 27 of 52 Marks: 1 (Budgeted Time 1 Min)

An Internet Address (IPv4 address) is a unique _____ binary number assigned to a host and used for all communication with other hosts.

Answer (Please select your correct option)

VuAnswers.com

- 48-bit
- 32-bit
- 24-bit
- 12-bit

Made by: Waqar Siddhu

Question No : 28 of 52 Marks: 1 (Budgeted Time 1 Min)

The address _____ identifies the physical network to which the computer is attached, while the _____ identifies an individual computer on that network.

Answer (Please select your correct option)

VuAnswers.com

- Prefix , prefix
- Suffix , prefix
- Suffix, suffix
- Prefix, suffix

Made by: Waqar Siddhu

Question No : 29 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ field of header indicates whether a datagram is a fragment or a complete datagram.

Answer (Please select your correct option)

VuAnswers.com

- Flag
- Service type
- Identification
- Fragment offset

Made by: Waqar Siddhu

Question No : 30 of 52 Marks: 1 (Budgeted Time 1 Min)

Address mask defines how many bits of address are in _____.

Answer (Please select your correct option)

VuAnswers.com

- Suffix
- Frame
- Prefix
- Packet

Made by: Waqar Siddhu

Question No : 31 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ of TCP/IP layering model is closest to network hardware.

Answer (Please select your correct option)

VuAnswers.com

- Physical Layer
- Network Interface Layer
- Data link Layer
- Transport Layer

Made by: Waqar Siddhu

Question No : 32 of 52 Marks: 1 (Budgeted Time 1 Min)

IPV6 addresses are of _____.

Answer (Please select your correct option)

VuAnswers.com

- 128 bytes
- 32 bits
- 128 bits
- 64 bits

Made by: Waqar Siddhu

Question No : 33 of 52 Marks: 1 (Budgeted Time 1 Min)

IPng stands for _____.

Answer (Please select your correct option)

VuAnswers.com

- IP New Generation
- IP Nth Generation
- IP Next Generation
- IP Net Generation

Made by: Waqar Siddhu

Question No : 34 of 52 Marks: 1 (Budgeted Time 1 Min)

NEXT HEADER field in the base header defines type of header and it appears at the end of _____ base header.

Answer (Please select your correct option)

VuAnswers.com

- Fixed-size
- Static
- Variable size
- Dynamic

Made by: Waqar Siddhu

Question No : 35 of 52 Marks: 1 (Budgeted Time 1 Min)

Both UDP and TCP are _____ layer protocols

Answer (Please select your correct option)

VuAnswers.com

- Physical
- Data link
- Network
- Transport

Made by: Waqar Siddhu

Question No : 36 of 52 Marks: 1 (Budgeted Time 1 Min)

Reliability is the responsibility of the _____ layer

Answer (Please select your correct option)

VuAnswers.com

- Network
- Data link
- Transport
- Application

Made by: Waqar Siddhu

Question No : 37 of 52 Marks: 1 (Budgeted Time 1 Min)

A one-to-many communication between a source and a specific group of hosts is classified as a_____ communication.

Answer (Please select your correct option)

VuAnswers.com

- Unicast
- Multicast
- Broadcast
- Unicast & Multicast

Made by: Waqar Siddhu

Question No : 38 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ includes 32-bits address mask with each address to make the address class full, classless or sub netted.

Answer (Please select your correct option)

VuAnswers.com

- RIP
- OSPF
- BGP
- IGP

Made by: Waqar Siddhu

Question No : 39 of 52 Marks: 1 (Budgeted Time 1 Min)

The process of using a routing table to select a next hop for a given datagram is called_____

Answer (Please select your correct option)

VuAnswers.com

- Routing or forwarding
- Fragmentation
- Switching
- Reassembling

Made by: Waqar Siddhu

Question No : 40 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following protocols use(s) UDP for the transmission of all type of message?

Answer (Please select your correct option)

VuAnswers.com

- RIP
- OSPF
- BGP
- RIP and OSPF

Made by: Waqar Siddhu

Question No : 1 of 52 Marks: 1 (Budgeted Time 1 Min)

---------- have advantages arisen from the size and ease of computation.

Answer (Please select your correct option)

VuAnswers.com

- CRC
- Parity
- Checksums
- VRC

Made by: Waqar Siddhu

Question No : 2 of 52 Marks: 1 (Budgeted Time 1 Min)

The original Ethernet hardware operated at a rate of --------

Answer (Please select your correct option)

VuAnswers.com

- 10 Mbps
- 1000 Mbps
- 3 Mbps
- 100 Mbps

Made by: Waqar Siddhu

Question No : 3 of 52 Marks: 1 (Budgeted Time 1 Min)

A---------- provides mechanism that automatically assignes a physical address to a station when the station first boots.

Answer (Please select your correct option)

VuAnswers.com

- Static addressing scheme
- Configurable addressing scheme
- Dynamic addressing scheme
- Dynamic Host Configuration

Made by: Waqar Siddhu

Question No : 4 of 52 Marks: 1 (Budgeted Time 1 Min)

NICs contain analogue circuitry and _____ that allows the NIC to operate independent of the CPU.

Answer (Please select your correct option)

VuAnswers.com

- DMA(Direct Memory Access)
- Multiplexer
- Transceiver
- Microprocessor

Made by: Waqar Siddhu

Question No : 5 of 52 Marks: 1 (Budgeted Time 1 Min)

_____identifies which application program on receiving computer should receive the data

Answer (Please select your correct option)

VuAnswers.com

- Logical address
  Source port
  Logical address
- Source port
- Destination Port
- Physical Address

Made by: Waqar Siddhu

Question No : 6 of 52 Marks: 1 (Budgeted Time 1 Min)

The Border Gateway Protocol (BGP) uses_____ for all communication

Answer (Please select your correct option)

VuAnswers.com

- TCP
- Both UDP and TCP
- TCP/IP
- UDP

Made by: Waqar Siddhu

Question No : 7 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ is ideal in a situation where the group is small and all members are attached to contiguous Local Area Networks.

Answer (Please select your correct option)

VuAnswers.com

- Flood-and -Prune
- Configuration-and -Tunneling
- Core-Based Discovery
- Forwarding

Made by: Waqar Siddhu

Question No : 8 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ is ideal in a situation where the group is geographically dispersed (i-e., has a few members at each site, with sites separated by long distances).

Answer (Please select your correct option)

VuAnswers.com

- Forwarding
- Flood-and -Prune
- Configuration-and -Tunneling
- Core-Based Discovery

Made by: Waqar Siddhu

Question No : 9 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ message is encapsulated in an _____ datagram and sent across the Internet.

Answer (Please select your correct option)

VuAnswers.com

- IP, TCP
- TCP, IP
- TCP, UDP
- UDP, TCP

Made by: Waqar Siddhu

Question No : 10 of 52 Marks: 1 (Budgeted Time 1 Min)

One repeater _____, two repeaters _____ the maximum cable length limitation.

Answer (Please select your correct option)

VuAnswers.com

- Square root, Cube root
- Double, Triple
- Triple, Quad
- Double, Quad

Made by: Waqar Siddhu

Question No : 11 of 52 Marks: 1 (Budgeted Time 1 Min)

Inside a computer, each classful address mask is stored as a _____value.

Answer (Please select your correct option)

VuAnswers.com

- 16-bit
- 48-bit
- 32-bit
- 8-bit

Made by: Waqar Siddhu

Question No : 12 of 52 Marks: 1 (Budgeted Time 1 Min)

In network address suffix values will be _____.

Answer (Please select your correct option)

VuAnswers.com

- Half 1s
- All 1s
- Half 0s
- All 0s

Made by: Waqar Siddhu

Question No : 13 of 52 Marks: 1 (Budgeted Time 1 Min)

To _____ network traffic, ARP software extracts and saves the information from a response so that it can be used for subsequent packets.

Answer (Please select your correct option)

VuAnswers.com

- Maintain
- Increase
- Reduce ✓
- Boost

Made by: Waqar Siddhu

Question No : 14 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ is used for delay sensitive applications requiring high data rate.

Answer (Please select your correct option)

VuAnswers.com

- Constant Bit Rate (CBR) service
- Variable Bit Rate (VBR) service
- Available Bit Rate (ABR) service
- Uniform Bit Rate (UBR) service

Made by: Waqar Siddhu

Question No : 15 of 52 Marks: 1 (Budgeted Time 1 Min)

The special type of address in IPv6 used for single destination computer is known as_____.

Answer (Please select your correct option)

VuAnswers.com

- Anycast
- Unicast
- Multicast
- Broadcast

Made by: Waqar Siddhu

Question No : 16 of 52 Marks: 1 (Budgeted Time 1 Min)

In IPv6 the type of address used for collection of computers with same prefix is known as_____.

Answer (Please select your correct option)

VuAnswers.com

- Cluster
- Unicast
- Multicast
- Anycast

Made by: Waqar Siddhu

Question No : 17 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ does not need to pre-establish communication and also there is no need to terminate communication.

Answer (Please select your correct option)

VuAnswers.com

- ICMP
- UDP
- TCP
- IP

Made by: Waqar Siddhu

Question No : 18 of 52 Marks: 1 (Budgeted Time 1 Min)

The time for arrival of acknowledgement packet depends upon _____.

Answer (Please select your correct option)

VuAnswers.com

- Distance to destination and current traffic conditions
- Current traffic conditions
- Distance to destination
- Nature of the data

Made by: Waqar Siddhu

Question No : 19 of 52 Marks: 1 (Budgeted Time 1 Min)

A popular use of _____ is TCP Splicing.

Answer (Please select your correct option)

VuAnswers.com

- NAT
- NAPT
- Twice NAT
- CAT

Made by: Waqar Siddhu

Question No : 20 of 52 Marks: 1 (Budgeted Time 1 Min)

The routers within an autonomous system use a _____ to exchange routing information.

Answer (Please select your correct option)

VuAnswers.com

- Exterior Gateway protocol (EGPs)
- Both Interior Gateway protocols (IGPs) and Exterior Gateway protocol (EGPs)
- Border Gateway Protocol (BGP)
- Interior Gateway protocols (IGPs)

Made by: Waqar Siddhu

Question No : 21 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ use IP-in-IP encapsulation to send multicast datagrams from one site on the Internet to another.

Answer (Please select your correct option)

VuAnswers.com

- Distance Vector Multicast Routing Protocol
- Core Based Trees
- Protocol Independent Multicast_ Sparse Mode
- Protocol Independent Multicast _ Dense Mode

Made by: Waqar Siddhu

Question No : 22 of 52 Marks: 1 (Budgeted Time 1 Min)

A multicast routing scheme in which the protocol software builds a delivery tree from a central point is called_____.

Answer (Please select your correct option)

VuAnswers.com

- Protocol Independent Multicast_ Sparse Mode
- Protocol Independent Multicast _ Dense Mode
- Distance Vector Multicast Routing Protocol
- Core Based Trees

Made by: Waqar Siddhu

Question No : 23 of 52 Marks: 1 (Budgeted Time 1 Min)

Which method of Address Resolution Protocol is useful with any hardware?

Where "T" stands for Table lookup, "C" for Closed-form Computation and "D" for Data Exchange.

Answer (Please select your correct option)

VuAnswers.com

- T
- C
- D
- C, D

Made by: Waqar Siddhu

Question No : 24 of 52 Marks: 1 (Budgeted Time 1 Min)

ARP is almost always used to bind a ___bit IP address to a ___bit Ethernet address.

Answer (Please select your correct option)

VuAnswers.com

- 32, 48
- 48, 32
- 32, 64
- 32, 128

Made by: Waqar Siddhu

Question No : 25 of 52 Marks: 1 (Budgeted Time 1 Min)

The term_____ refers to the general concept of a small block of data in a network.

Answer (Please select your correct option)

VuAnswers.com

- Packet
- Byte
- Cell
- Information

Made by: Waqar Siddhu

Question No : 26 of 52 Marks: 1 (Budgeted Time 1 Min)

The number of connections needed for N computer in direct point to point communication is equal to_____.

Answer (Please select your correct option)

VuAnswers.com

- $(N^2 - N)/2$
- $N(N- 1)$
- N^2
- $N - 1$

Made by: Waqar Siddhu

Question No : 27 of 52 Marks: 1 (Budgeted Time 1 Min)

Local Talk is a LAN technology that employs _____.

Answer (Please select your correct option)

VuAnswers.com

- Bus topology
- Ring topology
- Mesh topology
- Star topology

Made by: Waqar Siddhu

Question No : 28 of 52 Marks: 1 (Budgeted Time 1 Min)

FDDI can transmits data at a rate of _____.

Answer (Please select your correct option)

VuAnswers.com

- 100 million bits per second
- 10 million bits per second
- 1000 million bits per second
- 3 million bits per second

Made by: Waqar Siddhu

Question No : 29 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ places the boundary between the second and third octets.

Answer (Please select your correct option)

VuAnswers.com

- Class A
- Class B
- Class C
- Class D

Made by: Waqar Siddhu

Question No : 30 of 52 Marks: 1 (Budgeted Time 1 Min)

_____field tells the receiver how to order fragments within a given datagram.

Answer (Please select your correct option)

VuAnswers.com

- Fragment offset
- Identification
- Header checksum
- Flags

Made by: Waqar Siddhu

_____interconnects two independent TCP connections and performs segment rewriting.

Answer (Please select your correct option)

VuAnswers.com

- Twice NAT
- CAT
- TCP Splicing
- NAT

Made by: Waqar Siddhu

Question No : 32 of 52 Marks: 1 (Budgeted Time 1 Min)

Find the class of the address.

10100111.11011011.10001011.01101111

Answer (Please select your correct option)

VuAnswers.com

A

B

E

C

Made by: Waqar Siddhu

Question No : 33 of 52 Marks: 1 (Budgeted Time 1 Min)

Find the class of the address:

11110011.10011011.11111011.00001111

Answer (Please select your correct option)

VuAnswers.com

- A
- C
- E
- B

Made by: Waqar Siddhu

Question No : 34 of 52 Marks: 1 (Budgeted Time 1 Min)

Whenever IP software handles a packet, it needs to separate the destination address into a _____ and _____.

Answer (Please select your correct option)

VuAnswers.com

- Infix, suffix
- Postfix, Infix
- Infix, prefix
- Prefix, suffix

Made by: Waqar Siddhu

Question No : 35 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ of TCP/IP layering model is closest to network hardware.

Answer (Please select your correct option)

VuAnswers.com

- Physical Layer
- Network Interface Layer
- Data link Layer
- Transport Layer

Made by: Waqar Siddhu

Question No : 36 of 52 Marks: 1 (Budgeted Time 1 Min)

Base header of IPv6 is fixed size and consists of _____ octets.

Answer (Please select your correct option)

VuAnswers.com

- 32
- 64
- 40
- 16

Made by: Waqar Siddhu

Question No : 37 of 52 Marks: 1 (Budgeted Time 1 Min)

_____ allows a host to inform a nearby router whenever the host needs to join or leave a particular multicast group.

Answer (Please select your correct option)

VuAnswers.com

- IGMP
- OSPF
- BGP
- UDP

Made by: Waqar Siddhu

Question No : 38 of 52 Marks: 1 (Budgeted Time 1 Min)

The process of using a routing table to select a next hop for a given datagram is called_____

Answer (Please select your correct option)

VuAnswers.com

- Switching
- Reassembling
- Routing or forwarding
- Fragmentation

Made by: Waqar Siddhu

Question No : 39 of 52 Marks: 1 (Budgeted Time 1 Min)

Which of the following protocols allow(s) the sender and receiver to enforce polices.

Answer (Please select your correct option)

VuAnswers.com

- RIP
- OSPF
- BGP
- RIP and OSPF

Made by: Waqar Siddhu

Question No : 40 of 52 Marks: 1 (Budgeted Time 1 Min)

In TCP when a computer sends a segment, the_____ and _____ fields refer to incoming data.

Answer (Please select your correct option)

VuAnswers.com

- Acknowledgement number, Window
- Sequence number, Window
- Acknowledgement number, Sequence number
- Source address, Sequence number

Made by: Waqar Siddhu

For More Solutions or Short Lectures (Playlist) Visit our Youtube Channel



VUNET.BLOGSPOT.Com