

PAID ASSIGNMENTS QUIZES GDB CONTACT 03147094561

CS403P QUIZ11



SUBSCRIBE MY YOUTUBE CHANNEL



Study With Hamza 25

<https://www.youtube.com/@studywithhamza25>

_____ SQL statement is used to enter values into columns.

INSERT INTO

INSERT TO

ENTER INTO

PUT INTO

Which of the following is NOT a type of integer data type in SQL?

Smallerint

Smallint

Smallint

Int

Which of the following is NOT related to CREATE TABLE command?

Attributes

Records

Constraints

Data types

From the following options, Choose the correct statement for the third normal form.

Non key attribute is dependent on another non key attribute

There is partial dependency in the relation

No non key attribute is dependent on another non key attribute

There is redundant data in the relation

A table is in third normal form if it is in second normal form and there is no _____.

Partial dependency

Transitive dependency

Consistency

Full functional dependency

In functional dependency, if one attribute is determinant of all other attributes of the relation then the relation has at least _____.

Super key

Random key

Relational key

Secondary key

If a relation is not in third normal form, then anomalies are due to _____.

Transitive dependency

Full functional dependency

Partial dependency

Reflexive dependency

If a relation CLASS (crlId, stId, stName, fld, room, grade) has following Functional Dependencies:

$\text{crlId, stId} \rightarrow \text{stName, fld, room, grade}$

which of the following functional dependency is in above functional dependency?

Sequential dependency

Reflexive dependency

Partial dependency

Transitive dependency

A transitive dependency occurs when _____.

Non-key attribute is dependent on another non-key attribute

@hamzabahti25

Primary key attribute is dependent on non-key attribute

Part of the key is dependent on key attribute

Non-key attribute is not dependent on another non-key attribute

A relation is in second normal form if and only if _____ and all the non key attributes are fully functionally dependent on the key.

It has multivalued attributes

It is not in first normal form

It has inconsistent data


It is in first normal form

A relation is in third normal form if _____.

- a. It is already in second normal form
- b. It has multivalued attributes
- c. It has a partial dependency
- d. It has a transitive dependency**

Which of the following is NOT a type of integer data type in SQL?

- a. Smallerint**
- b. Smallint
- c. Int
- d. Smallint



In functional dependency, if one attribute is determinant of all other attributes of the relation then the relation has at least _____.

- a. Secondary key
- b. Relational key
- c. Super key**
- d. Random key

If the relation is not in 2nd Normal Form, then we need to remove_____.

a. Partial dependency

b. Full functional dependency

c. Transitive dependency

d. Reflexive dependency

The anomalies caused by transitive dependency in a relation are removed by _____.

a. Breaking down the relation

b. Changing primary key

c. Reducing number of rows

d. Reducing number of columns

A relation is in second normal form if and only if _____ and all the non key attributes are fully functionally dependent on the key.²⁵

a. It is not in first normal form

b. It has multivalued attributes

c. It has inconsistent data

d. It is in first normal form

A table is in third normal form if it is in second normal form and there is no _____.

a. Consistency

b. Full functional dependency

c. Transitive dependency

d. Partial dependency

Which of the following is a correct syntax for creating a Database named employee?

a. CREATE MYSQL Database employee

b. CREATE DATABASE employee;

c. CREATE TABLE employee;

d. CREATE SQL DATABASE employee;

A transitive dependency occurs when _____.

a. Primary key attribute is dependent on non-key attribute

b. Non-key attribute is dependent on another non-key attribute

c. Part of the key is dependent on key attribute

d. Non-key attribute is not dependent on another non-key attribute

2nd Normal Form is based on which of the following dependency?

a. Reflexive dependency

b. Transitive dependency

c. Partial dependency

d. Full functional dependency

_____ is a DML command.

a. SELECT

b. ALTER

c. DROP

d. CREATE

Wild card character is used with_____ operator.

a. Binary

b. Like

c. NOT NULL

d. NULL

Which of the following wildcard placeholder, allows matching any string of any length including zero length?

a. %

b. _

c. #

d. @

The _____ function helps to reduce the use of multiple OR conditions.

a. GROUP

b. NOT

c. AND

d.IN

WHERE clause is use with SELECT statement to display _____ in the output.

a. Records which fulfill the condition

b. Columns with where clause

c. All update records

d. All record in specific format

**SUBSCRIBE MY YOUTUBE CHANNEL
JOIN OUR WHATSAPP GROUPS & CHANNEL
FOR LATEST SOLUTION'S**

<https://www.youtube.com/@studywithhamza25>

WHATSAPP GROUP 1

[JOIN NOW](#)

WHATSAPP GROUP2

[JOIN NOW](#)

Join WHATSAPP CHANNEL

[JOIN NOW](#)