

VIRTUAL UNIVERSITY OF PAKISTAN

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP & CALL: 03087122922

(Final Term Past Paper)

(Made by Waqar & Solved By Hadi)

WARNING: Team HADI is not responsible for any mistake or wrong answer. All students reading and using this document may check and confirm the answers at their own.



FACEBOOK ID: <https://www.facebook.com/hadipastpapers/>



WhatsApp: 03087122922

Best of luck!



Question No : 2 of 52

Marks: 1 (Budgeted Time 1 Min)

Assume a class Derv that is privately derived from class Base. An object of class Derv located in main() can access

Answer (Please select your correct option)

- ☒ public members of Derv.
- ☐ protected members of Derv.
- ☐ private members of Derv.
- ☐ protected members of Base.



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadiraiputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 3 of 52

Marks: 1 (Budgeted Time 1 Min)

A class template _____

Answer (Please select your correct option)

- ☒ Facilitates reuse of class ✓
- ☐ Does not facilitate reuse of class
- ☐ Does not support generic methods
- ☐ Does not support static members



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 4 of 52

Marks: 1 (Budgeted Time 1 Min)

A copy constructor is invoked when

Answer (Please select your correct option)

- ☐ a function do not returns by value.
- ☒ an argument is passed by value. ✓
- ☐ a function returns by reference.
- ☐ an argument is passed by reference.



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 5 of 52

Marks: 1 (Budgeted Time 1 Min)

Suppose we have two derived classes from a single class, can we write a method with same name in both these derived classes ? Choose the best option.

Answer (Please select your correct option)

- ☐ No
- ☐ Only if the two classes have the same name
- ☐ Only if the main program does not declare both kinds
- ☐ Yes



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

Question No : 6 of 52

Marks: 1 (Budgeted Time 1 Min)

What is a class?

Answer (Please select your correct option)

- ☐ A class is a section of computer memory containing objects.
- ☐ A class is a section of the hard disk reserved for object oriented programs
- ☐ A class is the part of an object that contains the variables.
- ☐ A class is a description of a kind of object.



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 7 of 52

Marks: 1 (Budgeted Time 1 Min)

A virtual member function `ding()` in base and derived class, and pointer `p` to base class object contains the address of derived class object, then the statement `p->ding()` will execute `ding()` member function in _____ class.

Answer (Please select your correct option)

- ☐ Base
- ☒ Derived
- ☐ Virtual
- ☐ Implemented



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 8 of 52

Marks: 1 (Budgeted Time 1 Min)

What a derived class can add?

Answer (Please select your correct option)

- ☐ New data members only
- ☐ New member functions only
- ☒ New data members, member functions and constructor/destructors
- ☐ New constructors and destructor only



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadiraiputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 9 of 52

Marks: 1 (Budgeted Time 1 Min)

Which of the following is directly related to polymorphism?

Answer (Please select your correct option)

- ☐ Const members
- ☐ Overriding
- ☐ Static members
- ☐ Const members functions



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Separation of implementation from interface provides the facility to restrict the _____ from direct access.

Answer (Please select your correct option)

- ☐ Data member
- ☐ Data function
- ☐ Class
- ☒ Object



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 11 of 52

Marks: 1 (Budgeted Time 1 Min)

A non-static member function can be called only after _____ the object of that class.

Answer (Please select your correct option)

☒ Instantiating

☐ Executing

☐ Defining

☐ Opening



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 12 of 52

Marks: 1 (Budgeted Time 1 Min)

What will be the value of the variable data and data2 respectively, If the function below is called 4 times?

```
void func()
{
    static int data = 4;
    int data2 = 4;
```

Answer (Please select your correct option)

☐ 8, 5

☐ 5, 8

☐ 5, 5

☐ 7, 5



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Which members are lies somewhere between public and private members?

Answer (Please select your correct option)

☐ Protected members

☐ Global members

☐ Static members

☐ Friends members



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 14 of 52

Marks: 1 (Budgeted Time 1 Min)

A base class member or method that is alternatively defined in derived class is known as _____.

Answer (Please select your correct option)

☐ Overwriting

☒ Overriding

☐ Overloaded

☐ Copy riding



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

All the _____ members of base class can be accessed from the derived class.

Answer (Please select your correct option)

- ☐ Private
- ☐ Protected
- ☒ Non private
- ☐ Public



HADI
VU
PAST
PAPER

MADE BY HADI

email: hadiinoutofficial@gmail.com | whatsapp: 03087122222 (Team Hadi Inout)

The mechanism of selecting function at run time according to the nature of calling object is called,

Answer (Please select your correct option)

- ☐ late binding
- ☐ static binding
- ☒ virtual binding
- ☐ hybrid binding



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 17 of 52

Marks: 1 (Budgeted Time 1 Min)

A non virtual member function in base class is overridden in derived class; if that non virtual function is called through base class pointer to derived class object, then the _____ version is used.

Answer (Please select your correct option)

☐ Derived class

☐ Abstract class

☒ Base class

☐ Concrete class



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

When we write a class template the first line must be:

Answer (Please select your correct option)

- ☐ `template < class class_name >`
- ☐ `template < class_name data_type >`
- ☒ `template < class T >`
- ☐ `class template < class_name >`



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 19 of 52

Marks: 1 (Budgeted Time 1 Min)

The following function template returns the maximum of ____ values:

```
template <typename T>
inline T const& max (T const& a, T const& b)
{
    // if a < b then use b else use a
}
```

Answer (Please select your correct option)

☐ 1

☐ 2

☐ 3

☐ 4



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 20 of 52

Marks: 1 (Budgeted Time 1 Min)

Consider the following statements:

- 1) `int iArray[5];`
- 2) `int *pArr = iArray;`

Answer (Please select your correct option)

☐ Error in first statement

☐ Error in second statement

☐ Error in both statements

☒ No error in both statements



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 21 of 52

Marks: 1 (Budgeted Time 1 Min)

Which of the following is NOT an advantage of generic programming?

Answer (Please select your correct option)

- ☐ Reusability
- ☐ Writability
- ☐ Maintainability
- ☒ Efficient memory usage



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

Which one of the following is example of complete specialization,

Answer (Please select your correct option)

☐ `template <typename T> class Vector { };`

☐ `template <typename T> class Vector<T*> { };`

☐ `template<> class Vector <char*> { };`

☐ `template <class T> class Vector< T *> { };`



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 23 of 52

Marks: 1 (Budgeted Time 1 Min)

Non Template Friend functions of a class are friends of _____instance/s of that class.

Answer (Please select your correct option)

- ☐ One
- ☐ Two
- ☐ All instances of one date type
- ☐ All



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 24 of 52

Marks: 1 (Budgeted Time 1 Min)

Template functions use _____ than ordinary functions.

Answer (Please select your correct option)

- ☐ More Memory
- ☒ Less Memory
- ☐ Same Memory
- ☐ Different Memory



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 25 of 52

Marks: 1 (Budgeted Time 1 Min)

An STL algorithm is

Answer (Please select your correct option)

- ☐ A standalone function that operates on containers. ✓
- ☐ A link between member functions and containers.
- ☐ A friend function of appropriate container classes.
- ☐ A member function of appropriate container classes.



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

A vector is an appropriate container if you

Answer (Please select your correct option)

- ☐ want to insert lots of new elements at arbitrary locations in the vector.
- ☐ want to insert new elements, but always at the front of the container.
- ☒ are given an index number in order to quickly access the corresponding element.
- ☐ are given an element key value in order to quickly access the corresponding element.



HADI
VU
PAST
PAPER

MADE BY HADI

Question No : 27 of 52

Marks: 1 (Budgeted Time 1 Min)

An STL container can not be used to:

Answer (Please select your correct option)

- ☐ Hold objects of class employee.
- ☐ Store elements in a way that makes them quickly accessible.
- ☐ Compile c++ programs.
- ☐ Organize the way objects are stored in memory



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

The `copy()` algorithm returns an iterator to

Answer (Please select your correct option)

- ☐ the last element copied from.
- ☐ the last element copied to.
- ☐ the element one past the last element copied from.
- ☐ the element one past the last element copied to.



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

Question No : 29 of 52

Marks: 1 (Budgeted Time 1 Min)

A range is often supplied to an algorithm by two _____ values.

Answer (Please select your correct option)

- ☐ italic
- ☐ iteration
- ☐ iterator
- ☐ container



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadiraiputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

Question No : 30 of 52

Marks: 1 (Budgeted Time 1 Min)

We must release dynamic memory allocated in try block in _____

Answer (Please select your correct option)

☐ In constructor

☒ Catch block

☐ In main function block

☐ No need to release memory



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

Question No : 31 of 52

Marks: 1 (Budgeted Time 1 Min)

Hiding details of an object from the other parts of a program is done by which principle of OOP?

Answer (Please select your correct option)

- ☐ Obfuscation
- ☐ Data Mining
- ☐ Compilation
- ☐ Encapsulation



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Suppose there is an object of type **Person**, which of the following can be considered as one of its attributes.

Answer (Please select your correct option)

- ☐ Name
- ☐ Age
- ☐ Work()
- ☐ Both Name and Age



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Suppose there is an object of type **Person**, which of the following can be considered as one of its attributes.

Answer (Please select your correct option)

- ☐ Name
- ☐ Age
- ☐ Work()
- ☐ Both Name and Age



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

The relationship between "Speaker" and "Mobile" is:

Answer (Please select your correct option)

- ☐ Aggregation
- ☐ Composition
- ☐ Inheritance
- ☒ One way association



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 34 of 52

Marks: 1 (Budgeted Time 1 Min)

The relationship between "SIM" and "Mobile" is:

Answer (Please select your correct option)

☒ Aggregation

☐ Composition

☐ Inheritance

☐ Two way association



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 35 of 52

Marks: 1 (Budgeted Time 1 Min)

In a de-queue, (chosed the best option)

Answer (Please select your correct option)

- ☐ Data can be quickly inserted or deleted at any arbitrary location.
- ☐ Data can be relatively slowly inserted or deleted at any arbitrary location. ✓
- ☐ Data can not be quickly inserted or deleted at either end.
- ☐ Data can be relatively slowly inserted or deleted at either end.



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

A static function

Answer (Please select your correct option)

- ☐ should be called when an object is destroyed.
- ☐ is closely connected to an individual object of a class.
- ☐ can be called using the class name followed by function name.
- ☐ is used when a dummy object must be created.



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadiraiputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 37 of 52

Marks: 1 (Budgeted Time 1 Min)

```
class DocElement
{
public:
    virtual void Print() { cout << "Generic element"; }
};
class Heading : public DocElement
```

Answer (Please select your correct option)

- ☐ Generic element
- ☐ Heading element
- ☐ Paragraph element
- ☒ Nothing will be printed.



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 38 of 52

Marks: 1 (Budgeted Time 1 Min)

Which one is a logical abstract base class for a class called "footballPlayer"?

Answer (Please select your correct option)

☐ Ground

☐ Sport

☐ Athlete

☐ Team



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

The specialization pattern <T*> after the name says that this specialization is to be used for every,

Answer (Please select your correct option)

- ☐ data type
- ☐ meta type
- ☐ virtual type
- ☐ pointer type



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 40 of 52

Marks: 1 (Budgeted Time 1 Min)

Each try block can have _____ no. of catch blocks.

Answer (Please select your correct option)

☐ 2

☐ 3

☐ As many as necessary.

☐ 1



HADI
VU
PAST
PAPER

0
3
0
8
7
1
2
2
9
2
2


MADE BY HADI

Question No : 41 of 52

Marks: 2 (Budgeted Time 4 Min)

What are the non - type parameters for templates?

Answer (Please [click here](#) to Add Answer)



MADE BY HADI


Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 42 of 52

Marks: 2 (Budgeted Time 4 Min)

What is the difference between Simple Model and Object Oriented Model?

Answer (Please [click here](#) to Add Answer)



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

In which situations we should use **Operator Overloading** and in which situations we should use **Templates**.

Answer (Please [click here](#) to Add Answer)



HADI
VU
PAST
PAPER

MADE BY HADI


Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 44 of 52

Marks: 2 (Budgeted Time 4 Min)

What do you mean by Stack unwinding?

Answer (Please [click here](#) to Add Answer)



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 45 of 52

Marks: 3 (Budgeted Time 6 Min)

What will be output after executing following lines of code, (suppose there is no error and code will be executed correctly), justify your answer as well,

```
class Student{  
    static int noOfStudents;  
    int rollNo;  
public:
```

Answer (Please [click here](#) to Add Answer)



HADI
VU
PAST
PAPER

MADE BY HADI


Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 45 of 52

Marks: 3 (Budgeted Time 6 Min)

```
Student::Student(){  
    noOfStudents++;  
}  
Student::~Student(){  
    noOfStudents--;  
}
```

Answer (Please [click here](#) to Add Answer)



HADI
VU
PAST
PAPER

0
3
0
8
7
1
2
2
9
2
2

MADE BY HADI


Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 45 of 52

Marks: 3 (Budgeted Time 6 Min)

```
static int getTotalStudent(){  
    return noOfStudents;  
}  
};  
int Student::noOfStudents = 0;  
int main(){
```

Answer (Please [click here](#) to Add Answer)



HADI
VU
PAST
PAPER

MADE BY HADI


Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 45 of 52

Marks: 3 (Budgeted Time 6 Min)

```
Student obj1,obj2,  
{  
    Student obj3;  
}  
cout<<Student::getTotalStudent();
```

Answer (Please [click here](#) to Add Answer)



HADI
VU
PAST
PAPER

MADE BY HADI


Email: hadiraiputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 46 of 52

Marks: 3 (Budgeted Time 6 Min)

In which situation do we need to implement virtual inheritance? Explain with the help of an example.

Answer (Please [click here](#) to Add Answer)



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 47 of 52


Marks: 3 (Budgeted Time 6 Min)

Identify and correct the syntax error(s) in the given code snippet?

```
template<classname T>  
class Template_class {
```

```
    private:  
    T data;
```

Answer ([Please click here to Add Answer](#))



HADI
VU
PAST
PAPER

MADE BY HADI


Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 47 of 52

Marks: 3 (Budgeted Time 6 Min)

```
//...  
Public:  
//...  
void input();  
};
```

Answer (Please [click here](#) to Add Answer)



HADI
VU
PAST
PAPER

0
3
0
8
7
1
2
2
9
2
2

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)


Question No : 47 of 52

Marks: 3 (Budgeted Time 6 Min)

```
template< class T >
void Template_class::input( ) {
    cin>>data;
}

void main()
```

Answer (Please [click here](#) to Add Answer)



HADI
VU
PAST
PAPER

MADE BY HADI


Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 47 of 52

Marks: 3 (Budgeted Time 6 Min)

```
void main()
{
    Template_class <int>obj;
    obj.input();
}
```

Answer (Please [click here](#) to Add Answer)



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

Question No : 48 of 52

Marks: 3 (Budgeted Time 6 Min)

Tell the logical error/s in the code given below with reference to resource management; also describe how we can correct that error/s.

```
class Test{  
  
public:  
int function1(){
```

Answer (Please [click here](#) to Add Answer)




HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

```
try{  
    FILE *fileptr = fopen("filename.txt","w");  
    throw exception();  
    fclose(fileptr);  
    return 0;  
}
```

Answer (Please [click here](#) to Add Answer)

HADI
VU
PAST
PAPER

MADE BY HADI


Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 48 of 52

Marks: 3 (Budgeted Time 6 Min)

```
    }  
    catch(Exception e){  
    }  
};
```

Answer (Please [click here](#) to Add Answer)



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadiraiputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

The code given below has one template function as a friend of a template class,

1. You have to identify any error/s in this code and describe the reason for error/s.
2. Give the correct code after removing the error/s.

```
template<typename U>  
void Test(U);
```

Answer (Please [click here](#) to Add Answer)



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)


Question No : 49 of 52

Marks: 5 (Budgeted Time 10 Min)

```
template< class T >

class B {
    int data;
    public:
    friend void Test<>( T );
```

Answer (Please [click here](#) to Add Answer)



HADI
VU
PAST
PAPER

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)