CS502 Quiz 3
Final Term

Join us for more update and help

Click on join us

Join US



- https://chat.whatsapp.com/Gg1GO4c8M4P5mcEtimoDxw

Services Available:

LMS Handling


- **Quiz**
- **Assignments**
- **GDB**
- **Lecture View**
- **Cisco Assignment**
- **Summer Semester**
- **Hard form handouts**
- **Projects and internship reports**

Contact US:


TEAM Aiza VU

0327 7230352

- https://chat.whatsapp.com/Gg1GO4c8M4P5mcEtimoDxw



- https://chat.whatsapp.com/Gg1GO4c8M4P5mcEtimoDxw



- https://chat.whatsapp.com/Gg1GO4c8M4P5mcEtimoDxw

BC220403934: MUHAMMAD NOMAN QASIM

Time Left 85 sec(s)

CS502 - Fundamentals of Algorithms (Quiz No. 3)

Quiz Start Time: 03:57 PM, 26 June 2025

Question # 5 of 10 (Start time: 03:58:42 PM, 26 June 2025)

Total Marks: 1

In Huffman encoding fixed-length codes are popular because it is very easy to break up a_____ into its individual_____.

Select the correct option

- Character, Number
- Floating number, String
- Number, String
- String, Characters

Click to Save Answer & Move to Next Question

BC220403934: MUHAMMAD NOMAN QASIM

Time Left 85 sec(s)

CS502 - Fundamentals of Algorithms (Quiz No. 3)

Quiz Start Time: 03:57 PM, 26 June 2025

Question # 6 of 10 (Start time: 03:58:50 PM, 26 June 2025)

Total Marks: 1

If a matrix has three rows and two columns, then dimensions of matrix will be:

Select the correct option

- 3 x 2
- 2 x 3
- 2 x 2
- 3 x 3

Click to Save Answer & Move to Next Question

- https://chat.whatsapp.com/Gg1GO4c8M4P5mcEtimoDxw

BC220403934: MUHAMMAD NOMAN QASIM

Time Left 85 sec(s)

CS502 - Fundamentals of Algorithms (Quiz No. 3)

Quiz Start Time: 03:57 PM, 26 June 2025

Question # 7 of 10 (Start time: 03:58:59 PM, 26 June 2025)

Total Marks: 1

Catalan numbers are related the number of different _____ on 'n' nodes.

Select the correct option

- linked lists
- arrays
- functions
- binary trees

Click to Save Answer & Move to Next Question

BC220403934: MUHAMMAD NOMAN QASIM

Time Left 83 sec(s)

CS502 - Fundamentals of Algorithms (Quiz No. 3)

Quiz Start Time: 03:57 PM, 26 June 2025

Question # 8 of 10 (Start time: 03:59:08 PM, 26 June 2025)

Total Marks: 1

Suppose we have 4 matrices A, B , C, D . What is correct expansion of m[1,2] in chain matrix multiplication?


Select the correct option

Reload Math Equations

- m[1, 2] = m[1, 1] +m[2, 2] + p0 · p1 · p3
- m[1, 2] = m[1, 1] +m[1, 2] + p0 · p1 · p2
- m[1, 2] = m[1, 2] +m[2, 2] + p0 · p1 · p2
- m[1, 2] = m[1, 1] +m[2, 2] + p0 · p1 · p2

Click to Save Answer & Move to Next Question

- https://chat.whatsapp.com/Gg1GO4c8M4P5mcEtimoDxw



- https://chat.whatsapp.com/Gg1GO4c8M4P5mcEtimoDxw

Contact for LMS handling

CONTACT US

Join our group for more update and help

Click on join us

- https://chat.whatsapp.com/Gg1GO4c8M4P5mcEtimoDxw

Join US

- https://chat.whatsapp.com/Gg1GO4c8M4P5mcEtimoDxw