CS502 quiz 3
(final term)

Join our group for more update and help

Click on join us

Join US



Paid Services Available:

LMS Handling


- ***Quiz***
- ***Assignments***
- ***GDB***
- ***Lecture View***
- ***Cisco Assignment***
- ***Summer Semester***


Contact US:


TEAM Aiza VU


0320 8459347

0327 7230352


https://vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=f8618514-b827-478a-828a-01ba5672452e
BC240206193: M. FAHAD RAZA
Time Left 79 sec(s)
CS502 - Fundamentals of Algorithms (Quiz No. 3)
Quiz Start Time: 12:24 PM, 31 December 2024
Question # 2 of 10 (Start time: 12:24:43 PM, 31 December 2024)
Total Marks: 1
You are given a knapsack that can carry a maximum weight of 60. There are 4 items with weights {20, 30, 40, 70} and values {90, 80, 100, 250}. What is the maximum value of the items you can carry using the knapsack?
Select the correct option
Reload Math Equations
270
190
170
520
Click to Save Answer & Move to Next Question
Type here to search
11°C
12:25 PM
12/31/2024


https://vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=5bec5b24-1851-4284-984f-dd3a6e82cd79
BC240206193: M. FAHAD RAZA
Time Left 71 sec(s)
CS502 - Fundamentals of Algorithms (Quiz No. 3)
Quiz Start Time: 12:24 PM, 31 December 2024
Question # 3 of 10 (Start time: 12:25:02 PM, 31 December 2024)
Total Marks: 1
Identify a TRUE statement about Knapsack.
Select the correct option
The Knapsack problem is optimally solved by using brute force algorithm.
The Knapsack problem can not be solved by using dynamic programming.
The Knapsack problem does not belong to the domain of optimization problems.
The Knapsack problem belongs to the domain of optimization problems.
Click to Save Answer & Move to Next Question
Type here to search
11°C
12:25 PM
12/31/2024


https://vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=6737c79e-797e-4b49-ae41-58f802b384bb
BC240206193: M. FAHAD RAZA
Time Left 81 sec(s)
CS502 - Fundamentals of Algorithms (Quiz No. 3)
Quiz Start Time: 12:24 PM, 31 December 2024
Question # 4 of 10 (Start time: 12:25:28 PM, 31 December 2024)
Total Marks: 1
If Matrix-A has dimensions "3x2" and Matrix-B has dimensions "2x3", then multiplication of Matrix-A and Matrix-B will result a new Matrix-C having dimensions
Select the correct option
2x3
2x2
3x2
3x3
Click to Save Answer & Move to Next Question
Type here to search
12:25 PM
12/31/2024


https://vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=78fbb867-1322-4cef-ac11-f400633108fc
BC240206193: M. FAHAD RAZA
Time Left 60 sec(s)
CS502 - Fundamentals of Algorithms (Quiz No. 3)
Quiz Start Time: 12:24 PM, 31 December 2024
Question # 5 of 10 (Start time: 12:25:43 PM, 31 December 2024)
Total Marks: 1
Consider two matrices A and B, where A is 10*30 and B is 30*40. What is correct number of multiplications require to multiply A and B?
Select the correct option
Reload Math Equations
30*40
30*30
10*30
10*30*40
Click to Save Answer & Move to Next Question
Type here to search
11°C
12:26 PM
12/31/2024

https://vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=75b290d2-c13d-4465-9fcb-4da456bbf9c4

BC240206193: M. FAHAD RAZA

Time Left 62 sec(s)

CS502 - Fundamentals of Algorithms (Quiz No. 3)

Quiz Start Time: 12:24 PM, 31 December 2024

Question # 6 of 10 (Start time: 12:26:22 PM, 31 December 2024)

Total Marks: 1

Suppose we have 5 matrices A, B, C, D and E. What is the correct expansion of m[3,4] in chain matrix multiplication?

Select the correct option

Reload Math Equations

- (●) m[3, 4] = m[3, 3] + m[4, 4] + p2 · p3 · p4
- ( ) m[3, 4] = m[3, 4] + m[4, 4] + p2 · p3 · p4
- ( ) m[3, 4] = m[3, 3] + m[4, 4] + p0 · p3 · p4
- ( ) m[3, 4] = m[3, 3] + m[3, 4] + p2 · p3 · p4

Click to Save Answer & Move to Next Question

Type here to search 11°C 12:26 PM 12/31/2024

https://vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=fd3b2863-a8ce-46e7-a007-9f008d1b990c

BC240206193: M. FAHAD RAZA

Time Left 78 sec(s)

CS502 - Fundamentals of Algorithms (Quiz No. 3)

Quiz Start Time: 12:24 PM, 31 December 2024

Question # 7 of 10 (Start time: 12:26:57 PM, 31 December 2024)

Total Marks: 1


In Dynamic Programming based solution of Knapsack Problem, if we decide to take an object 'i', then we gain _____.


Select the correct option


- ( ) None of the given option
- ( ) W (Total Weight of Knapsack)
- (●) vi (Value of object i)
- ( ) V (Total Value of all items)


Click to Save Answer & Move to Next Question

Type here to search 11°C 12:27 PM 12/31/2024


https://vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=a2f60550-653d-4306-8428-150b616193f5
BC240206193: M. FAHAD RAZA
Time Left 79 sec(s)
CS502 - Fundamentals of Algorithms (Quiz No. 3)
Quiz Start Time: 12:24 PM, 31 December 2024
Question # 8 of 10 (Start time: 12:27:14 PM, 31 December 2024)
Total Marks: 1
In Activity scheduling algorithm, the width of a rectangle _____
Select the correct option
Indicates the duration of an activity
Is always ignored
Directs towards recursion
Should be maximized
Click to Save Answer & Move to Next Question
Type here to search
11°C
12:27 PM
12/31/2024


https://vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=336a708c-17c4-44b5-9bb5-1a8fff4d7178
BC240206193: M. FAHAD RAZA
Time Left 77 sec(s)
CS502 - Fundamentals of Algorithms (Quiz No. 3)
Quiz Start Time: 12:24 PM, 31 December 2024
Question # 9 of 10 (Start time: 12:27:31 PM, 31 December 2024)
Total Marks: 1
Fractional Knapsack is founded on _____ method.
Select the correct option
Divide and Conquer
Dynamic Programming
Greedy
Recursive
Click to Save Answer & Move to Next Question
Type here to search
12:27 PM
12/31/2024


https://vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=2a307de9-4aa1-422c-ae3b-f5b1a843d858
BC240206193: M. FAHAD RAZA
Time Left 81 sec(s)
CS502 - Fundamentals of Algorithms (Quiz No. 3)
Quiz Start Time: 12:24 PM, 31 December 2024
Question # 10 of 10 (Start time: 12:27:49 PM, 31 December 2024)
Total Marks: 1
The greedy approach gives us an optimal solution when the coins are all powers of a _____denomination.
Select the correct option
Constant
Static
Variable
Fixed
Click to Save Answer & Move to Next Question
Type here to search
11°C
12:28 PM
12/31/2024


https://vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=248c7b4c-c900-436d-ac37-ddff604c7176
BC240206193: M. FAHAD RAZA
Time Left 80 sec(s)
CS502 - Fundamentals of Algorithms (Quiz No. 3)
Quiz Start Time: 12:24 PM, 31 December 2024
Question # 1 of 10 (Start time: 12:24:27 PM, 31 December 2024)
Total Marks: 1
Huffman algorithm produces the _____ prefix code tree.
Select the correct option
Worst
Optimal
Best
Better
Click to Save Answer & Move to Next Question
Type here to search
11°C
12:24 PM
12/31/2024

Contact for LMS handling

CONTACT US

Join our group for more update and help

Click on join us

Join US