

Learning4help by Waqas Qureshi

Assalam-o-Alaikum! In this file we'll provide you **CS201P Important Midterm MCQs. Must Prepare before Midterm Exams.**
Verify Answers yourself too. I am not responsible for any answer. If you found mistake then inform me.


If you found mistake then let us know.

You can contact us on WhatsApp <https://wa.me/+923421718143>

Or You can send us Email: Learning4help@gmail.com

For more educational stuff keep visiting

<https://www.youtube.com/@learning4help>



LEARNING 4 HELP

Subscribe to my Channel:

https://www.youtube.com/channel/UC_CGyvvKgSGACQHPuq-951Q

VIRTUAL UNIVERSITY OF PAKISTAN

SERVICES:

- Assignments
- Quizzes
- GDBs
- LMS Handling
- Projects Making
- projects preparation
- online Tuition

We always do our best in serving our students and give them satisfied impressions.



**LEARN4
HELP**



CALL US NOW!



0342-1718143



www.learning4help.com

CS201P - Introduction to Programming (Practical) (Lab Attendance Quiz 03 - Non Graded) Quiz Start Time: 02:19 PM, 12 November 2024

Question # 1 of 5 (Start time: 02:19:08 PM, 12 November 2024) Total Marks: 1

Which of the following structure is correct for WHILE loop?

Select the correct option

☐ While (start; condition)

☐ While (condition; end)

☐ While (start; condition; end)

☒ While (condition)

Time Left: 00:00:00 sec(s)

CS201P - Introduction to Programming (Practical) (Lab Attendance Quiz 03 - Non Graded) Quiz Start Time: 02:19 PM, 12 November 2024

Question # 2 of 5 (Start time: 02:20:13 PM, 12 November 2024) Total Marks: 1

Which of the following is the first step in FOR loop?

Select the correct option

☐ Termination condition

☐ Incrementing condition

☐ Continuation condition

☒ Initialization condition

CS201P - Introduction to Programming (Practical) (Lab Attendance Quiz 03 - Non Graded) Quiz Start Time: 02:19 PM, 12 November 2024

Question # 3 of 5 (Start time: 02:20:30 PM, 12 November 2024) Total Marks: 1

If the condition is not made false in *while* loop, what will happen?

Select the correct option

☐ Program will terminate early.

☒ Loop will become infinite.

☐ Syntax errors occur.

☐ Program will not run at all.

Reload Math Equations

CS201P - Introduction to Programming (Practical) (Lab Attendance Quiz 03 - Non Graded) Quiz Start Time: 02:19 PM, 12 November 2024

Question # 4 of 5 (Start time: 02:20:55 PM, 12 November 2024) Total Marks: 1

If a function does not return anything, its return type will be _____.

Select the correct option

☒ Void

☐ Zero

☐ Return 0

☐ Null

Reload Math Equations

CS201P - Introduction to Programming (Practical) (Lab Attendance Quiz 03 - Non Graded) Quiz Start Time: 02:19 PM, 12 November 2024

Question # 5 of 5 (Start time: 02:21:16 PM, 12 November 2024) Total Marks: 1

The loop, given below, will iterate_____ times.

```
For (int counter = 1; counter < 10; counter = counter +1)
```

Select the correct option

☒ 9

☐ 0

☐ 110

☐ 10

Reload Math Equations

CS201P - Introduction to Programming (Practical) (Graded Quiz 01) Quiz Start Time: 07:36 PM, 18 November 2024

Question # 1 of 10 (Start time: 07:36:16 PM, 18 November 2024) Total Marks: 1

Suppose we have an integer variable named "num" with 4567 as its value, then what will be the resulting value for the expression "num/100"?

Select the correct option

☐ 4

☒ 45

☐ 456.7

☐ 456

Reload Math Equations

CS201P - Introduction to Programming (Practical) (Graded Quiz 01) Quiz Start Time: 07:36 PM, 18 November 2024

Question # 2 of 10 (Start time: 07:37:09 PM, 18 November 2024) Total Marks: 1

A binary operator has ____ operands.

Select the correct option

☐ Four

☐ One

☒ Two

☐ Three

Reload Math Equations

```
while(i<10){
    if (i / 2 == 2)
        cout << i << " ";
    i++;
}
```

Select the correct option

☐ 6 7

☐ 2 3

☐ 2 4

☒ 4 5

Reload Math Equations

if (i / 2 == 2)
cout << i << " ";
i++;
}

Select the correct option

6 7
2 3
2 4
4 5

Saving and loading next question...

CS201P - Introduction to Programming (Practical) (Graded Quiz 01) Quiz Start Time: 07:36 PM, 18 November 2024

Question # 4 of 10 (Start time: 07:39:58 PM, 18 November 2024) Total Marks: 1

If the condition is not made false in *while* loop, what will happen?

Select the correct option

Program will not run at all.
Syntax errors occur.
Program will terminate early.
Loop will become infinite.

Reload Math Equations

Handouts.pdf Login - Exams MTH603 Mid Term... C5601 Mcqs_Combi... plantuml.com/sitem... Phonetics and Phon... ENG-508 Handouts... Teaching of Listenin...

CS201P - Introduction to Programming (Practical) (Graded Quiz 01) Quiz Start Time: 07:36 PM, 18 November 2024

Question # 5 of 10 (Start time: 07:40:25 PM, 18 November 2024) Total Marks: 1

In C++, if we want to execute more than one statement within an 'if statement', then we have to enclose all statements in _____.

Select the correct option

☒ {}

☐ <>

☐ []

☐ ()

Reload Math Equations

What will be the output of the following code?

```
int x = 15;
int y = 10;
int z = 5;
cout << x * x - 4 * y * z;
```

Select the correct option

☐ -5

☐ -25

☐ 5

☒ 25

Reload Math Equations

Learning4Help by Waqas Qureshi 03421718143

CS201P - Introduction to Programming (Practical) (Graded Quiz 01) Quiz Start Time: 07:36 PM, 18 November 2024

Question # 8 of 10 (Start time: 07:42:54 PM, 18 November 2024) Total Marks: 1

The coding of a program is translated into machine language by _____.

Select the correct option

☐ Linker

☐ Loader

☒ Compiler

☐ Debugger

Reload Math Equations

CS201P - Introduction to Programming (Practical) (Graded Quiz 01) Quiz Start Time: 07:36 PM, 18 November 2024

Question # 9 of 10 (Start time: 07:43:54 PM, 18 November 2024) Total Marks: 1

Which of the following is an example of logical operator?

Select the correct option

☐ /,%

☐ <>

☐ +,*

☒ &&,&&||

Reload Math Equations

Handouts.pdf Login - Exams MTH603 Mid Term... CS601 Mcqs_Combi... plantuml.com/sitem... Phonetics and Phon... ENG-508 Handouts... Teaching of Listenin...

CS201P - Introduction to Programming (Practical) (Graded Quiz 01) Quiz Start Time: 07:36 PM, 18 November 2024

Question # 10 of 10 (Start time: 07:44:47 PM, 18 November 2024) Total Marks: |

C/C++ has many libraries which contain variables and function names normally starting with ____.

Select the correct option

Hyphen

Hash

Semi-Colon

Underscore

Reload Math Equations

Search

Handouts.pdf Login - Exams MTH603 Mid Term... CS601 Mcqs_Combi... plantuml.com/sitem... Phonetics and Phon... ENG-508 Handouts... Teaching of Listenin...

Question # 1 of 5 (Start time: 05:16:27 PM, 28 November 2024) Total Marks: |

What will be the output of the following code?

```
int main (int argc, char **argv) {  
    cout<<argc;  
}
```

Select the correct option

1

2

Null

0

Reload Math Equations

Search

Handouts.pdf Login - Exams MTH603 Mid Term... C5601 Mcqs_Combi... plantuml.com/sitem... Phonetics and Phon... ENG-508 Handouts... Teaching of Listenin... Quiz Start Time: 05:16 PM, 28 November 2024

Question # 2 of 5 (Start time: 05:16:55 PM, 28 November 2024) Total Marks: 1

From the following code, what will be the size of the array "name"?

```
char name [] = "My full name";
```

Select the correct option

Reload Math Equations

☐ 14

☐ 12

☒ 15

☐ 13

Handouts.pdf Login - Exams MTH603 Mid Term... C5601 Mcqs_Combi... plantuml.com/sitem... Phonetics and Phon... ENG-508 Handouts... Teaching of Listenin... Quiz Start Time: 05:17 PM, 28 November 2024

Question # 3 of 5 (Start time: 05:17:15 PM, 28 November 2024) Total Marks: 1

In C++, atof () function is used to convert _____.

Select the correct option

Reload Math Equations

☒ Character string to float

☐ Character string to short

☐ Character string to long integer

☐ Character string to integer

Handouts.pdf Login - Exams MTH603 Mid Term... CS601 Mcqs_Combi... plantuml.com/sitem... Phonetics and Phon... ENG-508 Handouts... Teaching of Listenin...

CS201P - Introduction to Programming (Practical) (Lab Attendance Quiz 06 - Non Graded) Quiz Start Time: 05:16 PM, 28 November 2024

Question # 4 of 5 (Start time: 05:17:36 PM, 28 November 2024) Total Marks: 1

Suppose we have declared a two-dimensional array "multi". To access its elements using pointer, we should use referencing like _____.

Select the correct option

☐ *multi

☐ multi

☐ *multi + 1

☒ **multi

Reload Math Equations

What will be the output of the following code?

```
int main(){  
    int number[5] = {10,20,30,40,50};  
    cout << *(number+3);  
}
```

Select the correct option

☐ 30

☐ 10

☐ 50

☒ 40

Reload Math Equations

Please read the following instructions carefully!

1. Quiz will be based upon Multiple Choice Questions (MCQs).
2. You have to attempt the quiz online. You can start attempting the quiz any time within given date(s) of a particular subject by clicking the link for Quiz in VULMS.
3. Each question has a fixed time of 90 seconds. So you have to save your answer before 90 seconds. But due to unstable internet speeds, it is recommended that you should save your answer within 60 seconds. While attempting a question, keep an eye on the remaining time.
4. Attempting quiz is unidirectional. Once you move forward to the next question, you can not go back to the previous one. Therefore before moving to the next question, make sure that you have selected the best option.
5. **DO NOT** press **Back Button** / **Backspace Button** while attempting a question, otherwise you will lose that question.
6. **DO NOT** refresh the page unnecessarily, **specially** when following messages appear
Saving!
Question Timeout: Now loading next question...
7. **Javascript MUST be enabled** in your browser; otherwise you will not be able to attempt the quiz.
8. If for any reason, you lose access to internet (like power failure or disconnection of internet), you will be able to attempt the quiz again from the question next to the last shown question. But remember that you have to complete the quiz before expiry of the deadline.
9. If any student failed to attempt the quiz in given time then no re-take or offline quiz will be held.

Question # 1 of 10 (Start time: 07:56:39 PM, 02 December 2024)**Total Marks: 1**

What will be the output of the following code?

```
int main (int argc, char **argv) {  
    cout<<argc;  
}
```

Select the correct option[Reload Math Equations](#)

- | | |
|----------------------------------|------|
| ☐ | Null |
| ☐ | 0 |
| ☐ | 2 |
| ☒ | 1 |

Handouts.pdf Login - Exams MTH603 Mid Term... C5601 Mcqs_Combi... plantuml.com/sitem... Phonetics and Phon... ENG-508 Handouts... Teaching of Listenin...

CS201P - Introduction to Programming (Practical) (Graded Quiz 02) Quiz Start Time: 07:56 PM, 02 December 2024

Question # 2 of 10 (Start time: 07:57:43 PM, 02 December 2024) Total Marks: |

_____ character is used to terminate a string.

Select the correct option

☒ Null

☐ Stop

☐ End

☐ Full

Reload Math Equations

Search

Handouts.pdf Login - Exams MTH603 Mid Term... C5601 Mcqs_Combi... plantuml.com/sitem... Phonetics and Phon... ENG-508 Handouts... Teaching of Listenin...

CS201P - Introduction to Programming (Practical) (Graded Quiz 02) Quiz Start Time: 07:56 PM, 02 December 2024

Question # 3 of 10 (Start time: 07:58:19 PM, 02 December 2024) Total Marks: |

Which type of arrays are used while dealing with sentences?

Select the correct option

☐ Integer arrays

☐ Word arrays

☐ Floating-point arrays

☒ Character arrays

Reload Math Equations

Search

Learning34 Help by Vaghas Qureshi 03421718143

What will be the output of the following code?

```
int main(){
char str1[] = "Hello ";
char str2[] = "World!";
cout << strcat(str1,str2);
```

Select the correct option

☐ World!

☐ HelloWorld!

☒ Hello World!

☐ Hello

Reload Math Equations

CS201P - Introduction to Programming (Practical) (Graded Quiz 02)

Quiz Start Time: 07:56 PM, 02 December 2024

Question # 5 of 10 (Start time: 07:59:56 PM, 02 December 2024)

Total Marks:

Which of the following is the correct method to declare an array?

Select the correct option

☐ array_name [size] data_type;

☒ data_type array_name [size];

☐ [size] array_name data_type;

☐ array_name data_type [size];

Reload Math Equations

Handouts.pdf Login - Exams MTH603 Mid Term... C5601 Mcqs_Combi... plantuml.com/sitem... Phonetics and Phon... ENG-508 Handouts... Teaching of Listenin...

CS201P - Introduction to Programming (Practical) (Graded Quiz 02) Quiz Start Time: 07:56 PM, 02 December 2024

Question # 6 of 10 (Start time: 08:00:35 PM, 02 December 2024) Total Marks: 1

Two arrays are equal if _____

Select the correct option

Both their size and values are equal

Only their size is equal

Their values are equal but size is not

Only their values are equal

Reload Math Equations

What will be the output of the following code?

```
int main(){
    int number[5] = {10,20,30,40,50};
    cout << *(number+3);
}
```

Select the correct option

40

10

50

30

Reload Math Equations

Handouts.pdf Login - Exams MTH603 Mid Term... C5601 Mcqs_Combi... plantuml.com/sitem... Phonetics and Phon... ENG-508 Handouts... Teaching of Listenin...

CS201P - Introduction to Programming (Practical) (Graded Quiz 02) Quiz Start Time: 07:56 PM, 02 December 2024

Question # 8 of 10 (Start time: 08:02:44 PM, 02 December 2024) Total Marks: 1

Which of the following is not a file opening mode?

Select the correct option

☒ ios::create

☐ ios::in

☐ ios::trunc

☐ ios::ate

Reload Math Equations

The size variable in the following program is a _____ variable.

```
#include <iostream>
-
int size;
-
int main ()
{
-
}
```

Select the correct option

☐ Static

☐ Local

☐ Constant

☒ Global

Reload Math Equations

Click to Save Answer & Move to Next Question

Handouts.pdf Login - Exams MTH603 Mid Term... CS601 Mcqs_Combi... plantuml.com/sitem... Phonetics and Phon... ENG-508 Handouts... Teaching of Listenin...

CS201P - Introduction to Programming (Practical) (Graded Quiz 02) Quiz Start Time: 07:56 PM, 02 December 2024

Question # 10 of 10 (Start time: 08:04:33 PM, 02 December 2024) Total Marks: 1

char name [] = "Hello World";

In the above statement, a memory of ____ characters will be allocated to the array name.

Select the correct option

10
11
12
13

Reload Math Equations

BC240414025: MUHAMM... Quiz: ChatGPT

CS201P - Introduction to Programming (Practical) (Lab Attendance Quiz 05 - Non Graded) Quiz Start Time: 10:12 PM, 21 November 2024

Question # 3 of 5 (Start time: 10:13:55 PM, 21 November 2024) Total Marks: 1

In C++, pointer can be initialized with

Select the correct option

Dot(.)
Semicolon(;)
Hash(#)
Null

Reload Math Equations

Activate Window

Click to Save Answer & Move to Next Question

BC240414025: MUHAMMID Quiz ChatGPT

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx

CS201P - Introduction to Programming (Practical) (Lab Attendance Quiz 05 - Non Graded) Quiz Start Time: 10:12 PM, 21 November 2024

Question # 4 of 5 (Start time: 10:14:19 PM, 21 November 2024) Total Marks: 1

What will be the output of the following code?

```
int main() {  
    int a[4]={1,2,3,4};  
    cout<< a[2];  
}
```

Select the correct option

☐ 1

☐ 2

☐ 4

☐ 3

Reload Math Equations

Activate Windows
Go to Settings to activate Windows.

Type here to search

18°C Smoke ENG 10:14 PM 11/21/2024

BC240414025: MUHAMMID Quiz ChatGPT

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx

CS201P - Introduction to Programming (Practical) (Lab Attendance Quiz 05 - Non Graded) Quiz Start Time: 10:12 PM, 21 November 2024

Question # 5 of 5 (Start time: 10:14:52 PM, 21 November 2024) Total Marks: 1

Which of the following shows the memory address of the first element in an array?

Select the correct option

☐ array[0]

☒ array

☐ array(0)

☐ array{0}

Reload Math Equations

Activate Windows
Go to Settings to activate Windows.

Click to Save Answer & Move to Next Question

Type here to search

18°C Smoke ENG 10:15 PM 11/21/2024

BC24D414025: MUHAMMID Quiz ChatGPT

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx

CS201P - Introduction to Programming (Practical) (Lab Attendance Quiz 05 - Non Graded) Quiz Start Time: 10:12 PM, 21 November 2024

Question # 1 of 5 (Start time: 10:12:51 PM, 21 November 2024) Total Marks: 1

Which of the following option gives the [value] stored at the address pointed to by the pointer "ptr"?

Select the correct option

☒ ptr

☐ &ptr

☐ Value(ptr)

☐ *ptr

Reload Math Equations

Click to Save Answer & Move to Next Question

CS201P - Introduction to Programming (Practical) (Lab Attendance Quiz 05 - Non Graded) Quiz Start Time: 10:12 PM, 21 November 2024

Question # 2 of 5 (Start time: 10:13:19 PM, 21 November 2024) Total Marks: 1

What will be the output of the following code?

```
int main(){
    char str[] = "Hello World";

    cout<<str[4];
    return 0;
}
```

Select the correct option

☐ H

☐ L

☐ W

☐ O

Reload Math Equations