

VU Medical Zone

BT 504 Current Final terms Fall 2020

M.C.Q

1. Actin, Coronin, Dystrophin, Keratin and Tubulin are which type of protein_____. **Cytoskeleton**
Protein [Download More Files from VUAnswer.com](#)
2. _____ is the field in which computational and statistical techniques are applied to derive biological information from genome sequences. **Genome informatics**
3. _____ genes have putative orthologs in the worm. **30%**
4. In population genomic less than_____ of human genome is coding sequence. **2%**
5. Most plants and animals have genomes greater than_____. **100 Mb**
6. Many fungal viruses contain _____ genomes. **dsRNA**
7. Yeast nuclear genome has _____ chromosomes. **16**
8. Similarity between genomes of Man – Yeast_____. **23%**
9. The number of physical maps in human_____. **24**
10. An entire genome or single chromosome may be represented in a _____ clone library. **YAC/BAC**
11. In human the nucleotide sequence of the estimated_____ bp. **3 billion**
12. In HPG the sub-clone Library Construction the DNA fragmented by_____. **Sonication or RE cut**
13. Transcribed in the precursor mRNA sequence but is ultimately removed by RNA splicing is called_____.
Introns [Download More Files from VUAnswer.com](#)
14. _____ are sites of storage and/or degradation of mRNA. **Processing bodies**
15. Xist appears to recruit a specific _____ isoform which maintains the chromosome in inactive state. **Histone**
16. In humans, Dicer is encoded by the _____ gene. **DICER1**
17. In sequencing technique purines are depurinated by _____. **Formic acid**
18. Which one of the following is used in Clone-by-clone shotgun sequencing? **YAC/BAC**

VU Medical Zone

19. luciferase and _____ generate light by conversion of luciferin to oxyluciferin. **ATP**
20. The accuracy of Oxford Nanopore is _____. **75%**
21. A tangled knot One Gene means _____. **One Polypeptide**
22. The portion of a gene's DNA or RNA, composed of exons, that codes for protein _____. **Coding DNA sequence**
23. GO stands for _____. **Gene Ontology**
24. Like TSS, the flanks of splice junctions show ____ distributions of nucleotides in certain positions. **Biased**
25. In Quality screening, screening is done while satisfying the following matrices except? **ORF**
26. De Burjn approach for genome assembly is most widely applied to short reads from the Solexa and _____ Platforms. **SOLiD**
27. Which one of the following is not a problem in graph construction? **Quality control**
28. Less than _____ of human diseases result from a single gene defect. **2%**
29. Secondary structure of proteins refers to the ____ conformation of some part of a polypeptide. **Local**
30. Interacting segments of polypeptide chains are held in their characteristic tertiary positions by different kinds of _____. **Weak interactions**
31. A multimer with just a few subunits is called as _____. **Oligomer**
32. 2D-gels allow the visualization of _____ proteins, whereas _____ proteins frequently cannot be detected. **abundant ,less abundant**
33. The diversity of stationary phases and separation modes gives HPLC considerable _____. **Resolving power**
34. Proteins concentration (and activity) may be different than gene expression due to _____ modification. **Post-translational**

[Download More Files from VUAnswer.com](#)

VU Medical Zone

Subjective

Qno1: Write down the function of miRNA in Tumor Suppressors and Oncogenes. 3 marks

[Download More Files from VUAnswer.com](#)

- miRNAs can function as tumour suppressors and oncogenes.
- Gene therapies that use miRNAs might be an effective approach to blocking tumour progression.
- miRNAs such as let-7, which has been shown to negatively regulate the Ras oncogenes, and miR-15 and miR-16, which negatively regulate BCL2, are promising candidates for cancer treatment.

Qno2: Write down the mechanism of SMART. 5 marks

• Single Molecule Real Time Sequencing

- Utilizes the zero-mode waveguide (ZMW), developed in the laboratories of Harold G. Craighead and Watt W. Webb at Cornell University.
- ZMW guides light energy into a volume that is small in all dimensions compared to the wavelength of the light.
- Nanophotonic structure, a circular hole in an aluminum film on a silica substrate.
- With an active polymerase immobilized at the bottom of each ZMW, nucleotides diffuse into the ZMW chamber.
- A, C, G and T are labeled with a different fluorescent dye having a distinct emission spectrum.
- Nucleotides held by the polymerase prior to incorporation emit an extended signal that identifies the base being incorporated.

Qno3: Differentiate between ORF and CDS. 2 marks

It is the part of gene that has a potential to code for proteins comes in triples called codons, beginning and ending with a unique translation start (ATG) and one of three stop (TAA, TAG, TGA) codons. ORF is usually predicted based on DNA sequence and not proven to be transcribed.

[Download More Files from VUAnswer.com](#)

Effort By Amaan Khan

VU Medical Zone

The portion of a gene's DNA or RNA, composed of exons, that codes for protein. CDS is transcribed and is coding for something.

Qno4: Differentiate between Contig and Scaffold. 2 marks

Contig: A consensus sequence of DNA that has been assembled from overlapping DNA fragments.

Scaffolds: One or more contigs linked together by unknown sequence.

Qno5: What are Proteins Structure Determination Techniques? 3 marks

- X-ray crystallography reliable but slow, not all protein crystallize.
- Computer structure prediction programs not reliable for all proteins.

Qno6: What is peptide bond? 3 marks

In a protein molecule, each amino acid residue is joined to its neighbor by a specific type of covalent bond which is called **Peptide Bond**. [Download More Files from VUAnswer.com](#)

Qno7: Why Electrophoresis is used for the separation of Protein fragment? 5 marks

- Capillary electrophoresis (CE) operates on the same general principal as IEF.
- Proteins placed in an electric field will migrate to a point in a pH gradient where they display an overall neutral change.
- The performance of the analysis in a microcapillary tube provides greatly enhanced resolution over the preparative IEF techniques discussed earlier.
- CE offers the greatest resolution of all peptide analytical techniques and can be coupled directly to MS instruments.
- CE thus has great potential as a technique for analytical proteomics.
- The utility of CE is limited at the present time by the lack of commercially available, robust, and reliable CE-MS instrumentation for analytical proteomics.

Qno8: Write down the advantages of Single molecule Sequence. 5 marks

Advantages of single molecule sequencing

- Less sample preparation (no PCR)
- No amplification

[Download More Files from VUAnswer.com](#)

Effort By Amaan Khan

VU Medical Zone

- no PCR errors
- fewer contamination issues
- no GC-bias

Qno9: Explain the structure of siRNA. 2 marks

Small interfering

RNA (siRNA), sometimes known as short interfering RNA, is a class 20- 25 nucleotide-long RNA molecules that interfere with the expression of genes.

A short (usually 21-nt) double-strand of RNA (dsRNA) with 2-nt overhangs on either end, including a 5' phosphate group and a 3' hydroxy (-OH) group.

Qno10: Write down the application siRNA. 3 marks

[Download More Files from VUANswer.com](https://vuananswer.com)

Applications of siRNA

- Determining protein function
- Easier than preparing knockout
- Used for partial knockdowns
- Applications for cancer prevention, infections and developmental defects.

Qno11: Why 2D SDS-PAGE was not used in past? 2 marks

In past 2D SDS-PAGE was difficult to use because of;

- The relative technical difficulty of performing the IEF step.
- Getting the delicate tube gel containing the focused proteins set up to efficiently transfer the proteins in the SDS-PAGE slab gel was a technical challenge.

Qno12: Write down the advantages of Genome assembly. 3 marks

- It is unlikely that both reads (mate pairs) are coming from a repeat.
- A read in a unique portion of DNA can help find the true repeat where its mate is residing.

Qno13: How transcriptions help us? 2 marks

Effort By Amaan Khan

VU Medical Zone

RNA transcription makes an efficient control point because many proteins can be made from a single mRNA molecule. Transcript processing provides an additional level of regulation for eukaryotes, and the presence of a nucleus makes this possible.

[Download More Files from VUAnswer.com](#)

Qno14: Define Domain. 2 marks

Large polypeptide chains usually fold into two or more globular clusters known as **domains**, which often give these proteins a bi- or multilobal appearance.

Qno15: What is open frame reading? 2 marks

It is the part of gene that has a potential to code for proteins comes in triples called codons, beginning and ending with a unique translation start (ATG) and one of three stop (TAA, TAG, TGA) codons.

Qno16: Explain the types of protein. 3 marks

- Three major categories
- Fibrous proteins
- Globular proteins
- Complexes with multiple components including proteins

[Download More Files from VUAnswer.com](#)

Qno17: Name the assemblers in Greedy graph. 3 marks

Greedy Graph based Assemblers:

- SSAKE
- VCAKE
- SHARCGS

Qno17: Describe the clone by clone short gun sequencing and whole genome sequencing.

5marks

Clone by clone shotgun sequencing:

- Also known as hierarchical shotgun sequencing or map based shotgun sequencing.
- The target DNA is first analysed by clone based physical mapping methods.

Effort By Amaan Khan

VU Medical Zone

- Individual clones that together span the region of interest are selected and subjected to shotgun sequencing.

Whole Genome Shotgun Sequencing (WGS):

- Whole genome is broken down, cloned into vectors and then sequenced.

Qno18: Explain the importance of protein in pharmaceutical.

5 marks

Pharmaceutical Importance of proteins:

- Proteins as pharmaceuticals
- Proteins applications
- Whey proteins health effects
- Iron chelate Protein
- Zinc chelate Protein
- Tumor markers

[Download More Files from VUAnswer.com](#)