

1: Study of computers and computational systems.

1: [Computer Science](#)

2: General Science

3: Social Science

4: Everyday Science

2: An independent laborer who earns wages on a per-job or per-task basis, typically for short-term work.

1: [Freelancer](#)

2: Teacher

3: Doctor

4: Engineer

3: _____ is the most demanded job in United State.

1: Graphic Designer

2: [Software Developer](#)

3: Civil Engineer

4: Accountant

4: According to a study conducted by Forbes in 2018, which of the following jobs are highly ranked in future?

1: [Software Developers](#)

2: Electric Engineers

3: Data Entry

4: Mechanical Engineers

5: Such strategy of learning where Introduction to almost all courses of Computer Science is given is known as Depth First Learning.

1: True

2: [False](#)

6: Artificial Intelligence(AI) is about _____.

1: Programming on Machine with your Intelligence

2: [Making a machine Intelligent](#)

3: Playing a game on Computer

4: Putting your intelligence in Machine

7: Study of the fundamental concept of step by step problem solving in Computer Science is known as.

1: Database

2: Programming

3: Scratch

4: [Algorithms](#)

8: in Depth First Learning, we cover all the topic of one particular course first then move to the next courses one by one.

1: False

2: [True](#)

9: While searching on google you should not wary about?

1: Searching file

2: Data

3: [Spelling](#)

4: Search results

10: You can use _____ search engine for searching images, movies, games or educational content.

1: YouTube

2: WhatsApp

3: [Google](#)

4: Facebook

11: When using Google search engine, you can also use your microphone to perform a search.

1: [True](#)

2: False

12: The Google search returns the result of a calculation when we write some mathematical statement such as "11*12" in the search box.

1: False

2: [True](#)

13: We can use the "-" minus sign in a Google search query to:

1: Search definition of a particular word

2: Compare some food items

3: [Eliminate a certain word from the search results](#)

4: Find an exact phrase

14: Google search can be used to search the results of a calculation only after installing a calculator extension in the browser.

1: [False](#)

2: True

15: On the Internet, _____ is the symbol in an E-mail address that separates the name of the user from the user's Internet address.

1: %

2: \$

3: #

4: [@](#)

16: We can use the "#" symbol in a Google search query to:

1: [Search a particular word specified with "#" on a social media platform](#)

2: Search a particular item having price up to the specified value with "#"

3: Search a particular website name specified with "#"

4: Search a particular item within a price range specified by "#"

17: For what purpose "@" symbol is used in Google Search?

1: Used in a search query to help narrow down a search

2: [Used to search something on a social media](#)

3: Used in search as a wildcard character

4: Used in a search query to exclude a term from the results

18: What is the correct format to search for an exact phrase using the Google search?

(Example phrase)

-Example phrase-

["Example phrase"](#)

<Example phrase>

19: While searching on Google, put the _____ symbol before a particular word you want to exclude from the search results?

1: <

2: -

3: *

4: +

20: If you are interested to know whether there exists some other website like YouTube on the web, which of the following query can be used?

"info:youtube.com"

"website like:youtube.com"

["related:youtube.com"](#)

"cache:youtube.com"

21: Which of the following keywords forces Google to show map results for a locational search?

1: [map:](#)

2: mapping:

3: maps:

4: show map:

22: What does Google create with all the web page links to improve the search results?

1: A spreadsheet

2: [An index](#)

3: All of the given

4: Google doc file

23: The Google search engine presents the search result in the form of a _____.

1: [List](#)

2: Graph

3: Chart

4: Table

24: Use _____ query to find pages containing all the specified words in the title of the page.

1: [allintitle: \[search phrase\]](#)

2: [allinurl: \[search phrase\]](#)

3: [intitle: \[search phrase\]](#)

4: allintext: [search phrase]

25: Use _____ query to search for pages that have at least one of your search words in the title of the page?

1: allintitle: [search phrase]

2: [intitle: \[search phrase\]](#)

3: allintext: [search phrase]

4: allinurl: [search phrase]

26: Which of the following is the correct query format to check the stock information of Facebook?

1: "Facebook" Stocks

2: [Stocks:Facebook](#)

3: Stocks<Facebook>

4: Stocks"Facebook

28: In Google search, use _____ query to find pages containing all the words in the page URL that are mentioned in the search query.

1: allintext: [search phrase]

2: allintitle: [search phrase]

3: [allinurl: \[search phrase\]](#)

4: intitle: [search phrase]

29: In a Google search query, add _____ between two search terms to find webpages containing those terms in close proximity?

1: [AROUND\(n\)](#)

2: (Quotation marks)

3: OR

4: (Two Periods)

30: In Google search, use _____ query to find pages with all of those words in the body of the page?

1: [allintext: \[search phrase\]](#)

2: intitle: [search phrase]

3: allinurl: [search phrase]

4: allintitle: [search phrase]

31: The instructions that tell the computer what to do:

1: Hardware

2: Output

3: Software

4: Input

32: First-generation computers used _____ to perform its operations?

1: Gears

2: Integrated Circuits

3: Vacuum Tubes

4: Microchips

33: Blaise Pascal, Gottfried Wilhelm Leibniz, and Charles Babbage experimented with _____ technology to develop computing machines.

1: Gears

2: Vacuum Tubes

3: Transistor

4: Integrated Circuits

34: Abacus was the first _____.

1: Mechanical computer

2: Electronic calculator

3: Personal Computer

4: Electronic computer

35: How much is one Terabyte equal to?

1: 1024 Bytes

2: 1024 Gigabytes

3: 1024 Bytes

4: 1024 kilobytes

36: A combination of 8 bits in memory storage is referred to as:

1: 1 octal

2: 1 quad

3: 1 byte

4: 1 nibble

37: Bit is short for?

1: Binary system

2: Binary unit

3: Basic two digits

4: Binary digits

38: One kilobyte (1 KB) contains _____ bytes.

1: 8192

2: 1024

3: 8

4: 512

39: 65 in binary can be represented as?

1: 1000000

2: 0000011

3: 1000001

4: 1100000

40: Which of the following operators perform operations like addition, exponentiation, and modulus?

1: Boolean

2: Assignment

3: Arithmetic

4: Logical

41: Which of the following is not a basic gate?

1: OR

2: NAND

3: NOT

4: AND

42: Boolean is a type of data with only _____ possible values.

1: 1

2: 8

3: 2

4: 3

43: _____ operator produces the output as 1 only when all of its inputs are 1. Otherwise, it gives output as 0.

1: AND

2: XOR

3: NOT

4: OR

44: Binary representation of the Hexadecimal value "5A" is:

1: (10100101)₂

2: (01011010)₂

3: (00110011)₂

4: (11001100)₂

45: A _____ is expressed in the base-2 numeral system.

1: Binary number

2: Decimal number

3: Octal number

4: Hexadecimal number

46: A long string of bits is often called a?

1: Graph

2: Line of bits

3: Byte

4: Stream

47: The smallest unit of computer's memory is:

1: Byte

2: Bit

3: Character

4: Nibble

48: A device that produces the output of a Boolean operation when given the operation's input values is called a?

1: [Gate](#)

2: ROM

3: RAM

4: Chip

49: _____ is the average amount of time required for the desired data to rotate around to the read/write head once the head has been positioned over the desired track.

[Rotation Delay](#)

Transfer Rate

Access Time

Seek Time

50: For Magnetic storage systems, the sum of seek time and rotation delay is known as?

1: Transfer Rate

2: Round-Trip Time

3: Response Time

4: [Access Time](#)

51: The head of a magnetic disk traverses the disk in a circle called:

1: Chamber

2: [Track](#)

3: Area

4: Zone

52: The rate at which data can be transferred to or from the disk is known as?

1: Seek Time

2: [Transfer Rate](#)

3: Rotation Delay

4: Access Time

53: _____ is the time required to move the read/write heads of a Magnetic disk from one track to another.

1: Access Time

2: Rotation Delay

3: [Seek Time](#)

4: Transfer Rate

54: CD technology was originally applied to audio recordings using a recording format known as_____.

1: CD-DD

2: CA-AA

3: CD-AD

4: [CD-DA](#)

55: DVD Stand for_____?

1: [Digital Versatile Disk](#)

2: Disk Visible Device

3: Divided Vertical Disk

4: Double Versatile Disk

56: Traditional CDs have capacities in the range of_____?

1: Up to 100 MBs

2: Up to 4 GBs

3: Few TBs

4: [600-700 MBs](#)

57: The most Fastest memory is:

1: RAM

2: Flash Drive

3: Hard Drive

4: [Cache](#)

58: Optical storage system is best suitable for:

1: Long random string of data

2: [Long continuous string of data](#)

3: Short continuous string of data

4: Short random string of data

59: ASCII can store only _____ characters.

1: 64

2: 128

3: 32

4: 234

60: ASCII code has 8 bits; 7 bits for information and the most significant bit has the _____ value.

1: 1

2: NULL

3: Garbage

4: 0

61: The ASCII code of letter 'H' is _____.

1: 01001000

2: 01101100

3: 01001100

4: 01100101

62: If 4bit binary notation is used to represent numeric values, total _____ numeric values can be represented.

1: 2

2: 15

3: 16

4: 4

63: Numeric values are stored in computer using _____ notation.

1: Hexadecimal Notation

2: Octal Notation

3: Binary Notation

4: Decimal Notation

64: Suppose in binary notation we have 16 bits then _____ numeric values can be represented.

1: 32

2: 16

3: 65536

4: 65535

65: Printers work on _____ concept.

1: Pixel

2: **Bit Map**

3: Bit

4: Image

66: Bitmap of an image is formed from the appearance of _____.

1: Cells

2: Bits

3: Unit

4: **Pixels**

67: To encode a colorful image, _____ bytes are used to represent one pixel.

1: 4

2: 1

3: 2

4: **3**

68: Does each sound wave has an amplitude?

1: **True**

2: False

69: On CD, a sound sample is recorded in _____ bits.

1: **16**

2: 8

3: 32

4: 64

70: In today's CD, _____ samples per second are recorded.

1: 46100

2: 43100

3: **44100**

4: 45100

71: The amplitude of the sound is experienced as the _____ of the sound.

1: Pitch

2: Sharpness

3: Loudness

4: Quality

72: Is MIDI (Musical Instrument Digital Interface) used in video synthesizers?

1: Yes

2: No

73: In binary notation, $1 + 1 = ?$

1: 10

2: 0

3: 1

4: 11

74: 2 power 6 is equivalent to _____.

1: 6

2: 64

3: 16

4: 32

75: Binary equivalent of 31 is _____.

1: 10011

2: 10000

3: 10111

4: 11111

76: In Binary notation, quantity associated with each position is twice the quantity associated with the position to its _____.

1: Top

2: Left

3: Right

4: Bottom

77: Binary equivalent of 255 is _____.

1: 10111111

2: 11111111

3: 10000000

4: 11111110

78: What will be the output of the following binary addition? $1011 + 1110 = ?$

1: 10001

2: 11001

3: 1001

4: 1101

79: During the Binary addition, when the output of the addition of binary digits is 10; _____ is treated as sum, and _____ is taken as carry.

1: 1,1

2: 1,0

3: 0,0

4: 0,1

80: What will be the output of the following binary addition? $11111 + 11011 = ?$

1: 1010101

2: 1001101

3: 1111111

4: 111010

81: The number/digits at the left side of the radix point is _____.

1: The Whole Part

2: The Radix itself

3: always 0

4: The Fraction Part

82: The number/digits at the right side of the radix point is _____.

1: The Radix itself

2: The Fraction Part

3: Always 0

4: The Whole Part

83: What will be the output of adding 011.011 and 101.110?

1: 1001.001

2: 1001.101

3: 1000.001

4: 0001.001

84: The binary equivalent of the $3 \times (1/8)$ fractional number is:

1: 011.100

2: 011.010

3: 011.000

4: 011.001

85: The number of bits to represent each value in two's complement notation is/are _____.

1: Always 8

2: Different

3: Always 0

4: Fixed

86: Now a Days the most popular number system to store numbers in computer is:

1: Two's Complement notation

2: Decimal Number system

3: One's complement notation

4: Binary Number system

87: The output of addition of -3 and -2 is _____.

1: 0101

2: 1001

3: 0010

4: 1011

88: The binary equivalent of -6 is _____ in 2's complement notation.

1: 1110

2: 1010

3: 1101

4: 0110

89: For signed numbers, _____ bit is used to represent sign.

1: Right most

2: Left most

3: Central

4: No

90: Negative numbers can be represented using binary notation in computers?

1: No

2: Yes

91: In Excess 8 notation, binary equivalent of +5 is _____.

1: 0011

2: 0101

3: 1101

4: 1011

92: Each value in Excess Notation is the excess of _____.

1: Its original value

2: Nothing

3: Fixed length 0's

4: Fixed length 1's

93: In Excess 16 notation, 10000 is equivalent to _____.

1: 0

2: 15

3: 11

4: 6

94: In Excess 8 notation, binary equivalent of -5 is _____.

1: 0101

2: 0011

3: 1101

4: 1011

95: In floating point notation, _____ has the actual value of the given number.

1: Radix

2: Mantissa

3: Sign bit

4: Exponent

96: the popular method to store fractional number is _____.

1: Radix Notation

2: Decimal Notation

3: Floating Point Notation

4: Binary Notation

97: To store a fractional Numbers, _____ of radix point is also stored.

1: Position

2: Value

3: Name

4: None of the given

98: In floating point notation, _____ bit(s) is/are reserved to store the sign of the value.

1: 1

2: 2

3: 0

4: 2n

99: In floating point notation, while storing fraction number, _____ error can occur.

1: Truncation

2: Locking

3: Lost Update

4: Extension

100: Truncation error can be solved by _____.

1: Increasing the bits for sign

2: Only increasing the numbers of exponent bits

3: [Increasing the numbers of bits for both mantissa and exponent](#)

4: Only increasing the number of mantissa bits

101: The binary numbers have _____ non-terminating values as compared to decimal numbers.

1: Equal

2: Less

3: [More](#)

4: No

102: Huffman Code is type of _____ compression technique.

1: Run-length encoding

2: Dictionary encoding

3: [Frequency dependent encoding](#)

4: Relative encoding

103: Lossy compression techniques are preferred in settings in which _____ error(s) can be tolerated.

1: No

2: Major

3: [Minor](#)

4: None of given

104: _____ compression technique is used for the compression of motion pictures.

1: Run-length encoding

2: Frequency dependent encoding

3: Dictionary encoding

4: [Relative encoding](#)

105: In which format of image compression related information is also stored?

1: JPEG

2: GIF

3: [TIFF](#)

4: PNG

106: Which of the given image compression technique is widely used in photography industry?

- 1: GIF
- 2: PNG
- 3: TIFF
- 4: JPEG

107: GIFF is a _____ encoding scheme.

- 1: Run- Length
- 2: Dictionary
- 3: Relative
- 4: Frequency Dependent

108: CompuServe developed which of the given Image compression technique?

- 1: PNG
- 2: GIF
- 3: JPEG
- 4: TIFF

109: In MPEG compression technique, _____ technique is used to compress pictures in I-frame.

- 1: Relative encoding
- 2: Run-length encoding
- 3: Frequency dependent encoding
- 4: Dictionary encoding

110: _____ is the common technique to compress audio.

- 1: MPEG
- 2: GIF
- 3: JPEG
- 4: MP3

111: MP3 recordings generally require transfer rates of no more than _____ Kbps.

- 1: 40
- 2: 64
- 3: 128

4: 32

112: During a Read/Write operation with the main memory, CPU provides an electronic signal specifying whether to read or write the data.

1: Yes

2: No

113: CPU has _____ parts.

1: 1

2: 2

3: 3

4: 4

114: The result of the ALU operation is saved in _____.

1: Bus

2: Cache

3: Main Memory

4: Register

115: Set of codes that computer can understand is called _____.

1: Program

2: Data

3: Object

4: Instruction

116: Earlier data and program were considered _____.

1: Same

2: Un Important

3: Different

4: Equal

117: CPU stands for _____.

1: Central Processing Unit

2: Combined Programming Unit

3: Central Programming Unit

4: Combined Processing Unit

118: Computers with CISC architecture consumes _____ power.

1: High

2: Low

3: Moderate

4: No

119: The collection of instructions along with the encoding system is called the _____ language. 1: Assembly

2: Programming

3: Natural

4: Machine

120: In early computers the steps to be executed were built on the _____ as a part of the machine.

1: Memory

2: Control Unit

3: Motherboard

4: Arithmetic Unit

121: There are _____ philosophies of CPU architecture.

1: Five

2: Two

3: Three

4: Four

122: Following the RISC architecture, CPU can execute _____ set of instructions.

1: Complex

2: Redundant

3: Large

4: Minimal

123: Instructions expressed in machine language are called _____.

1: Logical instructions

2: Output instructions

3: Input instructions

4: [Machine instructions](#)

124: Instructions that handle the input and output of a machine are called _____.

1: Control instructions

2: [I/O instructions](#)

3: Activity instructions

4: Logical Instructions

125: The control group have instructions for:

1: Manipulation of data

2: [Execution of program](#)

3: Communication instructions

4: I/O activities

126: ALU performs _____.

1: Unary operations

2: Control operations

3: [Arithmetic and logical operations](#)

4: Relational operations

127: Registers are part of _____.

1: Secondary storage

2: Disk Drives

3: [CPU](#)

4: ROM

128: Register is a type of _____.

1: [Memory](#)

2: OS

3: Input device

4: Software

129: IR stands for.

- 1: Input register
- 2: Instruction resource
- 3: Input resource
- 4: [Instruction register](#)

130: The encoded instruction 156C represents a memory cell with address.

- 1: 15
- 2: 56
- 3: [6C](#)
- 4: 156C

131: Program execution cycle is based on _____ steps.

- 1: Four
- 2: Two
- 3: [Three](#)
- 4: Five

132: Which one is the register in encoded instruction 156C?

- 1: 6
- 2: C
- 3: 1
- 4: [5](#)

133: _____ operator produces the output as 0 when all of the inputs are 0, otherwise it gives output as 1.

- 1: NOT
- 2: AND
- 3: [OR](#)
- 4: XOR

134: An important use of the _____ operation is placing 0s in one part of a bit pattern while not disturbing the other part.

- 1: [AND](#)

2: NOT

3: OR

4: XOR

135: Bitwise operation combines two strings of _____ to produce a single output string.

1: Patterns

2: Bits

3: Bytes

4: Results

136: OR operation can be used to duplicate a part of a string while putting _____ in the non-duplicated part.

1: Inverse value

2: Or operator

3: 0s

4: 1s

137: Bitwise logical operators inspect _____ bit(s) at a time.

1: 1

2: 2

3: 4

4: 8

138: Not operator is used to _____ the current decision.

1: Sum

2: End

3: Halt

4: Inverse

139: Base-2 numbers Represents _____ number system.

1: Hexadecimal

2: Octal

3: Binary

4: Decimal

140: Performing a right circular shift on a byte size bit pattern _____ times, we get the same bit pattern we started with.

1: Four

2: [Eight](#)

3: Two

4: Sixteen

Shift operations are classified by _____ direction of motion.

1: [Right or left](#)

2: Alignment

3: Left

4: Right

Shifting binary digits to the left gives the _____ by two.

1: Division

2: Subtraction

3: Addition

4: [Multiplication](#)

Shifting _____ digits to the left gives the multiplication by ten.

1: Binary

2: Hexadecimal

3: Octal

4: [Decimal](#)

Subtraction can be simulated by _____ and _____.

1: negation and subtraction

2: multiplication and negation

3: addition and multiplication

4: [addition and negation](#)

Division operation can also be performed using the _____ arithmetic operation in the computer system.

1: [Subtraction](#)

2: Multiplication

3: Addition

4: Negation

An arithmetic operator is a mathematical function that takes _____ operand(s) and performs a calculation.

1: 4

2: 3

3: 2

4: 1

To obtain 8 multiplied by 3, we will add __,__ times.

1: 3, 3

2: None of these

3: 8, 3

4: 8, 8

For receiving a bit pattern from a controller we use instruction similar to _____ instruction.

1: CONTROL

2: GET

3: STORE

4: LOAD

USB stands for _____.

1: Universal Serial Bus

2: Uniform System Bus

3: Uniform Serial Bus

4: Universal System Bus

Computer and other devices coordinate through a device called _____.

1: Coordinator

2: ALU

3: Controller

4: Registers

The CPU _____ the other tasks while the controller doing the operations with memory.

- 1: Pauses
- 2: Signals
- 3: Stops
- 4: [Continues](#)

Storage medium of the computer that holds the currently used data, programs and instructions is _____.

- 1: Compact Disk
- 2: [Main Memory](#)
- 3: Hard disk
- 4: ROM

In a computer, _____ is used to transfer data between internal components.

- 1: USB
- 2: [Bus](#)
- 3: Ports
- 4: Control Unit

Ability of a controller to communicate with the main memory is called _____.

- 1: [DMA](#)
- 2: Fetching
- 3: CU
- 4: Encoding

8kbps is equal to _____ per second.

- 1: 8KB
- 2: 4KB
- 3: [1KB](#)
- 4: 16KB

Communication between computer devices is handled over _____ types of paths.

- 1: [2](#)
- 2: 5

3: 4

4: 3

Rate at which bits are transferred from one computing component to another measured in _____.

1: Bps

2: kbps

3: mbps

4: Gbps

MB stands for _____.

1: Measuring Bit

2: Modem Bit

3: Minor Bit

4: Mega Bit

KBPS is a _____.

1: Modem

2: Communication path

3: Measuring unit

4: Transmission channel

Fetch the instruction refers to _____.

1: execute an instruction

2: decode an instruction

3: save an instruction

4: load an instruction

Light travels approximately 1 foot in a _____.

1: Millisecond

2: Nanosecond

3: Second

4: Microsecond

It requires at least _____ nanosecond(s) for the CPU to fetch an instruction from a memory cell 1 foot away.

1: 4

2: 2

3: 1

4: 3

A queue is a storage organization in which objects are ordered in _____.

1: last-in, last –out

2: last-in, first- out

3: first-in, last- out

4: first-in, first-out

OS is a _____.

1: Hardware

2: CPU

3: Software

4: Utility program

The execution of each program called a(n) _____.

1: Transmission

2: Job

3: Activity

4: queue

In batch processing systems the jobs residing in mass storage wait for execution in a _____.

1: processing queue

2: job list

3: job queue

4: processing list

In early batch-processing systems, each job was accompanied by a set of instruction. These instructions were encoded by using a system called _____.

1: IR

2: JCL

3: FIFO

4: OS

Active, Ready, waiting states are normally used in _____ systems.

1: [Time sharing](#)

2: Coordination with user

3: Interactive

4: Real-time Processing

OS designed to service multiple users at the same time called _____.

1: Interactive system

2: [Time sharing](#)

3: Coordination with user

4: Real-time processing

Early stage computers were _____.

1: Efficient

2: [Expensive](#)

3: Powerful

4: Small in size

Operating systems have grown from _____ to _____.

1: [simple programs, complex system](#)

2: simple programs, utility programs

3: complex system, simple programs

4: utility programs, simple programs

Operating systems focuses on devices that are dedicated to specific tasks such as home appliances and other hand-held computers. The computer systems found in these devices known as _____ systems.

1: Portable

2: Interactive

3: [Embedded](#)

4: Application

Now a day the existence of a computer operator is essentially _____.

1: [Disappeared](#)

2: Increased

3: Necessary

4: augmented

Example of application software is _____.

1: [Spreadsheet](#)

2: time sharing OS

3: sound driver

4: operating system

Which of the following software can't be categorized application software?

1: [MS-DOS](#)

2: MS-word

3: Games

4: MS-Excel

System software has two categories which are operating system and _____.

1: time sharing OS

2: desktop publishing systems

3: spreadsheet

4: [utility software](#)

Software that performs particular user tasks are _____.

1: Drivers

2: OS

3: System software's

4: [Application software's](#)

Component which allocates blocks of space on the screen is called _____.

1: window allocator

2: [window manager](#)

3: block manager

4: screen manage

Operating system must be able to communicate with the users. The portion of an operating system that handles this communication is called _____.

1: user handling

2: user communication

3: [user interface](#)

4: user transmission

GUI stands for _____.

1: Graphical user input

2: Graphical user interaction

3: Graphical user intercommunication

4: [Graphical user interface](#)

A chain of directories within directories is called a _____.

directory interface

[directory path](#)

directory chain

directory manager

Kernel is a part of _____.

[OS](#)

Application software

RAM

Hardware

The internal part of an operating system is called the _____.

GUI

user interface

disk driver

[kernel](#)

File managers allow files to be grouped into a bundle called _____.

window manager

GUI

Directory

Kernel

This large fictional memory space created by paging is called _____.

index memory

garbage memory

paging memory

virtual memory

Booting is performed by a computer when _____.

It goes to sleep mode

It is turned off

It hibernates

It is turned on

_____ has the capability to store the information permanently.

RAM

Registers

ROM

Booting

Main memory is typically constructed from _____ technologies.

Volatile

Latest

Non Volatile

Modern

The process of loading the operating system is called _____ the computer.

Booting

System Start

Updating

Starting

A CPU is designed so that its _____ starts with a particular address each time the CPU is turned on.

Secondary Memory

Memory Address Register

Main Memory

Program counter

The procedure of changing from one process to another is called process _____.

Management

Changing

Switch

Handling

Interrupt handler is a part of the _____.

Scheduler

Process table

Dispatcher

Interrupt

Each time the dispatcher awards a time slice to a process, it initiates a timer circuit that will indicate the end of the slice by generating a signal called _____.

Information

Interrupt

Update

Flag

Resource allocation to processes looks quite simpler, however, it's not so _____.

None of the given

Straight forward

Technical

Necessary

The scheduler allocates space in the _____.

Process table

Process Graph

Process Interrupt

Process handler

The file manager allocates access to files and _____ for the construction of new files.

Data Devices

Mass

storage space

Resources

The technique of holding data for output at a later but more convenient time is called _____.

Process management

Spooling

Mutual exclusion

Singe exclusion

When a resource is allocated to a process, Operating System sets a flag. The task of testing and possibly setting the flag may require several_____.

Device Drivers

Minutes

Devices

Machine instructions

If a process needs to print its results, it must request _____ to give it access to the printer's device driver.

Operating system

Secondary Memory

System Driver

Main Memory

To avoid security risks, most institutions with large computer installations adopt and enforce policies that catalog the requirements and _____ of the users.

Mistakes

Usage

Educational Background

Responsibilities

privileged instructions and the control of privilege _____ is the major tool available to operating systems for maintaining security.

Memory

Cells

Data

Levels

A software that, when left running on a computer, records activities and later reports them to a would-be Intruder is known as_____.

Sniffing Software

Process management

Singe exclusion

Mutual exclusion

Each time the operating system allows a process to start a time slice, it switches the CPU to _____mode.

Non privileged

Interrupt handling

Execution

Privileged

The star configuration is popular in wireless networks where communication is conducted by means of radio broadcast and the central machine, called the_____.

Strong Point (SP)

Week Point (WP)

End Point (EP)

Access point (AP)

A LAN normally consists of a collection of computers in a _____.

Single building

City

Subcontinent

Country

In _____, the signals from different machines are blocked from each other by objects or distance even though they can all communicate with the central AP.

None of the given

Hidden terminal problem

Open terminal problem

Public terminal problem

_____ network designs are freely circulated and often grow in popularity to the point that they ultimately prevail over proprietary approaches whose applications are restricted by license fees and contract conditions.

Private

Open

Closed

Custom

A popular convention used for inter-process communication is the _____ model.

System / Process

Client / Server

None of the given

Data / Process

A bridge is similar to, but more _____ than, a repeater.

Useful

None of the given

Simple

Complex

The client/server model is used extensively in _____ applications.

Gaming System

Android

Network

Sometimes it is necessary to connect existing networks to form an extended _____ system.

Error free

Communication

Small

None of the given

server must execute _____ so that it is prepared to serve its clients at any time.

Slowly

Periodically

Continuously

None of the given

Grid computing can involve specialized _____ to make it easier to distribute data and algorithms to the machines participating in a grid.

None of the given

Software

Hardware

Networking

_____ describes a distributed system in which many independent computers work closely together.

Grid Computing

Cluster computing

Complex Computing

Simple Computing

The devices that individual users connect to access ISPs are known as _____.

End Monitors

End Users

End systems

Network Users

An access ISP is essentially an independent internet, sometimes called an _____.

Extranet

None of the given

Access point

Intranet

Tier-1 and tier-2 ISPs are essentially networks of _____ that collectively provide the Internet's communication infrastructure.

None of the given

Routers

Bridges

Switches

Internet needs an internet-wide addressing system that assigns a unique identifying address to each computer in the system. In the Internet these addresses are known as _____.

IP addresses

None of the given

Internet addresses

Network addresses

In some cases, multiple extensions, called _____, are used as a means of organizing the names of organizations within a domain.

Small extensions

Substructure

Subdomains

None of the given

An enormous portion of current Internet traffic is used for transporting audio and video across the Internet in real-time, known as _____.

None of the given

Streaming

Data processing

Data transporting

Name servers are used as an Internet-wide directory system known as the _____.

Domain Name System (DNS)

Multiple Name System

Single Name System (SNS)

None of the given

Netflix streamed more than 4 billion _____ of programming to end users in the first three months of 2013 alone.

Minutes

Seconds

Hours

None of the given

POP3 helps to store messages on _____.

Server machine

Secure machine

Local machine

None of the given

_____ are devices that allow a user to connect his or her traditional telephone to phone service provided by an access ISP.

Analog telephone adapters

None of the given

Smart telephone adapters

Digital telephone adapters

Select the messaging application(s) among the following.

All

Instant Messaging

Browser based chatting

Twitter based tweets

In the perspective of Wireless VoIP technology, _____ phone network is an IP-based network now-a-days.

2G

4G

3G

1G

VoIP _____ consist of P2P software that allows two or more PCs to share a call with no more special hardware than a speaker and a microphone.

Soft phones

Hard Phones

Complex phones

None of the given

_____ is used in Content Delivery Network (CDN) for enabling an end user to automatically connect to the closest server.

N-unicast

Multicast

[Anycast](#)

Unicast

Which of the following is not among content distribution strategies for Internet multimedia streaming?

[F-unicast](#)

Multicast

Unicast

On-demand Streaming

_____ is defined as transporting audio and video across the Internet in real-time.

1G

Online Google Sheet

XML

[Streaming](#)

_____ helps to support the streaming task to neighboring devices.

Client / Server

N-unicast

P2P

Content Delivery Networks (CDN)

In content distribution strategies for Internet multimedia streaming, the distribution load has been distributed between other nodes rather than server in _____.

Public Switched Telephone Network (PSTN)

[Peer2Peer \(or P2P\)](#)

Client / Server

Centralized Network System (CNS)

In Internet multimedia streaming, on-demand streaming helps to service millions of users through _____.

Multicast

Content Delivery Networks (CDN)

Unicast

Content System Networks (CSN)

One of the important feature not missed out in WWW is _____

Avoid broken links

Hyperlinks

Flexible search

Store metadata

The first graphic browser Mosaic was invented in the year _____.

1993

1990

1992

1991

One of the important feature missed out in WWW is _____

Hypertext

Version control

Simple interface

Hyperlinks

Mostly, a typical URL contains _____ part(s).

Three

Two

Four

One

_____ reside on a computer containing hypertext documents to be accessed.

Browsers

Web servers

Which of the following is the last part of URL?

Document name

Protocol

Database name

Timeline

HTTP stands for _____.

Hyper Text Transfer Part

[Hyper Text Transfer Protocol](#)

Hyper Test Transfer Protocol

Hyper Test Transfer Part

HTML stands for _____.

[Hyper Text Markup Language](#)

Hyper Text Markup Loop

Hyper Test Markup Loop

Hyper Test Markup Language

Generally, a hypertext document (containing HTML tags) is similar to _____, as it is supported by ASCII or Unicode scheme.

.docx (Microsoft Word file)

[.txt \(Notepad file\)](#)

.xls (Microsoft Excel file)

.rtf (Rich Text Formatting file)

Which of the following tags is not a compulsory part of an HTML page?

Head

HTML

Title

[H1 \(for new heading 1\)](#)

In HTML, _____ tag is used to link a web page with other one.

Alter

File

Source

[Anchor](#)

he HTML source document contains the following two main sections.

Title and Body

Title and Head

Head and Body

Paragraph and Body

In HTML, which of the following tags indicate the end of the document?

</head>

<head>

</html>

</p>