PAID ASSIGNEMNTS QUIZES GDB CONTACT 03147094561

CS602 QUIZ#4



SUBSCRIBE MY YOUTUBE CHANNEL

Study With Hamza 25

https://www.youtube.com/@studywithhamza25

PAID ASSIGNEMNTS QUIZES GDB CONTACT 03147094561

CS602 - Computer Graphics (Semester Quiz # 04 – (Graded))

1. Bit mask to select a window with multisampling support. If multisampling is not available, a ---------- window will automatically be chosen.

Di-multisampling

Non-multisampling

Mono-multisampling

Multisampling

2. The mathematics of parametric equation is the basis for ---------- curves.

Bresenham

Hermite

Hercules

Tangent

@hamzabahtti25

3. If we assign a different value to the parametric variable for the intermediate point, then we obtain different values for the coefficients. This, in turn, means that a different curve is produced, although it passes through the ---------- three points.

Isolate

None of the given

PAID ASSIGNEMNTS QUIZES GDB CONTACT 03147094561

Different

Same

4. Another way to define a space curve by using intermediate points and the tangents at each end for making the curve

Yes

No

c.

d.

5. glutReshapeWindow requests a change in the size of the current window. The width and height parameters are size extents in pixels. The width and height must be ---------- values.

Negative

Non of the given

Neutral

Positive

6. Imagine a curve in three-dimensional space, each point on the curve has a unique set of coordinates: a specific x value, y value, and z value. Each coordinate is controlled by a ---------- parametric equation.

@hamzabahtti25

PAID ASSIGNEMNTS QUIZES GDB CONTACT 03147094561

Similar

Opposite

None of the given

Separate

7. While building polygonal model of surfaces, we should use T-intersections.

Yes

No

c.

d.

8. To convert the information in the A matrix into that required for the P matrix, we do some simple matrix algebra. First we have

GP = ----------

UP

NU

NP

UNP

9. The matrix generated by gluPerspective is multiplied by the current matrix, just as if

PAID ASSIGNEMNTS QUIZES GDB CONTACT 03147094561

glMultMatrix were called with the generated matrix. To load the perspective matrix onto the current matrix stack instead, precede the call to gluPerspective with a call to ----------.

gluPerspective

glLoadIdentity

glRotated

glTranslated

10. Curve and surface equations can be expressed in either a parametric or a nonparamehic form.

False

True

@hamzabahtti25

PAID ASSIGNEMNTS QUIZES GDB CONTACT 03147094561

SUBSCRIBE MY YOUTUBE CHANNEL
JOIN OUR WHATSAPP GROUPS & CHANNEL
FOR LATEST SOLUTION'S

https://www.youtube.com/@studywithhamza25

WHATSAPP GROUP 1

JOIN NOW

WHATSAPP GROUP2

JOIN NOW

Join WHATSAPP CHANNEL

JOIN NOW

