Professional Online Academy Vu Topper RM

CS604-Operating System
Update MCQ'S Final Term
By Vu Topper RM

Virtual University

Follow Us on YouTube:
@vutopperrm

For More Help Contact What's app Me!!!
Number's = # 0322-4021365, 0316-4980094

Rizwan Manzoor
Vu Topper RM



بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:1 **(Marks:1)** **Vu-Topper RM**

For some page replacement algorithms, the page fault rate may increase as the number of allocated frames _____.

A. Constant

B. Increased **Page 202**

C. Decreased

D. All of the given

Question No:2 **(Marks:1)** **Vu-Topper RM**

In _____ allocation scheme number of frames allocated to a process is proportional to its size .

A. Fixed Allocation

B. Priority Allocation

C. Proportional Allocation **Page 205**

D. None of the given options

Question No:3 **(Marks:1)** **Vu-Topper RM**

In a UNIX system,_____ system call can be used to request the operating system to memory map an opened file.

A. fork ( )

B. exec( )

C. read( )

D. mmap( ) **Page 195**

Question No:4 **(Marks:1)** **Vu-Topper RM**

----------refers to the situation when free memory space exists to load a process in the memory but the space is not contiguous.

A. Swapping

B. Segmentation

C. Internal fragmentation

D. External Fragmentation **Page 162**

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:5 **(Marks:1)** **Vu-Topper RM**

In case of thrashing if CPU utilization is too low the operating system _____ the degree of multiprogramming.

A. Decreases
B. Increases **Page 208**
C. None of the given options
D. sometimes increases and sometimes decreases

Question No:6 **(Marks:1)** **Vu-Topper RM**

---------holds the smallest legal physical memory address for a process

A. Index register
B. Limit register
C. Base register **Page 10**
D. Stack pointers register

Question No:7 **(Marks:1)** **Vu-Topper RM**

A process is _____if it is spending more time on paging

A. Paging
B. Thrashing **Page 207**
C. Fixed Allocation
D. Demand paging

Question No:8 **(Marks:1)** **Vu-Topper RM**

Each page is a power of -------- bytes long in paging scheme.

A. 3
B. 5
C. 4
D. 2 **Page 167**

Question No:9 **(Marks:1)** **Vu-Topper RM**

An optimal page-replacement algorithm has the lowest page fault rate of all algorithms.

True **Page 199**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

False

Question No:10 **(Marks:1)** **Vu-Topper RM**

Segmentation is a memory management scheme that supports _____?

A. None of the given
B. System's view of memory
C. Hardware's view of memory
D. Programmer's view of memory **Page 175**

Question No:11 **(Marks:1)** **Vu-Topper RM**

This _____ algorithm is based on the locality of reference concept.

A. All of above
B. Page Buffering Algorithm
C. Least Frequently Used (LFU) **Page 203**
D. Most Frequently Used (MFU)

Question No:12 **(Marks:1)** **Vu-Topper RM**

_____ is a memory management scheme that supports programmer's view of Memory.

A. Stack
B. Assembly
C. Segmentation **Page 175**
D. Fragmentation

Question No:13 **(Marks:1)** **Vu-Topper RM**

Overlays are implemented by the _____

A. Shell
B. Kernel
C. Programmer **Page 156**
D. Operating system

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:14 **(Marks:1)** **Vu-Topper RM**

In _____ scheme free frames are equally divided among processes.

A. Fixed Allocation **Page 204**

B. Priority Allocation

C. Proportional Allocation

D. None of the given options

Question No:15 **(Marks:1)** **Vu-Topper RM**

We want a page replacement algorithm with the _____ page-fault rate.

A. Lowest **Page 198**

B. Normal

C. Highest

D. None of the given

Question No:16 **(Marks:1)** **Vu-Topper RM**

----------keep in memory only those instructions and data that are needed at any given time.

A. Paging

B. Overlays **Page 156**

C. Swapping

D. Fragmentation

Question No:17 **(Marks:1)** **Vu-Topper RM**

In _____ page replacement algorithm we will replace the page that has not been used for the longest period of time.

A. LRU **Page 202**

B. FIFO

C. Counter based

D. Least Frequently Used

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:18 **(Marks:1)** **Vu-Topper RM**

When the process tries to access locations that are not in memory, the hardware traps the operating system. This is called as _____.

A. Paging
B. Page Fault **Page 188**
C. Segmentation
D. Page replacement

Question No:19 **(Marks:1)** **Vu-Topper RM**

The term pager is used in connection with _____.

A. Paging
B. Segmentation
C. Demand Paging **Page 186**
D. Paged Segmentation

Question No:20 **(Marks:1)** **Vu-Topper RM**

The size of pages and frames are same in logical memory and physical memory respectively.

True **Page 165**
False

Question No:21 **(Marks:1)** **Vu-Topper RM**

In paged segmentation, we divide every segment in a process into _____ pages.

Fixed size **Page 182**
Variable size

Question No:22 **(Marks:1)** **Vu-Topper RM**

The size of a page is defined by _____.

A. CPU
B. Page Table
C. Logical Memory
D. Physical Memory

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:23 **(Marks:1)** **Vu-Topper RM**

In Swapping technique of Memory Management, the total amount transfer time is directly proportional to the _____.

A. space on main memory
B. amount of memory swapped
C. all the given options are correct
D. amount of space on backing store

Question No:24 **(Marks:1)** **Vu-Topper RM**

Optimal Page Replacement Algorithm provides a benchmark in assessing other page replacement algorithms.

True
False

Question No:25 **(Marks:1)** **Vu-Topper RM**

The frame that has been modified during execution of a process is usually called _____ frame.

A. Dirty
B. Ideal
C. Clean
D. Overwritten

Question No:26 **(Marks:1)** **Vu-Topper RM**

The major criterion in the selection of a particular algorithm is that we want to _____

A. increase efficiency.
B. minimize the number of page faults.
C. reduce running time of page replacement algorithm.
D. maximize the number of page faults.

Question No:27 **(Marks:1)** **Vu-Topper RM**

The main criteria for Page Replacement in Optimal Page Replacement Algorithm is to

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

A. replace that page which will not be used for the longest period of time.
B. replace the page which is biggest in size
C. replace the page which is smaller in size
D. replace that page which will be required most frequently in the execution of a process

Question No:28 **(Marks:1)** **Vu-Topper RM**
A program can not execute unless whole or necessary part of it resides in the main memory.
A. True
B. False

Question No:29 **(Marks:1)** **Vu-Topper RM**
ST in logical addressing stands for _____ .
A. Smart Trap
B. Segment Table
C. None of the Given
D. String Table

Question No:30 **(Marks:1)** **Vu-Topper RM**
The main objective of LRU Page Replacement Algorithm is to
A. replace the page which is used urgently
B. replace that page which was used most previously
C. replace that page which is referenced most frequently
D. replace the page which is replaced most recently

Question No:31 **(Marks:1)** **Vu-Topper RM**
_____ is caused due to un-used space in fixed size blocks/ pages.
A. MVT
B. Paging
C. External fragmentation

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

VuTopper RM

D. Internal fragmentation

Question No:32 (Marks:1) Vu-Topper RM

How does a logical-address space is represented?

Through Segments

Through Critical section

Question No:33 (Marks:1) Vu-Topper RM

FIFO Page Replacement Algorithm has the lowest page fault rate

True

False

Question No:34 (Marks:1) Vu-Topper RM

Following statement is NOT true about Virtual memory.

A. Virtual memory makes the task of programming easier because the programmer need not worry about the amount of physical memory,

B. Virtual memory makes the processes to stuck when the collective size of all the processes becomes greater than the size of main memory.

C. Virtual memory help in executing bigger programs even greater in size that of main memory.

D. Virtual memory also allows files and memory to be shared by several different processes through page sharing.

Question No:35 (Marks:1) Vu-Topper RM

To eliminate external fragmentation in segmentation the scheme used is _____.

A. Fixed size paging scheme

B. Variable size partition scheme

C. Variable size paging scheme

D. Fixed size partition scheme

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:36 **(Marks:1)** **Vu-Topper RM**

Assume a logical address space of 16 pages, each of 1024 words, each mapped into a physical memory of 32 frames. Each word consists of 2 bytes. What will be the total number of bits required for f (frames)?

A. 5
B. 8
C. 6
D. 7

Question No:37 **(Marks:1)** **Vu-Topper RM**

Following schemes allow efficient implementations of page tables EXCEPT

A. Inverted Page Table
B. Binary Page Table
C. Hierarchical / Multilevel Paging
D. Hashed Page Table

Question No:38 **(Marks:1)** **Vu-Topper RM**

_____is a variation of fork system call in several Unix operating system.

A. bfork ( )
B. vfork ( )
C. avfork ( )
D. wfork ( )

Question No:39 **(Marks:1)** **Vu-Topper RM**

Logical address is defined by which tuple/tuples?

A. Indexed number and offset
B. Segment number and offset
C. Paging
D. Physical address

Question No:40 **(Marks:1)** **Vu-Topper RM**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Following are the advantages of Virtual memory EXCEPT

A. Concept of memory mapped files
B. Low CPU consumption
C. Efficient process creation
D. Running large sized processes

Question No:41 **(Marks:1)** **Vu-Topper RM**

LRU page replacement algorithm can be implemented by

A. all of the given options
B. stack
C. linked list
D. counter

Question No:42 **(Marks:1)** **Vu-Topper RM**

Preventing the condition of _____ to happen, deadlocks can be prevented to happen.

A. Monitors
B. Circular wait **Page 136**
C. Critical section
D. Critical region

Question No:43 **(Marks:1)** **Vu-Topper RM**

While a process executes its critical section, other entering processes loop in a continual fashion in their entry sections, thus causing _____.

A. Bounded waiting
B. Busy waiting
C. Race condition
D. Mutual exclusion

Question No:44 **(Marks:1)** **Vu-Topper RM**

Secondary Storage memory devices have _____ memory.

A. Volatile

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

B. Temporary
C. Permanent and non volatile
D. None of the options is correct.

Question No:45 **(Marks:1)** **Vu-Topper RM**
The ------- is a single program that produces an object file
A. Linker
B. Loader
C. Complier **Page 86**
D. Text editor

Question No:46 **(Marks:1)** **Vu-Topper RM**
Using hardware solution to synchronization for complex problems, introduce a new synchronization tool know as _____.
A. Trap
B. Swap
C. TestAndSet
D. Semaphore **Page 111**

Question No:47 **(Marks:1)** **Vu-Topper RM**
When the address used in a program gets converted to an actual physical RAM address, it is called ----------
A. Loading
B. Execution
C. Compiling
D. Address Binding

Question No:48 **(Marks:1)** **Vu-Topper RM**
Semaphore S is a/an _____ type of variable to use as synchronization tool.
A. Float
B. Integer **Page 111**
C. Double

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

D. Boolean

Question No:49 **(Marks:1)** **Vu-Topper RM**

We can use semaphores to deal with the number of _____process critical section problem.

A. N **Page 102**

B. 2n

C. n-1

D. 1

Question No:50 **(Marks:1)** **Vu-Topper RM**

Access of variable Semaphore is possible only through two atomic operation _____ and _____.

A. Lock, key

B. Boolean, integer

C. TestAndSet, Swap

D. Wait, signal

Question No:51 **(Marks:1)** **Vu-Topper RM**

The situation in which no context switching is required in multiprocessor systems is referred to as _____ .

A. Spin lock

B. Scheduler

C. Busy Waiting

D. Interrupt

Question No:52 **(Marks:1)** **Vu-Topper RM**

The wait operation of the semaphore basically works on the basic _____ system call.

A. hold()

B. block()

C. stop()

D. wait()

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:53 **(Marks:1)** **Vu-Topper RM**

For undivided and uninterrupted testing and setting of semaphore, uni-processor systems tend to _____.

A. Use spinlock

B. Use signal

C. Disable interrupts

D. Use bakery algorithm

Question No:54 **(Marks:1)** **Vu-Topper RM**

Cache is non-volatile memory.

False **Page 153**

True

Question No:55 **(Marks:1)** **Vu-Topper RM**

It is not possible to run a program whose size is greater than the size of the main memory.

A. 36 bits

B. 48 bits **Page 185**

C. 64 bits

D. 128 bits

Question No:56 **(Marks:1)** **Vu-Topper RM**

The set of all physical addresses corresponding to the logical addresses is a ---------- of the process

A. Process address space

B. Logical address space

C. Physical address space **Page 155**

D. None of the given options

Question No:57 **(Marks:1)** **Vu-Topper RM**

Address Binding will be at _____ in Multiprogramming with Fixed Tasks (MFT)

A. Run time

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

B. Load time **Page 160**
C. Dynamic time
D. None of the given options

Question No:58 **(Marks:1)** **Vu-Topper RM**
In memory management programmer's view of memory representation is called _____.
A. Offset
B. Segmentation **Page 175**
C. Logical address
D. Physical address

Question No:59 **(Marks:1)** **Vu-Topper RM**
Intel is basically designed for following Operating Systems except _____.
A. Linux
B. OS/2
C. Windows
D. MULTICS **Page 182**

Question No:60 **(Marks:1)** **Vu-Topper RM**
Intel 80386 used paged segmentation with _____ level paging.
A. One
B. Two **Page 185**
C. Four
D. Three

Question No:61 **(Marks:1)** **Vu-Topper RM**
The logical address of Intel 80386 is _____.
A. 36 bits
B. 48 bits **Page 185**
C. 64 bitts
D. 128 bits

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:62 **(Marks:1)** **Vu-Topper RM**

A _____ system is similar to a paging system with swapping

A. Page fault

B. Demand paging **Page 186**

C. Context switching

D. None of the given options

Question No:63 **(Marks:1)** **Vu-Topper RM**

The segment table maps the _____ to physical addresses.

A. Page addresses

B. Shared page addresses

C. One-dimensional logical addresses

D. Two-dimensional logical addresses **Page 175**

Question No:64 **(Marks:1)** **Vu-Topper RM**

Which of the following is correct definition for signal operation?

A. signal(S) {while(S<=0);// no opS--;}

B. signal(S) {S++;}

C. signal(S) {while(S>=0);// no opS--;}

D. signal(S) {S--;}

Question No:65 **(Marks:1)** **Vu-Topper RM**

Possible side effects of _____deadlocks are low device utilization and reduced system throughput.

A. Ignoring

B. Avoiding

C. Recovering

D. Preventing

Question No:66 **(Marks:1)** **Vu-Topper RM**

Which of the following is correct definition for wait operation?

A. wait(S) { while(S<=0);// no o S--; **Page 108**

B. wait(S) { S++; }

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

C. wait(S) { while(S>=0) ;// no op S--; }
D. wait(S) { S--; }

Question No:67 **(Marks:1)** **Vu-Topper RM**

The ----------scheme is not applicable to a resource allocation system with multiple instances of each resource type.

A. Wait for graph **Page 145**
B. None of the given options
C. Resource allocation graph
D. Both Resource-allocation and wait-for graph

Question No:68 **(Marks:1)** **Vu-Topper RM**

Semaphores are used to synchronize _____ processes.

A. Tough
B. Parallel
C. Running
D. Concurrent

Question No:69 **(Marks:1)** **Vu-Topper RM**

Following is not the classical problem of synchronization.

A. Bounded buffer problem
B. Reader writer problem
C. Dining philosophers problem
D. Counting Semaphore problem **Page 118**

Question No:70 **(Marks:1)** **Vu-Topper RM**

In Resource Allocation Graph, a _____Pi --->Rj indicates that process Pi may request resource Rj at some time in the future.

A. Claim edge **Page 138**
B. Request edge
C. Allocation edge
D. Assignment edge

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:71 **(Marks:1)** **Vu-Topper RM**

_____ is used in the detection and recovery mechanism to handle deadlocks.

A. Circular Graph
B. Wait-for Graph **Page 144**
C. Claim Edge Graph
D. Resource allocation Graph

Question No:72 **(Marks:1)** **Vu-Topper RM**

Typically monitor, a high level synchronization tool is characterized by _____ and _____.

A. Signal, wait
B. Local variables, semaphores
C. Global variable,local variable
D. Local data, programmer defined operators **Page 125**

Question No:73 **(Marks:1)** **Vu-Topper RM**

In order to remove the problem like busy waiting, some high level synchronization constructs are defined. What are they?

Critical regions and Monitors **Page 124**
Critical regions and Semaphores

Question No:74 **(Marks:1)** **Vu-Topper RM**

The integer value of _____ semaphores can not be greater than 1.

A. Mutex
B. Binary **Page 117**
C. Counting
D. Bounded buffer

Question No:75 **(Marks:1)** **Vu-Topper RM**

Banker's algorithm is used for _____

A. Deadlock removal
B. Deadlock detection

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

C. Deadlock prevention
D. Deadlock avoidance Page 140

Question No:76 (Marks:1) Vu-Topper RM

_____ is an integer variable accessible through wait and signal which are atomic operations.

A. Signal
B. Mutex
C. Semaphore Page 111
D. Busy waiting

Question No:77 (Marks:1) Vu-Topper RM

The _____requires that once a writer is ready, that writer performs its write as soon as possible. In other words, if a writer is waiting to access the object, no new readers may start reading.

A. first readers-writers problem
B. third readers-writers problem
C. fourth readers-writers problem
D. second readers-writers problem Page 116

Question No:78 (Marks:1) Vu-Topper RM

A state is _____ if the system can allocate resources for each process in some order and still avoid a deadlock.

A. Safe Page 134
B. Unsafe
C. Mutual
D. Starvation

Question No:79 (Marks:1) Vu-Topper RM

_____ algorithm is used in Deadlock avoidance.

A. Bakery
B. Banker's Page 139
C. Safe Sequence

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

D. Mutual exclusion

Question No:80 **(Marks:1)** **Vu-Topper RM**

Binary semaphore whose integer value cannot be can be _____simpler to implement.

A. >1 **Page 114**

B. <1

C. <=1

D. >=1

Question No:81 **(Marks:1)** **Vu-Topper RM**

Deadlock _____ provides a set of methods for ensuring that at least one of the necessary conditions cannot hold.

A. Handling

B. Avoidance

C. Recovery

D. Prevention **Page 132**

Question No:82 **(Marks:1)** **Vu-Topper RM**

The condition in which a set {P0, P1… Pn} of waiting processes must exist such that P0 is waiting for a resource that is held by P1, P1 is waiting for a resource that is held by P2, and so on, Pn-1 is waiting for a resource held by Pn, and Pn is waiting for a resource held by P0. This condition is known as _____.

A. Circular wait **Page 131**

B. Hold and wait

C. No preemption

D. Mutual exclusion

Question No:83 **(Marks:1)** **Vu-Topper RM**

The problem of Deadlocks can be solved by _____ method(s).

A. All of the given **Page 132**

B. Deadlock avoidance

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

C. Deadlock prevention
D. Allowing deadlock to occur, then detect and recover

Question No:84 **(Marks:1)** **Vu-Topper RM**
The integer value of _____ semaphores can range over an unrestricted integer domain.
A. Mutex
B. Binary
C. Counting **Page 117**
D. Bounded buffer

Question No:85 **(Marks:1)** **Vu-Topper RM**
If the system can allocate resources to each process in some order and still avoid a deadlock then it is said to be in _____ state.
A. Safe **Page 134**
B. Mutual
C. Un-Safe
D. Starvation

Question No:86 **(Marks:1)** **Vu-Topper RM**
Wrong use of wait and signal operations (in context with semaphores) can cause _____ problem(s).
A. Deadlock
B. Mutual Exclusion
C. Bounded Waiting
D. All of the given options are correct.

Question No:87 **(Marks:1)** **Vu-Topper RM**
Deadlock can be deal with _____ways.
A. 1
B. 2
C. 3 **Page 132**
D. 4

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:88 **(Marks:1)** **Vu-Topper RM**

The condition where a set of blocked processes each holding a resource and waiting to acquire a resource held by another process in the set, is termed as _____.

Deadlock **Page 130**

Starvation

Question No:89 **(Marks:1)** **Vu-Topper RM**

If a system is not in a safe state, there can be NO deadlocks.

False **Pagen 137**

True

Question No:90 **(Marks:1)** **Vu-Topper RM**

Deadlock detection and recovery technique is exactly similar to deadlock avoidance technique to handle deadlock in the system.

True

False

Question No:91 **(Marks:1)** **Vu-Topper RM**

A dashed line is used to represent a _____ in Resource Allocation Graph.

A. Claim edge **Page 136**

B. Request edge

C. Allocation edge

D. Assignment edge

Question No:92 **(Marks:1)** **Vu-Topper RM**

Removing the possibility of deadlock in dining philosopher problem does not ensure the _____ problem will not occur.

A. Starvation **Page 123**

B. Critical Section

C. Bounded Buffer

D. Mutual Exclusion

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu TopperRM

Question No:93 **(Marks:1)** **Vu-Topper RM**

In deadlock detection and recovery algorithm, a deadlock exists in the system if and only if the wait for graph contains a _____.

A. Node
B. Edge
C. Cycle **Page 147**
D. Graph

Question No:94 **(Marks:1)** **Vu-Topper RM**

The process of holding at least one resource and waiting to acquire additional resources that are currently being held by other processes is known as _____.

A. Circular wait
B. Hold and wait **Page 131**
C. No preemption
D. Mutual exclusion

Question No:95 **(Marks:1)** **Vu-Topper RM**

Variable names are ---------- addresses.

A. Relative
B. Physical
C. Symbolic
D. Relocatable **Google**

Question No:96 **(Marks:1)** **Vu-Topper RM**

In Resource Allocation Graph, a _____Pi --->Rj indicates that process Pi may request resource Rj at some time in the future.

A. Claim edge **Page 138**
B. Request edge
C. Allocation edge
D. Assignment edge

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:97 **(Marks:1)** **Vu-Topper RM**

The _____ protection scheme guards against a process trying to access a page that does not belong to its address space.

A. Hybrid
B. Primary **Page 169**
C. Tertiary
D. Secondary

Question No:98 **(Marks:1)** **Vu-Topper RM**

Assume a logical address space of 16 pages of 1024 words, each mapped into a physical memory of 32 frames. Each word consists of 2 bytes. What will be the total number of bits required for p (page number)?

A. 4 bits **Page 166**
B. 8 bits
C. 16 bits
D. 32 bits

Question No:99 **(Marks:1)** **Vu-Topper RM**

Address Binding will be _____ in Multiprogramming with Variable Tasks (MVT)

A. Fixed
B. Static
C. Variable
D. Dynamic

Question No:100 **(Marks:1)** **Vu-Topper RM**

The system maintains a _____ of all processes whose memory images are on the backing store or in memory and are ready to run.

A. Que
B. List
C. Ready que **Page 157**
D. Environment

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:101 **(Marks:1)** **Vu-Topper RM**

In_____, the library files are linked at load time.

Static Linking

Dynamic Linking

Question No:102 **(Marks:1)** **Vu-Topper RM**

Main Memory is _____ memory.

A. Virtual

B. Volatile

C. Permanent

D. Non-volatile

Question No:103 **(Marks:1)** **Vu-Topper RM**

Object files and libraries are combined by a ---------- program to produce the executable binary

A. Linker

B. Loader

C. Compiler

D. Text editor

Question No:104 **(Marks:1)** **Vu-Topper RM**

Memory protection in paging is achieved by associating _____ with each page. This bit indicates whether the page is in the process address space or not.

A. paging table

B. counting bits

C. segment table

D. Protection bits **Page 169**

Question No:105 **(Marks:1)** **Vu-Topper RM**

_____ consists of a large array of words or bytes, each with its own address.

A. Data

VU Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

B. Stream
C. Memory **Page 150**
D. Hard disk

Question No:106 **(Marks:1)** **Vu-Topper RM**
Logical memory is divided into blocks of the same size, called_____ .
A. Pages **Page 162**
B. Table
C. Frame
D. Page size

Question No:107 **(Marks:1)** **Vu-Topper RM**
_____ is constrained by factors like quantum for RR scheduler and pending I/O for swapped out process.
A. Rollin
B. Rollout
C. Kernel
D. Swapping **Page 157**

Question No:108 **(Marks:1)** **Vu-Topper RM**
---------- register contains the size of the process
A. Base register
B. Index register
C. Limit register **Page 13**
D. Stack pointers register

Question No:109 **(Marks:1)** **Vu-Topper RM**
What do we name to an address that is generated by the CPU?
A. Logical address **Page 152**
B. Binary addresses
C. Physical address
D. None of the given options

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:110 **(Marks:1)** **Vu-Topper RM**

What do we name to an address that is loaded into the memory-address register of the memory?

A. Logical address
B. Physical address **Page 155**
C. Binary addresses
D. None of the given options

Question No:111 **(Marks:1)** **Vu-Topper RM**

A page table needed for keeping track of pages of the page table is called ----------

A. Page size
B. 2-level paging
C. Page directory **Page 173**
D. Page table size

Question No:112 **(Marks:1)** **Vu-Topper RM**

In pages segmentation, the logical address is legal if d is _____segment length.

A. Equal to
B. Less than **Page 180**
C. Greater than
D. Greater than or equal to

Question No:113 **(Marks:1)** **Vu-Topper RM**

The collection of processes that is waiting on the disk to be brought into the memory for execution forms the --------

A. Output queue
B. Input queue **Page 151**
C. None of the given options
D. Both input and output queue

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:114 **(Marks:1)** **Vu-Topper RM**

----------points to the page table

A. Page offset
B. Translation look-aside buffers
C. Page-table base register (PTBR)
D. Page-table length register (PRLR)

Question No:115 **(Marks:1)** **Vu-Topper RM**

Physical memory is broken down into fixed-sized blocks, called---------- and Logical memory is divided into blocks of the same size, called ----------

A. Pages, frame
B. Frames, holes
C. Frames, pages **Page 165**
D. Holes, segments

Question No:116 **(Marks:1)** **Vu-Topper RM**

External Fragmentation takes place in _____

A. Paging
B. Multi-tasking
C. Multiprogramming with Fixed Tasks (MFT)
D. Multiprogramming with Variable Tasks (MVT) **Page 163**

Question No:117 **(Marks:1)** **Vu-Topper RM**

Addresses generated relative to part of program, not to start of physical memory are

A. Virtual
B. Physical
C. Symbolic
D. Relocatable

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:118 **(Marks:1)** **Vu-Topper RM**

The address generated by the CPU, after any indexing or other addressing-mode arithmetic, is called a --------address, and the address it gets translated to by the MMU is called a ---------address.

A. Valid, invalid
B. Physical, Virtual
C. Virtual, physical **Page 153**
D. Hexadecimal, Binary

Question No:119 **(Marks:1)** **Vu-Topper RM**

In ---------- technique, memory is divided into several fixed-size partitions.

A. Overlays
B. Swapping
C. Multiprogramming with Fixed Tasks (MFT) **Page 160**
D. Multiprogramming with Variable Tasks (MVT)

Question No:120 **(Marks:1)** **Vu-Topper RM**

_____is the separation of user logical memory from physical memory.

A. Rom
B. Virtual Memory **Page 185**
C. Physical memory
D. None of the given options

Question No:121 **(Marks:1)** **Vu-Topper RM**

In Overlay technique, we can overload any part of the program with the part of the program required needed recently.

True
False

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:122 **(Marks:1)** **Vu-Topper RM**

If there exists a logical address space of 16 pages of 1024 words, each mapped into a physical memory of _____ frames.

A. 16
B. 32 **Page 165**
C. 48
D. 64

Question No:123 **(Marks:1)** **Vu-Topper RM**

----------is the process of mapping a name to an address.

A. Routing
B. Binding
C. Memory **Page 194**
D. Addressing

Question No:124 **(Marks:1)** **Vu-Topper RM**

_____ is caused due to un-used space in physical memory.

A. MVT
B. Paging
C. External fragmentation
D. Internal fragmentation

Question No:125 **(Marks:1)** **Vu-Topper RM**

Every ----------generated by the CPU is divided into two parts: a page number (p) and a page offset (d).

A. Page
B. Logical address **Page 163**
C. Physical address
D. Process address space

Question No:126 **(Marks:1)** **Vu-Topper RM**

_____ is commonly implemented as demand paging.

A. Paging

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

B. Virtual Memory **Page 185**
C. Physical Memory
D. Logical Addressing

Question No:127 **(Marks:1)** **Vu-Topper RM**
The main memory is usually divided into partitions, one for _____ and other for _____ .
A. Operating system, CPU
B. Processes, Virtual Memory
C. Base Register, Limit Register
D. Operating System, User processes

Question No:128 **(Marks:1)** **Vu-Topper RM**
The run-time mapping from virtual to physical addresses is done by a piece of hardware in the CPU, called the ----------
A. Registers
B. CPU Scheduler
C. None of the given options
D. Memory management unit (MMU) **Page 155**

Question No:129 **(Marks:1)** **Vu-Topper RM**
Use of semaphore create a problem of busy waiting, this wastes CPU cycles that same other process may be able to use productively. This type of semaphore is also called ___.
A. Locking Semaphore
B. Semaphore S
C. Spinlock
D. Mutex

Question No:130 **(Marks:1)** **Vu-Topper RM**
We can use semaphores to deal with the number of ____ process critical section problem.
A. N **Page 108**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

B. n - 1
C. 2n
D. 1

Question No:131 **(Marks:1)** **Vu-Topper RM**
If the system can allocate resources to each process in same order and still avoid a deadlock then it is said to be in _____ state.
A. Starvation
B. Mutual
C. Un - safe
D. Safe **Page 134**

Question No:132 **(Marks:1)** **Vu-Topper RM**
_____is the operating system's attempt to improve the computer system's utilization and throughput.
A. Demand Paging **Page 196**
B. Thrashing
C. Fork
D. Exec

Question No:133 **(Marks:1)** **Vu-Topper RM**
In _____, each file is a linked list of disk blocks: blocks may be scattered anywhere on the disk.
A. Contiguous Allocation
B. Adjacent Allocation
C. Indexed Allocation
D. Linked Allocation **Page 234**

Question No:134 **(Marks:1)** **Vu-Topper RM**
The high paging activity is called _____
A. Thrashing
B. Segmentation
C. Multiprogramming

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

D. Page Fault

Question No:135 **(Marks:1)** **Vu-Topper RM**
An acyclic graph does not allow directories to have shared sub-directories and files.
False **Page 222**
True

Question No:136 **(Marks:1)** **Vu-Topper RM**
Indexed allocation supports direct access without suffering from _____because any free block on the disk may satisfy a request for more space.
A. Deadlock
B. Internal fragmentation
C. External fragmentation **Page 236**
D. Both (external fragmentation and internal fragmentation)

Question No:137 **(Marks:1)** **Vu-Topper RM**
_____ brings all the pointers to the block together into a disk block
A. Adjacent Allocation
B. Linked Allocation
C. Contiguous Allocation
D. Indexed Allocation **Page 235**

Question No:138 **(Marks:1)** **Vu-Topper RM**
There are _____steps, which are necessary to create a file
A. 5
B. 2 **Page 216**
C. 4
D. 3

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:139 **(Marks:1)** **Vu-Topper RM**

_____ scheme works well if members of the team are to work on these shared files sequentially.

A. Duplicating Files Page 227

B. Common Login

C. Access permissions

D. Common Group

Visit My YouTube Channel
For Subjective and More
Important Files
Channel Name = #VuTopperRM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365