Learning4help by Waqas

Asslam-o-Alaikum! In this file we'll provide you CS604 quiz 3 2023 Important Finalterm MCQs. Must Prepare Before Finalterm Exams. Verify Answers yourself too. If you found made mistake then inform me.

If you found mistake then let us know.

You can contact us on WhatsApp https://wa.me/+923421718143

Or You can send us gmail: Learningn4help@gmail.com

Facebook page is https://m.facebook.com/WAQASQURESHI34555/

For more educational stuff keep visiting

https://learning4help.com

Subscribe to my Channel:
https://www.youtube.com/channel/UC_CGywvKgSGACQHPuq-951Q

LEARNING4HELP BY WAQAS QURESHI

VIRTUAL UNIVERSITY OF PAKISTAN
SERVICES:
- Assignments
- Quizzes
- GDBs
- LMS Handling
- Projects Making
- projects preparation
- online Tuition

We always do our best in serving our students and give them satisfied impressions.

LEARN4 HELP

CALL US NOW!
0342-1718143
www.learning4help.com



LEARNING HELP BY WAQAS QURESHI



Question # 3 of 15 (Start time: 05:41:58 PM, 31 January 2023) **Total Marks:** 1

A program can not execute unless whole or necessary part of it resides in the main memory.

Select the correct option

- (●) True
- ( ) False



The condition where a set of blocked processes each holding a resource and waiting to acquire a resource held by another process in the set, is termed as _____.

Select the correct option

- (●) Deadlock
- ( ) Starvation

Click to Save Answer & Move to Next Question

LEARNING4 HELP BY WAQAS QURESHI



Question # 6 of 15 (Start time: 05:43:22 PM, 31 January 2023) **Total Marks:** 1

Typically monitor, a high level synchronization tool is characterized by _____ and _____.

Select the correct option

- (●) Local data, programmer defined operators
- ( ) Signal, wait
- ( ) Local variables, semaphores
- ( ) Global variable,local variable



Question # 7 of 15 (Start time: 05:44:02 PM, 31 January 2023) **Total Marks:** 1

The condition in which a set {P0, P1... Pn} of waiting processes must exist such that P0 is waiting for a resource that is held by P1, P1 is waiting for a resource that is held by P2, and so on, Pn-1 is waiting for a resource held by Pn, and Pn is waiting for a resource held by P0. This condition is known as _____.

Select the correct option

- ( ) Mutual exclusion
- ( ) No preemption
- (●) Circular wait
- ( ) Hold and wait

LEARNING4 HELP BY WAQAS QURESHI



LEARNING4 HELP BY WAQAS QURESHI



Question # 11 of 15 (Start time: 05:46:56 PM, 31 January 2023) **Total Marks:** 1

Physical memory is broken down into fixed-sized blocks, called---------- and Logical memory is divided into blocks of the same size, called ----------

Select the correct option

- Frames, holes
- Frames, pages
- Holes, segments
- Pages, Frames



Question # 2 of 15 (Start time: 05:58:47 PM, 31 January 2023) **Total Marks:** 1

----------holds the smallest legal physical memory address for a process

Select the correct option

- Stack pointers register
- Limit register
- Base register
- Index register

LEARNING4 HELP BY WAQAS QURESHI



Question # 14 of 15 (Start time: 05:47:58 PM, 31 January 2023) **Total Marks:** 1

The address generated by the CPU, after any indexing or other addressing-mode arithmetic, is called a --------address, and the address it gets translated to by the MMU is called a ---------address.

Select the correct option

- (●) Physical, Virtual
- ( ) Hexadecimal, Binary
- ( ) Valid, invalid
- ( ) Virtual, physical



Question # 3 of 15 (Start time: 05:59:14 PM, 31 January 2023) **Total Marks:** 1

A state is _____ if the system can allocate resources for each process in some order and still avoid a deadlock.

Select the correct option

- ( ) Unsafe
- ( ) None
- (●) Safe
- ( ) Starvation

LEARNING4 HELP BY WAQAS QURESHI



Question # 4 of 15 (Start time: 06:00:09 PM, 31 January 2023) **Total Marks:** 1

The main memory is usually divided into partitions, one for _____ and other for _____ .

Select the correct option

- Operating system, CPU
- Base Register, Limit Register
- Operating System, User processes
- Processes, Virtual Memory

Question # 5 of 15 (Start time: 06:00:45 PM, 31 January 2023) **Total Marks:** 1

In deadlock detection and recovery algorithm, a deadlock exists in the system if and only if the wait for graph contains a _____.

Select the correct option

- Cycle
- Graph
- Node
- Edge

LEARNING4 HELP BY WAQAS QURESHI



Question # 6 of 15 (Start time: 06:01:18 PM, 31 January 2023) **Total Marks:** 1

Deadlock _____ provides a set of methods for ensuring that at least one of the necessary conditions cannot hold.

Select the correct option

- (●) Prevention
- ( ) Handling
- ( ) Recovery
- ( ) Avoidance



Question # 6 of 15 (Start time: 06:13:04 PM, 31 January 2023) **Total Marks:** 1

Physical memory is broken down into fixed-sized blocks, called---------- and Logical memory is divided into blocks of the same size, called ----------

Select the correct option

- ( ) Pages, Frames
- ( ) Frames, holes
- (●) Frames, pages
- ( ) Holes, segments

LEARNING4 HELP BY WAQAS QURESHI



Question # 7 of 15 (Start time: 06:13:27 PM, 31 January 2023) **Total Marks:** 1

If the system can allocate resources to each process in some order and still avoid a deadlock then it is said to be in _____ state.

Select the correct option

- (●) Safe
- ( ) Un-Safe
- ( ) Mutual
- ( ) Starvation



Question # 12 of 15 (Start time: 06:15:14 PM, 31 January 2023) **Total Marks:** 1

Assume a logical address space of 16 pages of 1024 words, each mapped into a physical memory of 32 frames. Each word consists of 2 bytes. What will be the total number of bits required for p (page number)?

Select the correct option

- ( ) 8 bits
- ( ) 16 bits
- (●) 4 bits
- ( ) 32 bits

LEARNING A HELP BY WAQAS QURESHI





LEARNING4 HELP BY WAQAS QURESHI



Question # 15 of 15 (Start time: 06:16:52 PM, 31 January 2023) **Total Marks:** 1

----------refers to the situation when free memory space exists to load a process in the memory but the space is not contiguous.

Select the correct option

- Swapping
- Segmentation
- External Fragmentation
- Internal fragmentation



Question # 2 of 15 (Start time: 06:49:27 PM, 31 January 2023) **Total Marks:** 1

A state is _____ if the system can allocate resources for each process in some order and still avoid a deadlock.

Select the correct option

- Safe
- Starvation
- Unsafe
- None

LEARNING4 HELP BY WAQAS QURESHI



Question # 13 of 15 (Start time: 06:53:25 PM, 31 January 2023) **Total Marks:** 1

In pages segmentation, the logical address is legal if d is _____segment length.

Select the correct option

- Equal to
- Less than
- Greater than
- Greater than or equal to



Question # 2 of 15 (Start time: 07:14:33 PM, 31 January 2023) **Total Marks:** 1

If there exists a logical address space of 16 pages of 1024 words, each mapped into a physical memory of _____ frames.

Select the correct option

- 48
- 64
- 16
- 32

LEARNING & HELP BY WAQAS QURESHI





LEARNING4 HELP BY WAQAS QURESHI



External Fragmentation takes place in _____

Select the correct option

- Multi-tasking
- Multiprogramming with Fixed Tasks (MFT)
- Paging
- (●) Multiprogramming with Variable Tasks (MVT)



Question # 10 of 15 (Start time: 07:19:01 PM, 31 January 2023) **Total Marks:** 1

Banker's algorithm is used for _____

Select the correct option

- Deadlock detection
- Deadlock removal
- Deadlock prevention
- (●) Deadlock avoidance

LEARNING & HELP BY WAQAS QURESHI





LEARNING4 HELP BY WAQAS QURESHI



LEARNING4 HELP BY WAQAS QURESHI



Question # 5 of 15 (Start time: 03:22:49 PM, 31 January 2023) **Total Marks:** 1

In Swapping technique of Memory Management, the total amount transfer time is directly proportional to the _____.

Select the correct option

- space on main memory
- all the given options are correct
- amount of memory swapped
- amount of space on backing store



Question # 6 of 15 (Start time: 03:23:24 PM, 31 January 2023) **Total Marks:** 1

Deadlock can be deal with _____ways.

Select the correct option

- 3
- 6
- 4
- 2

LEARNING4HELP BY WAQAS QURESHI



Question # 7 of 15 (Start time: 03:23:40 PM, 31 January 2023) **Total Marks:** 1

----------refers to the situation when free memory space exists to load a process in the memory but the space is not contiguous.

Select the correct option

- Swapping
- External Fragmentation
- Internal fragmentation
- Segmentation



Question # 1 of 15 (Start time: 04:38:43 PM, 31 January 2023) **Total Marks:** 1

Logical address is defined by which tuple/tuples?

Select the correct option

- Indexed number and offset
- Physical address
- Paging
- Segment number and offset

LEARNING & HELP BY WAQAS QURESHI



LEARNING4 HELP BY WAQAS QURESHI



Question # 10 of 15 (Start time: 03:26:00 PM, 31 January 2023) **Total Marks:** 1

The address generated by the CPU, after any indexing or other addressing-mode arithmetic, is called a --------address, and the address it gets translated to by the MMU is called a ---------address.

Select the correct option

- (●) Virtual, physical
- ( ) Valid, invalid
- ( ) Hexadecimal, Binary
- ( ) Physical, Virtual



Question # 12 of 15 (Start time: 03:27:11 PM, 31 January 2023) **Total Marks:** 1

In memory management programmer's view of memory representation is called _____.

Select the correct option

- (●) Segmentation
- ( ) Logical address
- ( ) Physical address
- ( ) Offset

LEARNING4 HELP BY WAQAS QURESHI



LEARNING4 HELP BY WAQAS QURESHI



Question # 13 of 15 (Start time: 03:27:51 PM, 31 January 2023) **Total Marks:** 1

Each page is a power of -------- bytes long in paging scheme.

Select the correct option

- 3
- 2
- 5
- 4

ST in logical addressing stands for _____ .

Select the correct option

- None of the Given
- String Table
- Segment Table
- Smart Trap

Click to Save Answer & Move to Next Question

LEARNING4 HELP BY WAQAS QURESHI



Question # 8 of 15 (Start time: 06:04:05 PM, 31 January 2023) **Total Marks:** 1

Every ----------generated by the CPU is divided into two parts: a page number (p) and a page offset (d).

Select the correct option

- Page
- Logical address
- Physical address
- Process address space



Question # 9 of 15 (Start time: 06:04:52 PM, 31 January 2023) **Total Marks:** 1

_____ is caused due to un-used space in physical memory.

Select the correct option

- External fragmentation
- Paging
- Internal fragmentation
- MVT

LEARNING4 HELP BY WAQAS QURESHI



Question # 10 of 15 (Start time: 06:05:14 PM, 31 January 2023) **Total Marks:** 1

---------- register contains the size of the process

Select the correct option

- Base register
- Limit register
- Index register
- Stack pointers register



The logical address of Intel 80386 is _____.

Select the correct option

- 36 bits
- 64 bits
- 128 bits
- 48 bits

LEARNING4 HELP BY WAQAS QURESHI

The address generated by the CPU, after any indexing or other addressing-mode arithmetic, is called a --------address, and the address it gets translated to by the MMU is called a ---------address.

Select the correct option

- Hexadecimal, Binary
- Virtual, physical
- (●) Physical, Virtual
- Valid, invalid

Click to Save Answer & Move to Next Question

Object files and libraries are combined by a ---------- program to produce the executable binary

Select the correct option

- (●) Linker
- Compiler
- Loader
- Text editor

Click to Save Answer & Move to Next Question

LEARNING & HELP BY WAQAS QURESHI



Question # 3 of 15 (Start time: 06:11:02 PM, 31 January 2023) **Total Marks:** 1

The set of all physical addresses corresponding to the logical addresses is a ---------- of the process

Select the correct option

- (●) Physical address space
- ( ) Logical address space
- ( ) Process address space
- ( ) None of the given options



Assume a logical address space of 16 pages, each of 1024 words, each mapped into a physical memory of 32 frames. Each word consists of 2 bytes. What will be the total number of bits required for f (frames)?

Select the correct option

- ( ) 6
- (●) 5
- ( ) 7
- ( ) 8

Click to Save Answer & Move to Next Question

LEARNING4 HELP BY WAQAS QURESHI



Question # 5 of 15 (Start time: 06:12:40 PM, 31 January 2023) **Total Marks:** 1

_____ is constrained by factors like quantum for RR scheduler and pending I/O for swapped out process.

Select the correct option

- (●) Swapping
- ( ) Rollin
- ( ) Rollout
- ( ) Kernel



Question # 9 of 15 (Start time: 03:50:02 PM, 31 January 2023) **Total Marks:** 1

Banker's algorithm is used for _____

Select the correct option

- ( ) Deadlock detection
- (●) Deadlock avoidance
- ( ) Deadlock removal
- ( ) Deadlock prevention

LEARNING4 HELP BY WAQAS QURESHI



LEARNING4 HELP BY WAQAS QURESHI



LEARNING4 HELP BY WAQAS QURESHI



vulms.vu.edu.pk/Quiz/QuizQuestion.aspx

Question # 15 of 15 (Start time: 03:52:30 PM, 31 January 2023) **Total Marks:** 1

Logical memory is divided into blocks of the same size, called_____ .

Select the correct option

- Frame
- Pages
- Table
- Page size

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx

_____ algorithm is used in Deadlock avoidance.

Select the correct option

- Mutual exclusion
- Safe Sequence
- Banker's
- Bakery

Click to Save Answer & Move to Next Question

LEARNING4 HELP BY WAQAS QURESHI



LEARNING4 HELP BY WAQAS QURESHI



The process of holding at least one resource and waiting to acquire additional resources that are currently being held by other processes is known as _____.

Select the correct option

- Mutual exclusion
- Circular wait
- Hold and wait
- No preemption



Segmentation is a memory management scheme that supports _____?

Select the correct option

- System's view of memory
- Programmer's view of memory
- None of the given
- Hardware's view of memory

LEARNING4 HELP BY WAQAS QURESHI



In Swapping technique of Memory Management, the total amount transfer time is directly proportional to the _____.

Select the correct option

- amount of memory swapped
- space on main memory
- amount of space on backing store
- all the given options are correct



CS604 - Operating Systems (Quiz No. 3) **Quiz Start Time: 04:38 PM, 31 January 2023**

Question # 11 of 15 (Start time: 04:44:43 PM, 31 January 2023) **Total Marks:** 1

A dashed line is used to represent a _____ in Resource Allocation Graph.

Select the correct option

- Assignment edge
- Claim edge
- Request edge

LEARNING4 HELP BY WAQAS QURESHI



To eliminate external fragmentation in segmentation the scheme used is _____.

Select the correct option

- Variable size partition scheme
- Variable size paging scheme
- Fixed size paging scheme
- Fixed size partition scheme



Address Binding will be at _____ in Multiprogramming with Fixed Tasks (MFT)

Select the correct option

- Load time
- None of the given options
- Dynamic time
- Run time

LEARNING4HELP BY WAQAS QURESHI



LEARNING4 HELP BY WAQAS QURESHI





LEARNING4 HELP BY WAQAS QURESHI





LEARNING4 HELP BY WAQAS QURESHI



Question # 3 of 15 (Start time: 01:05:33 PM, 31 January 2023) **Total Marks:** 1

Addresses generated relative to part of program, not to start of physical memory are

Select the correct option

- Symbolic
- Virtual
- Physical
- Relocatable



Intel 80386 used paged segmentation with _____ level paging.

Select the correct option

- Four
- Three
- One
- Two

Click to Save Answer & Move to Next Question

LEARNING4 HELP BY WAQAS QURESHI



CS604 - Operating Systems (Quiz No. 3) Quiz Start Time: 01:04 PM, 31 January 2023

Question # 5 of 15 (Start time: 01:08:34 PM, 31 January 2023) Total Marks: 1

Cache is non-volatile memory.

Select the correct option

- False
- True



Address Binding will be _____ in Multiprogramming with Variable Tasks (MVT)

Select the correct option

- Fixed
- Variable
- Static
- Dynamic

LEARNING & HELP BY WAQAS QURESHI





LEARNING4 HELP BY WAQAS QURESHI



Question # 9 of 15 (Start time: 01:12:09 PM, 31 January 2023) **Total Marks:** 1

A page table needed for keeping track of pages of the page table is called ----------

Select the correct option

- Page size
- 2-level paging
- Page directory
- Page table size



Question # 10 of 15 (Start time: 01:12:33 PM, 31 January 2023) **Total Marks:** 1

Deadlock can be deal with _____ways.

Select the correct option

- 4
- 2
- 6
- 3

LEARNING4HELP BY WAQAS QURESHI



Question # 11 of 15 (Start time: 01:13:03 PM, 31 January 2023) **Total Marks:** 1

The collection of processes that is waiting on the disk to be brought into the memory for execution forms the --------

Select the correct option

- Output queue
- Both input and output queue
- Input queue
- None of the given options

The collection of processes that is waiting on the disk to be brought into the memory for execution forms the --------

Select the correct option

- Output queue
- Both input and output queue
- Input queue
- None of the given options

Waiting for www.google-analytics.com...

Saving...

LEARNING4 HELP BY WAQAS QURESHI



LEARNING & HELP BY WAQAS QURESHI



Question # 14 of 15 (Start time: 01:15:24 PM, 31 January 2023) **Total Marks:** 1

_____ is used in the detection and recovery mechanism to handle deadlocks.

Select the correct option

- (●) Resource allocation Graph
- ( ) Wait-for Graph
- ( ) Circular Graph
- ( ) Claim Edge Graph



Question # 15 of 15 (Start time: 01:15:47 PM, 31 January 2023) **Total Marks:** 1

_____ is caused due to un-used space in physical memory.

Select the correct option

- ( ) External fragmentation
- ( ) MVT
- ( ) Paging
- (●) Internal fragmentation

LEARNING & HELP BY WAQAS QURESHI



Question # 14 of 15 (Start time: 03:30:09 PM, 31 January 2023) **Total Marks:** 1

Secondary Storage memory devices have _____ memory.

Select the correct option

- Volatile
- None of the options is correct
- Permanent and non volatile
- Temporary



Question # 15 of 15 (Start time: 03:30:45 PM, 31 January 2023) **Total Marks:** 1

_____ is used in the detection and recovery mechanism to handle deadlocks.

Select the correct option

- Claim Edge Graph
- Wait-for Graph
- Circular Graph
- Resource allocation Graph

LEARNING4 HELP BY WAQAS QURESHI



LEARNING4 HELP BY WAQAS QURESHI



LEARNING4 HELP BY WAQAS QURESHI



Question # 6 of 15 (Start time: 03:45:54 PM, 31 January 2023) **Total Marks:** 1

External Fragmentation takes place in _____

Select the correct option

- Multiprogramming with Fixed Tasks (MFT)
- Multi-tasking
- Multiprogramming with Variable Tasks (MVT)
- Paging



Question # 7 of 15 (Start time: 03:47:26 PM, 31 January 2023) **Total Marks:** 1

Every ----------generated by the CPU is divided into two parts: a page number (p) and a page offset (d).

Select the correct option

- Logical address
- Page
- Physical address
- Process address space

LEARNING4 HELP BY WAQAS QURESHI



Question # 8 of 15 (Start time: 03:48:30 PM, 31 January 2023) **Total Marks:** 1

Object files and libraries are combined by a ---------- program to produce the executable binary

Select the correct option

- Loader
- Text editor
- Linker
- Compiler



Question # 9 of 15 (Start time: 03:50:02 PM, 31 January 2023) **Total Marks:** 1

Banker's algorithm is used for _____

Select the correct option

- Deadlock detection
- Deadlock avoidance
- Deadlock removal
- Deadlock prevention

LEARNING4 HELP BY WAQAS QURESHI



LEARNING & HELP BY WAQAS QURESHI



Question # 3 of 15 (Start time: 11:51:08 PM, 30 January 2023) **Total Marks:** 1

_____ consists of a large array of words or bytes, each with its own address.

Select the correct option

- (●) Memory
- ( ) Data
- ( ) Stream
- ( ) Hard disk



Question # 4 of 15 (Start time: 11:51:58 PM, 30 January 2023) **Total Marks:** 1

To eliminate external fragmentation in segmentation the scheme used is _____.

Select the correct option

- ( ) Fixed size partition scheme
- ( ) Fixed size paging scheme
- (●) Variable size paging scheme
- ( ) Variable size partition scheme

LEARNING4 HELP BY WAQAS QURESHI



LEARNING4 HELP BY WAQAS QURESHI





LEARNING4 HELP BY WAQAS QURESHI





LEARNING4 HELP BY WAQAS QURESHI



Question # 11 of 15 (Start time: 11:59:58 PM, 30 January 2023) **Total Marks:** 1

In deadlock detection and recovery algorithm, a deadlock exists in the system if and only if the wait for graph contains a _____.

Select the correct option

- (●) Cycle
- ( ) Edge
- ( ) Node



In ---------- technique, memory is divided into several fixed-size partitions.

Select the correct option

- (●) Multiprogramming with Fixed Tasks (MFT)
- ( ) Overlays
- ( ) Swapping
- ( ) Multiprogramming with Variable Tasks (MVT)

LEARNING4 HELP BY WAQAS QURESHI



LEARNING4 HELP BY WAQAS QURESHI



In Resource Allocation Graph, a _____Pi --->Rj indicates that process Pi may request resource Rj at some time in the future.

Select the correct option

- Assignment edge
- Allocation edge
- Request edge
- Claim edge



_____ consists of a large array of words or bytes, each with its own address.

Select the correct option

- Data
- Memory
- Hard disk
- Stream

LEARNING4 HELP BY WAQAS QURESHI