



Question # 2 of 10 (Start time: 04:07:35 PM, 13 July 2023) Total Marks: 1

Typically monitor, a high level synchronization tool is characterized by _____ and _____.

Select the correct option

- Signal, wait
- Local variables, semaphores
- Global variable,local variable
- Local data, programmer defined operators




Question # 1 of 10 (Start time: 04:06:38 PM, 13 July 2023) Total Marks: 1


Semaphores are used to synchronize _____ processes.

Select the correct option


- Concurrent
- Parallel
- Tough
- Running


Learning4 Help By Waqas Qureshi 03421719143







Learning4 Help By Waqas Qureshi 03421719143







Learning4 Help By Waqas Qureshi 03421719143







Learning4 Help By Waqas Qureshi 03421719143







Learning4 Help By Waqas Qureshi 03421719143






Learning4 Help By Waqas Qureshi 03421719143





Learning4 Help By Waqas Qureshi 03421719143




Question # 4 of 10 (Start time: 03:31:27 PM, 13 July 2023) **Total Marks:** 1

A state is _____ if the system can allocate resources for each process in some order and still avoid a deadlock.

Select the correct option

- None
- Unsafe
- Safe
- Starvation




Question # 3 of 10 (Start time: 03:30:38 PM, 13 July 2023) **Total Marks:** 1

In order to remove the problem like busy waiting, some high level synchronization constructs are defined. What are they?

Select the correct option

- Critical regions and Monitors
- Critical regions and Semaphores

Learning4 Help By Waqas Qureshi 03421719143



Question # 1 of 5 (Start time: 12:54:27 PM, 14 July 2023) **Total Marks:** 1


As long as there is no_____, the effective access time is equal to the memory access time.


Select the correct option

Reload Math Equations


- queue faults
- stack faults
- demand faults
- page faults


Learning4 Help By Waqas Qureshi 03421718143







Learning4 Help By Waqas Qureshi 03421719143






Learning4 Help By Waqas Qureshi 03421719143





Learning4 Help By Waqas Qureshi 03421719143




Question # 3 of 10 (Start time: 06:57:09 PM, 13 July 2023) **Total Marks:** 1

The integer value of _____ semaphores can range over an unrestricted integer domain.

Select the correct option

- (●) Counting
- ( ) Mutex
- ( ) Bounded buffer
- ( ) Binary




Question # 1 of 10 (Start time: 06:56:21 PM, 13 July 2023) **Total Marks:** 1


Which of the following is correct definition for wait operation?

Select the correct option


- ( )
```
wait(S) {
S--;
}
```
- (●)
```
wait(S) {
while(S<=0)
;// no op
S--;
```
- ( )
```
wait(S) {
while(S>=0)
;// no op
S--;
```
- ( ) wait(S) {

Learning4 Help By Waqas Qureshi 03421719143





Learning4 Help By Waqas Qureshi 03421719143




Question # 6 of 10 (Start time: 05:12:56 PM, 13 July 2023) Total Marks: 1

In deadlock detection and recovery algorithm, a deadlock exists in the system if and only if the wait for graph contains a _____.

Select the correct option

- Graph
- Cycle
- Edge
- Node




A dashed line is used to represent a _____ in Resource Allocation Graph.


Select the correct option

- Allocation edge
- Claim edge
- Assignment edge
- Request edge

Learning4 Help By Waqas Qureshi 03421719143



Learning4 Help By Waqas Qureshi 03421719143



Question # 8 of 10 (Start time: 11:48:10 PM, 12 July 2023) **Total Marks:** 1


In Banker algorithm Need data structure is used. If_____, then process Pi may need k more instances of resource type Rj to complete the task.

Select the correct option

Reload Math Equations

- Need[i,k] = j
- Need[j,i] = k
- Need[i,j] = k
- Need[k,j] = k

Click to Save Answer & Move to Next Question



Question # 7 of 10 (Start time: 11:47:52 PM, 12 July 2023) **Total Marks:** 1

Suppose there are 32 number of frames so number of bits needed for f is:


Select the correct option

Reload Math Equations


- 4
- 3
- 2
- 5

Click to Save Answer & Move to Next Question


Learning4 Help By Waqas Qureshi 03421719143




Learning4 Help By Waqas Qureshi 03421719143




Learning4 Help By Waqas Qureshi 03421719143




Learning4 Help By Waqas Qureshi 03421718143





Learning4 Help By Waqas Qureshi 03421719143



In Resource Allocation Graph, a _____Pi --->Rj indicates that process Pi may request resource Rj at some time in the future.

Select the correct option


- Assignment edge
- Request edge
- Claim edge
- Allocation edge


The ----------scheme is not applicable to a resource allocation system with multiple instances of each resource type.

Select the correct option


- Both Resource-allocation and wait-for graph
- None of the given options
- Wait for graph
- Resource allocation graph


Learning4 Help By Waqas Qureshi 03421718143






Learning4 Help By Waqas Qureshi 03421719143





Learning4 Help By Waqas Qureshi 03421719143




Question # 4 of 10 (Start time: 05:00:21 PM, 13 July 2023) Total Marks: 1

The _____requires that once a writer is ready, that writer performs its write as soon as possible. In other words, if a writer is waiting to access the object, no new readers may start reading.

Select the correct option

- second readers-writers problem
- fourth readers-writers problem
- first readers-writers problem
- third readers-writers problem





Deadlock _____ provides a set of methods for ensuring that at least one of the necessary conditions cannot hold.

Select the correct option


- Recovery
- Avoidance
- Handling
- Prevention


Learning4 Help By Waqas Qureshi 03421719143







Learning4 Help By Waqas Qureshi 03421719143






Learning4 Help By Waqas Qureshi 03421719143





Learning4 Help By Waqas Qureshi 03421719143




Question # 6 of 10 (Start time: 04:10:48 PM, 13 July 2023) **Total Marks: 1**

The condition where a set of blocked processes each holding a resource and waiting to acquire a resource held by another process in the set, is termed as _____.

Select the correct option

- Starvation
- Deadlock




Which of the following is correct definition for wait operation?

Select the correct option

- wait(S) { S--; }
- ;// no op S--; }
- S++; }
- wait(S) { while(S<=0) ;// no op

Learning4 Help By Waqas Qureshi 03421719143





Learning4 Help By Waqas Qureshi 03421718143

Learning4help by Waqas

Asslam-o-Alaikum! In this file we'll provide you CS604 quiz 3 2023 Important Finalterm MCQs. Must Prepare Before Finalterm Exams. Verify Answers yourself too. If you found made mistake then inform me.

If you found mistake then let us know.

You can contact us on WhatsApp https://wa.me/+923421718143


Or You can send us gmail: Learningn4help@gmail.com

Facebook page is https://m.facebook.com/WAQASQURESHI34555/

For more educational stuff keep visiting

https://learning4help.com


Learning4 Help By Waqas Qureshi 03421718143




Subscribe to my Channel:
https://www.youtube.com/channel/UC_CGywvKgSGACQHPuq-951Q


Learning Help By Waqas Qureshi 03421718143









Learning4 Help By Waqas Qureshi 03421718143





Learning4 Help By Waqas Qureshi 03421718143




Question # 6 of 15 (Start time: 05:43:22 PM, 31 January 2023) **Total Marks: 1**

Typically monitor, a high level synchronization tool is characterized by _____ and _____.

Select the correct option

- (●) Local data, programmer defined operators
- ( ) Signal, wait
- ( ) Local variables, semaphores
- ( ) Global variable,local variable




Question # 7 of 15 (Start time: 05:44:02 PM, 31 January 2023) **Total Marks: 1**

The condition in which a set {P0, P1... Pn} of waiting processes must exist such that P0 is waiting for a resource that is held by P1, P1 is waiting for a resource that is held by P2, and so on, Pn-1 is waiting for a resource held by Pn, and Pn is waiting for a resource held by P0. This condition is known as _____.


Select the correct option

- ( ) Mutual exclusion
- ( ) No preemption
- (●) Circular wait
- ( ) Hold and wait

Learning4 Help By Waqas Qureshi 03421718143



Learning4 Help By Waqas Qureshi 03421718143




Question # 11 of 15 (Start time: 05:46:56 PM, 31 January 2023) **Total Marks: 1**

Physical memory is broken down into fixed-sized blocks, called---------- and Logical memory is divided into blocks of the same size, called ----------

Select the correct option

- Frames, holes
- Frames, pages
- Holes, segments
- Pages, Frames




Question # 2 of 15 (Start time: 05:58:47 PM, 31 January 2023) **Total Marks: 1**

----------holds the smallest legal physical memory address for a process

Select the correct option

- Stack pointers register
- Limit register
- Base register
- Index register

Learning4 Help By Waqas Qureshi 03421718143




Question # 14 of 15 (Start time: 05:47:58 PM, 31 January 2023) **Total Marks:** 1

The address generated by the CPU, after any indexing or other addressing-mode arithmetic, is called a --------address, and the address it gets translated to by the MMU is called a ---------address.

Select the correct option

- (●) Physical, Virtual
- ( ) Hexadecimal, Binary
- ( ) Valid, invalid
- ( ) Virtual, physical




Question # 3 of 15 (Start time: 05:59:14 PM, 31 January 2023) **Total Marks:** 1

A state is _____ if the system can allocate resources for each process in some order and still avoid a deadlock.

Select the correct option

- ( ) Unsafe
- ( ) None
- (●) Safe
- ( ) Starvation

Learning4 Help By Waqas Qureshi 03421718143




Question # 4 of 15 (Start time: 06:00:09 PM, 31 January 2023) Total Marks: 1

The main memory is usually divided into partitions, one for _____ and other for _____.

Select the correct option

- Operating system, CPU
- Base Register, Limit Register
- (•) Operating System, User processes
- Processes, Virtual Memory




Question # 5 of 15 (Start time: 06:00:45 PM, 31 January 2023) Total Marks: 1

In deadlock detection and recovery algorithm, a deadlock exists in the system if and only if the wait for graph contains a _____.

Select the correct option

- (•) Cycle
- Graph
- Node
- Edge

Learning4 Help By Waqas Qureshi 03421718143




Question # 6 of 15 (Start time: 06:01:18 PM, 31 January 2023) **Total Marks: 1**

Deadlock _____ provides a set of methods for ensuring that at least one of the necessary conditions cannot hold.

Select the correct option

- (●) Prevention
- ( ) Handling
- ( ) Recovery
- ( ) Avoidance




Question # 6 of 15 (Start time: 06:13:04 PM, 31 January 2023) **Total Marks: 1**

Physical memory is broken down into fixed-sized blocks, called---------- and Logical memory is divided into blocks of the same size, called ----------

Select the correct option

- ( ) Pages, Frames
- ( ) Frames, holes
- (●) Frames, pages
- ( ) Holes, segments

Learning4 Help By Waqas Qureshi 03421718143




Question # 7 of 15 (Start time: 06:13:27 PM, 31 January 2023) **Total Marks:** 1

If the system can allocate resources to each process in some order and still avoid a deadlock then it is said to be in _____ state.

Select the correct option

- (●) Safe
- ( ) Un-Safe
- ( ) Mutual
- ( ) Starvation




Question # 12 of 15 (Start time: 06:15:14 PM, 31 January 2023) **Total Marks:** 1

Assume a logical address space of 16 pages of 1024 words, each mapped into a physical memory of 32 frames. Each word consists of 2 bytes. What will be the total number of bits required for p (page number)?

Select the correct option

- ( ) 8 bits
- ( ) 16 bits
- (●) 4 bits
- ( ) 32 bits

Learning4 Help By Waqas Qureshi 03421718143




Question # 13 of 15 (Start time: 06:15:59 PM, 31 January 2023) **Total Marks:** 1

In order to remove the problem like busy waiting, some high level synchronization constructs are defined. What are they?

Select the correct option

- ○ Critical regions and Semaphores
- ◉ Critical regions and Monitors




Question # 14 of 15 (Start time: 06:16:25 PM, 31 January 2023) **Total Marks:** 1

In ---------- technique, memory is divided into several fixed-size partitions.

Select the correct option

- ◉ Multiprogramming with Fixed Tasks (MFT)
- ○ Overlays
- ○ Swapping
- Multiprogramming with Variable Tasks (MVT)

Learning84 Help By Waqas Qureshi 03421718143




Question # 15 of 15 (Start time: 06:16:52 PM, 31 January 2023) **Total Marks: 1**

----------refers to the situation when free memory space exists to load a process in the memory but the space is not contiguous.

Select the correct option

- Swapping
- Segmentation
- External Fragmentation
- Internal fragmentation




Question # 2 of 15 (Start time: 06:49:27 PM, 31 January 2023) **Total Marks: 1**

A state is _____ if the system can allocate resources for each process in some order and still avoid a deadlock.

Select the correct option

- Safe
- Starvation
- Unsafe
- None

Learning4 Help By Waqas Qureshi 03421718143



Question # 13 of 15 (Start time: 06:53:25 PM, 31 January 2023) Total Marks: 1

In pages segmentation, the logical address is legal if d is _____segment length.

Select the correct option

- Equal to
- Less than
- Greater than
- Greater than or equal to


Question # 2 of 15 (Start time: 07:14:33 PM, 31 January 2023) Total Marks: 1

If there exists a logical address space of 16 pages of 1024 words, each mapped into a physical memory of _____ frames.

Select the correct option

- 48
- 64
- 16
- 32

Learning4 Help By Waqas Qureshi 03421718143




Question # 5 of 15 (Start time: 07:16:20 PM, 31 January 2023) **Total Marks: 1**

If a system is not in a safe state, there can be NO deadlocks.

Select the correct option

- ○ True
- ◉ False




Question # 6 of 15 (Start time: 07:16:52 PM, 31 January 2023) **Total Marks: 1**

Overlays are implemented by the _____

Select the correct option

- ○ Kernel
- ○ Operating system
- ◉ Programmer
- Shell


Learning4 Help By Waqas Qureshi 03421718143



External Fragmentation takes place in _____

Select the correct option

- Multi-tasking
- Multiprogramming with Fixed Tasks (MFT)
- Paging
- (•) Multiprogramming with Variable Tasks (MVT)




Question # 10 of 15 (Start time: 07:19:01 PM, 31 January 2023) **Total Marks:** 1

Banker's algorithm is used for _____

Select the correct option

- Deadlock detection
- Deadlock removal
- Deadlock prevention
- (•) Deadlock avoidance

Learning4 Help By Waqas Qureshi 03421718143




Question # 1 of 15 (Start time: 03:19:31 PM, 31 January 2023) **Total Marks:** 1

If there exists a logical address space of 16 pages of 1024 words, each mapped into a physical memory of _____ frames.

Select the correct option

- ○ 48
- ◉ 16
- ○ 64
- ○ 32




Question # 2 of 15 (Start time: 03:20:37 PM, 31 January 2023) **Total Marks:** 1

The problem of Deadlocks can be solved by _____ method(s).

Select the correct option

- ○ Allowing deadlock to occur, then detect and recover
- ◉ All of the given
- ○ Deadlock prevention
- ○ Deadlock avoidance

Learning4 Help By Waqas Qureshi 03421718143




Question # 3 of 15 (Start time: 03:21:05 PM, 31 January 2023) **Total Marks:** 1

Removing the possibility of deadlock in dining philosopher problem does not ensure the _____ problem will not occur.

Select the correct option

- (●) Starvation
- ( ) Critical Section
- ( ) Bounded Buffer
- ( ) Mutual Exclusion




Question # 4 of 15 (Start time: 03:21:51 PM, 31 January 2023) **Total Marks:** 1

Possible side effects of _____deadlocks are low device utilization and reduced system throughput.

Select the correct option

- ( ) Ignoring
- ( ) Recovering
- (●) Preventing
- ( ) Avoiding

Learning4 Help By Waqas Qureshi 03421718143




Question # 5 of 15 (Start time: 03:22:49 PM, 31 January 2023) **Total Marks:** 1

In Swapping technique of Memory Management, the total amount transfer time is directly proportional to the _____.

Select the correct option

- space on main memory
- all the given options are correct
- amount of memory swapped
- amount of space on backing store




Question # 6 of 15 (Start time: 03:23:24 PM, 31 January 2023) **Total Marks:** 1

Deadlock can be deal with _____ways.

Select the correct option

- 3
- 6
- 4
- 2

Learning4 Help By Waqas Qureshi 03421718143




Question # 7 of 15 (Start time: 03:23:40 PM, 31 January 2023) **Total Marks:** 1

----------refers to the situation when free memory space exists to load a process in the memory but the space is not contiguous.

Select the correct option

- ○ Swapping
- ◉ External Fragmentation
- ○ Internal fragmentation
- ○ Segmentation




Question # 1 of 15 (Start time: 04:38:43 PM, 31 January 2023) **Total Marks:** 1

Logical address is defined by which tuple/tuples?


Select the correct option

- ○ Indexed number and offset
- ○ Physical address
- ○ Paging
- ◉ Segment number and offset

Learning4 Help By Waqas Qureshi 03421718143



Learning4 Help By Waqas Qureshi 03421718143




Question # 10 of 15 (Start time: 03:26:00 PM, 31 January 2023) **Total Marks:** 1

The address generated by the CPU, after any indexing or other addressing-mode arithmetic, is called a --------address, and the address it gets translated to by the MMU is called a ---------address.

Select the correct option

- Virtual, physical
- Valid, invalid
- Hexadecimal, Binary
- Physical, Virtual




Question # 12 of 15 (Start time: 03:27:11 PM, 31 January 2023) **Total Marks:** 1

In memory management programmer's view of memory representation is called _____.

Select the correct option

- Segmentation
- Logical address
- Physical address
- Offset

Learning4 Help By Waqas Qureshi 03421718143



Question # 13 of 15 (Start time: 03:27:51 PM, 31 January 2023) Total Marks: 1

Each page is a power of -------- bytes long in paging scheme.

Select the correct option

- 3
- 2
- 5
- 4


Question # 2 of 15 (Start time: 04:39:40 PM, 31 January 2023) Total Marks: 1

The segment table maps the _____ to physical addresses.

Select the correct option

- Two-dimensional logical addresses
- One-dimensional logical addresses
- Shared page addresses
- Page addresses

Learning4 Help By Waqas Qureshi 03421718143




Question # 13 of 15 (Start time: 03:27:51 PM, 31 January 2023) Total Marks: 1

Each page is a power of -------- bytes long in paging scheme.

Select the correct option

- 3
- 2
- 5
- 4




ST in logical addressing stands for _____.

Select the correct option

- None of the Given
- String Table
- Segment Table
- Smart Trap

Click to Save Answer & Move to Next Question

Learning4 Help By Waqas Qureshi 03421719143




Question # 8 of 15 (Start time: 06:04:05 PM, 31 January 2023) **Total Marks: 1**

Every ----------generated by the CPU is divided into two parts: a page number (p) and a page offset (d).

Select the correct option

- ○ Page
- ◉ Logical address
- ○ Physical address
- ○ Process address space




Question # 9 of 15 (Start time: 06:04:52 PM, 31 January 2023) **Total Marks: 1**

_____ is caused due to un-used space in physical memory.

Select the correct option

- ○ External fragmentation
- ○ Paging
- ◉ Internal fragmentation
- ○ MVT

Learning4 Help By Waqas Qureshi 03421718143




Question # 10 of 15 (Start time: 06:05:14 PM, 31 January 2023) **Total Marks: 1**

---------- register contains the size of the process

Select the correct option

- Base register
- Limit register
- Index register
- Stack pointers register




The logical address of Intel 80386 is _____.


Select the correct option

- 36 bits
- 64 bits
- 128 bits
- 48 bits

Learning4 Help By Waqas Qureshi 03421718143



Learning4 Help By Waqas Qureshi 03421719143




Question # 3 of 15 (Start time: 06:11:02 PM, 31 January 2023) Total Marks: 1

The set of all physical addresses corresponding to the logical addresses is a ---------- of the process

Select the correct option

- Physical address space
- Logical address space
- Process address space
- None of the given options




Assume a logical address space of 16 pages, each of 1024 words, each mapped into a physical memory of 32 frames. Each word consists of 2 bytes. What will be the total number of bits required for f (frames)?

Select the correct option

- 6
- 5
- 7
- 8

Click to Save Answer & Move to Next Question

Learning4 Help By Waqas Qureshi 03421719143




Question # 5 of 15 (Start time: 06:12:40 PM, 31 January 2023) **Total Marks:** 1

_____ is constrained by factors like quantum for RR scheduler and pending I/O for swapped out process.

Select the correct option

- (●) Swapping
- ( ) Rollin
- ( ) Rollout
- ( ) Kernel




Question # 9 of 15 (Start time: 03:50:02 PM, 31 January 2023) **Total Marks:** 1

Banker's algorithm is used for _____


Select the correct option

- ( ) Deadlock detection
- (●) Deadlock avoidance
- ( ) Deadlock removal
- ( ) Deadlock prevention

Learning4 Help By Waqas Qureshi 03421718143



Learning4 Help By Waqas Qureshi 03421718143




Question # 13 of 15 (Start time: 03:51:35 PM, 31 January 2023) Total Marks: 1

What do we name to an address that is generated by the CPU?

Select the correct option

- None of the given options
- Binary addresses
- Logical address
- Physical address




Cache is non-volatile memory.

Select the correct option

- True
- False

Click to Save Answer & Move to Next Question

Learning4 Help By Waqas Qureshi 03421718143




Question # 15 of 15 (Start time: 03:52:30 PM, 31 January 2023) **Total Marks: 1**

Logical memory is divided into blocks of the same size, called_____.

Select the correct option

- Frame
- Pages
- Table
- Page size




_____ algorithm is used in Deadlock avoidance.

Select the correct option


- Mutual exclusion
- Safe Sequence
- Banker's
- Bakery

Click to Save Answer & Move to Next Question

Learning4 Help By Waqas Qureshi 03421719143




Learning4 Help By Waqas Qureshi 03421719143



The process of holding at least one resource and waiting to acquire additional resources that are currently being held by other processes is known as _____.

Select the correct option

- ○ Mutual exclusion
- ○ Circular wait
- ◉ Hold and wait
- ○ No preemption




Segmentation is a memory management scheme that supports _____?

Select the correct option

- ○ System's view of memory
- ◉ Programmer's view of memory
- ○ None of the given
- ○ Hardware's view of memory


Learning4 Help By Waqas Qureshi 03421718143



In Swapping technique of Memory Management, the total amount transfer time is directly proportional to the _____.

Select the correct option

- (●) amount of memory swapped
- ( ) space on main memory
- ( ) amount of space on backing store
- ( ) all the given options are correct



CS604 - Operating Systems (Quiz No. 3) — **Quiz Start Time: 04:38 PM, 31 January 2023**


Question # 11 of 15 (Start time: 04:44:43 PM, 31 January 2023) — **Total Marks:** 1

A dashed line is used to represent a _____ in Resource Allocation Graph.

Select the correct option

- ( ) Assignment edge
- (●) Claim edge
- ( ) Request edge


Learning4 Help By Waqas Qureshi 03421718143



To eliminate external fragmentation in segmentation the scheme used is _____.

Select the correct option

- ○ Variable size partition scheme
- ◉ Variable size paging scheme
- ○ Fixed size paging scheme
- ○ Fixed size partition scheme




Address Binding will be at _____ in Multiprogramming with Fixed Tasks (MFT)


Select the correct option

- ◉ Load time
- ○ None of the given options
- ○ Dynamic time
- ○ Run time


Learning4 Help By Waqas Qureshi 03421718143



Learning4 Help By Waqas Qureshi 03421718143



Learning4 Help By Waqas Qureshi 03421718143



Question # 1 of 15 (Start time: 01:04:10 PM, 31 January 2023) **Total Marks: 1**

---------- register contains the size of the process

Select the correct option

- Stack pointers register
- Limit register
- Index register
- Base register


Question # 2 of 15 (Start time: 01:04:55 PM, 31 January 2023) **Total Marks: 1**

Logical memory is divided into blocks of the same size, called_____.

Select the correct option

- Frame
- Table
- Pages
- Page size

Learning4 Help By Waqas Qureshi 03421718143




Question # 3 of 15 (Start time: 01:05:33 PM, 31 January 2023) Total Marks: 1

Addresses generated relative to part of program, not to start of physical memory are

Select the correct option

- Symbolic
- Virtual
- Physical
- Relocatable




Intel 80386 used paged segmentation with _____ level paging.

Select the correct option

- Four
- Three
- One
- Two

Click to Save Answer & Move to Next Question

Learning4 Help By Waqas Qureshi 03421719143




CS604 - Operating Systems (Quiz No. 3) Quiz Start Time: 01:04 PM, 31 January 2023

Question # 5 of 15 (Start time: 01:08:34 PM, 31 January 2023) Total Marks: 1

Cache is non-volatile memory.

Select the correct option

- False
- True




Address Binding will be _____ in Multiprogramming with Variable Tasks (MVT)

Select the correct option

- Fixed
- Variable
- Static
- Dynamic

Learning4 Help By Waqas Qureshi 03421718143




Question # 7 of 15 (Start time: 01:09:51 PM, 31 January 2023) **Total Marks:** 1

Possible side effects of _____deadlocks are low device utilization and reduced system throughput.

Select the correct option

- Ignoring
- Avoiding
- Preventing
- Recovering




Question # 8 of 15 (Start time: 01:10:59 PM, 31 January 2023) **Total Marks:** 1

Memory protection in paging is achieved by associating _____ with each page. This bit indicates whether the page is in the process address space or not.

Select the correct option

- counting bits
- protection bits
- segment table
- paging table

Learning4 Help By Waqas Qureshi 03421718143




Question # 9 of 15 (Start time: 01:12:09 PM, 31 January 2023) **Total Marks: 1**

A page table needed for keeping track of pages of the page table is called ----------

Select the correct option

- ○ Page size
- ○ 2-level paging
- ◉ Page directory
- ○ Page table size




Question # 10 of 15 (Start time: 01:12:33 PM, 31 January 2023) **Total Marks: 1**

Deadlock can be deal with _____ways.

Select the correct option

- ○ 4
- ○ 2
- ○ 6
- ◉ 3

Learning4 Help By Waqas Qureshi 03421718143




Question # 11 of 15 (Start time: 01:13:03 PM, 31 January 2023) Total Marks: 1

The collection of processes that is waiting on the disk to be brought into the memory for execution forms the --------

Select the correct option

- Output queue
- Both input and output queue
- Input queue
- None of the given options



The collection of processes that is waiting on the disk to be brought into the memory for execution forms the --------


Select the correct option

- Output queue
- Both input and output queue
- Input queue
- None of the given options

Waiting for www.google-analytics.com...

Saving...

Learning4 Help By Waqas Qureshi 03421718143




Question # 12 of 15 (Start time: 01:14:05 PM, 31 January 2023) Total Marks: 1

In_____, the library files are linked at load time.

Select the correct option

- (•) Static Linking
- ( ) Dynamic Linking




Preventing the condition of _____ to happen, deadlocks can be prevented to happen.

Select the correct option

- ( ) Critical region
- ( ) Monitors
- ( ) Critical section
- (•) Circular wait

Learning4 Help By Waqas Qureshi 03421718143




Question # 14 of 15 (Start time: 01:15:24 PM, 31 January 2023) **Total Marks: 1**

_____ is used in the detection and recovery mechanism to handle deadlocks.

Select the correct option

- (●) Resource allocation Graph
- ( ) Wait-for Graph
- ( ) Circular Graph
- ( ) Claim Edge Graph




Question # 15 of 15 (Start time: 01:15:47 PM, 31 January 2023) **Total Marks: 1**

_____ is caused due to un-used space in physical memory.

Select the correct option

- ( ) External fragmentation
- ( ) MVT
- ( ) Paging
- (●) Internal fragmentation

Learning4 Help By Waqas Qureshi 03421718143




Question # 14 of 15 (Start time: 03:30:09 PM, 31 January 2023) **Total Marks: 1**

Secondary Storage memory devices have _____ memory.

Select the correct option

- ○ Volatile
- ○ None of the options is correct
- ◉ Permanent and non volatile
- ○ Temporary




Question # 15 of 15 (Start time: 03:30:45 PM, 31 January 2023) **Total Marks: 1**

_____ is used in the detection and recovery mechanism to handle deadlocks.


Select the correct option

- ○ Claim Edge Graph
- ○ Wait-for Graph
- ○ Circular Graph
- ○ Resource allocation Graph


Learning4 Help By Waqas Qureshi 03421718143



Learning4 Help By Waqas Qureshi 03421718143



Learning4 Help By Waqas Qureshi 03421718143




Question # 6 of 15 (Start time: 03:45:54 PM, 31 January 2023) **Total Marks:** 1

External Fragmentation takes place in _____

Select the correct option

- ○ Multiprogramming with Fixed Tasks (MFT)
- ○ Multi-tasking
- ◉ Multiprogramming with Variable Tasks (MVT)
- ○ Paging




Question # 7 of 15 (Start time: 03:47:26 PM, 31 January 2023) **Total Marks:** 1

Every ----------generated by the CPU is divided into two parts: a page number (p) and a page offset (d).

Select the correct option

- ◉ Logical address
- ○ Page
- ○ Physical address
- ○ Process address space

Learning84 Help By Waqas Qureshi 03421718143




Question # 8 of 15 (Start time: 03:48:30 PM, 31 January 2023) **Total Marks:** 1

Object files and libraries are combined by a ---------- program to produce the executable binary

Select the correct option

- ○ Loader
- ○ Text editor
- ◉ Linker
- Compiler




Question # 9 of 15 (Start time: 03:50:02 PM, 31 January 2023) **Total Marks:** 1

Banker's algorithm is used for _____

Select the correct option

- ○ Deadlock detection
- ◉ Deadlock avoidance
- ○ Deadlock removal
- Deadlock prevention

Learning4 Help By Waqas Qureshi 03421718143




Question # 1 of 15 (Start time: 11:48:09 PM, 30 January 2023) Total Marks: 1

----------is the process of mapping a name to an address.

Select the correct option

- Binding
- Routing
- Memory
- Addressing




Addresses generated relative to part of program, not to start of physical memory are

Select the correct option

- Relocatable
- Symbolic
- Physical
- Virtual

Learning4 Help By Waqas Qureshi 03421718143




Question # 3 of 15 (Start time: 11:51:08 PM, 30 January 2023) **Total Marks: 1**

_____ consists of a large array of words or bytes, each with its own address.

Select the correct option

- (●) Memory
- ( ) Data
- ( ) Stream
- ( ) Hard disk




Question # 4 of 15 (Start time: 11:51:58 PM, 30 January 2023) **Total Marks: 1**

To eliminate external fragmentation in segmentation the scheme used is _____.

Select the correct option

- ( ) Fixed size partition scheme
- ( ) Fixed size paging scheme
- (●) Variable size paging scheme
- ( ) Variable size partition scheme

Learning4 Help By Waqas Qureshi 03421718143




Question # 5 of 15 (Start time: 11:52:54 PM, 30 January 2023) **Total Marks:** 1

If there exists a logical address space of 16 pages of 1024 words, each mapped into a physical memory of _____ frames.

Select the correct option

- (●) 32
- ( ) 48
- ( ) 16
- ( ) 64




Question # 6 of 15 (Start time: 11:54:02 PM, 30 January 2023) **Total Marks:** 1

The main memory is usually divided into partitions, one for _____ and other for _____ .

Select the correct option

- (●) Operating System, User processes
- ( ) Processes, Virtual Memory
- ( ) Base Register, Limit Register
- ( ) Operating system, CPU

Learning4 Help By Waqas Qureshi 03421718143




Question # 7 of 15 (Start time: 11:54:57 PM, 30 January 2023) **Total Marks:** 1

What do we name to an address that is loaded into the memory-address register of the memory?

Select the correct option

- (●) Binary addresses
- ( ) Physical address
- ( ) Logical address
- ( ) None of the given options



Question # 8 of 15 (Start time: 11:56:22 PM, 30 January 2023) **Total Marks:** 1

Assume a logical address space of 16 pages of 1024 words, each mapped into a physical memory of 32 frames. Each word consists of 2 bytes. What will be the total number of bits required for p (page number)?

Select the correct option

- (●) 4 bits
- ( ) 8 bits
- ( ) 32 bits
- ( ) 16 bits

Learning4 Help By Waqas Qureshi 03421718143

Assume a logical address space of 16 pages, each of 1024 words, each mapped into a physical memory of 32 frames. Each word consists of 2 bytes. What will be the total number of bits required for f (frames)?

Select the correct option


- 6
- 5
- 7
- 8

The _____ protection scheme guards against a process trying to access a page that does not belong to its address space.

Select the correct option

- Primary
- Hybrid
- Secondary
- Tertiary

Learning4 Help By Waqas Qureshi 03421718143



Question # 11 of 15 (Start time: 11:59:58 PM, 30 January 2023) Total Marks: 1

In deadlock detection and recovery algorithm, a deadlock exists in the system if and only if the wait for graph contains a _____.

Select the correct option

- Cycle
- Edge
- Node

Search ENG 12:00 AM


In ---------- technique, memory is divided into several fixed-size partitions.

Select the correct option


- Multiprogramming with Fixed Tasks (MFT)
- Overlays
- Swapping
- Multiprogramming with Variable Tasks (MVT)

Search ENG 12:01 AM

Learning4 Help By Waqas Qureshi 03421718143




Learning4 Help By Waqas Qureshi 03421718143



In Resource Allocation Graph, a _____Pi --->Rj indicates that process Pi may request resource Rj at some time in the future.

Select the correct option

- Assignment edge
- Allocation edge
- Request edge
- Claim edge



_____ consists of a large array of words or bytes, each with its own address.

Select the correct option

- Data
- Memory
- Hard disk
- Stream

Learning4 Help By Waqas Qureshi 03421718143