Professional Online Academy Vu Topper RM

CS610-Computer Network Update MCQ'S Quiz-4 File By Vu Topper RM

Follow Us on YouTube: @vutopperrm

For More Help Contact What's app Me!!!
Number's = # 0322-4021365, 0316-4980094

Rizwan Manzoor
Vu Topper RM



بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Asynchronous transfer mode (ATM) is designed to work on fiber but can be used with_____.

A. Wireless
B. Twisted pair Page 72
C. Wifi
D. Bluetooth

PVC stands for _____.

A. Public virtual circuit
B. Plastic virtual circuit
C. Private virtual circuit
D. PERMANENT VIRTUAL CIRCUITS Page 69

ABR stands for…….

A. Available Byte Rate
B. Available Bit Rate Page 71
C. Available break Recovery
D. Available Borrow Rate

The length of time required to send a variable length packet is _____

A. 5 second
B. Variable Page 72
C. Constant
D. Fix

_____ of TCP/IP protocol suit defines the basic characteristics of network hardware.

A. Physical Layer
B Data Link Layer
C. Internet Layer
D. Transport Layer

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Public networks are _____.

A. More secure than LAN
B. Flexible Page 74
C. Limited in boundary
D. Intranet

_____ can't be guaranteed with variable length packets as easily as it can with fixed length cells.

A. Errors
B. Noise
C. Quality of Service Page 72
D. None of the given

_____ Networks are sometimes called Intranet.

A. LAN
B. Public
C. Virtual
D. Private Page 73

_____ is used for compressed audio and video, where the data rate depends on the level of compression that can be achieved.

A. Constant Bit Rate
B. Stable Bit Rate
C. Variable Bit Rate Page 71
D. Available Bit Rate

Handling variable length packets leads to memory _____.

A. Fragmentation Page 72
B. Management
C. Location
D. Allocation

CBR stands for_____.

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

A. Constant Byte Rate
B. Constant Bit Rate Page 71
C. Connection break Recovery
D. Constant Borrow Rate

Computer sends a connection request to the _____to which it is attached while establishing a switched virtual circuit.
A. Bridge
B. Switch Page 70
C. VPI
D. Virtual circuit

_____ masks your IP address.
A. Firewall
B. Antivirus
C. VPN Conceptual
D. Incognito mode

A typical port on an ATM switch operates at _____ or higher.
A. OC-2 speed (155Gbps)
B. OC-2 speed (1000Mbps)
C. OC-3 speed (155Mbps) Page 72
D. OC-3 speed (100Gbps)

Question No:1 (Marks:1) Vu-Topper RM
The process of using a routing table to select a next hop for a given datagram is called_____.
A. Encapsulation
B. Reassembling
C. None of the given
D. Routing or forwarding Page 265

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:2 **(Marks:1)** **Vu-Topper RM**

TCP uses _____ format for all messages.

A. Single **Page 128**

B. Double

C. Multiple

D. None of the given

Question No:3 **(Marks:1)** **Vu-Topper RM**

A popular use of _____ is TCP Splicing. It interconnects two independent TCP connections and performs segment rewriting.

A. NAT

B. NAPT **Page 131**

C. Twice NAT

D. All of these

Question No:4 **(Marks:1)** **Vu-Topper RM**

OSPF includes _____ address mask with each address.

A. 30-bit

B. 32-bit **Page 140**

C. 34-bit

D. 36-bit

Question No:5 **(Marks:1)** **Vu-Topper RM**

Routing refers to the _____ of routing information.

A. Propagation **Page 133**

B. Transmission

C. Communication

D. None of the given

Question No:6 **(Marks:1)** **Vu-Topper RM**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

OSPF is based on--------

A. Link state routing **Page 140**

B. Path vector routing

C. Distance vector routing

D. Distance vector routing and Link state routing

Question No:7 **(Marks:1)** **Vu-Topper RM**

In IP routing, forwarding refers to _____ transfer.

A. Packet

B. Message

C. Datagram **Google**

D. None of the given

Question No:8 **(Marks:1)** **Vu-Topper RM**

To save traffic, an EGP does not summerize routing information from the autonomous system before passing it to another autonomous system.

False **Page 329**

True

Question No:9 **(Marks:1)** **Vu-Topper RM**

In TCP when a computer sends a segment, the_____ and _____ fields refer to incoming data.

A. None of the given

B. SEQUENCE NUMBER, WINDOW

C. ACKNOWLEGE NUMBER, WINDOW **Page 445**

D. ACKNOWLGEGE NUMBER, SEQUENCE NUMBER

Question No:10 **(Marks:1)** **Vu-Topper RM**

_____ is used to attach two autonomous systems.

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

A. IGP
B. BGP
C. EGP **Page 135**
D. None of the given

Question No:11 **(Marks:1)** **Vu-Topper RM**
OSPF stands for _____
A. None of the given
B. Open Source Path First Protocol
C. Open Secure Path First Protocol
D. Open Shortest Path First Protocol **Page 137**

Question No:12 **(Marks:1)** **Vu-Topper RM**
The Border Gateway Protocol (BGP) uses _____ for all communication
A. TCP **Page 138**
B. UDP
C. UDP and TCP
D. None of the given

Question No:13 **(Marks:1)** **Vu-Topper RM**
EGPs stand for _____
A. None of the given
B. Extra Gateway Protocols
C. External Gateway Protocols
D. Exterior Gateway Protocols **Page 135**

Question No:14 **(Marks:1)** **Vu-Topper RM**
Twice NAT is another variant of NAT. it is used with site that runs server. In this process NAT box is connected to Domain Name.

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

True **Page 131**
False

Question No:15 **(Marks:1)** **Vu-Topper RM**
In _____ routing, the table is initialized when system boots and there is no further changes.

A. Static **Page 133**
B. Dynamic
C. Both Static, Dynamic
D. None of these

Question No:16 **(Marks:1)** **Vu-Topper RM**
_____ identifies the application program that sent the data.

A. Source port **Page 445**
B. Logical address
C. Destination Port
D. None of the given

Question No:17 **(Marks:1)** **Vu-Topper RM**
TCP uses the term segment to refer to a _____.

A. Packet
B. Message **Page 128**
C. both (a) and (b)
D. None of the given

Question No:18 **(Marks:1)** **Vu-Topper RM**
All routers within a group exchange routing information.

Ture **Page 135**
False

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:19 **(Marks:1)** **Vu-Topper RM**

NAT software does not allow a PC to connect with the Internet and act as a NAT device at the same time.

False **Page 132**

True

Question No:20 **(Marks:1)** **Vu-Topper RM**

Which of the following is an exterior routing protocol?

A. RIP

B. BGP **Google**

C. OSPE

D. RIP and OSPF

Question No:21 **(Marks:1)** **Vu-Topper RM**

Autonomous System chooses a routing protocol to exchange routing information which is passed before being summarized to another group.

True **Page 135**

False

Question No:22 **(Marks:1)** **Vu-Topper RM**

OSPF does'nt allows a router to introduce routes learned from another means.

False **Google**

True

Question No:23 **(Marks:1)** **Vu-Topper RM**

_____ protocol uses distance vector algorithm.

A. RIP **Page 139**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

B. IGP
C. BGP
D. None of the given

Question No:24 **(Marks:1)** **Vu-Topper RM**

_____ can be used to propagate information about remote networks.

A. Static routing
B. Dynamic routing **Page 134**
C. Address resolution
D. None of the given

Question No:25 **(Marks:1)** **Vu-Topper RM**

NAT stands for _____

A. None of the given
B. Network Address Test
C. Network Address Translation **Page 128**
D. Network Address Transmission

Question No:26 **(Marks:1)** **Vu-Topper RM**

EGP stands for _____

A. None of the given
B. Extra Gateway Protocols
C. External Gateway Protocols
D. Exterior Gateway Protocols **Page 135**

Question No:27 **(Marks:1)** **Vu-Topper RM**

Which of the following are interior routing protocols?

A. RIP **Page 138**
B. BGP

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

C. OSPF
D. RIP and OSPF

Question No:28 **(Marks:1)** **Vu-Topper RM**

A standard protocol exits that allows a host to inform a nearby router whenever the host needs to join or leave a particular multicast group is known as _____.

A. ICMP
B. SNMP
C. IGMP **Page 142**
D. None of the given

Question No:29 **(Marks:1)** **Vu-Topper RM**

Which of the following protocols provide the routing information at the autonomous system level?

A. RIP
B. BGP **Page 136**
C. OSPF
D. RIP and OSPF

Question No:30 **(Marks:1)** **Vu-Topper RM**

Which of the following protocols allows the sender and receiver to enforce polices.

A. RIP
B. BGP **Page 347**
C. OSPF
D. RIP and OSPF

Question No:31 **(Marks:1)** **Vu-Topper RM**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

In dynamic routing, the routing table is initialized when system boots.

True **Page 134**

False

Question No:32 **(Marks:1)** **Vu-Topper RM**

Network Address and Port Translation (NAPT) is by far the most popular form of _____

A. None of the given
B. Network Address Test
C. Network Address Translation **Page 128**
D. Network Address Transmission

Question No:33 **(Marks:1)** **Vu-Topper RM**

NAT device stores state information in translation table.

True **Page 130**

False

Question No:34 **(Marks:1)** **Vu-Topper RM**

IETF stands for _____

A. None of the given
B. Internal Efficient Task Force
C. Internet Engineering Task Force **Google**
D. Internet Engineering Technical Force

Question No:35 **(Marks:1)** **Vu-Topper RM**

NAPT stands for _____

A. None of the given
B. Network Address and Port Translation **Page 132**
C. Network Address and Packet Translation

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

D. Network Address and Protocol Translation

Question No:36 (Marks:1) Vu-Topper RM

_____measures distance in network hops, where each network between the source and destination counts as single hop.

A. RIP Page 138

B. BGP

C. OSPF

D. None of the given

Question No:37 (Marks:1) Vu-Topper RM

A routing table contains_____

A. All of the given

B. The destination network ID

C. The router ID of the next hop Page 102

D. The hop count to reach the network

Question No:38 (Marks:1) Vu-Topper RM

_____ uses distance vector approach to define routing.

A. RIP Page 332

B. BGP

C. OSPF

D. None of the given

Question No:39 (Marks:1) Vu-Topper RM

Twice NAT fails if an application uses the IP addresses instead of Domain Name.

Ture Page 132

False

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

VuTopper RM

Question No:40 **(Marks:1)** **Vu-Topper RM**

OSPF has designed as an Exterior Gateway Protocol used to pass routing information among routers within an autonomous system.

True

False **Page 140**

Question No:41 **(Marks:1)** **Vu-Topper RM**

The goal of _____ is to avoid adding retransmissions to an already congested network.

A. Packet control

B. Congestion control **Page 128**

C. Transmission control

D. None of the given

Question No:42 **(Marks:1)** **Vu-Topper RM**

We use the term _____ to refer to a measure of the path that routing software use when choosing a route.

A. Routing

B. Switching

C. Routing path

D. Routing metric **Page 132**

Question No:43 **(Marks:1)** **Vu-Topper RM**

_____identifies which application program on receiving computer should receive the data

A. Source port

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

B. Logical address

C. Destination Port **Page 445**

D. None of the given

Question No:44 **(Marks:1)** **Vu-Topper RM**

Interior Gateway Protocols (IGPs) and Exterior Gateway Protocols (EGPs) two broad classes of Internet Routing Protocol.

True

False

Question No:45 **(Marks:1)** **Vu-Topper RM**

Which of the following protocol uses UDP for all message transmission?

A. RIP

B. BGP

C. OSPF

D. None of the given

Question No:46 **(Marks:1)** **Vu-Topper RM**

Network Address Translation (NAT) requiresdevice to perform packet translation.

True **Page 128**

False

Question No:47 **(Marks:1)** **Vu-Topper RM**

OSPF uses _____

A. Imported routes

B. Link-state routing **Page 140**

C. Multi-state routing

D. None of the given

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:48 **(Marks:1)** **Vu-Topper RM**

An area is ---------

A. A collection stub area **My Point Of View**

B. Another term of an internet

C. Composed of at least two As's

Question No:49 **(Marks:1)** **Vu-Topper RM**

Dotted decimal notation is a syntactic form the IP software uses to express _____ binary values when interacting with humans.

A. 8-bit

B. 16-bit

C. 32-bit **Page 87**

D. 64-bit

Question No:50 **(Marks:1)** **Vu-Topper RM**

There are _____ possibilities to detect the destination using Trace-route

A. 2 **Page 118**

B. None

C. 3

D. 1

Question No:51 **(Marks:1)** **Vu-Topper RM**

TTL stands for _____

A. Time to live **Page 105**

B. Time to learn

C. Time to leave

D. None of the given

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:52 **(Marks:1)** **Vu-Topper RM**

H.LEN shows the header length in units of ____ Bits

A. 30

B. 32 **Page 105**

C. 34

D. None of the given

Question No:53 **(Marks:1)** **Vu-Topper RM**

_____ Protocol provides error reporting mechanism.

A. ICMP Page 115

B. SNMP

C. IGMP

D. None of the given

Question No:54 **(Marks:1)** **Vu-Topper RM**

Internet protocol (IP) address version 4 is comprised of _____ bits.

A. 8

B. 16

C. 32 **Google**

D. 64

Question No:55 **(Marks:1)** **Vu-Topper RM**

IPV6 addresses are _____ bits.

A. 32

B. 64

C. 128 **Page 111**

D. 256

Question No:56 **(Marks:1)** **Vu-Topper RM**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

TCP provides reliable connection startup.

False **Page 123**

True

Question No:57 **(Marks:1)** **Vu-Topper RM**

_____ is a technique used to Limit datagram size to small MTU of any network.

A. Segmentation

B. Encapsulation

C. Fragmentation **Page 108**

D. None of the given

Question No:58 **(Marks:1)** **Vu-Topper RM**

The Current version of IP-Version 4 is _____ old

A. 10 Year

B. 20 Year **Page 110**

C. 25 Year

D. 30 Year

Question No:59 **(Marks:1)** **Vu-Topper RM**

The protocol address of the next hop must be_____ to an equivalent hardware address before a packet can be sent.

A. Encrypted

B. Decrypted

C. Translated **Page 93**

D. Segmented

Question No:60 **(Marks:1)** **Vu-Topper RM**

Preliminary version of IP was called _____.

A. IP – Net Generation (IPng)

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

B. IP – New Generation (IPng)
C. None of the given
D. IP – Next Generation (IPng) **Page 110**

Question No:61 **(Marks:1)** **Vu-Topper RM**
One of the parameters, which motivated IP for change is address space. The _____ address space allows for over a million networks.But most networks are class C and too small for many organizations.
A. 16-bit
B. 32-bit **Page 110**
C. 64-bit
D. 128-bit

Question No:62 **(Marks:1)** **Vu-Topper RM**
_____ protocols of TCP/IP layering model specify how to organize data into frame and how a computer transmits frames over a network.
A. Session
B. Internet Layer
C. Network interface layer
D. Internet Layer

Question No:63 **(Marks:1)** **Vu-Topper RM**
All of the given options are the types of delay except_____.
A. Propagation
B. Access
C. Throughput **Page 79**
D. Queuing

Question No:64 **(Marks:1)** **Vu-Topper RM**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

_____ provides computer to computer communication.

A. IP **Page 119**

B. TCP

C. IGMP

D. ICMP

Question No:65 **(Marks:1)** **Vu-Topper RM**

UDP datagram format is _____ bits.

A. 8

B. 16

C. 32 **Page 112**

D. 64

Question No:66 **(Marks:1)** **Vu-Topper RM**

Routers use _____ to forward datagrams along prearranged path.

A. Flow label **Page 111**

B. Traffic class

C. Destination address

D. None of the given

Question No:67 **(Marks:1)** **Vu-Topper RM**

MTU Stands for _____

A. Multicast transmission unit

B. Minimum transmission unit

C. None of the given

D. Maximum transmission unit **Page 107**

Question No:68 **(Marks:1)** **Vu-Topper RM**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

VuTopper RM

TCP achieves _____ by retransmission.

A. Accuracy
B. Efficiency
C. Reliability **Page 125**
D. None of the given

Question No:69 **(Marks:1)** **Vu-Topper RM**

which is not the type of error messages defined by ICMP.

A. Source quench
B. Time exceeded
C. None of the given **Page115**
D. Destination unreachable

Question No:70 **(Marks:1)** **Vu-Topper RM**

A separate _____ table is used for each physical network.

A. Checksum
B. CRC
C. Bit-binding
D. Address-binding **Page 94**

Question No:71 **(Marks:1)** **Vu-Topper RM**

_____ is used for single destination computer.

A. Unicast **Page 114**
B. Multicast
C. Broadcast
D. None of the given

Question No:72 **(Marks:1)** **Vu-Topper RM**

_____ uses window mechanism to control the flow of data.

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

A. IP

B. TCP **Page 126**

C. UDP

D. None of the given

Question No:73 **(Marks:1)** **Vu-Topper RM**

_____ of TCP/IP Protocol Suit specifies the format of packets sent across Internet as well as the mechanisms used to forward packets.

A. Physical Layer

B. Transport Layer

C. Data Link Layer

D. Internet Layer

Question No:74 **(Marks:1)** **Vu-Topper RM**

_____ Serve Same purpose in Internet as frames on LAN

A. Packet

B. Virtual frames

C. Both

D. Virtual Packets **Page 101**

Question No:75 **(Marks:1)** **Vu-Topper RM**

UDP provides connection-oriented service.

True

False **Page 120**

Question No:76 **(Marks:1)** **Vu-Topper RM**

In TCP/IP, _____ provides reliable transport service.

A. IP

B. TCP **Page 123**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

C. Both IP and TCP
D. None of the given

Question No:77 **(Marks:1)** **Vu-Topper RM**

Every hardware technology specification includes the definition of the maximum size of the frame data area, which is called the _____ Transmission Unit.

A. Least
B. Frame
C. Fragment
D. Maximum **Page 107**

Question No:78 **(Marks:1)** **Vu-Topper RM**

Dotted decimal represents each octet in _____ and uses a dot to separate octets.

A. Octal
B. binary
C. Decimal **Page 87**
D. hexadecimal

Question No:79 **(Marks:1)** **Vu-Topper RM**

TCP connections are not called Virtual connections.

True
False **Page 123**

Question No:80 **(Marks:1)** **Vu-Topper RM**

_____ field of header indicates whether a datagram is a fragment or a complete datagram.

A. FLAGS **Page 373**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

B. None of the given
C. IDENTIFICATION
D. FRAGMENT OFFSET

Question No:81 **(Marks:1)** **Vu-Topper RM**

Fragmentation when using ICMP for path MTU should be avoided.

True **Page 118**

False

Question No:82 **(Marks:1)** **Vu-Topper RM**

_____ is a type of address used for collection of computers with same prefix.

A. Unicast
B. Cluster **Page 114**
C. Multicast
D. None of these

Question No:83 **(Marks:1)** **Vu-Topper RM**

In Closed-form computation, the protocol address assigned to a computer is chosen carefully so that computer's hardware address can be computed from the protocol address using basic Boolean and _____ operations.

A. XOR
B. Shift
C. XNOR
D. Arithmetic **Page 94**

Question No:84 **(Marks:1)** **Vu-Topper RM**

End to End delivery Service of IP datagram is _____

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

VuTopper RM

A. Connectionless **Page 101**

B. Connection oriented

C. Both

D. None of the given

Question No:85 **(Marks:1)** **Vu-Topper RM**

The Header format of IPv6 is entirely different.

True **Page 111**

False

Question No:86 **(Marks:1)** **Vu-Topper RM**

Address mask defines how many bits of address are in prefix.

True **Page 103**

False

Question No:87 **(Marks:1)** **Vu-Topper RM**

As the Internet grew, the original Classful addressing scheme became a limitation. The IP address space was being exhausted because all networks had to choose one of _____ possible sizes.

A. One

B. Two

C. Four

D. Three **Page 90**

Question No:88 **(Marks:1)** **Vu-Topper RM**

When there is heavy traffic on the network, the queuing time is _____.

A. Zero

B. Fixed

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

C. Increased **Google**

D. Decreased

Question No:89 **(Marks:1)** **Vu-Topper RM**

_____ are two standard implementations to improve computational efficiency.

A. Hashing and Direct indexing **Page 94**

B. Segmentation and Fragmentation

C. Queuing and Packetizing

D. Indexing and Framing

Question No:90 **(Marks:1)** **Vu-Topper RM**

NEXT HEADER field in the base header defines type of header it appears at the end of fixed-size base header.

True **Page 112**

False

Question No:91 **(Marks:1)** **Vu-Topper RM**

The IP class scheme does not divide the _____ address space into equal size class and the classes do not contain the same number of networks.

A. 8-bit

B. 16-bit

C. 32-bit **Page 88**

D. 64-bit

Question No:92 **(Marks:1)** **Vu-Topper RM**

A network with _____jitter takes more time to deliver some packets than others.

A. Zero

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

B. High **Page 80**
C. Low
D. Moderate

Question No:93 **(Marks:1)** **Vu-Topper RM**
The UDP stands for_____.
A. None of the given
B. User Datagram Protocol **Page 119**
C. United Datagram Protocol
D. Universal Datagram Protocol

Question No:94 **(Marks:1)** **Vu-Topper RM**
_____ layer Provides reliable delivery of datagram.
A. Network
B. Transport **Page 104**
C. Data link
D. None of the given

Question No:95 **(Marks:1)** **Vu-Topper RM**
The Universal Datagram Protocol is a message-oriented protocol.
True **Google**
False

Question No:96 **(Marks:1)** **Vu-Topper RM**
TCP stands for _____
A. None of the given
B. Terminal control protocol
C. Transport control protocol
D. Transmission control protocol **Page 123**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:97 **(Marks:1)** **Vu-Topper RM**

Mapping between a protocol address and a hardware address is called _____.

A. Segmentation
B. Hashing
C. Fragmentation
D. Address Resolution **Page 93**

Question No:98 **(Marks:1)** **Vu-Topper RM**

Reliability is not the responsibility of the Transport layer.

True
False **Page 123**

Question No:99 **(Marks:1)** **Vu-Topper RM**

_____ encapsulates IP datagram as data area in hardware frame.

A. Datalink Layer
B. Network Layer
C. None of the given
D. Network Interface Layer **Page 106**

Question No:100 **(Marks:1)** **Vu-Topper RM**

_____ sends ICMP echo messages with increasing TTL.

A. Ping
B. Tracert **Page 118**
C. Trace route
D. None of the given

Question No:101 **(Marks:1)** **Vu-Topper RM**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

_____ is less complex and easy to understand.

A. IP

B. TCP

C. UDP Page 120

D. None of the given

Question No:102 (Marks:1) Vu-Topper RM

UDP packet is encapsulated in _____ datagram.

A. IP Page 122

B. TCP

C. TCP/IP

D. None of the given

Question No:103 (Marks:1) Vu-Topper RM

Inside a computer, each address mask is stored as a ____-bit value.

A. 32 Page 91

B. 16

C. 48

D. 64

Question No:104 (Marks:1) Vu-Topper RM

ICMP message transport is acted upon by getting ICMP _____ in IP.

A. Segmented

B. Encapsulated Page 117

C. De-encapsulated

D. None of the given

Question No:105 (Marks:1) Vu-Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Class A mask is 255.0.0.0 which is used for _____

A. Subnetting **Page 103**

B. Unicasting

C. Multicasting

D. All of the given option

Question No:106 **(Marks:1)** **Vu-Topper RM**

For _____, information about forwarding is stored in a routing table, which is initialized at system initialization and must be updated as network topology changes.

A. Security

B. Accuracy

C. Efficiency **Page 102**

D. Anomalies

Question No:107 **(Marks:1)** **Vu-Topper RM**

The amount of buffer space available at any time is called the window.

True **Page 126**

False

Question No:108 **(Marks:1)** **Vu-Topper RM**

_____ protocols of TCP/IP layering model specify how to ensure reliable transfer.

A. Physical Layer

B. Internet Layer

C. Network Interface Layer

D. Transport Layer **Page 84**

Question No:109 **(Marks:1)** **Vu-Topper RM**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

In the IP address _____ identifies the physical network to which the computer is attached.

A. Mux
B. Surffix
C. Demux
D. Prefix Page 85

Question No:110 (Marks:1) Vu-Topper RM

_____is the rate at which data can be sent through the network.

A. Throughput Page 79
B. Propagation delay
C. Access delay
D. Switching delay

Question No:111 (Marks:1) Vu-Topper RM

Header contains all information needed to deliver datagram to the destination computer. But which one of the following is not included:

A. Rectifier Page 102
B. Source address
C. Destination address
D. Other delivery information

Question No:112 (Marks:1) Vu-Topper RM

System rebooting is one of the major problems in the reliable delivery

True Page 124
False

Question No:113 (Marks:1) Vu-Topper RM

The maximum segment size of TCP flow control is _____

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

VuTopper RM

A. 1000 octets **Page 126**

B. 2000 octets

C. 3000 octets

D. 4000 octets

Question No:114 **(Marks:1)** **Vu-Topper RM**

TCP/IP defines the term_____ to refer any computer system that connects to a network and runs applications for users.

A. Router

B. Switch

C. Host computer **Page 84**

D. Bridge

Question No:115 **(Marks:1)** **Vu-Topper RM**

Twice NAT requires the DNS to interact with the NATdevice.

True **Page 132**

False

Question No:116 **(Marks:1)** **Vu-Topper RM**

UDP follows four types of interactions.

True **Page 121**

False

Question No:117 **(Marks:1)** **Vu-Topper RM**

_____ protocol uses three way handshake to begin a connection.

A. IP

B. TCP **Page 127**

C. UDP

D. none of the given

Question No:118 **(Marks:1)** **Vu-Topper RM**

Twice NAT allows a site to run servers.

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

True **Page 132**
False

Question No:119 **(Marks:1)** **Vu-Topper RM**
UDP uses best-effort delivery service.
True **Page 120**
False

Question No:120 **(Marks:1)** **Vu-Topper RM**
In the IP address _____ identifies an individual computer on the network.
A. Suffix **Page 85**
B. Mux
C. Prefix
D. Demux

Question No:121 **(Marks:1)** **Vu-Topper RM**
VPNs connections are sometimes called _____.
A. Tunnels **Page 75**
B. Open networking
C. Routing
D. Public network

Question No:122 **(Marks:1)** **Vu-Topper RM**
Address Resolution Protocol is mostly used to bind a 32-bit IP address to a ____ Ethernet address.
A 16-bit
B 48-bit
C. 64-bit
D. 84-BIT

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:123 **(Marks:1)** **Vu-Topper RM**

_____ message is sent in response to incoming datagrams with problems.

A. TCP/IP
B. IGMP
C. ICMP **Page 117**
D. None of the given

Question No:124 **(Marks:1)** **Vu-Topper RM**

TCP/IP protocol suit defines the basic characteristics of network hardware.

E. Physical Layer
F. Data Link Layer
G. Internet Layer
H. Transport Layer

Question No:125 **(Marks:1)** **Vu-Topper RM**

The identifier that is used for data transfer in the virtual circuit network is called _____.

A. Virtual circuit identifier **Google**
B. Global address
C. Network identifier
D. IP identifier

Question No:126 **(Marks:1)** **Vu-Topper RM**

Which types of VPNs are used for corporate connectivity across companies residing in different geographical locations?

A. Remote access VPNs
B. Peer-to-peer VPNs
C. Country-to-country VPNs
D. Site-to-site VPNs **Google**

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:127 **(Marks:1)** **Vu-Topper RM**

TCP is a _____ protocol.

A. Multi-Point

B. Point-to-Point **Page 123**

C. Both

D. None of the given

Question No:128 **(Marks:1)** **Vu-Topper RM**

Which one is NOT the function of ping program

A. Reachability

B. Traceability **Page 117**

C. Both

D. None of the given

Question No:129 **(Marks:1)** **Vu-Topper RM**

_____ contains all information needed to deliver datagram to the destination.

A. Header **Page 102**

B. Identifier

C. Data Area

D. None of the given

Question No:130 **(Marks:1)** **Vu-Topper RM**

_____ shows senders preference for low latency, high Reliability.

A. TYPE

B. SERVICE TYPE **Page 105**

C. SERVICE PRIORITY

D. None of the given

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:131 **(Marks:1)** **Vu-Topper RM**

IP datagram can contains _____ octets.

A. 1-65.536

B. 0-65.535

C. 1-65.535 **Page 105**

D. None of the given

Question No:132 **(Marks:1)** **Vu-Topper RM**

IPV6 address consists of _____

A. 32-bit

B. 64-bit

C. 128 bits **Page 111**

D. 182-bit

Question No:133 **(Marks:1)** **Vu-Topper RM**

The Source can configure outgoing datagram's to avoid _____

A. Segmentation

B. Fragmentation **Page 118**

C. Defragmentation

D. None of the given

Question No:134 **(Marks:1)** **Vu-Topper RM**

Due to revolutionalization of IP-V6 the speed has increased from _____

A. 56kbps to 1gbps **Page 110**

B. 512kbps to 1gbps

C. 56kbps to 512kbps

D. None of the given

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:135 **(Marks:1)** **Vu-Topper RM**

The time for acknowledgement to arrive depends on _____

A. Distance to destination

B. Current traffic conditions

C. Both a and b **Page 125**

D. None of the given

Question No:136 **(Marks:1)** **Vu-Topper RM**

_____field tells the receiver how to order fragments within a given datagram.

A. FLAGS

B. IDENTIFICATION

C. FRAGMENT OFFSET **Page 375**

D. None of the given

Question No:137 **(Marks:1)** **Vu-Topper RM**

IPv6 _____ is responsible for fragmentation. Routers simply drop datagram's larger than network

A. Source **Page 113**

B. Medium

C. Destination

D. Intermediate routers

Question No:138 **(Marks:1)** **Vu-Topper RM**

_____ Source is responsible for fragmentation.

A. IPV4

B. IPV6 **Page 103**

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:139 **(Marks:1)** **Vu-Topper RM**

In IPV6 the 128 bit addresses unwidely in dotted decimal;requires _____ numbers.

A. 12

B. 14

C. 16 **Page 114**

D. None of the given

Question No:140 **(Marks:1)** **Vu-Topper RM**

IPV6 128 bits address includes network prefix and _____

A. Host Suffix **Page 114**

B. Host prefix

C. Source Prefix

D. None of the given

Question No:141 **(Marks:1)** **Vu-Topper RM**

Postfix defines how much of address used to identify network.

Ture

False **Page 103**

Question No:142 **(Marks:1)** **Vu-Topper RM**

The process of learning the path MTU is known as path MTU discovery.

True **Page 114**

False

Question No:1 **(Marks:1)** **Vu-Topper RM**

_____is used for typical data applications (where the data rate may be unknown and bursty) and allows use of whatever bandwidth is available at a given time.

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

A. Variable Bit Rate (VBR) service
B. Constant Bit Rate (CBR) service
C. Available Bit Rate (ABR) service **Page 71**
D. None of the given

Question No:143 **(Marks:1)** **Vu-Topper RM**
Connection-oriented service, Point-to-point, Complete reliability, Full-duplex communication, Stream interface, Reliable connection startup and Graceful connection shutdown are the services provided by.
A. IP
B. TCP **Page 123**
C. Both
D. None of the given

Question No:144 **(Marks:1)** **Vu-Topper RM**
The term self-identifying is used for Classful IP addresses because the class of the address can be computed from the address
A. Itself **Page 87**
B. Suffix
C. Mask
D. Prefix

Question No:145 **(Marks:1)** **Vu-Topper RM**
In which method of Address Resolution Protocol the protocol address independent of hardware address? Were "T" stands for Table lookup, "C" for Closed-form Computation and "D" for Data Exchange?
A. C
B. D
C. T, C
D. T, D **Page 97**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:146 **(Marks:1)** **Vu-Topper RM**

In which method of Address Resolution Protocol the protocol address is determined by hardware address? Were "T" stands for Table lookup, "C" for Closed-form Computation and "D" for Data Exchange?

A. A
B. B
C. C **Page 97**
D. D

Question No:147 **(Marks:1)** **Vu-Topper RM**

provide Application to application communication it also called end to end communication

A. IP
B. TP **Page 119**
C. RIP
D. None of the given

Question No:148 **(Marks:1)** **Vu-Topper RM**

Router detects datagram -------- than network

A. MTU
B. Larger **Page 108**
C. Smaller
D. None of the given

Question No:149 **(Marks:1)** **Vu-Topper RM**

Basic LAN technologies such as Ethernet, Token Ring, and FDDI use a.

A. Connectionless service paradigm **Page 112**
B. Connection-oriented service paradigm

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

C. Both Connectionless and Connection-oriented service paradigm
D. None of the given

Question No:150 (Marks:1) Vu-Topper RM

places the boundary between the third and fourth octets.

A. Class A
B. Class B
C. Class C Page 88
D. Class D

Question No:151 (Marks:1) Vu-Topper RM

Which method of Address Resolution Protocol requires hardware broadcast? Were "T" stands for Table lookup, "C" for Closed-form Computation and "D" for Data Exchange?

A. C
B. D Page 97
C. T
D. D, C

Question No:152 (Marks:1) Vu-Topper RM

masks your IP address.

E. Firewall
F. Antivirus
G. VPN Google
H. Incognito mode

Question No:153 (Marks:1) Vu-Topper RM

Computer networks are often called _____ because they use packet technology.

A. Ethernet

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

B. Switch network

C. Packet network

D. None of the given

Question No:154 (Marks:1) Vu-Topper RM

A Bridge forwards or filters a frame by comparing the information in its address table to the frame's

A. Layer 2 source address

B. Layer 2 destination address

C. Layer 3 destination address

D. Source node's physical address

Question No:155 (Marks:1) Vu-Topper RM

When an application_____data, it makes a copy of the data available to all other computers on the network.

A. Unicasting

B. Multicasting

C. Broadcasting

D. None of the given

Question No:156 (Marks:1) Vu-Topper RM

Connectionless service, Message-Oriented protocol, best effort delivery service, arbitrary interaction and operating system independent are the characteristics of

A. IP

B. TCP

C. UDP Page 120

D. None of the given

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:157 **(Marks:1)** **Vu-Topper RM**

performs local multicast and uses IP-in-IP encapsulation to send multicast datagrams from one site on the Internet to another

A. Core Based Trees (CBT)

B. Distance Vector Multicast Routing Protocol **Page 144**

C. Protocol Independent Multicast_ Sparse Mode (PIM-SM)

D. Protocol Independent Multicast _ Dense Mode (PIM-DM)

Question No:158 **(Marks:1)** **Vu-Topper RM**

protocol is designed to use within an organization.

A. OSPF

B. MOSPF **Page 139**

C. MEOSPF

D. None of the given

Question No:159 **(Marks:1)** **Vu-Topper RM**

TCP uses_____mechanism to control the flow of data.

A. Door

B. Window **Page 122**

C. Retransmission

D. Acknowledgment

Question No:160 **(Marks:1)** **Vu-Topper RM**

IGPs stand for.

A. None of the given

B. Internal Gateway Protocols

C. Interior Gateway Protocols **Page 135**

D. Intermediate Gateway Protocols

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:161 **(Marks:1)** **Vu-Topper RM**

protocol uses distance vector algorithm.

A. IGP

B. RIP **Page 139**

C. BGP

D. None of the given

Question No:162 **(Marks:1)** **Vu-Topper RM**

is ideal in a situation where the group is small and all members are attached to contiguous Local Area Networks.

A. Flood-and –Prune **Page 143**

B. Core-Based Discovery

C. Configuration-and -Tunneling

D. None of the given

Question No:163 **(Marks:1)** **Vu-Topper RM**

Router that decrements TTL to sends ICMP time exceeded message, with router's address as source address

A. 0 **Page 118**

B. 1

C. 2

D. 3

Question No:164 **(Marks:1)** **Vu-Topper RM**

_____ field is used to identify a specific path through the network

A. FLOW LABEL **Page 111**

B. TRAFFIC CLASS

C. Both

D. None of the given

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:165 **(Marks:1)** **Vu-Topper RM**

Which protocol is used to test different tools.

A. ICMP **Page 117**

B. IGMP

C. TCP/IP

D. None of the given

Question No:166 **(Marks:1)** **Vu-Topper RM**

IPV6 address with _____ leading zeros is interpreted to hold an IPV4 address.

A. 96 **Page 114**

B. 100

C. 120

D. None of the given

Question No:167 **(Marks:1)** **Vu-Topper RM**

A datagram cannot be larger than of a network over which it is sent.

A. Size

B. MTU **Page 113**

C. IP header

D. None of the given

Question No:168 **(Marks:1)** **Vu-Topper RM**

The Network Layer Protocol ICMP stands for_____

A. Initial Control Message Protocol

B. Instant Control Message Protocol

C. Internet Control Message Protocol **Page 115**

D. None of the given

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:169 **(Marks:1)** **Vu-Topper RM**

Address mask defines how many bits of address are in suffix?

True

False **Page 103**

Question No:170 **(Marks:1)** **Vu-Topper RM**

Like most application programs, a client and server use a transport protocol to communicate.

True **Page 146**

False

Question No:171 **(Marks:1)** **Vu-Topper RM**

A single networking technology is best for all needs

True

False **Page 81**

Question No:172 **(Marks:1)** **Vu-Topper RM**

Mapping between a protocol address and a hardware address is called Address Resolution.

True **Page 93**

False

Question No:173 **(Marks:1)** **Vu-Topper RM**

Although message exchange can be used to bind addresses, sending a request for each binding is hopelessly inefficient.

True **Page 99**

False

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:174 **(Marks:1)** **Vu-Topper RM**

A computer attached to a given network can only communicate with other computers attached to the same network. Is this a problem with multiple networks?

True **Page 81**

False

Question No:175 **(Marks:1)** **Vu-Topper RM**

UDP offers application programs a Message-Oriented Interface, applications can depend on protocol to preserve data boundaries.

True **Page 120**

False

Question No:176 **(Marks:1)** **Vu-Topper RM**

ICMP message transport is acted upon by getting ICMP Encapsulated in IP.

True **Page 117**

False

Question No:177 **(Marks:1)** **Vu-Topper RM**

HEADER LEN field gives size of extention header.

True **Page 112**

False

Question No:178 **(Marks:1)** **Vu-Topper RM**

A is a special purpose system dedicated to the task of interconnecting networks

Bridge

Router **Page 82**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:179 **(Marks:1)** **Vu-Topper RM**

ATM assigns each VC a identifier that is divided two parts to produce a hierarchy

A. 22-bit

B. 24-bit **Page 67**

C. 26-bit

D. 28-bit

Question No:180 **(Marks:1)** **Vu-Topper RM**

of TCP/IP layering model, corresponds to basic network hardware.

A. Internet Layer

B. Physical Layer **Page 84**

C. Transport Layer

D. Network Interface Layer

Question No:181 **(Marks:1)** **Vu-Topper RM**

places the boundary between the second and third octets.

A. Class A

B. Class B **Page 86**

C. Class C

D. Class D

Question No:182 **(Marks:1)** **Vu-Topper RM**

UDP and TCP are both_____layer protocols.

A. Network

B. Physical

C. Data link

D. Transport **Page 101**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Visit My YouTube Channel
For Subjective and More
Important Files
Channel Name = #VuTopperRM

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365