


PSY516 QUIZ 3 FOR FINAL TERM




If three coins are tossed, the minimum number of heads happen to be:


Download More Quizzes Files From
VUAnswer.com

Select the correct option

☐	2
☐	1
☐	0
☐	3



PSY516 QUIZ 3 FOR FINAL TERM




Which one of the following is the direct formula of covariance?

Download More Quizzes Files From
VUAnswer.com

Select the correct option


☐	$E \{ [X - E(X)] [Y - E(Y)] \}$	
☐	$(X)(Y) / E(X+Y)(X-Y)$	
☐	$X/E(Y) + Y$	
☐	$E(XY) : [Y(X) + E(Y)]$	

PSY516 QUIZ 3 FOR FINAL TERM




The full form of p.d.f is:

Select the correct option

☐	Prime distribution function
☐	Probability density function 
☐	Population density function
☐	Preface dimension function



PSY516 QUIZ 3 FOR FINAL TERM




The binomial distribution can be classified as which one of the following kinds of distributions?


Download More Quizzes Files From
VUAnswer.com

Select the correct option

☐	Discrete probability distribution
☐	Extreme value distribution
☐	Beta distribution
☐	Continuous probability distribution



PSY516 QUIZ 3 FOR FINAL TERM




Which one of the following happens to be the correct formula for μ (probability mean)?

Download More Quizzes Files From
VUAnswer.com

select the correct option

☐	$\mu = E(x) - 2(AB)$
☐	$\mu = E(M) + P(x)(\Sigma x)$
☐	$\mu = E(x) = \Sigma x P(x)$
☐	$\mu = x(E) + \Sigma(AB)^2$



NOT
CONFIRM

Download More Quizzes Files From
VUAnswer.com



PSY516 QUIZ 3 FOR FINAL TERM

19:13

4G 827 B/s 98


Question # 6 of 15 (Start time: 07:12:50 PM, 18 February 2022)

The covariance of a random variable with itself can be known as its:


Download More Quizzes Files From
VUAnswer.com

Select the correct option

☐	Variance
☐	Standard deviation
☐	Correlation
☐	Expected value




PSY516 QUIZ 3 FOR FINAL TERM




Select the correct option

☐	10 is less than x , which is again less than 15
☐	10 is less than x , which is less than or equal to 15
☐	10 is less than or equal to x , which is again less than or equal to 15
☐	10 is less than or equal to x , which is less than 15



PSY516 QUIZ 3 FOR FINAL TERM




Question # 10 of 15 (Start time: 07:19:02 PM, 18 February 2022)

Which one of the following happens to be the formula for mean, in case of a binomial distribution?

Download More Quizzes Files From
VUAnswer.com

Select the correct option

☐	$Pn = E(n)$
☐	$E(x) = np$
☐	$P = E(x)$
☐	$X(n) = E - x$



Click




PSY516 QUIZ 3 FOR FINAL TERM

19:23 4G 727 K/s 97

Which one of the following tests enables us to determine in a statistical manner that whether or not the theoretical distribution fits the observed distribution reasonably well?


Select the correct option

☐	Chi-square test
☐	Binomial test
☐	One-way Anova



Download More Quizzes Files From
VUAnswer.com


PSY516 QUIZ 3 FOR FINAL TERM



Question # 14 of 15 (Start time: 07:24:57 PM, 18 February 2022)


The binomial distribution will be skewed to the right in which one of the following cases?

Select the correct option

- | | |
|-----------------------|------------|
| ☐ | $P = q$ |
| ☐ | $P \leq q$ |
| ☐ | $P > q$ |
| ☐ | $P < q$ |
- 



PSY516 QUIZ 3 FOR FINAL TERM



Question # 15 of 15 (Start time: 07:26:29 PM, 18 February 2022)

The equation $E(XY) = E(X) E(Y)$ implies that X and Y are:

[Download More Quizzes Files From VUAnswer.com](#)

Select the correct option

☐	Statistically independent
☐	Positively correlated
☐	Infinite variables
☐	Negatively correlated



PSY516 QUIZ 3 FOR FINAL TERM

Quiz

New Tab

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=846f2468-6589-

Apps Maps Gmail YouTube News Translate Search

BC190403757: TAHAJJUD RAHIM


Download More Quizzes Files From
VUAnswer.com

PSY516 - Statistics in Psychology (Quiz 3)

Question # 1 of 15 (Start time: 07:28:32 PM, 18 February 2022)


The parameter of the Poisson distribution is:

Select the correct option

☐	$\mu = > 0$	 <u>NOT</u> <u>CONFIRM</u>
☐	$\mu = \geq 2$	
☐	$\mu = \leq 4$	
☐	$\mu = < 1$	

lenovo

PSY516 QUIZ 3 FOR FINAL TERM



The image shows a laptop screen displaying a web browser with a quiz interface. The browser's address bar shows the URL: vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=91f55e59-f99d-40d8-99c7-f4c97560acd2. The page header identifies the user as BC190403757: TAHAJJUD RAHIM and the quiz as PSY516 – Statistics in Psychology (Quiz 3). The current question is Question # 3 of 15, with a start time of 07:31:24 PM, 18 February 2022. The question text is: "If three coins are tossed, the minimum number of heads happen to be:". Below the question is a large text input field. Underneath the input field, it says "Select the correct option" followed by four radio button options: 1, 3, 2, and 0. The laptop's taskbar at the bottom shows icons for Windows, Edge, File Explorer, Google Chrome, and Adobe Reader. The keyboard below the screen shows the Esc key, function keys F1 through F7, and a ThinkVantage logo.

BC190403757: TAHAJJUD RAHIM

PSY516 – Statistics in Psychology (Quiz 3)

Question # 3 of 15 (Start time: 07:31:24 PM, 18 February 2022)

If three coins are tossed, the minimum number of heads happen to be:

Select the correct option

☐ 1


☐ 3

☐ 2


☐ 0

PSY516 QUIZ 3 FOR FINAL TERM

Download More Quizzes Files From
VUAnswer.com




PSY516 QUIZ 3 FOR FINAL TERM



Download More Quizzes Files From
VUAnswer.com

PSY516 QUIZ 3 FOR FINAL TERM



PSY516 QUIZ 3 FOR FINAL TERM

PSY516 - Statistics in Psychology (Quiz 3)

Quiz Start Time: 07:28 PM, 18 February 2022

Question # 11 of 15 (Start time: 07:41:01 PM, 18 February 2022)

Which one of the following tests enables us to determine in a statistical manner that whether or not the theoretical distribution fits the observed distribution reasonably well?


Select the correct option

- ☐ One-way Anova
- ☐ Paired t-test
- ☐ Chi-square test
- ☐ Binomial test


Click to Save Answer & Move to Next




PSY516 QUIZ 3 FOR FINAL TERM




PSY516 QUIZ 3 FOR FINAL TERM




PSY516 QUIZ 3 FOR FINAL TERM



PSY516 QUIZ 3 FOR FINAL TERM



PSY516 QUIZ 3 FOR FINAL TERM



PSY516 QUIZ 3 FOR FINAL TERM

Quiz

← → ↻ vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=fbe47b79-e8d2-444f-9ec4-b01ec49a

Question # 14 of 15 (Start time: 08:06:06 PM, 18 February 2022)

The uniform distribution is also known as:

Select the correct option

☐	The bar pie distribution
☐	The cubic distribution
☐	The binomial distribution
☐	The rectangular distribution

Windows Type here to search

hp

1 2 3 4 5 6 7 8 9 0

PSY516 QUIZ 3 FOR FINAL TERM

Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=40f088cd-4a88-49fe-8ee2-a7cd65049a0d

PSY516 - Statistics in Psychology (Quiz 3)

Question # 13 of 15 (Start time: 08:05:31 PM, 18 February 2022)

If three coins are tossed, the minimum number of heads happen to be:

Select the correct option


☐	3	 <u>Not sure</u>
☐	1	
☐	0	
☐	2	

Type here to search


hp

Q W E R T Y U

PSY516 QUIZ 3 FOR FINAL TERM



PSY516 QUIZ 3 FOR FINAL TERM



PSY516 QUIZ 3 FOR FINAL TERM

WhatsApp Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=98ef6545-d51d-417c-9440-245832a865f8

Question # 1 of 15 (Start time: 08:09:41 PM, 18 February 2022) Total Marks: 1

If X and Y are two variables that are statistically independent, then their covariance is represented by:

Select the correct option

- ☐ 1
- ☐ 0
- ☐ 2
- ☐ 3

Click to View Answer & Move to Next Question

WhatsApp Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=387219f5-247c-416a-84b5-c3748f406ect

Question # 2 of 15 (Start time: 08:11:21 PM, 18 February 2022) Total Marks: 1

$F(x, y) > 0$ for all (x, y) is a property pertaining to which one of the following kinds of distributions?

Select the correct option

- ☐ Continuous bi-variate
- ☐ Discrete bi-variate
- ☐ Continuous univariate
- ☐ Discrete univariate

Click to View Answer & Move to Next Question

PSY516 QUIZ 3 FOR FINAL TERM

WhatsApp Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=de269bb8-0107-4265-b979-5d8ece9b0180

Question # 4 of 10 (Start time: 06:12:30 PM, 10 February 2022)

In the case of mathematical expectation of a continuous probability distribution, the summation sign is replaced by one of the following signs?

Select the correct option

- ☐ Infinity
- ☐ Under root
- ☐ Permutation
- ☐ Integration

Click to Save Answer & Move to Next Question

WhatsApp Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=e6073d7c-b25b-417e-9938-5af225d5aa5e

Question # 5 of 10 (Start time: 06:12:30 PM, 10 February 2022)

BI and B2, the two moment ratios, give an indication of which one of the following qualities of a distribution?

Select the correct option

- ☒ Skewness and Kurtosis
- ☐ Mid-points
- ☐ Mean value
- ☐ Axis value

Click to Save Answer & Move to Next Question

PSY516 QUIZ 3 FOR FINAL TERM

WhatsApp Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=3cd4fad6-dc6b-419a-a4cb-db82bb953d15

Question # 6 of 15 (Start time: 08:16:59 PM, 18 February 2022) Total Marks: 1

The derivation of the Poisson distribution is published in the year:

Select the correct option

☒ 1837

☐ 1765

☐ 1890

☐ 1678

Click to Copy Answer & Move to Next Question

WhatsApp Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=3e896f42-076e-44df-bb9a-eeeb223ebac4

Question # 7 of 15 (Start time: 08:18:31 PM, 18 February 2022) Total Marks: 1

The uniform distribution is also known as:

Select the correct option

☐ The binomial distribution

☐ The bar pie distribution

☐ The rectangular distribution

☐ The cubic distribution

Click to Copy Answer & Move to Next Question

PSY516 QUIZ 3 FOR FINAL TERM

WhatsApp Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=f0e8d1c8-1c24-4f96-8aca-022dac0e3a92

Question # 9 of 15 (Start time: 08:19:50 PM, 18 February 2022) Total Marks: 1

Suppose that A is an event, and its compliment is $\bar{A}$. If the probability of A is $1/k^2$, then the probability of $\bar{A}$ will be written with a difference of:

Select the correct option

☐ 2

☐ 3

☐ 1

☐ 0

Click to Save Answer & Move to Next Question

WhatsApp Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=5758ad39-6b4a-426c-bd93-28ef608e5b06

Question # 10 of 15 (Start time: 08:21:16 PM, 18 February 2022) Total Marks: 1

Which one of the following is the direct formula of covariance?

Select the correct option

☐ $(X)(Y)/E(X+Y)(X-Y)$

☐ $E(XY) - [E(X) + E(Y)]$

☐ $X/E(Y) + Y$

☒ $E[(X - E(X)) (Y - E(Y))]$

Click to Save Answer & Move to Next Question

Download More Quizzes Files From
VUAnswer.com

PSY516 QUIZ 3 FOR FINAL TERM

8:22 PDF

4G 90%



vulms.vu.edu.pk/Quiz/Quiz

1



BC210420395: AYESHA BATOOL ZAFAR

Time Left 90
sec(s)

PSY516 - Statistics in Psychology (Quiz 3)

Quiz Start Time: 08:22 PM, 18 February 2022

Question # 1 of 15 (Start time: 08:22:08 PM, 18 February 2022)

Total Marks: 1

Which one of the following happens to be the formula for co-efficient of variation?

Select the correct option

- ☐ $n \times 100 / \mu$
- ☒ $\Sigma / \mu \times 100$
- ☐ $\mu \times 100 / \Sigma (x)$
- ☐ $\mu \times 100 / n$

Click to Save Answer & Move to Next Question

PSY516 QUIZ 3 FOR FINAL TERM

WhatsApp Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=7016e5ca-c8ae-4aca-a557-37b8bed497d8

PSY516 - Statistics in Psychology (Quiz 3) Quiz Start Time: 08:09 PM, 18 February 2022

Question # 13 of 15 (Start time: 08:22:29 PM, 18 February 2022) Total Marks: 1

Which one of the following happens to be the formula for variance, in case of a binomial distribution?

Select the correct option

- ☐ $\text{Var}(X) = npq$
- ☐ $\text{Var}(X) = n-1$
- ☐ $\text{Var}(X) = n(n+1)$
- ☐ $\text{Var}(X) = En-1$

Question # 14 of 15 (Start time: 08:23:35 PM, 18 February 2022) Total Marks: 1

The relationship between $f(x)$ and the $F(x)$ is that the derivative of $F(x)$ is equal to:

Select the correct option

- ☐ $f(x)$
- ☐ $F(x)$
- ☐ x
- ☐ $f'(x)$

PSY516 QUIZ 3 FOR FINAL TERM

WhatsApp Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=281bf161-437c-4753-8a63-35a7dff36b82

Question # 15 of 15 (Start time: 08:24:57 PM, 18 February 2022) Total Marks: 1

Which one of the following happens to be the formula for mean, in case of a binomial distribution?

Select the correct option

- ☐ $P=E(x)$
- ☐ $X(n)=E-x$
- ☐ $E(x)=np$ ←
- ☐ $Pn=E(n)$

Click to Copy Answer & Move to Next Question

8:29 PM 2/18/2022

PSY516 QUIZ 3 FOR FINAL TERM

8:24

4G 90%



vulms.vu.edu.pk/Quiz/Quiz

1



BC210420395: AYESHA BATOOL ZAFAR

Time Left 89 sec(s)

PSY516 - Statistics in Psychology (Quiz 3)

Quiz Start Time: 08:22 PM, 18 February 2022

Question # 2 of 15 (start time: 08:24:17 PM, 18 February 2022)

Total Marks: 1

If three coins are tossed, the minimum number of heads happen to be:

Select the correct option

☐	1
☐	3
☐	2
☐	0

Click to Save Answer & Move to Next Question

PSY516 QUIZ 3 FOR FINAL TERM

8:24

4G 90%



vulms.vu.edu.pk/Quiz/Quiz

1



BC210420395: AYESHA BATOOL ZAFAR

Time Left 89 sec(s)

PSY516 - Statistics in Psychology (Quiz 3)

Quiz Start Time: 08:22 PM, 18 February 2022


Question # 3 of 15 (start time: 08:25:02 PM, 18 February 2022)

Total Marks: 1

Two events, A and B are said to be independent if the probability of A into the probability of B is equal to:

Select the correct option

- ☐ Probability of $A \cap B$
- ☐ Probability of $A = B$
- ☐ Probability of $A > B$
- ☐ Probability of $A < B$



Click to Save Answer & Move to Next Question

PSY516 QUIZ 3 FOR FINAL TERM

8:26

4G 89%



vulms.vu.edu.pk/Quiz/Quiz

1



BC210420395: AYESHA BATOOL ZAFAR

Time Left 89 sec(s)

PSY516 - Statistics in Psychology (Quiz 3)

Quiz Start Time: 08:22 PM, 18 February 2022

Question # 4 of 15 (start time: 08:26:31 PM, 18 February 2022)

Total Marks: 1

The graph of the distribution function of a continuous random variable is formed as:


Select the correct option

☐ A pie-chart

☐ A J-shaped curve

☐ A smooth bell curve

☐ A bar graph



Click to Save Answer & Move to Next Question

PSY516 QUIZ 3 FOR FINAL TERM

8:29

4G 89%



vulms.vu.edu.pk/Quiz/Quiz

1



BC210420395: AYESHA BATOOL ZAFAR

Time Left 88 sec(s)

PSY516 - Statistics in Psychology (Quiz 3)

Quiz Start Time: 08:22 PM, 18 February 2022

Question # 6 of 15 (start time: 08:29:48 PM, 18 February 2022)

Total Marks: 1

The parameter of the Poisson distribution is:

Select the correct option

☐ $\mu \leq 4$

☐ $\mu \geq 2$

☐ $\mu < 1$

☐ $\mu > 0$

Click to Save Answer & Move to Next Question

PSY516 QUIZ 3 FOR FINAL TERM

8:31

4G 89%



vulms.vu.edu.pk/Quiz/Quiz

1



BC210420395: AYESHA BATOOL ZAFAR

Time Left 88 sec(s)

PSY516 - Statistics in Psychology (Quiz 3)

Quiz Start Time: 08:22 PM, 18 February 2022

Question # 7 of 15 (Start time: 08:31:25 PM, 18 February 2022)

Total Marks: 1

The Poisson approximation is used in place of the binomial distribution when n is:

Download More Quizzes Files From
VUAnswer.com

Select the correct option

☐	50 or more
☐	10 or more
☐	20 or more
☐	30 or more

Click to Save Answer & Move to Next Question

PSY516 QUIZ 3 FOR FINAL TERM

Question # 1 of 15 (Start time: 08:33:16 PM, 18 February 2022)

How can you read the equation: " $2 \leq x < 3$ "?

Select the correct option

- | | |
|-----------------------|--|
| ☐ | The number 2 is included but 3 is excluded |
| ☐ | The difference between 2 and 3 is 1 |
| ☐ | The number 2 is excluded and 3 is included |
| ☐ | L.H.S is equal to R.H.S |



PSY516 QUIZ 3 FOR FINAL TERM

8:36

4G 88%



vulms.vu.edu.pk/Quiz/Quiz

1



BC210420395: AYESHA BATOOL ZAFAR

Time Left 85 sec(s)

PSY516 - Statistics in Psychology (Quiz 3)

Quiz Start Time: 08:22 PM, 18 February 2022

Question # 10 of 15 (start time: 08:36:09 PM, 18 February 2022)

Total Marks: 1

In the case of mathematical expectation of a continuous probability distribution, the summation sign is replaced by one of the following signs?

Select the correct option

- ☐ Permutation
- ☐ Under root
- ☐ Integration
- ☐ Infinity



Click to Save Answer & Move to Next Question

PSY516 QUIZ 3 FOR FINAL TERM

8:37

4G 88%



vulms.vu.edu.pk/Quiz/Quiz

1



BC210420395: AYESHA BATOOL ZAFAR

Time Left 89 sec(s)

PSY516 - Statistics in Psychology (Quiz 3)

Quiz Start Time: 08:22 PM, 18 February 2022

Question # 11 of 15 (start time: 08:37:51 PM, 18 February 2022)

Total Marks: 1

A correlation of 0.95 can be best interpreted as which one of the following statements?


Select the correct option

☐ A positive correlation

☐ A Strong positive correlation

☐ A weak positive correlation

☐ A neutral correlation



Click to Save Answer & Move to Next Question

PSY516 QUIZ 3 FOR FINAL TERM

8:39

4G 88%



vulms.vu.edu.pk/Quiz/Quiz

1



BC210420395: AYESHA BATOOL ZAFAR

Time Left 89 sec(s)

PSY516 - Statistics in Psychology (Quiz 3)

Quiz Start Time: 08:22 PM, 18 February 2022


Question # 12 of 15 (Start time: 08:39:17 PM, 18 February 2022)

Total Marks: 1

The covariance of a random variable with itself can be known as its:

Select the correct option

- ☐ Variance
- ☐ Correlation
- ☐ Standard deviation
- ☐ Expected value



Click to Save Answer & Move to Next Question

PSY516 QUIZ 3 FOR FINAL TERM

8:40

4G 87%



vulms.vu.edu.pk/Quiz/Quiz

1



BC210420395: AYESHA BATOOL ZAFAR

Time Left 89 sec(s)

PSY516 - Statistics in Psychology (Quiz 3)

Quiz Start Time: 08:22 PM, 18 February 2022

Question # 13 of 15 (Start time: 08:40:34 PM, 18 February 2022)

Total Marks: 1

Which one of the following tests enables us to determine in a statistical manner that whether or not the theoretical distribution fits the observed distribution reasonably well?

Select the correct option

- ☐ Paired t-test
- ☐ Chi-square test
- ☐ Binomial test
- ☐ One-way Anova



Click to Save Answer & Move to Next Question

8:53

Quiz

vulms.vu.edu.pk

BC210418132: AFSHEEN IMTIAZ

Time Left

62 sec(s)

PSY516 - Statistics in Psychology (Quiz 3)

Quiz Start Time: 08:46 PM, 18 February 2022

Question # 5 of 15 (start time: 08:53:22 PM, 18 February 2022)

Total Marks:

How can you read the equation: " $2 \leq x < 3$ "?

Select the correct option

☐

The number 2 is excluded and 3 is included

☐

The number 2 is included but 3 is excluded

☐

L.H.S is equal to R.H.S

☐

The difference between 2 and 3 is 1

Click to Save Answer & Move to Next Question

Time Left 62
sec(s)

Quiz Start Time: 08:46 PM, 18 February 2022

Total Marks: 1

How can you read the equation: " $2 \leq x < 3$ "?

☐	The number 2 is excluded and 3 is included
☐	The number 2 is included but 3 is excluded
☐	L.H.S is equal to R.H.S
☐	The difference between 2 and 3 is 1

8:54

Quiz

vulms.vu.edu.pk

BC210418132: AFSHEEN IMTIAZ

Time Left

88

sec(s)

PSY516 - statistics in Psychology (Quiz 3)

Quiz Start Time: 08:46 PM, 18 February 2022

Question # 6 of 15 (start time: 08:54:45 PM, 18 February 2022)

Total Marks:

A correlation of 0.95 can be best interpreted as which one of the following statements?

Select the correct option

☐

A Strong positive correlation

☐

☐

A neutral correlation

☐

☐

A positive correlation

☐

☐

A weak positive correlation

Click to Save Answer & Move to Next Question

8:55

Quiz

vulms.vu.edu.pk

BC210418132: AFSHEEN IMTIAZ

Time Left

88

sec(s)

PSY516 - Statistics in Psychology (Quiz 3)

Quiz Start Time: 08:46 PM, 18 February 2022

Question # 7 of 15 (start time: 08:55:21 PM, 18 February 2022)

Total Marks:

The binomial distribution can be classified as which one of the following kinds of distributions?

Select the correct option

☐

Continuous probability distribution

☐

Discrete probability distribution

☐

Beta distribution

☐

Extreme value distribution

Click to Save Answer & Move to Next Question

PSY516 QUIZ 3 FOR FINAL TERM

8:58







Quiz
vulms.vu.edu.pk



BC210418132: AFSHEEN IMTIAZ

Time Left 88 sec(s)

PSY516 - Statistics in Psychology (Quiz 3)

Quiz Start Time: 08:46 PM, 18 February 2022

Question # 11 of 15 (Start time: 08:58:24 PM, 18 February 2022)

Total Marks: 1

The full form of p.d.f is:

Select the correct option

☐ Population density function

☐ Preface dimension function

☐ Probability density function

☐ Prime distribution function

Click to Save Answer & Move to Next Question

PSY516 QUIZ 3 FOR FINAL TERM

8:59







Quiz
vulms.vu.edu.pk



BC210418132: AFSHEEN IMTIAZ

Time Left 83 sec(s)

PSY516 - Statistics in Psychology (Quiz 3)

Quiz Start Time: 08:46 PM, 18 February 2022

Question # 12 of 15 (start time: 08:58:56 PM, 18 February 2022)

Total Marks: 1

The graph of the distribution function of a discrete random variable is also known as _____ owing to its shape?

Select the correct option

☐	Slide function
☐	Jump/step function
☐	Fall function
☐	Take function

Click to Save Answer & Move to Next Question

Download More Quizzes Files From
VUAnswer.com



PSY516 QUIZ 3 FOR FINAL TERM

9:00







Quiz
vulms.vu.edu.pk



BC210418132: AFSHEEN IMTIAZ

Time Left 88 sec(s)

PSY516 - Statistics in Psychology (Quiz 3)

Quiz Start Time: 08:46 PM, 18 February 2022

Question # 14 of 15 (start time: 09:00:36 PM, 18 February 2022)

Total Marks: 1

The binomial distribution will be skewed to the right in which one of the following cases?

Select the correct option

☐	$p \leq q$
☐	$p > q$
☐	$p = q$
☐	$p < q$



[Click to Save Answer & Move to Next Question](#)



PSY516 QUIZ 3 FOR FINAL TERM

PSY516 - Statistics in Psychology (Quiz 3)

Quiz Start Time: 09:04 PM, 18 February 2022

Question # 2 of 15 (Start time: 09:05:25 PM, 18 February 2022)

The derivation of the Poisson distribution is published in the year:

Select the correct option

☐	1837
☐	1890
☐	1878
☐	1765



PSY516 - Statistics in Psychology (Quiz 3)

Quiz Start Time: 09:04 PM, 18 February 2022

Question # 10 of 15 (Start time: 09:14:42 PM, 18 February 2022)

For an absolutely symmetric distribution the third moment about the mean is:

Select the correct option

☐	0
☐	1
☐	2
☐	3



PSY516 QUIZ 3 FOR FINAL TERM



vulms.vu.edu.pk



09:26:06 / 9. February 2022

Time Left
00
sec(s)

PSY516 - Statistics in Psychology (Quiz 3)

Quiz Start Time: 09:35 PM, 16 February 2022

Question # 8 of 15 (Start time: 09:26:35 PM, 18 February 2022)

Total Marks: 1

The graph of the distribution function of a discrete random variable is also known as _____, owing to its shape?

Select the correct option



Fall function



Slide function



Jump/step function



Take function

Click to Save Answer & Move to Next Question





vulms.vu.edu.pk

2



Which one of the following is the correct explanation for the probability mathematical expression i.e., $P(10 \leq X \leq 15)$

Select the correct option



10 is less than or equal to x, which is again less than or equal to 15



10 is less than or equal to x, which is less than 15



10 is less than x, which is less than or equal to 15



10 is less than x, which is again less than 15

Click to Save Answer & Move to Next



PSY516 QUIZ 3 FOR FINAL TERM



vulms.vu.edu.pk



Psychological Statistics (Quiz 3)

Quiz 3: Psychological Statistics (Quiz 3)

Question # 11 of 15 (Start time: 09:28:53 PM, 18 February 2022)

T

In graphical representations, we can only get the mean in the center of the distribution only if it is:

Select the correct option



A negatively skewed distribution




A J-shaped distribution



A U-shaped distribution



A symmetric distribution



Click to Save Answer & Move to Next Question



PSY516 QUIZ 3 FOR FINAL TERM



vulms.vu.edu.pk

2



Question # 13 of 15 (Start time: 09:32:13 PM, 16 February 2022)

The graph of the distribution function of a continuous random variable is formed as:

Select the correct option



A J-shaped curve



A smooth bell curve



A pie-chart



A bar graph



Click to Save Answer & Move to Next



PSY516 QUIZ 3 FOR FINAL TERM

BC190406874: TAYBBA NAWAZ

PSY516 - Statistics in Psychology (Quiz 3)


Quiz Start Time: 05

Question # 14 of 15 (Start time: 09:33:17 PM, 18 February 2022)

The marginal probabilities occur on the margins of which one of the following kinds of tables?

Select the correct option

- | | |
|-----------------------|--------------------------|
| ☐ | Bi-variable table |
| ☐ | Uni-variate table |
| ☐ | Probability spread sheet |
| ☐ | Frequency distribution |



Click to Save Answer & M



PSY516 QUIZ 3 FOR FINAL TERM

PSY516 - Statistics in Psychology (Quiz 3)

Quiz Start Time: 05:35 PM, 16 February 2022

Question # 15 of 15 (Start time: 09:34:50 PM, 16 February 2022)

Total

Which one of the following happens to be the value of the second moment ratio in the case of a Leptokurtic distribution

Select the correct option

☐ >3

☐ ≈ 4

☐ ≤ 2

☐ >1



Click to Save Answer & Move to Next Question



PSY516 QUIZ 3 FOR FINAL TERM

9:37 PM

12.2 K/s



vulms.vu.edu.pk/Quiz/Q

89




Question # 1 of 15 (Start time: 05:57:04 PM, 18 February 2022)

$f(x, y) > 0$ for all (x, y) is a property pertaining to which one of the following kinds of distributions?

Select the correct option

- | | |
|-----------------------|-----------------------|
| ☐ | Discrete bi-variate |
| ☐ | Continuous univariate |
| ☐ | Discrete univariate |
| ☐ | Continuous bi-variate |

Click to Save Answer



PSY516 QUIZ 3 FOR FINAL TERM

9:38 PM

9.3 K/s



vulms.vu.edu.pk/Quiz/Q

89




Question # 4 of 15 (Start time: 09:38:40 PM, 18 February 2022)

How can you read the equation: " $2 \leq x < 3$ "?

Download More Quizzes Files From
VUAnswer.com

Select the correct option

- ☐ L.H.S is equal to R.H.S
- ☐ The number 2 is included but 3 is excluded
- ☐ The difference between 2 and 3 is 1
- ☐ The number 2 is excluded and 3 is included



Click to Save Answer & Move to



PSY516 QUIZ 3 FOR FINAL TERM

9:39 PM

37.1 K/s 87



vulms.vu.edu.pk/Quiz/Q

89



Question # 5 of 15 (start time: 09:39:16 PM, 18 February 2022)

Which one of the following happens to be the formula for mean, in case of a binomial distribution?

Select the correct option

- | | |
|----------------------------------|----------------|
| ☒ | $E(X) = np$ |
| ☐ | $P(n) = E(n)$ |
| ☐ | $P = E(x)$ |
| ☐ | $X(n) = E - x$ |

Click to Save Answer & Move to Next Question



PSY516 QUIZ 3 FOR FINAL TERM

9:40 PM

15.8 K/s 87

PSY516 – Statistics in Psychology (Quiz 3)


Question # 6 of 15 (Start time: 09:39:56 PM, 18 February 2022)

The binomial distribution will be skewed to the right in which one of the following cases?

Select the correct option

- | | |
|-----------------------|------------|
| ☐ | $p = q$ |
| ☐ | $p < q$ |
| ☐ | $p \leq q$ |
| ☐ | $p > q$ |

Click to



PSY516 QUIZ 3 FOR FINAL TERM

9:41 PM

382 B/s 87



vulms.vu.edu.pk/Quiz/Q

89



Question # 8 of 15 (Start time: 09:41:43 PM, 18 February 2022)

Which one of the following happens to be the formula for co-efficient of variation?

Select the correct option

- | | |
|----------------------------------|---------------------------|
| ☐ | $\mu \times 100 / n$ |
| ☐ | $n \times 100 / \mu$ |
| ☐ | $\Sigma / \mu \times 100$ |
| ☒ | $\mu \times 100 / \sigma$ |

Click to Save Answer & Move to



PSY516 QUIZ 3 FOR FINAL TERM

9:44 PM

21.3 K/s



vulms.vu.edu.pk/Quiz/Q

89




Question # 11 of 15 (start time: 09:44:37 PM, 18 February 2022)

Suppose that A is an event, and its compliment is $\bar{A}$. If the probability of A is $1/2$, then the probability of $\bar{A}$ will be written with a

Select the correct option

- ☐ 3
- ☐ 2
- ☐ 1
- ☐ 0



Click to Save Answer & Move to



PSY516 QUIZ 3 FOR FINAL TERM

9:49 PM



vulms.vu.edu.pk/Quiz/Q

89




Question # 15 of 15 (Start time: 09:49:09 PM, 18 February 2022)

The derivation of the Poisson distribution is published in the year:

Select the correct option

- | | |
|-----------------------|------|
| ☐ | 1890 |
| ☐ | 1837 |
| ☐ | 1678 |
| ☐ | 1765 |



Click to Save Answer & Mark

