بِسۡمِ ٱللَّهِ ٱلرَّحۡمَٰنِ ٱلرَّحِيمِ

کیا آپ نے آج درود شریف پڑھا

نہیں تو ابھی پڑھ لیجئے

صلی اللہ علیہ وسلم

VU STARS

I Can Manage Your LMS Including

- All Assignment,
- All Quizze,
- All GDBs
- Data Mid/Final Term

Join Us on WhatsApp
By using this QR Code





Paid Service on Activity Base

○ Quiz	○ Assignment	○ GDBs
✓ Rs 130	✓ Rs 200 to 300	✓ Rs 100

Note:

If marks are below then 50% in any Quiz, then half payment return or Adjustment in Next Quiz.

Join Us of Facebook Group:
https://www.facebook.com/groups/206719241616137/?ref=share

لوح قرآنی

الٓمٓ	حٰمٓ عٓسٓقٓ	نٓ
المٓصٓ	حٰمٓ	یٰسٓ
کٓهٰیٰعٓصٓ	قٓ	اٰمٓینَ

AR PRINTERS
0321-9660987

اس کے دیکھنے والوں کی سب مشکلیں آسان ہو جائیں گی صبح اس کو دیکھ کر جو کام شروع کیا جائیگا' پورا ہوگا' اور غیبی طریقوں سے رزق آنے لگے گا!

Question # 2 of 10 (Start time: 03:39:00 PM, 30 August 2022)

Integration along two separate paths joining the same two end points does not necessarily give identical results.

Select the correct option

- ○ False
- ◉ True

Email: waqasahmeduog@gmail.com

Question # 4 of 10 (Start time: 03:40:01 PM, 30 August 2022)

One of the line integral properties is $\int_c Fds =$

Select the correct option

- $\int_c (Pdx - Qdy)$
- $\int_c (P+Q)ds$
- $\int_c (Pdy + Qdx)$
- $\int_c (Pdx + Qdy)$

Email: waqasahmeduog@gmail.com

Question # 1 of 10 (Start time: 04:35:11 PM, 31 August 2022)

An arrangement of all or some of a set of objects in a definite order is called _____.

Select the correct option

- ○ Combination
- ● Permutation
- ○ Forecast
- ○ Factorial

Email: waqasahmeduog@gmail.com

Question # 5 of 10 (Start time: 03:41:03 PM, 30 August 2022)

The path of integration of a line integral must be ----------

Select the correct option

- (●) continuous and single-valued
- ( ) continuous and multi-valued
- ( ) straight and single-valued
- ( ) straight and multi-valued

Email: waqasahmeduog@gmail.com

Question # 7 of 10 (Start time: 03:43:04 PM, 30 August 2022)

Wallis sine formula when n is odd

$$\int_0^{\frac{\pi}{2}} Cos^n x dx =$$

Select the correct option

- $\frac{n}{2} \cdot \frac{n-2}{2} \cdot \frac{n-4}{2} \cdot \frac{n-6}{2} \cdots \frac{6}{7} \cdot \frac{4}{5} \cdot \frac{2}{3}$
- $\frac{n-1}{n} \cdot \frac{n-3}{n-2} \cdot \frac{n-5}{n-4} \cdot \frac{n-7}{n-6} \cdots \frac{5}{6} \cdot \frac{3}{4} \cdot \frac{1}{2} \cdot \frac{\pi}{2}$
- $\frac{n-1}{2} \cdot \frac{n-1}{2} \cdot \frac{n-1}{2} \cdot \frac{n-1}{2} \cdots \frac{5}{6} \cdot \frac{3}{4} \cdot \frac{1}{2} \cdot \frac{\pi}{2}$
- (selected) $\frac{n-1}{n} \cdot \frac{n-3}{n-2} \cdot \frac{n-5}{n-4} \cdot \frac{n-7}{n-6} \cdots \frac{6}{7} \cdot \frac{4}{5} \cdot \frac{2}{3}$

Email: waqasahmedu6g@gmail.com

Question # 8 of 10 (Start time: 03:43:41 PM, 30 August 2022)

The line integral of $F(r)$, $\int_C \vec{F}.d\vec{r}$, is a scalar because $\vec{F}.d\vec{r}$ is a _____

Select the correct option

- (●) scalar product
- ( ) vector product
- ( ) scalar field
- ( ) vector field

Email: waqasahmeduog@gmail.com

Unless we are directed otherwise, we always proceed round the closed boundary in a (an) _____ manner.

Select the correct option

- clockwise
- anticlockwise

Email: waqasahmeduog@gmail.com

Question # 1 of 10 (Start time: 03:49:03 PM, 30 August 2022)

If the path of integration c joining A and B is divided into two parts AK and KB, th

Select the correct option

- $I_c = -I_{AK} - I_{KB}$
- $I_c = I_{AK} - I_{KB}$
- $-I_c = I_{AK} + I_{KB}$
- $I_c = I_{AK} + I_{KB}$

Email: waqasahmeduog@gmail.com

Clic

Question # 2 of 10 (Start time: 03:49:27 PM, 30 August 2022)

Sign of line integral is reversed when ----------

Select the correct option

- ○ path of integration is divided into parts.
- ○ path of integration is parallel to x-axis.
- ○ path of integration is parallel to y-axis.
- ◉ direction of path of integration is reversed.

Email: waqasahmeduog@gmail.com

Question # 3 of 10 (Start time: 03:50:12 PM, 30 August 2022)

Green's Theorem states that $\iint_R \left(\frac{\partial P}{\partial x} - \frac{\partial Q}{\partial y}\right) dxdy$

Select the correct option

- $\oint (Pdx - Qdy)$
- $-\oint (Pdx - Qdy)$
- $\oint (Pdx + Qdy)$
- $-\oint (Pdx + Qdy)$

Email: waqasahmeduog@gmail.com

Clic

Question # 7 of 10 (Start time: 03:53:15 PM, 30 August 2022)

One of the line integral properties is $\int_{AB} Fds = -\int_{BA} Fds$

Select the correct option

- (●) True
- ( ) False

Email: waqasahmeduog@gmail.com

Question # 8 of 10 (Start time: 03:53:36 PM, 30 August 2022)

The div operator ∇ acts on a(an) _____ and gives a scalar.

Select the correct option

- unit vector
- vector
- constant
- scalar

Email: waqasahmeduog@gmail.com

Question # 9 of 10 (Start time: 03:53:53 PM, 30 August 2022)

Sign of line integral is reversed when the direction of integration along the path is reversed.

Select the correct option

- ○ False
- ◉ True

Email: waqasahmeduog@gmail.com

Question # 1 of 10 (Start time: 04:26:10 PM, 30 August 2022)

The integration taken round a closed curve is ------- provided $(Pdx + Qdy)$ is a(n) ---------- differential.

Select the correct option

- one, exact
- zero, homogeneous
- one, homogeneous
- zero, exact

Email: waqasahmeduog@gmail.com

Question # 2 of 10 (Start time: 04:26:43 PM, 30 August 2022)

Path of integration parallel to _____, $dx = 0$. $\therefore\ I_C = \int_C Q\,dy.$

Select the correct option

- x - axis
- y - axis
- $dz = 0$
- z - axis

Email: waqasahmeduog@gmail.com

Question # 5 of 10 (Start time: 04:28:25 PM, 30 August 2022)

A line integral naturally involved --------- independent variables in space.

Select the correct option

- (●) three
- ( ) four
- ( ) five
- ( ) two

Email: waqasahmeduog@gmail.com

Question # 6 of 10 (Start time: 04:28:32 PM, 30 August 2022)

The path of integration of a line integral must be ----------

Select the correct option

- straight and single-valued
- continuous and multi-valued
- continuous and single-valued
- straight and multi-valued

Email: waqasahmeduog@gmail.com

Question # 7 of 10 (Start time: 04:28:48 PM, 30 August 2022)

Consider a vector A for which $\nabla . A = 0$ at all points, i,e. for all values of x, y, z
a(an) _____ .

Select the correct option

- scalar
- solenoid vector
- constant
- unit vector

Email: waqasahmeduog@gmail.com

Question # 10 of 10 (Start time: 04:31:59 PM, 30 August 2022)

The total work done in moving a particle along the curve is given by ----------

Select the correct option

- $limit_{\delta->\infty} \sum F_t \delta_s = \int F_t ds$
- $limit_{\delta->0} \sum F_t \delta_s = \int F_t ds$
- $limit_{\delta->0} \sum W_t \delta_s = \int F_t ds$
- $limit_{\delta->\infty} \sum W_t \delta_s = \int F_t ds$

Email: waqasahmeduog@gmail.com

Question # 1 of 10 (Start time: 03:28:41 PM, 30 August 2022)

Sign of line integral is reversed when ----------

Select the correct option

- path of integration is divided into parts.
- path of integration is parallel to x-axis.
- direction of path of integration is reversed.
- path of integration is parallel to y-axis.

Email: waqasahmeduog@gmail.com

Question # 3 of 10 (Start time: 03:30:34 PM, 30 August 2022)

If the integrand of the given integral is seen to be a (an) _____ differential, then the value of the line integral is independent o

Select the correct option

- (●) exact
- ( ) total
- ( ) partial
- ( ) non-exact

Email: waqasahmeduog@gmail.com

Question # 4 of 10 (Start time: 03:30:57 PM, 30 August 2022)

In general, the value of the line integral depends on the particular path of integration.

Select the correct option

- (●) True
- ( ) False

Email: waqasahmeduog@gmail.com

Question # 5 of 10 (Start time: 03:31:35 PM, 30 August 2022)

If $\vec{F} = F_1\,\hat{i} + F_2\,\hat{j} + F_3\,\hat{k}$ and $d\vec{r} = dx\,\hat{i} + dy\,\hat{j} + dz\,\hat{k}$. Then, $\vec{F}.d\vec{r} =$ _____.

Select the correct option

- (c) $\left(F_1\,\hat{i} + F_2\,\hat{j} + F_3\,\hat{k}\right)$
- (a) $\left(F_1\,\hat{i} + F_2\,\hat{j} + F_3\,\hat{k}\right).\left(dx\,\hat{i} + dy\,\hat{j} + dz\,\hat{k}\right)$
- (b) $\int_C (F_1\,dx + F_2\,dy + F_3\,dz)$
- (d) Both (a) and (b).

Email: waqasahmeduog@gmail.com

Question # 7 of 10 (Start time: 03:33:50 PM, 30 August 2022)

One of the line integral properties is $\int_{AB} Fds = -\int_{BA} Fds$

Select the correct option

- (●) True
- ( ) False

Email: waqasahmeduog@gmail.com

Question # 8 of 10 (Start time: 03:34:19 PM, 30 August 2022)

A line integral naturally involved --------- independent variables in space.

Select the correct option

- ○ four
- ○ five
- ○ two
- ◉ three

Email: waqasahmeduog@gmail.com

Question # 9 of 10 (Start time: 03:35:38 PM, 30 August 2022)

If$(Pdx + Qdy)$ is an exact differentialthen

Select the correct option

- ◉ $\oint (Pdx + Qdy) = 0$
- ○ $\oint (Pdx + Qdy) = -1$
- ○ $\oint (Pdx + Qdy) = 1$
- ○ $\oint (Pdx + Qdy) \neq 0$

Email: waqasahmeduog@gmail.com

Question # 10 of 10 (Start time: 03:36:11 PM, 30 August 2022)

If the integration is carried out along the path of a particular curve, such an integral is called .....

Select the correct option

- ○ Volume integral.
- ○ Surface integral.
- ◉ Line integral.
- ○ Indefinite integral.

Email: waqasahmeduog@gmail.com

Question # 1 of 10 (Start time: 03:38:05 PM, 30 August 2022)

The grad operator ∇ acts on a(an) _____ and gives a vector.

Select the correct option

- vector
- unit vector
- constant
- scalar

Email: waqasahmeduog@gmail.com

Clic

Question # 1 of 10 (Start time: 03:38:05 PM, 30 August 2022)

The grad operator ∇ acts on a(an) _____ and gives a vector.

Select the correct option

- vector
- unit vector
- constant
- scalar

Email: waqasahmeduog@gmail.com