Note: Live quiz MCQs also repeated in Exam (6, 7).

PAID VU LMS HANDLING by Mam Mehwish 03184148783

Past Papers for Mids./Finals are also Available

STA301(Live Quiz)

(Statistics and Probability)

MAM MEHWISH 03184148783

1. **In a class, there are 15 boys and 10 girls. Three students are selected at random. The probability that 1 girl and 2 boys are selected, is:**
   - A) 21/46 ✓
   - B) 27/02
   - C) 1/50
   - D) 3/25

2. **A group consists of three persons, A, B, & C. How many ways are there of selecting a group of two persons out of these three?**
   - A) 6
   - B) 3 ✓
   - C) 1
   - D) 2

3. **What is the Cartesian product of A = {1, 2} and B = {a, b}?**
   - A) {(1, a), (2, a), (1, b), (2, b)} ✓
   - B) {(1, a), (1, b), (2, a), (b, b)}
   - C) {(1, 1), (a, a), (2, a), (1, b)}
   - D) {(1, a), (2, 2), (2, 0), (b, b)}

4. **If we have three events A, B, and C, then for exhaustive events P(A ∪ B ∪ C) will be equal to:**

Note: Live quiz MCQs also repeated in Exam (6, 7).

- A) P(A)
- B) P(s) ✓
- C) P(A) * P(B) * P(C)
- D) P(B)

5. **If A = {H, T}, then which of the following is the power set of A?**
   - A) {4, 7}
   - B) {{H}, {T}, {H, T}}
   - C) { {}, {H}, {T}, {H, T} } ✓
   - D) { {H}, {T}, {H, T}}

6. **10! equals to:**
   - A) 362880
   - B) 362280
   - C) 362800
   - D) 3628800 ✓

7. **The probability of drawing a jack card from a well-shuffled pack of 52 playing cards will be:**
   - A) 1/26
   - B) 1/52
   - C) 4/52 ✓
   - D) 1/13

8. **If a box contains two red and three green balls, then the probability of drawing a red ball will be equal to:**
   - A) 5
   - B) 2/3
   - C) 3/4
   - D) 2/5 ✓

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

9. **In how many ways can a committee consisting of 5 men and 6 women be formed from 8 men and 10 women?**
    - A) 780
    - B) 5040
    - C) 450
    - D) 11760 ✓

10. **What does the set comprising all possible outcomes of an experiment known as?**

- A) Elementary event
- B) Sure event
- C) Null event
- D) None of the above ✓

1. **If we have three events A, B, and C, then for exhaustive events P(A ∪ B ∪ C) will be equal to:**
    - A) P(A) * P(B) * P(C)
    - B) P(s) ☑
    - C) P(B)
    - D) None of the above

2. **Two dice are thrown simultaneously. What is the probability of getting two numbers whose product is even?**
    - A) 3/8
    - B) 1/2
    - C) 3/4 ☑
    - D) 5/16

3. **If a coin is tossed 3 times, the probability that three tails appear simultaneously is equal to:**
    - A) 1/2

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- B) 6
- C) 4
- D) 1/8 ✅

4. **In how many different ways can the letters of the word 'LEADING' be arranged in such a way that the vowels always come together?**
   - A) 5040 ✅
   - B) 860
   - C) 650
   - D) 720

5. **What is the Cartesian product of A = {1, 2} and B = {a, b}?**
   - A) {(1, a), (1, b), (2, a), (b, b)}
   - B) {(1, 1), (2, 2), (a, a), (b, b)}
   - C) {(1, a), (1, b), (2, a), (2, b)} ✅
   - D) {(1, 1), (a, a), (2, a), (1, b)}

6. **The probability of drawing a jack card from a well-shuffled pack of 52 playing cards will be:**
   - A) 13/52
   - B) 1/52
   - C) 4/52 ✅
   - D) 1/26

7. **If a box contains six red, three blue, and five pink ties, the probability of drawing a blue tie will be equal to:**
   - A) 5/14
   - B) 3/14 ✅
   - C) 6/14
   - D) 4/14

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

8. **If A = {10, 11}, then which of the following is the power set of A?**
    - A) {{10}, {11}, {10, 11}}
    - B) {{}, {10}, {11}, {10, 11}} ✅
    - C) {{10}, {1}, {10, 11}, {11, 103}}
    - D) {{}, {10, 11}}

9. **P(event) = No. of favorable outcomes / total no. of outcomes is a definition of:**
    - A) Objective Approach ✅
    - B) Binomial event
    - C) Normal event
    - D) Subjective Approach

10. **The classical definition of probability is not applicable when the assumption of _____ does not hold:**

- A) Independent events
- B) Exhaustive events
- C) Mutually exclusive events
- D) Equally likely events ✅

1. **When an event is as likely to occur as other, it is called:**
    - Mutually exclusive event
    - **Equally likely event** ✔
    - Normal event
    - Not mutually exclusive event

2. **In how many ways can a committee, consisting of 5 men and 6 women be formed from 8 men and 10 women?**
    - 780 ✔

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- 5040
- 450

3. **From a group of 7 men and 6 women, five persons are to be selected to form a committee so that at least 3 men are there on the committee. In how many ways can it be done?**
   - 564
   - **756** ✔
   - 865

4. **A card is drawn from a pack of 52 cards. The probability of getting a queen of club or a king of heart is:**
   - 1/13
   - 2/13
   - 1/52 ✔
   - 1/26

5. **One card is drawn at random from a pack of 52 cards. What is the probability that the card drawn is a face card (Jack, Queen and King only)?**
   - 4
   - 13
   - **9/52** ✔

6. **The Probability of a sure event is:**
   - 0
   - 0.5
   - **1** ✔

7. **In how many ways can a group of 5 men and 2 women be made out of a total of 7 men and 3 women?**
   - 54

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- **63** ✔
- 86
- 156

8. **If a player well shuffles the pack of 52 playing cards, then the probability of a red card from 52 playing cards is:**
   - **26/52** ✔
   - 1/52
   - 4/52

9. **Order of the power set of a set of order n is:**
   - n^2
   - 2An
   - **2^n** ✔
   - 2n

10. **If a box contains two red and three green balls, then the probability of drawing a red ball will be equal to:**

- 1/5
- 2/3
- 3/4
- **2/5** ✔

1. **What are the chances that no two boys are sitting together for a photograph if there are 5 girls and 2 boys?**
   - 1/2
   - 2/7
   - ☑ 5/7

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

2. **The number of elements in the Power set P(S) of the set S={[6],1,[2,3]}*S*={[6],1,[2,3]} is:**
   - ☑ 8
   - 16
   - 4

3. **The probability of drawing a jack card from a well-shuffled pack of 52 playing cards will be:**
   - 1/26
   - 13/52
   - ☑ 1/52

4. **Two dice are thrown simultaneously. What is the probability of getting two numbers whose product is even?**
   - ☑ 3/4
   - 3/8
   - 5/16

5. **If A = {1, 2, 3, 4} and B = {3, 4, 5, 6} then AUB*AU*B will be:**
   - {21}
   - {3, 4}
   - ☑ {1, 2, 3, 4, 5, 6}

6. **What is the probability of drawing two clubs from a well-shuffled pack of 52 cards?**
   - 1/26
   - 13/17
   - ☑ 13/51

7. **In how many ways can a team of 11 players be chosen from a total of 16 players?**
   - 2426
   - 2680

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- ✅ 4368

8. **If A and B are sets and AUB=A∩BAUB=A∩B, then:**
   - A = ØØ
   - B = ØØ
   - A≠BA□=B
   - ✅ A = B

9. **What is the set comprising all possible outcomes of an experiment known as?**
   - Elementary event
   - Sure event
   - Null event
   - ✅ None of the above

10. **In how many different ways can the letters of the word 'OPTICAL' be arranged so that the vowels always come together?**
    - 950
    - 720
    - ✅ 1560

1. **If a coin is tossed 3 times then probability that three tails appear simultaneously is equal to:**
   - A) 14\frac{1}{4}41
   - B) 16\frac{1}{6}61
   - C) 110\frac{1}{10}101
   - D) 18\frac{1}{8}81 ✅

---

2. **If we calculate the probability of an event and it turns out to be -0.7, we know that:**
   - A) The event is probably going to happen
   - B) We made a mistake ✅

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- C) The event is probably not going to happen
- D) The probability of it not happening is 0.3

---

3. **If A = {H, T} then which of the following is the power set of A?**
   - A) {H}, (1), {H, T}, {1 H E F O}
   - B) {H}, 1], {4, T H}
   - C) { {}, {H}, {T}, {H, T} } ✅
   - D) { (H}, {1}, {H T H}

---

4. **In a Venn diagram, the overlap between two circles represents:**
   - A) The elements that are in either of two sets
   - B) The union of two sets
   - C) The difference between the number of elements in two sets
   - D) The intersection of two sets ✅

---

5. **In a class, there are 15 boys and 10 girls. Three students are selected at random. The probability that 1 girl and 2 boys are selected is:**
   - A) 27/2
   - B) 21/46 ✅
   - C) 1/50
   - D) 3/8

---

6. **In how many different ways can the letters of the word 'OPTICAL' be arranged so that the vowels always come together?**
   - A) 2450 ✅
   - B) 950
   - C) 720
   - D) 180

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

7. **P(event) = No. of favorable outcomes / Total no. of outcomes is a definition of:**
    - A) Subjective Approach
    - B) Normal event
    - C) Objective Approach ✅
    - D) Binomial event

---

8. **The Probability of a sure event is:**
    - A) 0
    - B) 0.5
    - C) 1 ✅
    - D) 0.75

---

9. **The occurrence of the sum of 11 when a pair of dice is thrown is an example of:**
    - A) Mutually exclusive event
    - B) Random event
    - C) Simple event
    - D) Compound event ✅

---

10. **Two dice are thrown simultaneously. What is the probability of getting two numbers whose product is even?**

- A) 3/4 ✅
- B) 3/8
- C) 1/2
- D) 5/8

⍰ In a drawer there are 5 black socks and 3 green socks. Two socks are picked randomly one after the other without replacement. What is the probability that both the socks are black?

- 5/16 ✓
- 3/8

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- 5/14

A set that contains all possible outcomes of a system is known as:

- Universal Set ✓
- Infinite Set
- Finite Set

When two coins are tossed simultaneously, what are the chances of getting at least one tail?

- 4/5
- 1/5
- 3/4 ✓
- 1/4

When a fair coin is tossed, what is the probability of getting head?

- All
- 1/2 ✓

A set which is the sub-set of every set is:

- Power Set
- Universal Set
- Empty Set ✓
- Super Set

The probability of a jack card from a well-shuffled pack of 52 playing cards will be:

- 1/52
- 13/52
- 4/52 ✓

P(event) = No. of favorable outcomes / total no. of outcomes is a definition of:

- Subjective Approach
- Objective Approach ✓
- Binomial event
- Normal event

There are 30 people in a group. If all shake hands with one another, how many handshakes are possible?

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- 870
- 435 ✓
- 291

 O! is equal to:

- 0
- 1 ✓
- none

 Total number of words formed by 2 vowels and 3 consonants taken from 4 vowels and 5 consonants is equal to:

- 7200 ✓

 In how many different ways can the letters of the word 'CORPORATION' be arranged so that the vowels always come together?

- ☐ 640
- ☑ 50400
- ☐ 720
- ☐ 970

 If a box contains two red and three green balls, then the probability of red balls will be equal to:

- ☐ 3/4
- ☑ 2/5

 If a box contains two red and three green balls, then the probability of red balls will be equal to:

- ☐ 3/4
- ☑ 2/5

 In how many ways can a team of 11 players be chosen from a total of 16 players?

- ☐ 2680
- ☐ 5400
- ☑ 4368
- ☐ 2426

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

If A = {1, 2, 3, 4} and B = {3, 4, 5, 6}, then A union B will be:

- ☐ {1, 2}
- ☐ {3, 4}
- ☑ {1, 2, 3, 4, 5, 6}

In a lottery, there are 10 prizes and 25 blanks. A lottery is drawn at random. What is the probability of getting a prize?

- ☑ 2/7
- ☐ 2/5
- ☐ 8/7

If a player selects a card from a well-shuffled pack of 52 playing cards, then the probability of drawing a number 10 card is equal to:

- ☑ 4/52
- ☐ 1/52

What is the Cartesian product of A = {1, 2} and B = {a, b}?

- ☐ (10, (2.2), (0.0), (0.6))
- ☑ {(1, a), (1, b), (2, a), (2, b)}
- ☐ {(1, 1), (a, a), (2, 4), (1, b)}
- ☐ {(1, a), (2, 4), (1, b), (2, b)}

When the union of mutually exclusive events is equal to the entire sample space, it is called:

- ☐ Random events
- ☑ Exhaustive events
- ☐ Equally likely events
- ☐ Mutually exclusive events

Let A = {1, 2, 3, 4} and B = {3, 4, 5, 6}, then A ∩ B (A intersection B) is:

- ☑ {3, 4}

If A = {10, 1}, then which of the following is the power set of A?

- ☑ {{}, {10}, {1}, {10, 1}}
- ☐ {f}, 10, n}}

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- ☐ {fio}, {nn}, {10, 1}, {n1, 10}}
- ☐ {f10}, {11}, {10, 1}}

Acclub consists of four members. How many ways are there of selecting three officers: president, secretary, and treasurer?

- 24 ✓
- 12
- 36
- 48

If a player well shuffles the pack of 52 playing cards, then the probability of a black card from 52 playing cards is:

- 1/13
- 1/52
- 13/52
- 1/2 ✓

17 students are present in a class. In how many ways, can they be made to stand in 2 circles of 8 and 9 students?

- 17C9 x 9! x 8x7!
- 17C9 x 9! x 7!
- 17C8 x 8! x 9! ✓
- 17C9 x 7! x 8!

Consider a set S = {a, b, c, d, e}. Which set will make the PARTITION of S?

- {a, b, c} and {c, d, e}
- {a, b}, {c, d} and {a, e}
- {} and {a,b,c,d,e}
- {a, b} and {c, d, e} ✓

The occurrence of sum of 11 when a pair of dice is thrown is an example of:

- Random event
- Simple event

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- Mutually exclusive event
- Compound event ✓

The Probability of a sure event is:

- 0
- 1/2
- 1 ✓
- 0.5

If a box contains six red, three blue, and five pink ties, then probability of blue ties will be equal to:

- 6/14
- 3/14 ✓
- 1/14
- 5/14

Total number of words formed by 2 vowels and 3 consonants taken from 4 vowels and 5 consonants is equal to:

- 720
- 120 ✓

In how many ways can a group of 5 men and 2 women be made out of a total of 7 men and 3 women?

- 156
- 63 ✓
- 86
- 45

When two coins are tossed simultaneously, what are the chances of getting at least one tail?

- 4/5
- 3/4 ✓

MAM MEHWISH 03184148783

Total number of words formed by 2 vowels and 3 consonants taken from 4 vowels and 5 consonants is equal to:

- 720 ✔

Note: Live quiz MCQs also repeated in Exam (6, 7).

- 520
- 120

When a coin is tossed, then sample space consists of:

- 2 outcomes ✔
- 6 outcomes
- 4 outcomes

The Probability of a sure event is:

- 1 ✔

If a box contains two red and three yellow balloons then probability of yellow balloons will be equal to:

- 4/5
- 2/5
- 3/5 ✔

If a player well shuffles the pack of 52 playing cards, then the probability of a black card from 52 playing cards is:

- 1/2 ✔
- 1/52
- 1/13

The probability of a jack card from a well shuffled pack of 52 playing cards will be:

- 1/52
- 1/26
- 13/52
- 1/13 ✔

The probability of a jack card from a well shuffled pack of 52 playing cards will be:

- 4/52 ✔
- 1/52
- 1/26
- 13/52

In which approach to probability the outcomes are equally likely to occur?

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- Objective Probability
- Relative Frequency
- Subjective Probability
- Classical Probability ✔

If we have three events A, B, and C, then for exhaustive events P(A ∪ B ∪ C) will be equal to:

- P(A) + P(B) + P(C) ✔
- P(A)
- P(e)
- P(A) * P(B) * P(C)

A group consists of three persons, A, B, & C. How many ways are there of selecting a group of two persons out of these three?

- 3 ✔
- 2
- 4

From a group of 7 men and 6 women, five persons are to be selected to form a committee so that at least 3 men are there on the committee. In how many ways can it be done?

- 756 ✔
- 865
- 645

1. The value of 10C9:

- O 35
- O 45
- ☑ 10
- O 35

---

2. In how many ways can a group of 5 men and 2 women be made out of a total of 7 men and 3 women?

- O 156

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- O 63
- ✅ 86
- O 54

---

3. In how many ways can a group of 5 men and 2 women be made out of a total of 7 men and 3 women?

- O 156
- O 63
- ✅ 86
- O 54

---

4. From a group of 7 men and 6 women, five persons are to be selected to form a committee so that at least 3 men are there on the committee. In how many ways can it be done?

- O 645
- ✅ 756
- O 865
- O 564

---

5. There are 30 people in a group. If all shake hands with one another, how many handshakes are possible?

- ✅ 435
- O 870
- O 291
- O 370

---

6. By using identity law A U S is equal to:

- ✅ A
- O None of them
- O S

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- O A & S

---

7. If A = {H, T} then which of the following is power set of A?

- O {H}, {1}, {H, T}, {T, H}
- O {{}, H}, {1}, {H, T}
- ✅ { {}, {H}, {T}, {H, T} }
- O {{H}, {1}, {H, T}}

---

8. The number of elements in the Power set P(S) of the set S = [[@], 1, [2,3]] is:

- ✅ 8
- O 4
- O 16
- O 2

---

9. If A = {H, T} then which of the following is power set of A?

- ✅ { {}, {H}, {T}, {H, T} }
- O {{}, H}, {1}, {H, T}
- O {{}, {H, T}}
- O {H}, {1}, {H, T}

---

10. By using identity law A U S is equal to:

- ✅ A
- O None of them
- O S
- O A & S

---

11. If a fair coin is tossed 2 times then the probability that two heads appear is equal to:

- ✅ 1/4

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- O 1/2
- O 1/3
- O 1/6

---

12. The number of elements in the Power set P(S) of the set S = [[@], 1, [2,3]] is:

- ☑ 8
- O 4
- O 16
- O 2

---

13. If A = {H, T} then which of the following is power set of A?

- ☑ { {}, {H}, {T}, {H, T} }
- O {{}, H}, {1}, {H, T}
- O {{}, {H, T}}
- O {H}, {1}, {H, T}

---

14. The number of elements in the Power set P(S) of the set S = [[@], 1, [2,3]] is:

- ☑ 8
- O 4
- O 16
- O 2

---

15. If a fair coin is tossed 2 times then the probability that two heads appear is equal to:

- ☑ 1/4
- O 1/2
- O 1/3
- O 1/6

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

If a box contains two red and three yellow balloons then probability of yellow balloons will be equal to:

- 4/5
- 2/5
- **3/5** ✅

An event that contains more than one sample point is called:

- **Compound event** ✅
- Hyper event
- Mutually exclusive event
- Not mutually exclusive event

In how many different ways can the letters of the word 'CORPORATION' be arranged so that the vowels always come together?

- **50400** ✅
- 640
- 970
- 720

A club consists of four members. How many ways are there of selecting three officers: president, secretary, and treasurer?

- **24** ✅

An event that contains only one sample point is called:

- Mutually exclusive event
- Compound event
- Normal event
- **Simple event** ✅

There are 30 people in a group. If all shake hands with one another, how many handshakes are possible?

- **435** ✅
- 370
- 870
- 291

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

If A = {10, 1} then which of the following is the power set of A?

- (0, 0, m}
- {10}, {n}, {10, m}}
- **{ {}, {10}, {1}, {10, 1} }** ✅
- {10}, {1}, {10, n}, {11, 10}

In a class, there are 15 boys and 10 girls. Three students are selected at random. The probability that 1 girl and 2 boys are selected is:

- **3/25** ✅
- 27/N2
- 1/50

If A and B are sets and A ∪ B = A ∩ B, then:

- B = Ø
- **A = B** ✅
- Ø ∪ Ø

If a coin is tossed 3 times then the probability that three tails appear simultaneously is equal to:

- 1/2
- 1/6
- **1/8** ✅

1. **In how many ways can the letters of the word 'LEADER' be arranged?**
    - a) 5040
    - b) 72
    - c) 360 ✓
    - d) 140

---

2. **Consider a set A = {], 2, 3}. What is the number of subsets of A?**
    - a) 8 ✓
    - b) 6
    - c) 0
    - d) 2

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

---

3. **A bag contains 4 white, 5 red and 6 blue balls. Three balls are drawn at random from the bag. The probability that all of them are red is:**
   - a) 1/22 ✓
   - b) 2/77
   - c) 3/22
   - d) 1/10

---

4. **What are the chances that no two boys are sitting together for a photograph if there are 5 girls and 2 boys?**
   - a) 5/7
   - b) 2/7
   - c) 4/7 ✓
   - d) 1/7

---

5. **Consider a set S = {a, b, c, d, e}. Which set will make the PARTITION of S?**
   - a) {a, b, c} and {c, d, e}
   - b) {} and {a, b, c, d, e}
   - c) {a, b} and {c, d, e} ✓
   - d) {a, b}, {c, d} and {a, e}

---

6. **When a fair coin is tossed, what is the probability of getting head?**
   - a) 1/2 ✓
   - b) 1/4
   - c) 3/4
   - d) 1

---

7. **The number of ways in which four books can be arranged on a shelf are:**
   - a) 24 ✓

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- b) 12
- c) 48
- d) 36

---

8. **If A and B are sets and A ∪ B = A ⊕ B, then:**
   - a) A = B ✓
   - b) A ∩ B = ∅
   - c) A ⊆ B
   - d) A ⊇ B

---

9. **What does each outcome in the sample space regarded as?**
   - a) Sample point ✓
   - b) None of the above
   - c) Element
   - d) Both a & b

---

10. **A card is drawn from a pack of 52 cards. The probability of getting a queen of club or a king of heart is:**

- a) 3
- b) 1/26 ✓
- c) 2/13
- d) 1/52

1. **The Probability of a sure event is:**
   - O 0
   - O 1
   - ☑ O 1
2. **If a box contains two red and three green balls then probability of red balls will be equal to:**
   - O 3/4

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- O 1/5
- ✅ O 2/5

3. **0! is equal to:**
   - O 0 and 1
   - O none
   - ✅ O 1
   - O 0
4. **A bag contains 4 white, 5 red and 6 blue balls. Three balls are drawn at random from the bag. The probability that all of them are red, is:**
   - O 3/22
   - ✅ O 1/22
   - O 2/91
5. **From a pack of 52 cards, two cards are drawn together at random. What is the probability of both the cards being kings?**
   - O 25/57
   - ✅ O 1/221
   - O 1/5
6. **The number of ways in which four books can be arranged on a shelf are:**
   - O 12
   - O 6
   - ✅ O 24
   - O 4
7. **When a fair die is rolled, then sample space consists of:**
   - O 2 outcomes
   - ✅ O 6 outcomes
   - O 16 outcomes
8. **Find the number of subsets of the following set. {x | x is a day of the week}**
   - O 4
   - ✅ O 128

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- O 49

9. **The occurrence of sum of 11 when a pair of dice is thrown is an example of:**
   - ☑ O Compound event
   - O Mutually exclusive event
   - O Simple event
   - O Random event
10. **In which approach to probability the outcomes are equally likely to occur?**
   - ☑ O Classical Probability
   - O Objective Probability
   - O Subjective Probability
   - O Relative Frequency

A set which is the sub-set of every set is

- ✗ Universal Set
- ☑ Empty Set
- ✗ Super Set
- ✗ Power Set

In a class, there are 15 boys and 10 girls. Three students are selected at random. The probability that 1 girl and 2 boys are selected, is:

- ✗ 27/N2
- ✗ 1/50
- ✗ 2/46
- ☑ 3/25

Abag contains 4 white, 5 red and 6 blue balls. Three balls are drawn at random from the bag. The probability that all of them are red, is:

- ☑ 1/22
- ✗ 2/9
- ✗ 12/77
- ✗ 3/22

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

When two coins are tossed simultaneously, what are the chances of getting at least one tail?

- ✗ 5
- ✓ 3/4
- ✗ 4/5
- ✗ 4/5a

P(event)= No. of favorable outcomes/total no. of outcomes is a definition of:

- ✗ Subjective Approach
- ✗ Binomial event
- ✗ Normal event
- ✓ Objective Approach

By using identity law A U S is equal to:

- ✗ $s
- ✗ None of them
- ✓ S

O! is equal to:

- ✗ 0
- ✗ none
- ✓ 1

An event that contains only one sample point is called:

- ✗ Compound event
- ✗ Normal event
- ✓ Simple event
- ✗ Mutually exclusive event

Two dice are thrown simultaneously. What is the probability of getting two numbers whose product is even?

- ✗ 3/8
- ✗ 5/16
- ✓ 3/4

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- ✕ WhatsApp Beta

Total number of words formed by 2 vowels and 3 consonants taken from 4 vowels and 5 consonants is equal to:

- ☑ 120
- ✕ 520
- ✕ 120
- ✕ 60

Which of the following is NOT a common measure of central tendency?

- Range
- Mean
- Median
- **Range** ✔

If you connect the mid-points of rectangles in a histogram by a series of lines that also touches the x-axis from both ends, you will get:

- Historigram
- Frequency curve
- Ogive
- **Frequency polygon** ✔

If any of the values in the data set is negative then it is impossible to compute:

- Geometric Mean
- Harmonic Mean
- Mode
- Median
- **Geometric Mean** ✔

The most repeated (popular) value in a data set is called:

- Median
- Geometric Mean
- Harmonic Mean

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- **Mode** ✔

 In a frequency distribution the categories must:

- Be of the same size
- Be of nominal scale
- **Be mutually exclusive** ✔
- Have at least 5 observations

 If the grading of diabetes is classified as mild, moderate, and severe the scale of measurement used is:

- Nominal
- **Ordinal** ✔
- Interval

 Decumulative frequency is presented by:

- More than ogive
- **Less than ogive** ✔
- Equal to Ogive
- None of these

 Select the correct option:

- Discrete
- Continuous
- Constant
- **Variable** ✔

 The graph of cumulative frequency distribution is called:

- Historigram
- **Ogive** ✔
- Frequency polygon
- Frequency curve

 Which pair of measures cannot be calculated when one of the numbers in the series is zero?

- GM and A.M.
- **G.M. and H.M.** ✔

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- H.M. and A.M.
- None of these

Which of the following comes first to make frequency distribution:

- No. of Groups
- **Class interval** ✔
- Range
- Tally marks

Which of the scale is best to use for measuring the salary of an employee?

- Nominal
- **Interval** ✔
- Ordinal

The mode of 12, 17, 16, 14, 13, 16, 11, 14 is:

- 13
- **14 and 16** ✔
- 16

If any of the value in data set is zero then it is not possible to compute:

- Harmonic Mean
- **Geometric Mean** ✔
- Mean
- Mode

The ordinal scale is also known as?

- Interval scale
- Ratio scale
- **Ranking scale** ✔
- Nominal scale

Direct personal investigation is:

- when the area to be covered is vast.

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- Inaccurate
- **Localized inquiries** ✔
- Time-consuming

If Q1=62 and Q3=87, then the mid-quartile range will be:

- 82
- **74.5** ✔
- OC!

If we want to calculate average speed of a car then which of the following average will be used?

- **Harmonic mean** ✔
- Geometric mean
- Mode

If a curve has a longer tail to the left, it is called:

- J-shaped distribution
- Positively skewed distribution
- Symmetrical distribution
- **Negatively skewed distribution** ✔

Which of the following is not included in measures of central tendency:

- Geometric mean
- Arithmetic mean
- Harmonic mean
- **Quartile deviation** ✔

For given data, discuss the shape of the distribution:

- Positively skewed ☑
- Negatively skewed
- Symmetric curve
- U-Shaped curve

If you have 26.95 — 29.95 class boundaries then the mid-point will be:

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- 29.45
- 28.45 ✅

Which one is the formula of mid-range:

- None of the above
- (Xm - Xo) / 2
- (Xo + Xm) / 2 ✅
- Xm - Xo

The mode of the values 2,2,4,4,4,5,6,7,7,8,8:

- 4 ✅

The number of times each value appears is called the value's:

- Standard Deviation
- Mode
- Frequency ✅

Sum of the absolute deviations of the values is least when deviations are taken from:

- Median
- GM
- Mean ✅

The data presented in the form of frequency data is known as:

- ungrouped data
- grouped data ✅
- calculated data
- secondary data

For the following Distribution. Items Expenditure: Food 50, Clothing 30, House Rent 20, Fuel and Light 15, Miscellaneous 35. Select the correct option:

- 36
- 120 ✅

Grouping error is less serious in case of:

- Harmonic mean
- Geometric mean ✅

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- Mean
- Mean deviation

Sample statistics are denoted by the:

- lower case Greek letter ✔
- associated roman alphabets
- upper case Greek letter
- roman letters

. What is the value of class mark for the given class 2024?

- 24
- **22** ✔
- 44
- 20

---

2. If in a set of discrete values, 50 percent values are greater than 25, then Q2 is

- 75
- 20
- **25** ✔
- 50

---

3. Which of the following is not included in measures of central tendency:

- Arithmetic mean
- Geometric mean
- **Quartile deviation** ✔
- Harmonic mean

---

4. In statistics, conducting a survey means

- collecting information from elements ✔

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- None of the above
- making mathematical calculations
- drawing graphs and pictures

---

5. 2nd Quartile = 5th Decile = 50th Percentile = ?

- Harmonic Mean
- **Median** ✔
- Mode

---

6. An ogive is a

- Frequency polygon
- Frequency histogram
- **Cumulative frequency polygon** ✔
- Frequency curve

---

7. When data are collected in a statistical study for only a portion or subset of all elements of interest we are using:

- A Parameter
- **A sample** ✔
- Both sample and parameter
- A Population

---

8. The identity of the observation is lost in the case of:

- Ungroup data
- **Group data** ✔
- Secondary data
- Primary data

---

9. A number of fishes in a pond is an example of:

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- Hypothetical population
- **Finite population** ✔
- Infinite population
- None of these

---

10. If an observation in the data set is zero, then its geometric mean will be:

- Negative
- **Indeterminant** ✔
- Positive

⍰ The table which shows the frequency of each score is called a:

- **Polygon**
- **Pie chart**
- **Frequency distribution table** ✔
- **Histogram**

⍰ a is the measure of average which can have more than one value.

- **Harmonic Mean**
- **Mode** ✔
- **Geometric Mean**
- **Median**

⍰ What is the median of this set of numbers: 4, 6, 7, 9, 2000000?

- **9** ✔
- **75**

⍰ What is the value of class mark for the given class 1012?

- **8**
- **10**
- **11** ✔
-

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- For given data, discuss the shape of the distribution:
  - UShaped curve
  - Symmetric curve ✔
  - Positively skewed
  - Negatively skewed
- The data presented in the form of frequency data is known as:
  - grouped data ✔
  - ungrouped data
  - calculated data
  - secondary data
- In case of a frequency distribution, the second quartile is given by the formula:
  - I+ f/h (n/4c) ✔
  - I+ h/f (2n/4c)
  - I+ 2h/f (n/2c)
  - I+ f/h (2n/4c)
- When data is labeled to identify an attribute of an element, the measurement scale is:
  - Nominal ✔
  - Ordinal
  - Ratio
- How many percent corresponds to D6 if you will interpret it?
  - 80% ✔
  - 20%
  - 60%
  - 40%
- In case of a frequency distribution, the 7th decile is given by the formula:
  - I+ h/f (7n/10c) ✔
  - I+ f/h (7n/10c)
  - I+ 7h/h (n/10c)

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- I+ h/f (n/1010c)

1. a is the measure of average which can have more than one value.
   - Harmonic Mean ✔
   - Median
   - Geometric Mean

 Which of the following is not included in measures of central tendency:
   - Arithmetic mean
   - Quartile deviation ✔
   - Geometric mean
   - Harmonic mean

 As a general rule, the _____ is the best measure of central tendency because it is more precise:
   - Weighted Mean ✔
   - Mean
   - Median

 Which pair of measure cannot be calculated when one of the numbers in the series is zero?
   - H.M. and A.M.
   - None of these
   - G.M. and A.M.
   - G.M. and H.M. ✔

 The number of times each value appears is called the value's:
   - Standard Deviation
   - Frequency ✔
   - Range

 Statistics are __ expressed?
   - Descriptive
   - Qualitatively
   - Quantitatively ✔

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- The height of a student is 70 inches. This is an example of:
  - Qualitative Data
  - Categorical Data
  - Continuous Data ✔
  - Discrete Data
- What is mode for the following set of data: 1, m, d, n, 2, 0, 2, 0, 8, 5, 5, 7
  - 0
  - 5 ✔
  - 24, 5
- Histogram can be drawn only for:
  - Discrete frequency distribution
  - Continuous frequency distribution ✔
  - Relative frequency distribution
- Number which occurs most frequently in a set of numbers is:
  - None of above
  - Mode ✔
  - Median
- When we smooth a frequency polygon, it becomes:
  - Pie chart
  - OGIVE
  - Frequency curve ✔
  - Bar chart
- Statistics are __ expressed?
  - Qualitatively
  - Ability
  - Descriptive
  - Quantitatively ✔

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

The median of 7, 64, 8, 2, 5, N is:

- **10**
- **11**
- **12**
- **4**
- **6** ✔

The following data shows the number of hours worked by 120 mathematical students. Number of Hours | Frequency

- **05 | 10**
- **510 | 50**
- **1015 | 40**
- **Select the correct option:**
- **10**
- **20** ✔
- **30**
- **40**

Calculate range for the following data: 22, 22, 30, 32, 37, 48, 60, 88, 90

- **37**
- **68** ✔
- **22**

Data classified by attributes is called:

- **Quantitative data**
- **Continuous data**
- **Qualitative data** ✔
- **Grouped data**

Which of the following technique is not used to represent the univariate qualitative data?

- **Bar chart**
- **Multiple bar chart**
- **Pie chart**

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- Percentage ✔

 In case of a frequency distribution, the second quartile is given by the formula:

- I + 2h/f (n/2c)
- I + f/h (2n/4c) ✔
- I + f/h (n/4c)
- I + h/f (2n/4c)

 Harmonic mean is the reciprocal of:

- Geometric mean
- Mode
- Median
- Arithmetic mean ✔

 The difference between the sample value expected and the estimates value of the parameter is called as?

- Contradiction
- Error ✔
- Difference
- Bias

 According to the property of parameter, it is:

- Variable
- Discrete
- Continuous
- Constant ✔

 A circle in which sectors represent various quantities is called:

- Histogram
- Component Bar Chart
- Frequency Polygon
- Pie Chart ✔

 Selection of a football team for FIFA World Cup is called as?

- Purposive sampling ✔

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- Systematic sampling
- Cluster sampling
- Random sampling

 Which of the following is a systematic arrangement of data into rows and columns?

- Tabulation ✔
- Component bar chart
- Classification
- Bar chart

 When we have a range of data is 28 and the number of classes is 6 then the class interval will be:

- 3
- 2.96
- 4.67 ✔

 Historigram and histogram are:

- Off and on same
- Not same ✔
- Always same
- Randomly same

 Statistic is a numerical quantity, which is calculated from:

- Sample
- Population
- Observations
- Data ✔

 Data in the Population census report is:

- Primary Data
- Secondary Data ✔
- Array Data
- Grouped Data

 In a symmetrical distribution, first quartile equals to:

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

- 25th percentile ✔
- 40th percentile
- 50th percentile
- 4th percentile

 Any population which we want to study is referred as?

- Standard population
- Target population ✔
- Infinite population
- Final population

1. In statistics, the difference between observed and true value is called:

Error of measurement ✔

Random error

Mistake

Systematic error

2. Sample statistics are denoted by the:

associated roman alphabets

roman letters

lower case Greek letter ✔

upper case Greek letter

3. The Geometric Mean of 2, 4, 3, 6, 0 will be:

loin

Cannot be computed ✔

O

4. Which of the following is not an example of condensed data?

MAMMEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

Data array ✔

Frequency distribution

Histogram

Polygon

5. A tabular arrangement for classifying data into different groups is called:

Frequency distribution ✔

Standard deviation

Arithmetic mean

Class Mark

6. The middle value of an ordered array of numbers is the:

Midpoint

Median ✔

Mean

Mode

7. Value of Harmonic mean depends on:

Extreme values

Few observations

All the observations ✔

8. The difference of Mode and Mean is equal to:

3(meanmode) ✔

2(modemean)

2(meanmedian)

3(meanmedian)

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

9. If a curve has a longer tail to the left, it is called:

Symmetrical distribution

Positively skewed distribution

Jshaped distribution

Negatively skewed distribution ✔

10. The number of times each value appears is called the value's:

Range

Frequency ✔

Standard Deviation

1. In the construction of a frequency distribution the steps are to:

Calculate range

Decide the number of classes

Arrange data in ascending and descending order

All of these ✔

2. What is the value of class mark for the given class 2024?

0

24

22 ✔

20

3. The number of times each value appears is called the value's:

Standard Deviation

Range

Frequency ✔

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

Mode

4. Data used by an agency which is originally collected by them is called:

Secondary data

Ungroup data

Primary data ✔

Grouped data

5. Value of harmonic mean depends on:

Extreme Values

All of the above ✔

Both extreme values and few observations

Few observations

6. The stem for the following data is: 22, 45, 36, 15, 14, 12, 14, 14, 17, 21, 24, 24, 25, 25, 26, 26, 27, 29, 31, 34, 35

10,20,30,40,50 ✔

1,2,3,4,5

1,12,13,14,15

12,3,4

7. The beginnings of a cumulative frequency distribution are presented below. What is the next number in the Cumulative Frequency column?

Classes Frequency Cumulative Frequency

61 to 68 1 1

68.1 to 70 2

70.1 to 72 3

4 ✔

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

8. In inferential statistics, we study:

None of the above

how to make decisions about mean, median, or mode

the methods to make decisions about population based on sample results ✔

how a sample is obtained from a population

9. An ogive is a:

Cumulative frequency polygon ✔

Frequency polygon

Frequency histogram

Frequency curve

10. In a cumulative frequency polygon, the cumulative frequency of each class is plotted against:

Midpoint

Upper class limit

Lower class boundary

Upper class boundary ✔

1. Which one is the formula of mid quartile range:

(QIQ3)/2

(Q1+Q3)/2 ✔

(Q3Q1)/2

Q3Q1

2. In the construction of a frequency distribution the steps are to:

Arrange data in ascending and descending order

Calculate range

All of these ✔

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

Decide the number of classes

3. Value of harmonic mean is lower than:

None of the above

Geometric Mean

Both arithmetic mean & geometric mean ✔

Arithmetic Mean

4. Which of the following is Not a common measure of central tendency?

Mean

Range ✔

Mode

Median

5. In case of a frequency distribution, the first quartile is given by the formula:

I+ h/f (n/4c) ✔

I+ f/h (n/4c)

I+ f/h (n/2c)

I+ h/f (n/22c)

6. What is its class interval? (based on the frequency distribution)

5

9

11

10 ✔

7. Calculate range for the following data: 22, 22, 30, 32, 37, 48, 60, 88, 90

0

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

68 ✔

37

22

8. In symmetrical distribution:

mean=median=mode ✔

Mean>median>mode

mean=median=mode

mean<median<mode

9. A tabular arrangement for classifying data into different groups is called:

frequency distribution ✔

class

standard deviation

arithmetic mean

10. If the mean of 6 numbers is 41, then the sum of these numbers is:

250

246 ✔

134

456

1. Any population which we want to study is referred as?

Standard population

Infinite population

Target population ✔

Final population

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

2. What is the median for the following data: 11, 2, 2, 5, 5, 7, 7, 7

1

2

5 ✔

7

3. In symmetrical distribution:

Mean = Median = Mode ✔

Mean > Median > Mode

Mean < Median < Mode

None of the above

4. The height of a student is 70 inches. This is an example of:

Categorical Data

Continuous Data ✔

Discrete Data

Qualitative Data

5. Statistics are expressed?

Qualitatively

Descriptive

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

Quantitatively ✔

Ability

6. A distribution having two modes is called:

Trimodal distribution

Bimodal distribution ✔

Unimodal distribution

Multimodal distribution

7. From a sample of students in your statistics class, you collect the following: the student's name, gender, SAT score, age, and their grade in a freshman level math class. The variable student's name is measured on which scale of measurement?

Nominal ✔

Ordinal

Interval

Ratio

8. In case of a frequency distribution, the first quartile is given by the formula:

\(+ h/f (n/4 c) \) ✔

\(1 + f/h (n/2 c) \)

\(1 + f/h (n/4 c) \)

\(+ h/f (n/2 2c) \)

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

9. When data are collected in a statistical study for only a portion or subset of all elements of interest, we are using:

A parameter

A population

Both parameter and population

A sample ✔

10. For given data, discuss the shape of the distribution:

Symmetric

Positively Skewed ✔

None of these

Negatively Skewed

1. From the following table, what is lower class boundary when mode is calculated?

Options:

A. 30

B. 40

C. 50

D. 60

Correct Option: C. 50

2. According to percentiles, median to be measured must lie in:

Options:

A. 100th

B. 40th

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

C. 80th

D. 50th

Correct Option: D. 50th

3. Statistics is called the backbone of:

Options:

A. Engineering

B. Computer

C. Mathematics

D. Research

Correct Option: D. Research

4. A case, in which the third parties or witnesses are provided the information to the investigator is called:

Options:

A. Collection through local sources

B. Indirect investigation

C. Direct Personal investigation

D. Collection through Questionnaires

Correct Option: A. Collection through local sources

5. The stem for the following data is:

22, 45, 36, 15, 14, 12, 14, 14, 17, 21, 24, 24, 25, 25, 26, 26, 27, 29, 31, 34, 35

Options:

A. 1 | 2 | 3 | 4 | 5

B. 10 | 20 | 30 | 40 | 50

C. 1 | 2 | 3 | 4

D. 11 | 12 | 13 | 14 | 15

Correct Option: A. 1 | 2 | 3 | 4 | 5

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

6. The algebraic sum of deviations from mean is:

Options:

A. undefined

B. minimum

C. Maximum

D. Zero

Correct Option: D. Zero

7. The mean is obtained by:

Options:

A. Most frequent value in the data set

B. None of these

C. Dividing the sum of all observations by their number

D. Divides a set of data into two equal parts

Correct Option: C. Dividing the sum of all observations by their number

8. According to the Empirical relation, which one of the following is true?

Options:

A. 3 median – 2 mean = mode

B. Mean 3 median = mode

C. 3 mean median = mode

D. Mean 2 median = mode

Correct Option: A. 3 median – 2 mean = mode

9. A component bar chart in which:

Options:

A. The horizontal or vertical bars of equal width and lengths

B. Each bar is divided into two or more sections

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

C. The value of a common variable in the form of grouped bars

D. None of these

Correct Option: A. The horizontal or vertical bars of equal width and lengths

10. The _____ is one of the most important graphical representation of a frequency distribution.

Options:

A. Frequency Polygon

B. Ogive

C. Frequency Curve

D. Histogram

Correct Option: D. Histogram

1. In the construction of a frequency distribution the steps are to:

Calculate range

All of these

Decide the number of classes

Arrange data in ascending and descending order

Correct Option: All of these

2. The freehand frequency curve is actually a:

Mathematical concept

Scientific concept

Theoretically concept

Probabilistic concept

Correct Option: Mathematical concept

3. Which of the following relationship is true in a symmetrical distribution?

MedianQ1 < Q3Median

None of the above

MAMMEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

MedianQ1 > Q3Median

MedianQ1 = Q3Median

Correct Option: MedianQ1 = Q3Median

4. A histogram is consists of a set of adjacent rectangles whose bases are marked off by:

Class limits

Class boundaries

Class frequency

Class marks

Correct Option: Class boundaries

5. Ranking scale also include the properties of which scale?

Interval scale

All of these

Ratio scale

Nominal scale

Correct Option: Ratio scale

6. Number which occurs most frequently in a set of numbers is:

Median

None of above

Mode

Correct Option: Mode

7. Which of the following is not a graph of Quantitative Variable?

Frequency Polygon

Histogram

Frequency Curve

Pie Chart

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

Correct Option: Pie Chart

8. When each observation has not an equal importance in a data, then average is used:

Arithmetic mean

Harmonic mean

Weighted mean

Geometric mean

Correct Option: Weighted mean

9. The beginnings of a cumulative frequency distribution are presented below. What is the next number in the Cumulative Frequency column?

Classes	Frequency	Cumulative Frequency
6.1 to 8	1	1
8.1 to 10	2	
10.1 to 12	3	1 2 3 4

Correct Option: 6

10. Faulty responses of questionnaires due to personal preference, is an example of:

Sampling error

None sampling error

Random error

Mistake

Correct Option: None sampling error

1. In unimodel distribution, if mode is less than mean:

Negatively Skewed

Symmetrical

Positively Skewed

Correct Option: Positively Skewed

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

2. From the following table, derive the relative frequency of the 4 Class?

0.0259

0.0155

0.2124

Correct Option: 0.0259

3. When the distribution is highly skewed distribution, then which average is more suitable to use?

Median

Mean

Mode

Correct Option: Median

4. If the mean of 6 numbers is 41, then the sum of these numbers is:

250

134

246

Correct Option: 246

5. Sum of the absolute deviations of the values is least when deviations are taken from:

Arithmetic mean

Geometric mean

Mode

Correct Option: Mean

6. Harmonic mean is the reciprocal of:

Arithmetic mean

Geometric mean

Mode

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

Correct Option: Arithmetic mean

7. The Random errors are also called:

Systematic Errors

Cumulative Errors

Biased Errors

Correct Option: Unbiased Errors

8. In case of a frequency distribution, the second quartile is given by the formula:

l + f/h (2n/4 c)

l + h/f (2n/4 c)

l + f/h (n/4 c)

Correct Option: l + f/h (2n/4 c)

9. The total of frequency up to an upper class limit or boundary is known as:

Cumulative frequency

Average frequency

Frequency polygon

Correct Option: Cumulative frequency

10. 2nd Quartile = 5th Decile = 50th Percentile =?

Mode

Geometric Mean

Median

Correct Option: Median

1. A teacher asked 10 of her students how many books they had read in the last 12 months. Their answers were as follows:

12, 23, 19, 6, 10, 7, 15, 25, 21, 12

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

The stem part is:

a) 12,6,7,10

b) 25,21,12

c) 0,1,2

d) 1,2,3,7,6

Correct option: a) 12,6,7,10

2. Which of the following is not a graph of Qualitative Variable?

a) None of the above

b) Pie Chart

c) Histogram

d) Bar Chart

Correct option: b) Pie Chart

3. For given data, discuss the shape of the distribution:

X	f
0	2
1	3
2	5
3	7
4	5
5	3
6	2

a) Negatively skewed

b) UShaped curve

c) Symmetric curve

d) Positively skewed

Correct option: a) Negatively skewed

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

4. In the plural sense, statistic means:

a) Science

b) Meteorology

c) Data

d) Methods

Correct option: c) Data

5. Number which occurs most frequently in a set of numbers is:

a) Median

b) Mode

c) None of above

d) Mean

Correct option: b) Mode

6. Data arrangement in order of magnitude is called:

a) Grouped data

b) Raw data

c) Arrayed data

d) Frequency distribution

Correct option: c) Arrayed data

7. A flight of migrating honeybees to America is an example of:

a) Infinite population

b) Finite population

c) None of these

d) Hypothetical population

Correct option: a) Infinite population

8. Tabulation is the process of arranging data into:

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

a) Rows and Columns

b) Rows

c) Columns

d) Different classes

Correct option: a) Rows and Columns

9. A value which has half of the observations above it and half the observations below it, is known as:

a) Mode

b) Standard deviation

c) Median

d) Mean

Correct option: c) Median

1. Statistic is a numerical quantity, which is calculated from:

A) Data

B) Sample

C) Population

D) Observations

Correct Option: C) Population

2. If any of the value in data set is zero then it is not possible to compute:

A) Mean

B) Harmonic Mean

C) Geometric Mean

D) Mode

Correct Option: C) Geometric Mean

3. Find the mean of the values 2, 4, 6, 8.

A) 4

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

B) 5

C) 6

D) 7

Correct Option: B) 5

4. Frequency curve is:

A) Asymptotic to xaxis

B) NonAsymptotic to yaxis

C) NonAsymptotic to yaxis

D) Asymptotic to yaxis

Correct Option: B) NonAsymptotic to yaxis

5. What is the median for the following data: 1, 1, 2, 2, 5, 5, 7, 7, 7, 1, 5, 72?

A) 1

B) 5

C) 7

D) 72

Correct Option: B) 5

6. Suppose we want to make a voters list for the general elections 2019 then we require:

A) Simple error

B) Census

C) Sampling error

D) Random error

Correct Option: B) Census

7. What is the median of this set of numbers: 4, 6, 7, 9, 2000000?

A) 6

B) 7

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

C) 8

D) 9

Correct Option: B) 7

8. Total angles in pie chart are:

A) 180 degrees

B) 270 degrees

C) 360 degrees

D) 90 degrees

Correct Option: C) 360 degrees

9. 2nd Quartile = 5th Decile = 50th Percentile =?

A) Mode

B) Mean

C) Median

D) Range

Correct Option: C) Median

10. Which of the following is called measure of central tendency?

A) Mean

B) Median

C) Mode

D) All of the above

Correct Option: D) All of the above

1. Value of harmonic mean depends on _____

Both extreme values and few observations

Few observations

Extreme Values

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

All of the above

Correct option: All of the above

2. There are two broad categories of data, which are:

Qualitative and Quantitative

Primary and Secondary

Grouped and Ungrouped

Weighted and Unweighted

Correct option: Qualitative and Quantitative

3. Statistic is a numerical quantity, which is calculated from:

Sample

Population

Observations

Data

Correct option: Sample

4. Observed data organized into tabular form is called:

A pie chart

A frequency distribution

A bar chart

A frequency polygon

Correct option: A frequency distribution

5. That science which enables us to draw conclusions about various phenomena on the basis of real data collected on a sample basis is called:

Sample

Parameter

Statistics

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

Population

Correct option: Statistics

6. In a symmetrical distribution 5th decile equals to:

Mode

Median

Mean

All of these

Correct option: Median

7. Tabulation is the process of arranging data into:

Different classes

Columns

Rows

Rows and Columns

Correct option: Rows and Columns

8. The data which has undergone any statistical treatment is called:

Quantitative data

Primary data

Qualitative data

Secondary data

Correct option: Secondary data

9. Which one of the following will be used to draw an OGIVE?

A relative frequency distribution

A joint frequency distribution

A frequency distribution

A cumulative frequency distribution

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

Correct option: A cumulative frequency distribution

10. A component bar chart in which:

None of these

The horizontal or vertical bars of equal width and lengths

Each bar is divided into two or more sections

The value of a common variable in the form of grouped bars

Correct option: Each bar is divided into two or more sections

1. Value of harmonic mean depends on _____

Both extreme values and few observations

Few observations

Extreme Values

All of the above

Correct option: All of the above

2. There are two broad categories of data, which are:

Qualitative and Quantitative

Primary and Secondary

Grouped and Ungrouped

Weighted and Unweighted

Correct option: Qualitative and Quantitative

3. Statistic is a numerical quantity, which is calculated from:

Sample

Population

Observations

Data

Correct option: Sample

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

4. Observed data organized into tabular form is called:

A pie chart

A frequency distribution

A bar chart

A frequency polygon

Correct option: A frequency distribution

5. That science which enables us to draw conclusions about various phenomena on the basis of real data collected on a sample basis is called:

Sample

Parameter

Statistics

Population

Correct option: Statistics

6. In a symmetrical distribution 5th decile equals to:

Mode

Median

Mean

All of these

Correct option: Median

7. Tabulation is the process of arranging data into:

Different classes

Columns

Rows

Rows and Columns

Correct option: Rows and Columns

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

8. The data which has undergone any statistical treatment is called:

Quantitative data

Primary data

Qualitative data

Secondary data

Correct option: Secondary data

9. Which one of the following will be used to draw an OGIVE?

A relative frequency distribution

A joint frequency distribution

A frequency distribution

A cumulative frequency distribution

Correct option: A cumulative frequency distribution

10. A component bar chart in which:

None of these

The horizontal or vertical bars of equal width and lengths

Each bar is divided into two or more sections

The value of a common variable in the form of grouped bars

Correct option: Each bar is divided into two or more sections

1. For given data, discuss the shape of the distribution:

Options:

A. Positively Skewed

B. None of these

C. Negatively Skewed

D. Symmetric

Correct Option: A. Positively Skewed

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

2. Which of the statement describes best a polygon?

Options:

A. Manysided closed figure

B. Manysided but not closed figure

C. Threesided closed figure

D. Foursided closed figure

Correct Option: A. Manysided closed figure

3. Data arranged in ascending or descending order of magnitude is called:

Options:

A. Ungrouped data

B. Discrete frequency distribution

C. Grouped data

D. Arrayed data

Correct Option: D. Arrayed data

4. The mean is obtained by

Options:

A. Divides a set of data into two equal parts

B. None of these

C. Dividing the sum of all observations by their number

D. Most frequent value in the data set

Correct Option: C. Dividing the sum of all observations by their number

5. Calculate range for the following data:

22, 22, 30, 32, 37, 48, 60, 88, 90

Options:

A. 22

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

B. 90

C. 68

D. 37

Correct Option: C. 68

6. When data is label to identify an attribute of an element, the measurement scale is

Options:

A. Nominal

B. Interval

C. Ordinal

D. Ratio

Correct Option: A. Nominal

7. The ordinal scale is also known as?

Options:

A. Nominal scale

B. Interval scale

C. Ratio scale

D. Ranking scale

Correct Option: D. Ranking scale

8. The variables whose calculation is done according to the height, length, and weight are categorized as:

Options:

A. Flowchart Variables

B. Continuous Variables

C. Discrete Variables

D. Measuring Variables

Correct Option: B. Continuous Variables

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

9. Which of the following is Not a common measure of central tendency?

Options:

A. Mode

B. Mean

C. Median

D. Range

Correct Option: D. Range

10. The difference of Mode and Mean is equal to

Options:

A. 3(meanmode)

B. 2(meanmedian)

C. 3(meanmedian)

D. 2(modemean)

Correct Option: B. 2(meanmode)

1. A diagram in which each circle is divided into different sectors is called

Options:

A) Component Bar Chart

B) Pie Chart

C) Multiple Bar Chart

D) Simple Bar Chart

Correct Option: B) Pie Chart

2. Measure of central tendency is used to measure:

Options:

A) Variability

B) Location

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

C) Both Average and Location

D) Average

Correct Option: D) Average

3. The most repeated (popular) value in a data set is called:

Options:

A) Harmonic Mean

B) Median

C) Mode

D) Geometric Mean

Correct Option: C) Mode

4. The biased errors are also called:

Options:

A) Unbiased Errors

B) Systematic Errors

C) Random Errors

D) Accidental Errors

Correct Option: B) Systematic Errors

5. Which of the following is NOT one of the scales of measurement discussed in the text?

Options:

A) Ordinal

B) Nominal

C) Proportional

D) Ratio

Correct Option: C) Proportional

6. Any population which we want to study is referred as?

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

Options:

A) Infinite population

B) Final population

C) Target population

D) Standard population

Correct Option: C) Target population

7. If the mean of 6 numbers is 41 than the sum of these numbers is

Options:

A) 456

B) 250

C) 246

D) 134

Correct Option: C) 246

8. The median is _____:

Options:

A) The middle point

B) The average

C) Affected by extreme scores

D) The highest number

Correct Option: A) The middle point

9. One of the major types of statistics is:

Options:

A) Descriptive

B) Probabilistic

C) Advanced

D) Basic

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

Correct Option: A) Descriptive

10. If we place a vertical mirror in the center of _____, the lefthand side will be the mirror image of the righthand side:

Options:

A) Positively skewed distribution

B) Positively skewed distribution

C) Symmetrical distribution

D) Negatively skewed distribution

Correct Option: C) Symmetrical distribution

1. Relation between arithmetic, geometric and harmonic mean is:

A) Arithmetic Mean ≥ Geometric Mean ≥ Harmonic Mean

B) Harmonic Mean ≥ Geometric Mean ≥ Arithmetic Mean

C) Arithmetic Mean ≥ Harmonic Mean ≥ Geometric Mean

D) None

Correct Option: A) Arithmetic Mean ≥ Geometric Mean ≥ Harmonic Mean

2. Temperature, in Fahrenheit, is an example of a variable measured on the following scale:

A) Ratio

B) Ordinal

C) Interval

D) Nominal

Correct Option: C) Interval

3. If a distribution has two modes then the distribution is called:

A) TriModal

B) BiModal

C) UniModal

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

D) MultiModal

Correct Option: B) BiModal

4. A number of fishes in a pond is an example of:

A) Finite population

B) Infinite population

C) Hypothetical population

D) None of these

Correct Option: A) Finite population

5. The geometric mean of 4 and 16 is:

A) 12

B) 16

Correct Option: It wasn't provided, but the correct answer is 8.

6. Half of the observations are always larger than:

A) Total

B) Mean

C) Mode

D) Median

Correct Option: D) Median

7. A flight of migrating honeybees to America is an example of:

A) Hypothetical population

B) None of these

C) Infinite population

D) Finite population

Correct Option: D) Finite population

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

8. A list of pulse rates is: 70, 64, 70, 80, 74, 92. What is the mode for this list?

A) 72

B) 70

C) 76

D) 80

Correct Option: B) 70

9. Find the mode from these test results: 90, 80, 77, 86, 90, 91, 77, 66, 69, 65, 43, 65, 75, 43, 90.

A) 43

B) 90

C) 65

D) 77

Correct Option: B) 90

1. According to the Empirical relation, which one of the following is true?

Options:

A) 3median – 2mean=mode

B) 3 meanmedian=mode

C) Mean2median=mode

D) Mean3median=mode

Correct Option: C) Mean2median=mode

2. Which of the following technique is not used to represent the univariate qualitative data?

Options:

A) Multiple bar chart

B) Bar chart

C) Percentage

D) Pie chart

Correct Option: A) Multiple bar chart

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

3. Which one is the formula of mid quartile range:

Options:

A) (Q1Q3)/2

B) (Q1+Q3)/2

C) (Q3Q1)/2

D) Q3Q1

Correct Option: C) (Q3Q1)/2

4. To find the average speed of a journey which is the appropriate measure of central tendency.

Options:

A) Weighted Mean

B) Geometric Mean

C) Mode

D) Harmonic Mean

Correct Option: D) Harmonic Mean

5. Statistics is called the backbone of:

Options:

A) Computer

B) Engineering

C) Research

D) Mathematics

Correct Option: B) Engineering

6. What is the median for the following values:

1.2, 0.25, 1.75, 2.15, 1.50

Options:

A) 1.75

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

B) 1.5

C) 2.15

D) 1.2

Correct Option: B) 1.5

7. The minimum value in the class limit is called:

Options:

A) Lower Limit

B) Upper limit

C) Primary limit

D) Secondary limit

Correct Option: A) Lower Limit

8. For a certain distribution, A.M=136.75, Median=148.37 and Mode=152.80, then the distribution will be:

Options:

A) Positively skewed

B) Symmetrical

C) Extremely negative J shaped

D) Negatively Skewed

Correct Option: D) Negatively Skewed

9. Find the mode from these test results: 90, 80, 77, 86, 90, 91, 77, 66, 69, 65, 43, 65, 75, 43, 90.

Options:

A) 90

B) 65

C) 43

D) 77

Correct Option: A) 90

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

10. The mean of a distribution is 23, the median is 24 and the mode is 25.5. It is most likely that this distribution is:

Options:

A) Symmetrical

B) Negatively Skewed

C) Positively Skewed

D) Asymptotic

Correct Option: B) Negatively Skewed

1. Which of the following is a systematic arrangement of data into rows and columns?

A) Component bar chart

B) Bar chart

C) Tabulation

D) Classification

Correct Option: C) Tabulation

2. Data must be arranged either in ascending or descending order, if someone wants to compute:

A) Mode

B) Median

C) Geometric Mean

D) Harmonic Mean

Correct Option: A) Mode

3. Histogram consists of a set of adjacent rectangles whose bases are marked off by class boundaries along:

A) xaxis

B) none

C) yaxis

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

Correct Option: A) xaxis

4. If you connect the midpoints of rectangles in a histogram by a series of lines that also touches the xaxis from both ends, you will get:

A) Histogram

B) Frequency curve

C) Frequency polygon

D) Ogive

Correct Option: C) Frequency polygon

5. Which one is the formula of mid quartile range:

A) Q3Q1

B) (Q1+Q3)/2

C) (Q3Q1)/2

D) (Q1Q3)/2

Correct Option: C) (Q3Q1)/2

6. Which of the following relationship is true in a symmetrical distribution?

A) MedianQ1 < Q3Median

B) MedianQ1 > Q3Median

C) MedianQ1 = Q3Median

Correct Option: C) MedianQ1 = Q3Median

7. What type of curve you will obtain if you draw the death rates of all age groups of population?

A) Reverse J shaped

B) J shaped curve

C) Symmetric curve

D) U shaped curve

Correct Option: D) U shaped curve

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

8. Data arrangement in order of magnitude is called:

A) Grouped data

B) Frequency distribution

C) Arrayed data

D) Raw data

Correct Option: D) Raw data

9. When the deviations (excesses and defects) from the true value tend to occur equally, it is called:

A) Biased error

B) Mistake

C) Mistake

D) Unbiased error

Correct Option: D) Unbiased error

10. When observed value is consistently and constantly higher or lower than the true value, it is called:

A) None of these

B) Mistake

C) Unbiased error

D) Biased error

Correct Option: D) Biased error

1. In the plural sense, statistic means:

A) Meteorology

B) Data

C) Science

D) Methods

Correct Option: B) Data

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

2. The following data shows the number of hours worked by 120 mathematical students. What is its class interval?

A) 25

B) 20

C) 10

D) 5

Correct Option: D) 5

3. Which of the following is a subset of population?

A) Sample

B) Distribution

C) Set

D) Data

Correct Option: D) Data

4. Frequency distribution is considered as negatively skewed if all values of distribution moves to:

A) Median tail

B) Variance tail

C) Lower tail

D) Upper tail

Correct Option: C) Lower tail

5. If the mean of 6 numbers is 41, then the sum of these numbers is:

A) 134

B) 250

C) 246

D) 456

Correct Option: C) 246

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

6. How many percent corresponds to D6 if you will interpret it?

A) 80%

B) 40%

C) 60%

D) 20%

Correct Option: D) 20%

7. Which of the following average gives information about the most common value in the data?

A) Median

B) Harmonic mean

C) Mean

D) Mode

Correct Option: D) Mode

8. A sector diagram is also called:

A) Histogram

B) Bar diagram

C) Pie diagram

D) Historigram

Correct Option: C) Pie diagram

9. For the digit 40, the leaf will be:

A) 0

B) 1

C) 2

D) 3

E) 4

Correct Option: A) 0

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

10. According to percentiles, median to be measured must lie in:

A) 100th

B) 80th

C) 50th

D) 40th

Correct Option: C) 50th

1. Which of the following measure is influenced by outliers (extreme values)?

A) Mean

B) Median

C) Geometric mean

D) Mode

Correct Option: A) Mean

2. The branch of Statistics that is concerned with the procedures and methodology for obtaining valid conclusions is called:

A) Advance Statistics

B) Sampled Statistics

C) Descriptive Statistics

D) Inferential Statistics

Correct Option: D) Inferential Statistics

3. When data are classified according to a single characteristic, it is called:

A) Simple classification

B) Area classification

C) Quantitative classification

D) Qualitative classification

Correct Option: D) Qualitative classification

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

4. Direct personal investigation is _____ when the area to be covered is vast.

A) Timeconsuming

B) Localized inquires

C) Costly

D) Inaccurate

Correct Option: C) Costly

5. The mean of a distribution is 23, the median is 24 and the mode is 25.5. It is most likely that this distribution is:

A) Negatively Skewed

B) Symmetrical

C) Asymptotic

D) Positively Skewed

Correct Option: D) Positively Skewed

6. For a stemandleaf display

A) Make sure the stem value is only one digit

B) Do not allow stems with no leaf values

C) Arrange the leaf values from smallest to largest

D) All of the above

Correct Option: D) All of the above

7. From the following table, derive the relative frequency of the 4 Class?

A) 0.015544

B) 0.324195

C) 0.276024

D) 0.212435

Correct Option: A) 0.015544

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

8. The data presented in the form of frequency data is known as:

A) Calculated data

B) Ungrouped data

C) Grouped data

D) Secondary data

Correct Option: C) Grouped data

9. To determine the class interval:

A) Count the number of observations in the class

B) Divide the class frequencies in half

C) Divide the class frequency by the number of observations

D) Find the difference between consecutive lower class limits

Correct Option: B) Divide the class frequencies in half

10. The following data shows the number of hours worked by 120 mathematical students. What is its class interval?

A) 5

B) 10

C) 15

D) 20

Correct Option: B) 10

1. The most repeated (popular) value in a data set is called:

A) Harmonic Mean

B) Geometric Mean

C) Mode

D) Median

Correct Option: C) Mode

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

2. When each observation has not an equal importance in a data, then average is used:

A) Arithmetic mean

B) Harmonic mean

C) Weighted mean

D) Geometric mean

Correct Option: C) Weighted mean

3. Harmonic mean is extremely useful in averaging _____ types of data.

A) None of the above

B) Both ratios and rates

C) Rates

D) Ratios

Correct Option: B) Both ratios and rates

4. Which of the following is a true statement about the median?

A) Fifty percent of the observations are larger than the median

B) It is always one of the data values

C) It is always one of the data values

D) It is the middle value of the data values

Correct Option: D) It is the middle value of the data values

5. Which is appropriate average for finding the average speed of a car:

A) Harmonic mean

B) Mean

C) Geometric mean

D) Weighted mean

Correct Option: B) Mean

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

6. A flight of migrating honeybees to America is an example of:

A) Infinite population

B) Hypothetical population

C) None of these

D) Finite population

Correct Option: D) Finite population

7. If the mean of two observations is 11.5, then the median of these two observations will be:

A) 9.5

B) 10.5

C) 11.5

D) 8.5

Correct Option: C) 11.5

8. When data are classified according to a single characteristic, it is called:

A) Simple classification

B) Quantitative classification

C) Qualitative classification

D) Area classification

Correct Option: C) Qualitative classification

9. Tabulation is the process of arranging data into:

A) Rows and Columns

B) Columns

C) Different classes

Correct Option: A) Rows and Columns

10. What is the mean of this set of numbers: 4, 6, 7, 9, 2000000?

A) 7.5

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

B) 400,005

C) 5.2

D) 4

Correct Option: C) 5.2

1. The mode of 12, 17, 16, 14, 13, 16, 11, 14 is:

Options:

A) 14

B) 16

C) 13

D) 12

Correct option: A) 14

2. Which of the following is a systematic arrangement of data into rows and columns?

Options:

A) Tabulation

B) Bar chart

C) Classification

D) Component bar chart

Correct option: A) Tabulation

3. A Histogram contains a set of:

Options:

A) Adjacent squares

B) Adjacent rectangles

C) Adjacent triangles

D) Nonadjacent rectangles

Correct option: B) Adjacent rectangles

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

4. When we smooth a frequency polygon, it becomes:

Options:

A) Ogive

B) Bar chart

C) Pie chart

D) Frequency curve

Correct option: A) Ogive

5. When data are collected in a statistical study for only a portion or subset of all elements of interest we are using:

Options:

A) A population

B) A parameter

C) Both parameter and population

D) A sample

Correct option: D) A sample

6. Statistics branches include:

Options:

A) Industry Statistics

B) Applied Statistics

C) Mathematical Statistics

D) Both Applied and Mathematical

Correct option: D) Both Applied and Mathematical

7. Which one of the following will be used to draw an OGIVE?

Options:

A) A cumulative frequency distribution

B) A relative frequency distribution

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

C) A joint frequency distribution

D) A frequency distribution

Correct option: A) A cumulative frequency distribution

8. Which of the following is NOT a common measure of central tendency?

Options:

A) Median

B) Mean

C) Mode

D) Range

Correct option: D) Range

9. Frequency distribution is considered as negatively skewed if all values of distribution move to:

Options:

A) Lower tail

B) Variance tail

C) Median tail

D) Upper tail

Correct option: A) Lower tail

10. In case of a frequency distribution, the 90th percentile is given by the formula:

Options:

A) l + h/f (90n/100 c)

B) l + h/f (n/100 90c)

C) l + f/h (100n/90 c)

D) l + f/h (90n/100 c)

Correct option: A) l + h/f (90n/100 c)

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

1. From the following table, what are the frequency of modal class, frequency of the premodal class and frequency of the postmodal class?

Options:

A) 87, 190, and 304

B) 190, 87, 304

C) 304, 190, and 211

D) 85, 211, 20

Correct Option: A) 87, 190, and 304

2. How many percent corresponds to D6 if you will interpret it?

Options:

A) 60%

B) 40%

C) 20%

D) 80%

Correct Option: A) 60%

3. In a shoes store, the average size is used as:

Options:

A) GMMedian

B) Median

C) Mean

D) Mode

Correct Option: B) Median

4. A frequency polygon is obtained by plotting the class frequencies against:

Options:

A) Cumulative frequencies

B) Class boundaries

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

C) Midpoints of the classes

D) Relative frequencies

Correct Option: C) Midpoints of the classes

5. The Random errors are also called:

Options:

A) Unbiased Errors

B) Systematic Errors

C) Biased Errors

D) Cumulative Errors

Correct Option: A) Unbiased Errors

6. The height of a student is 70 inches. This is an example of:

Options:

A) Qualitative Data

B) Discrete Data

C) Continuous Data

D) Categorical Data

Correct Option: C) Continuous Data

7. In a symmetrical distribution 5th decile equals to:

Options:

A) Mode

B) Mean

C) Median

D) All of these

Correct Option: C) Median

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

8. The scale applied in statistics which imparts a difference of magnitude and proportions is considered as:

Options:

A) Exponential Scale

B) Ratio Scale

C) Satisfactory Scale

D) Goodness Scale

Correct Option: B) Ratio Scale

9. The most repeated (popular) value in a data set is called:

Options:

A) Median

B) Geometric Mean

C) Harmonic Mean

D) Mode

Correct Option: D) Mode

1. When data are collected in a statistical study for only a portion or subset of all elements of interest we are using:

A) Both sample and parameter

B) A sample

C) A Population

D) A Parameter

Correct Option: B) A sample

2. Statistics are _____ expressed?

A) Descriptive

B) Qualitatively

C) Ability

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

D) Quantitatively

Correct Option: D) Quantitatively

3. The middle value of an ordered array of numbers is the:

A) Mode

B) Mid Point

C) Mean

D) Median

Correct Option: D) Median

4. For a stemandleaf display:

A) Do not allow stems with no leaf values

B) Make sure the stem value is only one digit

C) All of the above

D) Arrange the leaf values from smallest to largest

Correct Option: C) All of the above

5. Data used by an agency which is originally collected by them is called:

A) Ungroup data

B) Grouped data

C) Primary data

D) Secondary data

Correct Option: C) Primary data

6. A circle in which sectors represents various quantities is called:

A) Histogram

B) Component Bar Chart

C) Frequency Polygon

D) Pie Chart

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

Correct Option: D) Pie Chart

7. The headings of the columns of a table are called:

A) Stubs

B) Captions

C) Source notes

D) Footnotes

Correct Option: B) Captions

8. Suppose we want to make a voters list for the general elections 2019 then we require _____:

A) Simple error

B) Sampling error

C) Census

D) Random error

Correct Option: C) Census

9. The total number of observations, which are below a certain value are known as:

A) Class boundaries

B) Variances

C) Cumulative frequency

D) Class marks

Correct Option: C) Cumulative frequency

10. Which one of the following is less than mean for a symmetrical distribution:

A) 75th Percentile

B) 4th Decile

C) 3rd Quartile

D) 51th Percentile

Correct Option: C) 3rd Quartile

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

1. The minimum value in the class limit is called:

Options:

A) Primary limit

B) Secondary limit

C) Upper limit

D) Lower Limit

Correct Option: D) Lower Limit

2. Which of the following is not a graph of Qualitative Variable?

Options:

A) None of the above

B) Pie Chart

C) Bar Chart

D) Histogram

Correct Option: B) Pie Chart

3. Histogram and histogram are:

Options:

A) Always same

B) Randomly same

C) Not same

D) Off and on same

Correct Option: A) Always same

4. Any population which we want to study is referred as?

Options:

A) Standard population

B) Final population

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

C) Target population

D) Infinite population

Correct Option: C) Target population

5. The reciprocal of the arithmetic mean of the reciprocals of the values is defined as:

Options:

A) Weighted mean

B) Geometric mean

C) Weighted mean

D) Harmonic mean

Correct Option: D) Harmonic mean

6. In a histogram the area of each rectangle is proportional to:

Options:

A) The class mark of the corresponding class interval

B) Frequency of the corresponding class interval

C) Cumulative frequency of the corresponding class interval

D) The class size of the corresponding class interval

Correct Option: B) Frequency of the corresponding class interval

7. A histogram consists of a set of adjacent rectangles whose bases are marked off by:

Options:

A) Class frequency

B) Class boundaries

C) Class limits

D) Class marks

Correct Option: B) Class boundaries

8. When each observation has not an equal importance in a data, then average is used:

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

Options:

A) Geometric mean

B) Harmonic mean

C) Weighted mean

D) Arithmetic mean

Correct Option: C) Weighted mean

9. In case of a frequency distribution, the third quartile is given by the formula:

Options:

A) \(l + \frac{f}{h} \left(\frac{n}{2} 3c\right) \)

B) \(l + 3f/h (n/4c) \)

C) \(l + f/h (3n/4c) \)

D) \(l + \frac{f}{h} \left(\frac{3n}{4} c\right) \)

Correct Option: D) \(l + \frac{f}{h} \left(\frac{3n}{4} c\right) \)

10. If the median of two observations is 8, then mean of these two observations will be:

Options:

A) 9

B) 6

C) 7

D) 8

Correct Option: B) 6

1. Which of the scale is best to use for measuring the salary of an employee?

A) Ordinal

B) Interval

C) Nominal

D) Ratio

Correct option: D) Ratio

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

2. A frequency polygon is obtained by plotting the class frequencies against:

A) Relative frequencies

B) Midpoints of the classes

C) Cumulative frequencies

D) Class boundaries

Correct option: B) Midpoints of the classes

3. If the mean of 6 numbers is 41, then the sum of these numbers is:

A) 456

B) 246

C) 250

D) 134

Correct option: B) 246

4. Which of the following technique is not used to represent the bivariate qualitative data?

A) Line Chart

B) Pie Chart

C) Multiple Bar Chart

D) Component Bar Chart

Correct option: B) Pie Chart

5. A list of pulse rates is: 70, 64, 70, 80, 74, 92. What is the mode for this list?

A) 70

B) 80

C) 76

D) 72

Correct option: A) 70

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

6. Geometric Mean gives the equal weightage to _____values:

A) All the observations

B) Both smaller and larger values

C) Larger Values

D) Smaller Values

Correct option: B) Both smaller and larger values

7. What is the mode in the word STATISTICS:

A) SS & T

B) TA

C) IST

D) S

Correct options: A) SS & T

8. If a curve has longer tail to the right, it is called:

A) Jshaped distribution

B) Symmetrical distribution

C) Positively skewed distribution

D) Negatively skewed distribution

Correct option: C) Positively skewed distribution

9. A frequency distribution formed considering two variables at a time is called:

A) Univariate frequency distribution

B) Trivariate frequency distribution

C) Bivariate frequency distribution

D) Bimodal distribution

Correct option: C) Bivariate frequency distribution

MAM MEHWISH 03184148783

Note: Live quiz MCQs also repeated in Exam (6, 7).

🔥🔥 **Paid Vu Lms Handling** 🔥🔥

♦ **1 GDB= Rs 100**

♦ **1 Quiz= Rs 200**

♦ **1 Assignment=Rs 250**

💎 **Agr complete handling krwatey hain 1 subject ki with all activities= Rs 500 (Half Semester)** 💎

LECTURES Play Service Available In Very Low Price. 📱

🐥🎉**80100% Marks Guaranteed** 🎉🐥

🔥 **Miss Mehwish:03184148783**🔥

MAM MEHWISH 03184148783