






Not secure | quiz.vu.edu.pk/QuizQuestion
MC180404545: SABEEHA AKRAM
MTH632:Grand Quiz
Question # 24 of 30 (Start time: 08:43:12 AM, 01 July 2020)
Let z = 7 i, then arg(z) = _____.
Select the correct option
n/4
n/2
n/3
n/6



92% 7:39
Quiz
quiz.vu.edu.pk
MC180404292: SHUMAILA KHAIR MUHAMMAD
MTH632:Grand Quiz
Question # 1 of 30 (Start time: 07:37:50 AM, 01 July 2020)
If a function f(z) = u(x,y) + iv(x,y) is analytic in a domain D, then its component functions u and v are _____ in D.
Select the correct option
equal
steady
harmonic
homogeneous



92% 7:41 am
Quiz
quiz.vu.edu.pk
MC180404292: SHUMAILA KHAIR MUHAMMAD
MTH632:Grand Quiz
Time Left 84
Quiz Start Time: 07:37 AM, 01 July 2020
Question # 3 of 30 (Start time: 07:39:22 AM, 01 July 2020)
Total Marks: 1
The Jordan Curve Theorem guarantees that a simple closed curve must enclose a region.
Select the correct option
Euler curve
Jordan curve
Simple curve
Rotation curve



92% 7:42 am
Quiz
quiz.vu.edu.pk
MC180404292: SHUMAILA KHAIR MUHAMMAD
Time Left 83 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 07:37 AM, 01 July 202
Question # 4 of 30 (Start time: 07:40:48 AM, 01 July 2020)
Total Marks:
If $f(z) = z^3$, $g(z) = z + 2$, then $g(f(4)) =$
Select the correct option
Reload Math Equation
4
16
64
66



SAMSUNG
91% 7:46 am
Quiz
quiz.vu.edu.pk
MT1632:Grand Quiz
Question # 7 of 30 (Start time: 07:44:20 AM, 01 July 2020)
If $f(x) = x^4$, $g(x) = x + 2$, then $g(f(5)) =$
Select the correct option
7
125
127
130



SAMSUNG
Quiz
quiz.vu.edu.pk
MC180404292: SHUMAILA KHAIR MUHAMMAD
MTH632:Grand Quiz
Question # 6 of 30 (Start time: 07:42:51 AM, 01 July 2020)
Let z = 1 + i, then arg(z) = _____
Select the correct option
2π/4
3π/4
4π/4
π/4



91%
Quiz
quiz.vu.edu.pk
C180404292: SHUMAILA KHAIR MUHAMMAD
TH632:Grand Quiz
Quiz Start Ti
estion # 8 of 30 (Start time: 07:45:44 AM, 01 July 2020)
Harmonic conjugate of $u(x,y) = e^y \cos x$ is _____
lect the correct option
$e^y \sin x + c$
$-e^y \sin x + c$
$e^x \sin y + c$
$e^x \cos y + c$



SAMSUNG
91%
Quiz
quiz.vu.edu.pk
MC180404292: SHUMAILA KHAIR MUHAMMAD
MTH632:Grand Quiz
Quiz Start Time:
Question # 9 of 30 (Start time: 07:46:41 AM, 01 July 2020)
A function V is said to be harmonic if and only if _____.
Select the correct option
$V_x + V_y = 0$
$V_{xy} + V_{yx} = 0$
$V_{xx} + V_{yy} = 0$
$V_x^2 + V_y^2 = 0$



SAMSUNG
91%
Quiz
quiz.vu.edu.pk
MC180404292: SHUMAILA KHAIR MUHAMMAD
MTH632:Grand Quiz
Quiz Start Time
Question # 10 of 30 (Start time: 07:47:24 AM, 01 July 2020)
A set S is said to be _____ set if for every pair of points z1, z2∈S there is a curve C joining them which is entirely contained in S.
Select the correct option
bounded
unbounded
unconnected
connected



SAMSUNG
91% 7:50 am
Quiz
quiz.vu.edu.pk
MC180404292: SHUMAILA KHAIR MUHAMMAD
Time Left
MTH632:Grand Quiz
Quiz Start Time: 07:37 AM, 01 July
Question # 11 of 30 (Start time: 07:48:39 AM, 01 July 2020)
Total M
The derivative of f at z_0 i.e. $f'(z_0) = \lim_{z \to z_0} \frac{f(z) - f(z_0)}{z - z_0}$ provided the limit exists. The function f must be defined is a neighbourhood of
Select the correct option
Reload Math Equ
z
z_0



SAMSUNG
91% 7:51
Quiz
quiz.vu.edu.pk
MC180404292: SHUMAILA KHAIR MUHAMMAD
Time Left
MTH632:Grand Quiz
Quiz Start Time: 07:37 AM, 01 July
Question # 12 of 30 (Start time: 07:49:27 AM, 01 July 2020)
Total M
If Cauchy – Riemann equations are satisfied at a point z_0 then function_____ differentiable at z_0.
Select the correct option
Reload Math Equ
(a) may be
(b) may not be
(c) Both (a) and (b).
(d) None of these.



SAMSUNG
90%
Quiz
quiz.vu.edu.pk
MC180404292: SHUMAILA KHAIR MUHAMMAD
MTH632:Grand Quiz
Quiz Star
Question # 15 of 30 (Start time: 07:53:39 AM, 01 July 2020)
If $f(z) = \frac{z^4+1}{(z^2+1)(z-3)}$, then f(z) is not analytic at z =
Select the correct option
1
-1
i
2



90%
Quiz
quiz.vu.edu.pk
MC180404292: SHUMAILA KHAIR MUHAMMAD
MTH632:Grand Quiz
Quiz Start Time: 07:3
Question # 16 of 30 (Start time: 07:54:26 AM, 01 July 2020)
Sum of complex numbers (3 + 2i) and (1 + 7i) is _____.
Select the correct option
4 + 9i
3+7i
3+14i
3+9i



SAMSUNG
90% 7:57 am
Quiz
quiz.vu.edu.pk
MC180404292: SHUMAILA KHAIR MUHAMMAD
Time Left 82 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 07:37 AM, 01 July 2020
Question # 18 of 30 (Start time: 07:55:35 AM, 01 July 2020)
Total Marks: 1
If we write $\Delta z = z - z_0$, then the equation $f'(z_0) = \lim_{z \to z_0} \frac{f(z) - f(z_0)}{z - z_0}$ can be expressed as $f'(z_0) =$ _____.
Select the correct option
Reload Math Equations
$\lim_{z \to z_0} \frac{f(z) - f(z_0)}{\Delta z}$
$\lim_{\Delta z \to 0} \frac{f(\Delta z) - f(z_0)}{\Delta z}$
$\lim_{\Delta z \to 0} \frac{f(z_0 + \Delta z) - f(z_0)}{\Delta z}$
$\lim_{\Delta z \to 0} \frac{f(z_0 + \Delta z)}{\Delta z}$


90%
Quiz
quiz.vu.edu.pk
MC180404292: SHUMAILA KHAIR MUHAMMAD
MTH632:Grand Quiz
Quiz Start Time: 07:37
Question # 17 of 30 (Start time: 07:55:01 AM, 01 July 2020)
Conjugate of complex number 8+3i is _____.
Select the correct option
8+3i
8-3i
-8+3i
-8-3i


89% 8:00
Quiz
quiz.vu.edu.pk
MC180404292: SHUMAILA KHAIR MUHAMMAD
Time Left
MTH632:Grand Quiz
Quiz Start Time: 07:37 AM, 01
Question # 21 of 30 (Start time: 07:58:26 AM, 01 July 2020)
Tot
If $f(z) = z^2$, $g(z) = \frac{1}{z}$, then $g(f(4)) =$
Select the correct option
Reload Math
4
16
1/4
1/16


SAMSUNG
89% 8:01
Quiz
quiz.vu.edu.pk
MC180404292: SHUMAILA KHAIR MUHAMMAD
Time Left
MTH632:Grand Quiz
Quiz Start Time: 07:37 AM, 01 Jul
Question # 22 of 30 (Start time: 07:59:13 AM, 01 July 2020)
Total M
In the complex valued function z = x - iy, the value of $V_x =$ _____.
Select the correct option
Reload Math Eq
-1
0
1
2


Quiz
quiz.vu.edu.pk
MC180404292: SHUMAILA KHAIR MUHAMMAD
MTH632:Grand Quiz
Question # 24 of 30 (Start time: 08:02:01 AM, 01 July 2020)
A complex-valued function of the form
$$L(z) = Az + B,$$
where
Select the correct option
linear
quadratic
cubic
none of the above


88% 8:0
Quiz
quiz.vu.edu.pk
MC180404292: SHUMAILA KHAIR MUHAMMAD
MTH632:Grand Quiz
Quiz Start Time: 07:37
Question # 25 of 30 (Start time: 08:02:57 AM, 01 July 2020)
Sum of complex numbers (3 + 5i) and (4 − 3i) is _____.
Select the correct option
1+5i
7-3i
7+5i
7 + 2i

41.4KB/s 8:12 84%

Quiz

MC180404580: NAVEED AHMED

Time Left 88 sec(s)

MTH632:Grand Quiz

Quiz Start Time: 08:10 AM, 01 July 2020

Question # 1 of 30 (Start time: 08:10:46 AM, 01 July 2020) Total Marks: 1

Let z = 1 + i, then r = _____.

Select the correct option

Reload Math Equations

- √2
- √3
- 2
- 1

Click to Save Answer & Move to Next Question

14.2KB/s 8:14 82%

Quiz

MC180404580: NAVEED AHMED

Time Left 85 sec(s)

MTH632:Grand Quiz

Quiz Start Time: 08:10 AM, 01 July 2020

Question # 3 of 30 (Start time: 08:13:17 AM, 01 July 2020)

Total Marks: 1

The Cauchy - Riemann equations on a pair of real - valued functions of two real variables $u(x, y)$ and $v(x, y)$ are $U_x = V_y$ and _____.

Select the correct option

Reload Math Equations

- $U_y = -V_y$
- $U_x = -V_x$
- $U_y = -V_x$
- $U_x = -V_y$

Click to Save Answer & Move to Next Question

1

4.30KB/s 8:13 83%

Quiz

MC180404580: NAVEED AHMED

Time Left 89 sec(s)

MTH632:Grand Quiz

Quiz Start Time: 08:10 AM, 01 July 2020

Question # 2 of 30 (Start time: 08:12:08 AM, 01 July 2020) Total Marks: 1

If $f(z) = z^3$, $g(z) = \frac{1}{z}$, then $g(f(i)) =$

Select the correct option

Reload Math Equations

- i
- i^2
- i^3
- -1

Click to Save Answer & Move to Next Question

Question # 30 of 30 (Start time: 05:26:53 AM, 01 July 2020) Total Marks: 1

If $f(z) = x + ay + i(bx + cy)$ is analytic, then a, b, c equals to _____.

Select the correct option

- a= 1 and c= -b
- a = b = c = 1
- b = 1 and a = -c
- c=1 and a= -b



Click to Save Answer & Move to Next Question

Let z = 7 i, then r = _____.

Select the correct option

- 1
- 2
- 4
- 7



Click to Save Answer & Move to Next Question

2.54KB/s 8:15 82%

Quiz

MC180404580: NAVEED AHMED

Time Left 87 sec(s)

MTH632:Grand Quiz

Quiz Start Time: 08:10 AM, 01 July 2020

Question # 4 of 30 (Start time: 08:14:21 AM, 01 July 2020) Total Marks: 1

Sum of complex numbers (3 + 5i) and (4 − 3i) is _____.


Select the correct option


- 1+5i
- 7-3i
- 7+5i
- 7 + 2i





Click to Save Answer & Move to Next Question


1



5:18
78
quiz.vu.edu.pk/QuizQue
2
MC180402844: USMAN ALI
Time Left 88 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 05:16 AM, 01 July 2020
Question # 4 of 30 (Start time: 05:18:02 AM, 01 July 2020)
Total Marks: 1
A curve is called _____ if it does not cross itself.
Select the correct option
closed curve
open curve
simple curve
parallel curve
Click to Save Answer & Move to Next Question



5:23
77
quiz.vu.edu.pk/QuizQue
2
MC180402844: USMAN ALI
Time Left 86 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 05:16 AM, 01 July 2020
Question # 20 of 30 (Start time: 05:23:28 AM, 01 July 2020)
Total Marks: 1
Conjugate of complex number -7-4i is _____.
Select the correct option
-7-4i
7-4i
-7+4i
7+4i
Click to Save Answer & Move to Next Question



5:22
77
quiz.vu.edu.pk/QuizQue
2
MC180402844: USMAN ALI
Time Left 87 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 05:16 AM, 01 July 2020
Question # 16 of 30 (Start time: 05:22:21 AM, 01 July 2020)
Total Marks: 1
$(1+i)^2 =$ _____.
Select the correct option
Reload Math Equations
1+2i
0+2i
1+i
1-2i
Click to Save Answer & Move to Next Question



5:25
quiz.vu.edu.pk/QuizQue
MC180402844: USMAN ALI
Time Left 86 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 05:16 AM, 01 July 2020
Question # 25 of 30 (Start time: 05:25:12 AM, 01 July 2020)
Total Marks: 1
If $e^{ax}\cos y$ is harmonic then 'a' is _____
Select the correct option
Reload Math Equations
i
-1
0
2
Click to Save Answer & Move to Next Question



5:21
quiz.vu.edu.pk/QuizQue
MC180402844: USMAN ALI
Time Left 88 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 05:16 AM, 01 July 2020
Question # 13 of 30 (Start time: 05:21:09 AM, 01 July 2020)
Total Marks: 1
$If\ f(z) = z^3,\ g(z) = \frac{1}{z},\ \text{then}\ g(f(i)) =$
Select the correct option
Reload Math Equations
i
i^2
i^3
-1
Click to Save Answer & Move to Next Question



5:23
77
quiz.vu.edu.pk/QuizQue
2
MC180402844: USMAN ALI
Time Left 87 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 05:16 AM, 01 July 2020
Question # 19 of 30 (Start time: 05:23:07 AM, 01 July 2020)
Total Marks: 1
A function V is said to be harmonic if and only if _____.
Select the correct option
Reload Math Equations
$V_x + V_y = 0$
$V_{xy} + V_{yx} = 0$
$V_{xx} + V_{yy} = 0$
$V_x^2 + V_y^2 = 0$
Click to Save Answer & Move to Next Question



5:24
quiz.vu.edu.pk/QuizQue
MC180402844: USMAN ALI
Time Left 85 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 05:16 AM, 01 July 2020
Question # 22 of 30 (Start time: 05:23:58 AM, 01 July 2020)
Total Marks: 1
If $f(z) = z^2$, $g(z) = \frac{1}{z}$, then $g(f(3)) =$ _____.
Select the correct option
Reload Math Equations
1/9
9
3
1/3
Click to Save Answer & Move to Next Question



5:17
78
quiz.vu.edu.pk/QuizQue
2
MC180402844: USMAN ALI
Time Left 88 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 05:16 AM, 01 July 2020
Question # 3 of 30 (Start time: 05:17:51 AM, 01 July 2020)
Total Marks: 1
If U and V are harmonic functions then f(Z) = U + i V is _____.
Select the correct option
analytic function
need not be analytic function.
analytic function only at Z=0.
None of these.
Click to Save Answer & Move to Next Question



5:20
quiz.vu.edu.pk/QuizQue
MC180402844: USMAN ALI
Time Left 87 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 05:16 AM, 01 July 2020
Question # 10 of 30 (Start time: 05:20:04 AM, 01 July 2020)
Total Marks: 1
If $f(z) = \frac{z^4+1}{(z^2+1)(z-5)}$, then f(z) is not analytic at z =
Select the correct option
Reload Math Equations
1
-1
3
5
Click to Save Answer & Move to Next Question



5:19
quiz.vu.edu.pk/QuizQue
MC180402844: USMAN ALI
Time Left 87 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 05:16 AM, 01 July 2020
Question # 8 of 30 (Start time: 05:19:17 AM, 01 July 2020)
Total Marks: 1
If $f(x) = x^3$, $g(x) = \frac{1}{x}$, then g(f(- 1)) =
Select the correct option
Reload Math Equations
1
-1
2
-2
Click to Save Answer & Move to Next Question



5:17
78
quiz.vu.edu.pk/QuizQue
2
MC180402844: USMAN ALI
Time Left 85 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 05:16 AM, 01 July 2020
Question # 2 of 30 (Start time: 05:17:26 AM, 01 July 2020)
Total Marks: 1
A set S is said to be _____ set if for every pair of points z1, z2∈S there is a curve C joining them which is entirely contained in S.
Select the correct option
Reload Math Equations
bounded
unbounded
unconnected
connected
Click to Save Answer & Move to Next Question


5:22
77
quiz.vu.edu.pk/QuizQue
2
MC180402844: USMAN ALI
Time Left 88 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 05:16 AM, 01 July 2020
Question # 15 of 30 (Start time: 05:22:04 AM, 01 July 2020)
Total Marks: 1
If $f(z) = \frac{z^4+1}{(z^2+1)(z-3)}$, then f(z) is not analytic at z =
Select the correct option
Reload Math Equations
1
-1
3
4
Click to Save Answer & Move to Next Question


5:19
77
quiz.vu.edu.pk/QuizQue
2
MC180402844: USMAN ALI
Time Left 87 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 05:16 AM, 01 July 2020
Question # 7 of 30 (Start time: 05:19:04 AM, 01 July 2020)
Total Marks: 1
A function f(z) is analytic function if _____ part f(z) is analytic.
Select the correct option
(a) real
(b) imaginary
(c) both (a) and (b).
(d) none of these.
Click to Save Answer & Move to Next Question


Not secure | quiz.vu.edu.pk/QuizQuestion.aspx?ver
MC180404545: SABEEHA AKRAM
MTH632:Grand Quiz
Question # 11 of 30 (Start time: 08:25:35 AM, 01 July 2020)
A point at which a function ceases to be analytic is called a _____ point.
Select the correct option
regular
non-regular
singular
non-singular


5:22
77
quiz.vu.edu.pk/QuizQue
2
MC180402844: USMAN ALI
Time Left 88 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 05:16 AM, 01 July 2020
Question # 17 of 30 (Start time: 05:22:37 AM, 01 July 2020)
Total Marks: 1
A complex-valued linear transformation could be a composition of _____.
Select the correct option
translation
rotation
magnification
all of the above
Click to Save Answer & Move to Next Question


4.75KB/s
8:28
77%
Quiz
MC180404580: NAVEED AHMED
Time Left 86 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 08:10 AM, 01 July 2020
Question # 15 of 30 (Start time: 08:26:42 AM, 01 July 2020)
Total Marks: 1
If $e^{ax}\cos y$ is harmonic then 'a' is _____.
Select the correct option
Reload Math Equations
i
-1
0
2
Click to Save Answer & Move to Next Question

1.61KB/s 8:27 78%

Quiz

MC180404580: NAVEED AHMED

Time Left 85 sec(s)

MTH632:Grand Quiz

Quiz Start Time: 08:10 AM, 01 July 2020


Question # 14 of 30 (Start time: 08:25:56 AM, 01 July 2020) Total Marks: 1

A complex-valued linear transformation is always _____ on the entire complex plane.

Select the correct option

- only one-to-one
- only onto
- one-to-one and onto ✓
- none of the above

Click to Save Answer & Move to Next Question


0.79KB/s
8:31
76%
Quiz
MC180404580: NAVEED AHMED
Time Left 85 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 08:10 AM, 01 July 2020
Question # 18 of 30 (Start time: 08:30:20 AM, 01 July 2020)
Total Marks: 1
Mapping is _____ way of visualizing a given function.
Select the correct option
an analytical
a geometrical
a numerical
none of the above
Click to Save Answer & Move to Next Question

9.16KB/s 8:29 77%

Quiz

MC180404580: NAVEED AHMED

Time Left 86 sec(s)

MTH632:Grand Quiz

Quiz Start Time: 08:10 AM, 01 July 2020

Question # 16 of 30 (Start time: 08:27:51 AM, 01 July 2020) Total Marks: 1


$If\ f(z) = z^2,\ g(z) = \frac{1}{z},\ \text{then}\ g(f(3)) =$ _____.

Select the correct option

Reload Math Equations

- 1/9
- 9
- 3
- 1/3

Click to Save Answer & Move to Next Question



MC180404580: NAVEED AHMED

Time Left 87 sec(s)

MTH632:Grand Quiz

Quiz Start Time: 08:10 AM, 01 July 2020

Question # 19 of 30 (Start time: 08:30:55 AM, 01 July 2020)

Total Marks: 1

The sequence $z_n = -3 + i\frac{1}{n^3}$ $(n = 1, 2, 3, \ldots)$ for $n \to \infty$ converges to _____.

Select the correct option

Reload Math Equations

- i
- -1
- 1
- -3

Click to Save Answer & Move to Next Question



5.62KB/s 8:33 76%

Quiz

MC180404580: NAVEED AHMED

Time Left 87 sec(s)

MTH632:Grand Quiz

Quiz Start Time: 08:10 AM, 01 July 2020

Question # 20 of 30 (Start time: 08:31:36 AM, 01 July 2020)

Total Marks: 1


$Consider \lim_{z \to z_0} f(z) = A \ and \lim_{z \to z_0} g(z) = B. \ Then \lim_{z \to z_0} (f(z)g(z)) =$ _____.


Select the correct option

Reload Math Equations

○	$A + B$
○	$A - B$
○	$A.B$
○	$A \pm B$

Click to Save Answer & Move to Next Question


3.56KB/s
8:35
74%
Quiz
MC180404580: NAVEED AHMED
Time Left 86 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 08:10 AM, 01 July 2020
Question # 22 of 30 (Start time: 08:34:00 AM, 01 July 2020)
Total Marks: 1
The Jordan Curve Theorem guarantees that a simple closed curve must enclose a region.
Select the correct option
Euler curve
Jordan curve
Simple curve
Rotation curve
Click to Save Answer & Move to Next Question


quiz.vu.edu.pk/QuizQuestio
MC180404545: SABEEHA AKRAM
MTH632:Grand Quiz
Question # 16 of 30 (Start time: 08:32:08 AM, 01 July 2020)
Let z = 3, then arg(z) = _____.
Select the correct option
0 degree
60 degree
90 degree
270 degree

1.08KB/s 8:39 73%

Quiz

MC180404580: NAVEED AHMED

Time Left 83 sec(s)

MTH632:Grand Quiz

Quiz Start Time: 08:10 AM, 01 July 2020

Question # 26 of 30 (Start time: 08:37:52 AM, 01 July 2020)


Total Marks: 1

A function f(z) is analytic function if _____ part f(z) is analytic.

Select the correct option

- (a) real
- (b) imaginary
- (c) both (a) and (b).
- (d) none of these.

Click to Save Answer & Move to Next Question


8.29KB/s
8:36
74%
Quiz
MC180404580: NAVEED AHMED
Time Left 82 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 08:10 AM, 01 July 2020
Question # 23 of 30 (Start time: 08:34:55 AM, 01 July 2020)
Total Marks: 1
Consider $\lim_{z\to z_0} f(z) = A$ and $\lim_{z\to z_0} g(z) = B$. Then $\lim_{z\to z_0}(f(z) \pm g(z)) =$ _____.
Select the correct option
Reload Math Equations
A
$A + B$
$A - B$
$A \pm B$
Click to Save Answer & Move to Next Question

3.78KB/s 8:38 73%

Quiz

MC180404580: NAVEED AHMED

Time Left 87 sec(s)

MTH632:Grand Quiz

Quiz Start Time: 08:10 AM, 01 July 2020

Question # 25 of 30 (Start time: 08:37:12 AM, 01 July 2020) Total Marks: 1

$$If\ f(z) = z^3,\ g(z) = z + 2,\ \text{then}\ g(f(4)) =$$

Select the correct option

Reload Math Equations

- 4
- 16
- 64
- 66

Click to Save Answer & Move to Next Question

17.8KB/s 8:37 73%

Quiz

MC180404580: NAVEED AHMED

Time Left 83 sec(s)

MTH632:Grand Quiz

Quiz Start Time: 08:10 AM, 01 July 2020

Question # 24 of 30 (Start time: 08:35:41 AM, 01 July 2020) Total Marks: 1


Any polynomial $p(z) = a_0 + a_1 z + a_2 z^2 + \ldots + a_n z^n \ (a_n \neq 0)$, of degree $n (n \geq 1)$ has least one zero, i.e. there exists at least _____ z_0, such that $P(z_0) = 0$.


Select the correct option


Reload Math Equations


- n points
- 10 points
- one point
- no points

Click to Save Answer & Move to Next Question


LMS-Virtual University of Pakista
Quiz
Not secure | quiz.vu.edu.pk/QuizQuestion.aspx?ver=9a5aee
MC180404545: SABEEHA AKRAM
MTH632:Grand Quiz
Question # 20 of 30 (Start time: 08:38:45 AM, 01 July 2020)
Sum of complex numbers (3 + 2i) and (1 + 7i) is _____.
Select the correct option
4 + 9i
3+7i
3+14i
3+9i


WhatsApp 8:41 AM
Quiz
MC180404580: NAVEED AHMED
Time Left 86 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 08:10 AM, 01 July 2020
Question # 29 of 30 (Start time: 08:40:20 AM, 01 July 2020)
Total Marks: 1
Harmonic conjugate of $u(x,y) = e^y \cos x$ is _____.
Select the correct option
Reload Math Equations
$e^y \sin x + c$
$-e^y \sin x + c$
$e^x \sin y + c$
$e^x \cos y + c$
Click to Save Answer & Move to Next Question


Question # 23 of 30 (Start time: 08:41:49 AM, 01 July 2020)
The sequence $z_n = \frac{i}{n^3}$ $(n = 1, 2, 3, \ldots)$ for $n \to \infty$ converges to _____.
Select the correct option
Reload Math Equa
0
1/2
1
infinity
Desktop
ENG
US


iz
.pk/QuizQuestion.aspx?ver=d97cc841-352e-4152-913c-943a0bedd770
M, 01 July 2020)
If we write $\Delta z = z - z_0$, then the equation $f'(z_0) = \lim_{z \to z_0} \frac{f(z) - f(z_0)}{z - z_0}$ can be expressed as $f'(z_0) =$ _____
$\lim_{z \to z_0} \frac{f(z) - f(z_0)}{\Delta z}$
$\lim_{\Delta z \to 0} \frac{f(\Delta z) - f(z_0)}{\Delta z}$
$\lim_{\Delta z \to 0} \frac{f(z_0 + \Delta z) - f(z_0)}{\Delta z}$
$\lim_{\Delta z \to 0} \frac{f(z_0 + \Delta z)}{\Delta z}$

tion.aspx?ver=70952c7a-552c-4b20-a6af-878797a4537f

)


Consider $\lim_{z \to z_0} f(z) = A$ *and* $\lim_{z \to z_0} g(z) = B$. *Then* $\lim_{z \to z_0} (f(z)g(z)) =$ _____.


$A + B$


$A - B$


$A \cdot B$

$A \pm B$


LMS-Virtual University of Pakista
Quiz
Not secure | quiz.vu.edu.pk/QuizQuestion.aspx
MC180404545: SABEEHA AKRAM
MTH632:Grand Quiz
Question # 25 of 30 (Start time: 08:44:51 AM, 01 July 2020)
A curve is called _____ if it does not cross itself.
Select the correct option
closed curve
open curve
simple curve
parallel curve


LMS-Virtual University of Pakista
Quiz
Not secure | quiz.vu.edu.pk/QuizQuestion.aspx?ver=7
MC180404545: SABEEHA AKRAM
MTH632:Grand Quiz
Question # 29 of 30 (Start time: 08:50:06 AM, 01 July 2020)
If U and V are harmonic functions then f(Z) = U + i V is _____.
Select the correct option
analytic function
need not be analytic function
analytic function only at Z=0
None of these


H632 Grand Quiz
Quiz Start Time: 08:12 AM, 01 July 2020
estion # 28 of 30 (Start time: 08:49:02 AM, 01 July 2020)
Total Marks: 1
If $f(z) = z^3$, $g(z) = z + 2$, then $g(f(5)) =$
elect the correct option
Reload Math Equations
7
125
127
130
Desktop
ENG
US
8:49 AM
7/1/2020


Quiz
Not secure | quiz.vu.edu.pk/QuizQuestic
MC180404545: SABEEHA AKRAM
MTH632:Grand Quiz
Question # 30 of 30 (Start time: 08:50:56 AM, 01 July 2020)
Let z = 1 + i, then arg(z) = _____.
Select the correct option
2π/4
3π/4
4π/4
π/4

17.8KB/s 8:37 73%

Quiz

MC180404580: NAVEED AHMED

Time Left 83 sec(s)

MTH632:Grand Quiz

Quiz Start Time: 08:10 AM, 01 July 2020

Question # 24 of 30 (Start time: 08:35:41 AM, 01 July 2020)

Total Marks: 1

Any polynomial $p(z) = a_0 + a_1 z + a_2 z^2 + \ldots + a_n z^n \ (a_n \neq 0)$, of degree $n (n \geq 1)$ has least one zero, i.e. there exists at least _____ z_0, such that $P(z_0) = 0$.

Select the correct option

Reload Math Equations

- n points
- 10 points
- one point
- no points

Click to Save Answer & Move to Next Question

WhatsApp 8:39 AM
Message from +92 308 8038598 @ Mth632 grand quize 1

MC180404580: NAVEED AHMED

Time Left 83 sec(s)

MTH632:Grand Quiz

Quiz Start Time: 08:10 AM, 01 July 2020

Question # 27 of 30 (Start time: 08:38:22 AM, 01 July 2020) Total Marks: 1

If -8i = 8 exp[i (-π/2+2kπ)], then the root of

$$(-8i)^{1/3}$$

for k=0 is _____.

Select the correct option

Reload Math Equations

○	$\sqrt{3}-i$
○	$\sqrt{3}+i$
○	$2(\sqrt{3}-i)$
○	$2(\sqrt{3}+i)$

Click to Save Answer & Move to Next Question

+

3a4b13b-babe-45d5-8af0-95700b5f8254

$$f(z) = \frac{1}{z^2 + 1}$$

$z \neq \pm 1$

$z \neq \pm 2$

$z \neq \pm i$

$z \neq 0$



LMS-Virtual University of Pakista | Quiz

Not secure | quiz.vu.edu.pk/QuizQuestion.aspx?ver=5bb0a113-fc78-494a-b544-20b75b8951e6

MC180404545: SABEEHA AKRAM

MTH632:Grand Quiz


Question # 17 of 30 (Start time: 08:34:08 AM, 01 July 2020)

Domain of the function

$$f(z) = \frac{1}{z^2 - 1}$$

Select the correct option

- $z \neq \pm 1$
- $z \neq \pm 2$
- $z \neq \pm i$
- $z \neq 0$



MTH632:Grand Quiz

Question # 18 of 30 (Start time: 08:35:43 AM, 01 July 2020)

Quiz Sta

If -8i = 8 exp[i (-π/2+2kπ)], then the root of

$(-8i)^{1/3}$

for k=2 is _____

Select the correct option

- $\sqrt{3}-i$
- $\sqrt{3}+i$
- $-\sqrt{3}-i$
- $-\sqrt{3}+i$

Question # 14 of 30 (Start time: 08:29:01 AM, 01 July 2020)

Total Marks: 1

Given a complex-valued function

$s(t)$,

a rotation by an angle


Select the correct option

Reload Math Equations

- $e^{\frac{\pi}{3}}s(t)$
- $e^{\frac{2\pi}{3}}s(t)$
- $e^{\frac{\pi}{2}}s(t)$
- none of the above

Desktop

ENG US 8:29 AM 7/1/2020


LMS-Virtual University of Pakista
Quiz
Not secure
quiz.vu.edu.pk/QuizQuestion.aspx?ve
MC180404545: SABEEHA AKRAM
MTH632:Grand Quiz
Question # 15 of 30 (Start time: 08:30:34 AM, 01 July 2020)
A complex-valued linear transformation could be a composition of
Select the correct option
translation
rotation
magnification
all of the above

$s(t)$,

$e^{\frac{3i\pi}{3}} s(t)$

$e^{\frac{2i\pi}{3}} s(t)$

$e^{\frac{i\pi}{3}} s(t)$



1.18KB/s 8:30 77%

Quiz

MC180404580: NAVEED AHMED

Time Left 85 sec(s)

MTH632:Grand Quiz

Quiz Start Time: 08:10 AM, 01 July 2020

Question # 17 of 30 (Start time: 08:28:56 AM, 01 July 2020) Total Marks: 1

Domain of the function

$$f(z) = \frac{1}{z + \bar{z}}$$

Select the correct option

Reload Math Equations

○	$z \neq \pm 1$
○	$z \neq \pm 2$
○	$z \neq \pm i$
○	$z \neq 0$

Click to Save Answer & Move to Next Question


$s(t)$,

$e^{\frac{3i\pi}{3}} s(t)$

$e^{\frac{2i\pi}{3}} s(t)$

$e^{\frac{i\pi}{3}} s(t)$




MC180404545: SABEEHA AKRAM

Time Left 66 sec(s)

MTH632:Grand Quiz

Quiz Start Time: 08:12 AM, 01 July 202

Question # 12 of 30 (Start time: 08:26:22 AM, 01 July 2020)

Total Marks:

A complex power function is a function of the form _____, where

a

is a complex constant

Select the correct option

Reload Math Equations

- $f(z) = z^a$
- $f(z) = a^z$
- $f(a) = z^a$
- $f(a) = a^z$

Example:-

Consider the function $f(z) = z^2$

Sol:-

If $z = x+iy$, $f(x+iy) = (x+iy)^2$

$f(x+iy) = x^2 - y^2 + i(2xy)$

Since $f(z) = z^2$ is an entire

4.25KB/s 8:24 79%

Quiz

MC180404580: NAVEED AHMED

Time Left 85 sec(s)

MTH632:Grand Quiz

Quiz Start Time: 08:10 AM, 01 July 2020

Question # 12 of 30 (Start time: 08:22:54 AM, 01 July 2020) Total Marks: 1

Domain of the function

$$f(z) = \frac{1}{z^2}$$

Select the correct option

Reload Math Equations

○	$z \neq \pm 1$
○	$z \neq \pm 2$
○	$z \neq \pm i$
○	$z \neq 0$

Click to Save Answer & Move to Next Question

LMS-Virtual University of Pakista × Quiz

Not secure | quiz.vu.edu.pk/QuizQuestion.as

MC180404545: SABEEHA AKRAM


MTH632:Grand Quiz

Question # 9 of 30 (Start time: 08:22:30 AM, 01 July 2020)

If $f(z)=z^2$, then $f(x+iy)=$ _____.

Select the correct option

○	$x^2 - y^2 + 2xyi$
○	$x^2 + y^2 - 2xyi$
○	$x^2 + y^2 i - 2xyi$
○	$x^2 - y^2 i - 2xyi$


MC180404545: SABEEHA AKRAM
MTH632:Grand Quiz
Quiz Start Time: 08:12 AM, 01 July 2020
Question # 8 of 30 (Start time: 08:21:07 AM, 01 July 2020)
Total Marks: 1
If Cauchy – Riemann equations are not satisfied at a point z_0 then function is not _____ at z_0.
Select the correct option
Reload Math Equations
integrable
differentiable
Click to Save Answer & Move to Next Question
Desktop
ENG
US
8:21 AM
7/1/2020

LMS-Virtual University of Pakista: × Quiz

Not secure | quiz.vu.edu.pk/QuizQuesti

MC180404545: SABEEHA AKRAM

MTH632:Grand Quiz


Question # 6 of 30 (Start time: 08:18:36 AM, 01 July 2020)

If -8i = 8 exp[i (-π/2+2kπ)], then the root of

for k=0 is _____.

Select the correct option

○	$\sqrt{3} - i$
○	$\sqrt{3} + i$
○	$2(\sqrt{3} - i)$
○	$2(\sqrt{3} + i)$


TH632:Grand Quiz
Time Left 73 sec(s)
Quiz Start Time: 08:12 AM, 01 July 2020
uestion # 7 of 30 (Start time: 08:19:52 AM, 01 July 2020)
Total Marks: 1
If $f(z) = z^3$, $g(z) = z + 2$, then $g(f(4)) =$
elect the correct option
Reload Math Equations
4
16
64
66
Desktop
ENG US
8:20 AM
7/1/2020

as the parameter increases we move from initial point z(a) to the terminal point z(b) on the curve.

Closed Curve -

If initial point and terminal z[a] points are equal then the curve C is said to be called closed curve.

Example:

curve C defines is

LMS-Virtual University of Pakista... | Quiz

Not secure | quiz.vu.edu.pk/QuizQuestion.aspx?ver=

MC180404545: SABEEHA AKRAM

MTH632:Grand Quiz

Question # 5 of 30 (Start time: 08:17:11 AM, 01 July 2020)

Harmonic conjugate of $u(x, y) = e^y \cos x$ is _____

Select the correct option

- $e^y \sin x + c$
- $-e^y \sin x + c$
- $e^x \sin y + c$
- $e^x \cos y + c$

5.67KB/s 8:17 81%

Quiz

MC180404580: NAVEED AHMED

Time Left 87 sec(s)

MTH632:Grand Quiz

Quiz Start Time: 08:10 AM, 01 July 2020

Question # 6 of 30 (Start time: 08:16:30 AM, 01 July 2020)


Total Marks: 1

If initial point and terminal points are equal then the curve C is said to be_____.

Select the correct option

- closed curve
- open curve
- simple curve
- parallel curve

Click to Save Answer & Move to Next Question



Scanned by CamScanner
Scanned with CamScanner

$$Z = 1 + i$$

$$r = \sqrt{x^2 + y^2}$$

$$r = \sqrt{(1)^2 + (1)^2}$$

$$r = \sqrt{1 + 1}$$

$$r = \sqrt{2}.$$

5.47KB/s 8:17 81%

Quiz

MC180404580: NAVEED AHMED

Time Left 86 sec(s)

MTH632:Grand Quiz

Quiz Start Time: 08:10 AM, 01 July 2020

Question # 5 of 30 (Start time: 08:15:39 AM, 01 July 2020)

Total Marks: 1

$$Consider \lim_{z \to z_0} f(z) = A \text{ and } \lim_{z \to z_0} g(z) = B. \text{ Then } \lim_{z \to z_0} \frac{f(z)}{g(z)} = _____.$$


Select the correct option


Reload Math Equations


○	$\frac{A}{B},\ B \neq 0$
○	$A + B$
○	$A - B$
○	$A.B$


Click to Save Answer & Move to Next Question


1



MC180404545 SABEEHA AKRAM
MTH632 Grand Quiz
Question # 4 of 30 (Start time: 08:16:04 AM, 01 July 2020)
Time Left 72 sec(s)
Quiz Start Time: 08:12 AM, 01 July 2020
Total Marks: 1
If $f(z) = z^2$, $g(z) = \frac{1}{z}$, then $g(f(4)) =$
Select the correct option
4
16
1/4
1/16
Reload Math Equations



Not secure | quiz.vu.edu.pk/QuizQu
MC180404545: SABEEHA AKRAM
MTH632:Grand Quiz
Question # 2 of 30 (Start time: 08:13:30 AM, 01 July 2020
Conjugate of complex number -7-4i is _____.
Select the correct option
-7-4i
7-4i
-7+4i
7+4i


545: SABEEHA AKRAM
MTH632:Grand Quiz
Question # 3 of 30 (Start time: 08:14:50 AM, 01 July 2020)
Let z = 1 + i, then r = _____.
Select the correct option
√2
√3
2
1


5:18
78
quiz.vu.edu.pk/QuizQue
2
MC180402844: USMAN ALI
Time Left 85 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 05:16 AM, 01 July 2020
Question # 5 of 30 (Start time: 05:18:13 AM, 01 July 2020)
Total Marks: 1
Any polynomial $p(z) = a_0 + a_1 z + a_2 z^2 + \ldots + a_n z^n$ $(a_n \neq 0)$, of degree $n (n \geq 1)$ has least one zero, i.e. there exists at least _____ z_0, such that $P(z_0) = 0$.
Select the correct option
Reload Math Equations
n points
10 points
one point
no points
Click to Save Answer & Move to Next Question


5:17
78
quiz.vu.edu.pk/QuizQue
2
MC180402844: USMAN ALI
Time Left 86 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 05:16 AM, 01 July 2020
Question # 1 of 30 (Start time: 05:16:56 AM, 01 July 2020)
Total Marks: 1
If -8i = 8 exp[i (-π/2+2kπ)], then the root of
$(-8i)^{1/3}$
for k=1 is _____.
Select the correct option
Reload Math Equations
3i
-3i
2i
-2i
Click to Save Answer & Move to Next Question


5:22
77
quiz.vu.edu.pk/QuizQue
2
MC180402844: USMAN ALI
Time Left 87 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 05:16 AM, 01 July 2020
Question # 18 of 30 (Start time: 05:22:55 AM, 01 July 2020)
Total Marks: 1
If a function f(z) = u(x,y) + iv(x,y) is analytic in a domain D, then its component functions u and v are _____ in D.
Select the correct option
equal
steady
harmonic
homogeneous
Click to Save Answer & Move to Next Question


5:18
78
quiz.vu.edu.pk/QuizQue
2
MC180402844: USMAN ALI
Time Left 88 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 05:16 AM, 01 July 2020
Question # 6 of 30 (Start time: 05:18:46 AM, 01 July 2020)
Total Marks: 1
If $f(z) = z^3$, $g(z) = z + 2$, then $g(f(5)) =$
Select the correct option
Reload Math Equations
7
125
127
130
Click to Save Answer & Move to Next Question

0.82KB/s 8:20 80%

Quiz

MC180404580: NAVEED AHMED

Time Left 79 sec(s)

MTH632:Grand Quiz

Quiz Start Time: 08:10 AM, 01 July 2020

Question # 8 of 30 (Start time: 08:19:22 AM, 01 July 2020)


Total Marks: 1


Let z = 7 i, then r = _____.


Select the correct option

- 1
- 2
- 4
- 7

Click to Save Answer & Move to Next Question


5:20
77
quiz.vu.edu.pk/QuizQue
2
MC180402844: USMAN ALI
Time Left 88 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 05:16 AM, 01 July 2020
Question # 11 of 30 (Start time: 05:20:20 AM, 01 July 2020)
Total Marks: 1
Product of complex numbers (3 + 2i) and (1+7i) is _____.
Select the correct option
3+9i
4+9i
-11+23i
3+14i
Click to Save Answer & Move to Next Question



0.52KB/s
8:21
80%
Quiz
MC180404580: NAVEED AHMED
Time Left 81 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 08:10 AM, 01 July 2020
Question # 9 of 30 (Start time: 08:20:00 AM, 01 July 2020)
Total Marks: 1
If Cauchy – Riemann equations are not satisfied at a point z_0 then function is not _____ at z_0.
Select the correct option
Reload Math Equations
integrable
differentiable
Click to Save Answer & Move to Next Question



73. A point z_0 is **interior point** of a
74. A point z_0 is **exterior point** of a
75. A point z_0 is **boundary point** of a se
76. A set S is called an **Open Set** if every poi
77. A set S is called a **Closed Set** if it contains all
78. A point z_0 is called an **accumulation Point** of a
79. If a set is closed then it contains all its accumulation
80. **Closure of a set** S is the closed set consisting of all point
81. Some sets are neither open nor closed.
Some sets are open as well as closed.
A curve is piece of string placed on a flat surface.
A curve is called **simple** if it does not cross itself.
A curve C is the range of a function given by $z(t)=(x(t),y(t))=x(t)+iy(t)$ w
A set S is said to be **connected** if for every points $z1, z2 \in S$ there is a
Connected open set is called a domain.
A set is said to be **bounded set** if it can be completely contained in some closed disk.
A set which is not bounded is called unbounded.

ABU SULTAN

Module # 29



73. A point z_0 is **interior point** of a
74. A point z_0 is **exterior point** of a
75. A point z_0 is **boundary point** of a se
76. A set S is called an **Open Set** if every poi
77. A set S is called a **Closed Set** if it contains all
78. A point z_0 is called an **accumulation Point** of a
79. If a set is closed then it contains all its accumulation
80. **Closure of a set** S is the closed set consisting of all point
81. Some sets are neither open nor closed.
Some sets are open as well as closed.
A curve is piece of string placed on a flat surface.
A curve is called **simple** if it does not cross itself.
A curve C is the range of a function given by $z(t)=(x(t),y(t))=x(t)+iy(t)$ w
A set S is said to be **connected** if for every points $z1, z2 \in S$ there is a
Connected open set is called a domain.
A set is said to be **bounded set** if it can be completely contained in some closed disk.
A set which is not bounded is called unbounded.

ABU SULTAN

Module # 29

1.50KB/s 8:22 80%

Quiz

MC180404580: NAVEED AHMED

Time Left 83 sec(s)

MTH632:Grand Quiz

Quiz Start Time: 08:10 AM, 01 July 2020

Question # 10 of 30 (Start time: 08:20:35 AM, 01 July 2020) Total Marks: 1

A curve is called _____ if it does not cross itself.

Select the correct option

- closed curve
- open curve
- simple curve
- parallel curve

Click to Save Answer & Move to Next Question

3.93KB/s 8:23 79%

Quiz

MC180404580: NAVEED AHMED

Time Left 87 sec(s)

MTH632:Grand Quiz

Quiz Start Time: 08:10 AM, 01 July 2020


Question # 11 of 30 (Start time: 08:22:07 AM, 01 July 2020) Total Marks: 1

If a function f(z) = u(x,y) + iv(x,y) is analytic in a domain D, then its component functions u and v are _____ in D.

Select the correct option

- equal
- steady
- harmonic
- homogeneous

Click to Save Answer & Move to Next Question


5:20
77
quiz.vu.edu.pk/QuizQue
2
MC180402844: USMAN ALI
Time Left 88 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 05:16 AM, 01 July 2020
Question # 12 of 30 (Start time: 05:20:48 AM, 01 July 2020)
Total Marks: 1
A complex power function is a function of the form _____ where
α
is a complex constant.
Select the correct option
Reload Math Equations
$f(z) = z^{\alpha}$
$f(z) = \alpha^{z}$
$f(\alpha) = z^{\alpha}$
$f(\alpha) = \alpha^{z}$
Click to Save Answer & Move to Next Question

4G 3G 5:23

77

quiz.vu.edu.pk/QuizQue

2

MC180402844: USMAN ALI

Time Left 88 sec(s)

MTH632:Grand Quiz

Quiz Start Time: 05:16 AM, 01 July 2020

Question # 21 of 30 (Start time: 05:23:41 AM, 01 July 2020) Total Marks: 1

Given a complex-valued function

$$s(t),$$


a rotation by an angle


Select the correct option

Reload Math Equations

- $e^{\frac{3i\pi}{T}} s(t)$
- $e^{\frac{3i\pi}{3}} s(t)$
- $e^{\frac{i\pi}{T}} s(t)$
- none of the above

Click to Save Answer & Move to Next Question


5:21
77
quiz.vu.edu.pk/QuizQue
2
MC180402844: USMAN ALI
Time Left 88 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 05:16 AM, 01 July 2020
Question # 14 of 30 (Start time: 05:21:43 AM, 01 July 2020)
Total Marks: 1
Domain of the function
$f(z) = \frac{1}{z^2 - 1}$
Select the correct option
Reload Math Equations
$z \neq \pm 1$
$z \neq \pm 2$
$z \neq \pm i$
$z \neq 0$
Click to Save Answer & Move to Next Question


5:24
77
quiz.vu.edu.pk/QuizQue
2
MC180402844: USMAN ALI
Time Left 84 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 05:16 AM, 01 July 2020
Question # 24 of 30 (Start time: 05:24:52 AM, 01 July 2020)
Total Marks: 1
The complex number
$(4i)^4$
have _____ number of roots.
Select the correct option
Reload Math Equations
1
2
3
4
Click to Save Answer & Move to Next Question

Question # 28 of 30 (Start time: 05:26:10 AM, 01 July 2020) Total Marks: 1

Let z = 7 i, then r = _____.

Select the correct option

- 1
- 2
- 4
- 7

Click to Save Answer & Move to Next Question

$u(x, y) = e^y \cos x$

$u_x = -e^y \sin x$.

As if a function u is harmonic conjugate of other than it satisfies C-R- equations. So,

$u_x = V_y$

$-e^y \sin x = V_y$

$\int V_y = \int -e^y \sin x \, dy$

$V = -e^y \sin x + C$

$$r = \sqrt{x^2 + y^2}$$

$$\sqrt{(1)^2 + (1)^2} = \sqrt{1+1} = \sqrt{2}$$

89%

Quiz
quiz.vu.edu.pk

MC180404292: SHUMAILA KHAIR MUHAMMAD

MTH632:Grand Quiz

Quiz Start Time

Question # 20 of 30 (Start time: 07:56:52 AM, 01 July 2020)


Domain of the function


$$f(z) = \frac{1}{z + \bar{z}}$$


Select the correct option


- $z \neq \pm 1$
- $z \neq \pm 2$
- $z \neq \pm i$
- $z \neq 0$

Click to Save Answer


88% 8:05 am
Quiz
quiz.vu.edu.pk
MC180404292: SHUMAILA KHAIR MUHAMMAD
MTH632:Grand Quiz
Question # 26 of 30 (Start time: 08:03:43 AM, 01 July 2020)
Product of complex numbers (3 + 2i) and (1+7i) is _____.
Select the correct option
3+9i
4+9i
-11+23i
3+14i


SAMSUNG
90%
Quiz
quiz.vu.edu.pk
MC180404292: SHUMAILA KHAIR MUHAMMAD
MTH632:Grand Quiz
Quiz Start Time: 07:
Question # 14 of 30 (Start time: 07:52:13 AM, 01 July 2020)
The complex number
$(4i)^4$
have _____ number of roots.
Select the correct option
1
2
3
4


92% 7:43 am
Quiz
quiz.vu.edu.pk
MC180404292: SHUMAILA KHAIR MUHAMMAD
Time Left 78 sec(s)
MTH632:Grand Quiz
Quiz Start Time: 07:37 AM, 01 July 20
Question # 5 of 30 (Start time: 07:41:27 AM, 01 July 2020)
Total Mark
If -8i = 8 exp[i (-π/2+2kπ)], then the root of
$(-8i)^{1/3}$
for k=2 is
Select the correct option
Reload Math Equatio
$\sqrt{3}-i$
$\sqrt{3}+i$
$-\sqrt{3}-i$
$-\sqrt{3}+i$


SAMSUNG
90% 7:52 a
Quiz
quiz.vu.edu.pk
MC180404292: SHUMAILA KHAIR MUHAMMAD
MTH632:Grand Quiz
Quiz Start Tim
Question # 13 of 30 (Start time: 07:50:38 AM, 01 July 2020)
If -8i = 8 exp[i (-π/2+2kπ)], then the root of
$(-8i)^{1/3}$
for k=0 is _____.
Select the correct option
$\sqrt{3}-i$
$\sqrt{3}+i$
$2(\sqrt{3}-i)$
$2(\sqrt{3}+i)$