

VU Medical Zone

STA 301 MIDTERM

STA301:Grand Quiz_Sta301

sec(s)
Quiz Start Time: 12:38 PM, 12 July 2020

Question # 1 of 30 (Start time: 12:38:59 PM, 12 July 2020)

Total Marks: 1

A diagram in which each circle is divided into different sectors is called

Select the correct option

☐	Simple Bar Chart	
☐	Multiple Bar Chart	
☐	Component Bar Chart	
☒	Pie Chart	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com

Click to Save Answer & Move to Next Question

Windows taskbar showing icons for Internet Explorer, VLC, File Explorer, Firefox, Adobe Reader, and Chrome. System tray shows the time as 12:39 PM on 12-Jul-20 and a 'Time Left' indicator.

STA301:Grand Quiz_Sta301

Quiz Start Time: 12:38 PM, 12 July 2020

Question # 2 of 30 (Start time: 12:40:12 PM, 12 July 2020)

Total Marks: 1

Dividing interquartile range by 2 we get:

Select the correct option

☐	Co-efficient of range	
☐	Mid range	
☒	Semi Inter Quartile Range	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	None of the above	

Click to Save Answer & Move to Next Question

Windows taskbar showing icons for Internet Explorer, VLC, File Explorer, Firefox, Adobe Reader, and Chrome. System tray shows the time as 12:41 PM on 12-Jul-20.

EFFORT BY AMAAN KHAN

VU Medical Zone

STA301:Grand Quiz_Sta301

Quiz Start Time: 12:38 PM, 12 July 2020

Question # 3 of 30 (Start time: 12:41:21 PM, 12 July 2020)

Total Marks: 1

If X_m is maximum and X_0 is minimum value in a data set then formula for co-efficient of dispersion is as:

Select the correct option

Reload Math Equations

☐	$\frac{X_m - X_0}{X_0 - X_m}$	
☒	$\frac{X_m - X_0}{X_m + X_0}$	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	$\frac{X_0 + X_m}{X_0 - X_m}$	
☐	$\frac{X_m + X_0}{X_m - X_0}$	

Click to Save Answer & Move to Next Question



STA301:Grand Quiz_Sta301

Quiz Start Time: 12:38 PM, 12 July 2020

Question # 4 of 30 (Start time: 12:42:30 PM, 12 July 2020)

Total Marks: 1

What is the median for the following data:

1,1,2,2,5,5,7,7,7

Select the correct option

☐	1	
☐	2	
☒	5	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	7	

Click to Save Answer & Move to Next Question



EFFORT BY AMAAN KHAN

VU Medical Zone

STA301:Grand Quiz_Sta301

Quiz Start Time: 12:38 PM, 12 July 2020

Question # 5 of 30 (Start time: 12:43:17 PM, 12 July 2020)

Total Marks: 1

In case of a frequency distribution, the 7th decile is given by the formula:

Select the correct option

☐	$h + \frac{h}{f} \left(\frac{n}{10} - 10c \right)$	
☒	$h + \frac{h}{f} \left(7n/10 - c \right)$	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	$h + \frac{7h}{f} \left(\frac{n}{10} - c \right)$	
☐	$h + \frac{f}{h} \left(7n/10 - c \right)$	



Click to Save Answer & Move to Next Question



12:44 PM
12-Jul-20

STA301:Grand Quiz_Sta301

Quiz Start Time: 12:38 PM, 12 July 2020

Question # 6 of 30 (Start time: 12:44:51 PM, 12 July 2020)

Total Marks: 1

Using the following table, choose the correct answer;

X	2	3	4	5
f(x)	1/36	2/36	3/36	4/36

$P(2 < X < 4)$ equals to:

Select the correct option

☐	5/36	
☐	2/36	
☒	1/6	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	3/36	

Click to Save Answer & Move to Next Question



12:45 PM
12-Jul-20

EFFORT BY AMAAN KHAN

VU Medical Zone

STA301:Grand Quiz_Sta301

Quiz Start Time: 12:38 PM, 12 July 2020

Question # 7 of 30 (Start time: 12:45:41 PM, 12 July 2020)

Total Marks: 1

For a symmetrical distribution, b_1 is always:

Please make sure D is also suspected answer

Select the correct option

☐	Less than 1	
☒	Greater than 1	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	Equal to 0	
☐	Less or equal to 1	

[Click to Save Answer & Move to Next Question](#)



STA301:Grand Quiz_Sta301

Quiz Start Time: 12:38 PM, 12 July 2020

Question # 8 of 30 (Start time: 12:47:21 PM, 12 July 2020)

Total Marks: 1

For a Normal distribution, b_2 (moment ratio) will be:

Select the correct option

☐	Greater than 3	
☐	Less than 3	
☐	Equal to 3	
☒	Equal to zero	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com

[Click to Save Answer & Move to Next Question](#)



EFFORT BY AMAAN KHAN

VU Medical Zone

STA301:Grand Quiz_Sta301

Quiz Start Time: 12:38 PM, 12 July 2020

Question # 9 of 30 (Start time: 12:49:13 PM, 12 July 2020)

Total Marks: 1

Formula for Semi Interquartile Range is:

Select the correct option

[Reload Math Equations](#)

☒	$\frac{Q_3 - Q_1}{2}$	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	$\frac{Q_1 + Q_3}{2}$	
☐	$Q_1 - Q_3$	
☐	$\frac{Q_1 + Q_3}{2}$	

[Click to Save Answer & Move to Next Question](#)



MC160401985: Zarmeena Iqbal

Time Left 22 sec(s)

STA301:Grand Quiz_Sta301

Quiz Start Time: 12:38 PM, 12 July 2020

Question # 10 of 30 (Start time: 12:50:45 PM, 12 July 2020)

Total Marks: 1

Relationships among the averages

Please make sure

Select the correct option

☐	HM>GM>AM	
☐	GM<=HM<=AM	
☒	HM<=GM<=AM	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	None of the above	

[Click to Save Answer & Move to Next Question](#)



EFFORT BY AMAAN KHAN

VU Medical Zone

STA301:Grand Quiz_Sta301

Quiz Start Time: 12:38 PM, 12 July 2020

Question # 11 of 30 (Start time: 12:52:19 PM, 12 July 2020)

Total Marks: 1

An ogive is a

Select the correct option

- | | | |
|----------------------------------|------------------------------|---|
| ☐ | Frequency polygon | |
| ☐ | Frequency curve | |
| ☒ | Cumulative frequency polygon | Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com |
| ☐ | Frequency histogram | |

Click to Save Answer & Move to Next Question



STA301:Grand Quiz_Sta301

Quiz Start Time: 12:38 PM, 12 July 2020

Question # 12 of 30 (Start time: 12:52:57 PM, 12 July 2020)

Total Marks: 1

In scatter diagram, the variable plotted along Y-axis is:

Select the correct option

- | | | |
|----------------------------------|----------------------|---|
| ☐ | Independent variable | |
| ☒ | Dependent variable | Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com |
| ☐ | Continuous variable | |
| ☐ | Discrete variable | |

Click to Save Answer & Move to Next Question



EFFORT BY AMAAN KHAN

VU Medical Zone

STA301:Grand Quiz_Sta301

Quiz Start Time: 12:38 PM, 12 July 2020

Question # 13 of 30 (Start time: 12:54:19 PM, 12 July 2020)

Total Marks: 1

The data which is collected from State bank of pakistan, Ministries of food, Newspapers and some other institution is called

Select the correct option

☐	Primary data	
☐	Sample	
☐	Secondary data	
☒	Census	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com

Click to Save Answer & Move to Next Question



STA301:Grand Quiz_Sta301

Quiz Start Time: 12:38 PM, 12 July 2020

Question # 14 of 30 (Start time: 12:55:14 PM, 12 July 2020)

Total Marks: 1

When the curve is neither very peaked nor very flat, it is called:

Select the correct option

☒	Mesokurtic	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	Leptokurtic	
☐	Platykurtic	
☐	Hetrokurtic	

Click to Save Answer & Move to Next Question



EFFORT BY AMAAN KHAN

VU Medical Zone

STA301:Grand Quiz_Sta301

Quiz Start Time: 12:38 PM, 12 July 2020

Question # 15 of 30 (Start time: 12:55:54 PM, 12 July 2020)

Total Marks: 1

If we roll a die four times, then possible outcomes of the sample space are:

Select the correct option

☒	6	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	36	
☐	216	
☐	1296	

Click to Save Answer & Move to Next Question



12:56 PM
12-Jul-20

STA301:Grand Quiz_Sta301

Quiz Start Time: 12:38 PM, 12 July 2020

Question # 16 of 30 (Start time: 12:56:55 PM, 12 July 2020)

Total Marks: 1

The respondent refuses to answer any of the question is called

Select the correct option

☐	Partial non-response	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☒	Total non-response	
☐	Sample Information	
☐	Target Population	

Click to Save Answer & Move to Next Question



12:57 PM
12-Jul-20

EFFORT BY AMAAN KHAN

VU Medical Zone

STA301:Grand Quiz_Sta301

Quiz Start Time: 12:38 PM, 12 July 2020

Question # 17 of 30 (Start time: 01:00:51 PM, 12 July 2020)

Total Marks: 1

Let A and B are two dependent events such that
 $P(B)=1/3$, $P(A|B)=1/2$ and $P(B|A)=1/3$.
Find $P(A \cap B)$.

Select the correct option

☒	1/6	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com	//
☐	1/9		//
☐	1/2		//
☐	1/3		//

Click to Save Answer & Move to Next Question



1:01 PM
12-Jul-20

STA301:Grand Quiz_Sta301

Quiz Start Time: 12:38 PM, 12 July 2020

Question # 18 of 30 (Start time: 01:01:14 PM, 12 July 2020)

Total Marks: 1

Adding all the squared deviations taken from mean and dividing by the number of observations, we get:

Select the correct option

☒	Standard Deviation	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com	//
☐	Variance		//
☐	Mean Deviation		//
☐	None of the above		//

Click to Save Answer & Move to Next Question



1:01 PM
12-Jul-20

EFFORT BY AMAAN KHAN

VU Medical Zone

STA301:Grand Quiz_Sta301

Quiz Start Time: 12:38 PM, 12 July 2020

Question # 19 of 30 (Start time: 01:01:31 PM, 12 July 2020)

Total Marks: 1

Which of the following measures of dispersion are based on deviations from the mean?

Select the correct option

☐	Variance	
☐	Standard deviation	
☒	Mean deviation	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	All of the these	

[Click to Save Answer & Move to Next Question](#)



STA301:Grand Quiz_Sta301

Quiz Start Time: 12:38 PM, 12 July 2020

Question # 20 of 30 (Start time: 01:03:15 PM, 12 July 2020)

Total Marks: 1

Tickets numbered 1 to 20 are mixed up and then a ticket is drawn at random. What is the probability that the ticket drawn has a number which is a multiple of 3 or 5?

Select the correct option

☐	1/3	
☐	1/2	
☒	8/15	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	2/5	

[Click to Save Answer & Move to Next Question](#)



EFFORT BY AMAAN KHAN

VU Medical Zone

STA301:Grand Quiz_Sta301

Quiz Start Time: 12:38 PM, 12 July 2020

Question # 21 of 30 (Start time: 01:03:57 PM, 12 July 2020)

Total Marks: 1

Mode of 12, 17, 16, 14, 13, 16, 11, 14 is

Select the correct option

☐	13	
☐	11	
☐	14	
☒	14 and 16	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com

Click to Save Answer & Move to Next Question



STA301:Grand Quiz_Sta301

Quiz Start Time: 12:38 PM, 12 July 2020

Question # 22 of 30 (Start time: 01:04:25 PM, 12 July 2020)

Total Marks: 1

Geometric Mean gives the equal weightage to _____ values

Select the correct option

☐	Smaller Values	
☐	Larger Values	
☐	Both smaller and larger values	
☒	All the observations	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com

Click to Save Answer & Move to Next Question



EFFORT BY AMAAN KHAN

VU Medical Zone

STA301:Grand Quiz_Sta301

Quiz Start Time: 12:38 PM, 12 July 2020

Question # 23 of 30 (Start time: 01:05:46 PM, 12 July 2020)

Total Marks: 1

Pearson's coefficient of skewness is equal to:

Select the correct option

☐	Mean-Median/S.D	
☒	Mean-Mode/S.D	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	Mean-2Median/S.D	
☐	Mean-2Mode/S.D	



Click to Save Answer & Move to Next Question



STA301:Grand Quiz_Sta301

Quiz Start Time: 12:38 PM, 12 July 2020

Question # 24 of 30 (Start time: 01:07:14 PM, 12 July 2020)

Total Marks: 1

In a histogram the area of each rectangle is proportional to:

Select the correct option

☒	Frequency of the corresponding class interval	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	The class size of the corresponding class interval	
☐	Cumulative frequency of the corresponding class interval	
☐	The class mark of the corresponding class interval	



Click to Save Answer & Move to Next Question



EFFORT BY AMAAN KHAN

VU Medical Zone

STA301:Grand Quiz_Sta301

Quiz Start Time: 12:38 PM, 12 July 2020

Question # 25 of 30 (Start time: 01:08:22 PM, 12 July 2020)

Total Marks: 1

The standard deviation of -1, -1, -1 will be

Plese make sure

Select the correct option

☐	1	
☐	-1	
☒	0	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	Does not exist	



Click to Save Answer & Move to Next Question



STA301:Grand Quiz_Sta301

Quiz Start Time: 12:38 PM, 12 July 2020

Question # 26 of 30 (Start time: 01:10:03 PM, 12 July 2020)

Total Marks: 1

If
X 0 1 2 3
f(x) 1/6 1/3 1/3 1/6

What will be the mean of the following distribution?

Plese make sure D is also suspected answer

Select the correct option

☐	3/2	
☐	1/2	
☒	4/9	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	1/3	

Click to Save Answer & Move to Next Question



EFFORT BY AMAAN KHAN

VU Medical Zone

STA301:Grand Quiz_Sta301

Quiz Start Time: 12:38 PM, 12 July 2020

Question # 27 of 30 (Start time: 01:10:34 PM, 12 July 2020)

Total Marks: 1

From the following table, what are the frequency of modal class, frequency of the premodal class and frequency of the postmodal class?

Class Boundaries	Frequency
29.95 - 32.95	8
32.95 - 35.95	87
35.95 - 38.95	190
38.95 - 41.95	304
41.95 - 44.95	211

Select the correct option

☐	85,211,20	
☒	190,87,304	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	211,304,85	
☐	304,190 and 211	

Click to Save Answer & Move to Next Question



STA301:Grand Quiz_Sta301

Quiz Start Time: 12:38 PM, 12 July 2020

Question # 28 of 30 (Start time: 01:11:28 PM, 12 July 2020)

Total Marks: 1

Consider a set $A = \{1, 2, 3\}$. What is the number of subsets of A ?

Select the correct option

☒	3	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	6	
☐	8	
☐	9	

Click to Save Answer & Move to Next Question



EFFORT BY AMAAN KHAN

VU Medical Zone

STA301:Grand Quiz_Sta301

sec(s)
Quiz Start Time: 12:38 PM, 12 July 2020

Question # 29 of 30 (Start time: 01:12:24 PM, 12 July 2020)

Total Marks: 1

Number of Hours	Frequency
0 - 9	40
10 - 19	50
20 - 29	70
30 - 39	40

What is its class interval?

Select the correct option

☒	9	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	10	
☐	11	
☐	5	

Click to Save Answer & Move to Next Question



MC200202978: NASIR RASHEED

Time Left 53 sec(s)

STA301:Grand Quiz_Sta301

Quiz Start Time: 09:48 PM, 11 July 2020

Question # 1 of 30 (Start time: 09:48:46 PM, 11 July 2020)

Total Marks: 1

In a linear regression, best fitted line is obtained through:

Select the correct option

☐	Method of moment	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	Method of likelihood	
☒	Method of least square	
☐	Method of semi average	

Click to Save Answer & Move to Next Question



EFFORT BY AMAAN KHAN

VU Medical Zone

MC200202978: NASIR RASHEED

Time Left 48 sec(s)

STA301:Grand Quiz_Sta301

Quiz Start Time: 09:48 PM, 11 July 2020

Question # 5 of 30 (Start time: 09:54:34 PM, 11 July 2020)

Total Marks: 1

In how many ways, a team of 11 players can be chosen from a total of 16 players?

Select the correct option

- | | | |
|----------------------------------|------|---|
| ☐ | 2426 | |
| ☒ | 4368 | Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com |
| ☐ | 5400 | |
| ☐ | 2680 | |

Click to Save Answer & Move to Next Question



MC200202978: NASIR RASHEED

Time Left 17 sec(s)

STA301:Grand Quiz_Sta301

Quiz Start Time: 09:48 PM, 11 July 2020

Question # 6 of 30 (Start time: 09:55:34 PM, 11 July 2020)

Total Marks: 1

In case of a frequency distribution, the median is given by the formula:

Select the correct option

- | | | |
|----------------------------------|---|---|
| ☐ | $l + \frac{h}{f} \left(\frac{n}{2} - 2c \right)$ | |
| ☒ | $l + \frac{h}{f} \left(\frac{n}{2} - c \right)$ | Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com |
| ☐ | $l + \frac{f}{h} \left(\frac{n}{2} - c \right)$ | |
| ☐ | $l + \frac{f}{h} \left(\frac{n}{4} - c \right)$ | |

Click to Save Answer & Move to Next Question



EFFORT BY AMAAN KHAN

VU Medical Zone

MC200202978: NASIR RASHEED

Time Left 41 sec(s)

STA301:Grand Quiz_Sta301

Quiz Start Time: 09:48 PM, 11 July 2020

Question # 7 of 30 (Start time: 09:57:24 PM, 11 July 2020)

Total Marks: 1

The sum of squared deviations from mean is:

Select the correct option

☐	Maximum	
☐	Minimum	
☒	Zero	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	Undefined	

Click to Save Answer & Move to Next Question



MC200202978: NASIR RASHEED

Time Left 68 sec(s)

STA301:Grand Quiz_Sta301

Quiz Start Time: 09:48 PM, 11 July 2020

Question # 8 of 30 (Start time: 11:29:35 AM, 12 July 2020)

Total Marks: 1

Which scale will you use to measure the temperature?

Select the correct option

☐	Nominal scale	
☒	Interval scale	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	Ratio scale	
☐	Ordinal scale	

Click to Save Answer & Move to Next Question



EFFORT BY AMAAN KHAN

VU Medical Zone

MC200202978: NASIR RASHEED

Time Left 31 sec(s)

STA301:Grand Quiz_Sta301

Quiz Start Time: 09:48 PM, 11 July 2020

Question # 9 of 30 (Start time: 11:30:17 AM, 12 July 2020)

Total Marks: 1

In a week the prices of a bag of rice were 350,280,340,290,320,310,300.
The mid range is

Select the correct option

☐	320	
☒	315	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	300	
☐	420	

Click to Save Answer & Move to Next Question



MC200202978: NASIR RASHEED

Time Left 52 sec(s)

STA301:Grand Quiz_Sta301

Quiz Start Time: 09:48 PM, 11 July 2020

Question # 10 of 30 (Start time: 11:31:30 AM, 12 July 2020)

Total Marks: 1

Measure of central tendency is used to measure:

Select the correct option

☒	Average	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	Variability	
☐	Location	
☐	Both Average and Location	

Click to Save Answer & Move to Next Question



EFFORT BY AMAAN KHAN

VU Medical Zone

MC200202978: NASIR RASHEED

Time Left 20 sec(s)

STA301:Grand Quiz_Sta301

Quiz Start Time: 09:48 PM, 11 July 2020

Question # 11 of 30 (Start time: 11:33:01 AM, 12 July 2020)

Total Marks: 1

When the frequency distribution or curve departs from symmetry, is called

Select the correct option

☒	Skewed	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	Positively Skewed	
☐	Negatively Skewed	
☐	None of these	

[Click to Save Answer & Move to Next Question](#)



MC200202978: NASIR RASHEED

Time Left 49 sec(s)

STA301:Grand Quiz_Sta301

Quiz Start Time: 09:48 PM, 11 July 2020

Question # 12 of 30 (Start time: 11:34:35 AM, 12 July 2020)

Total Marks: 1

Fourth moment about mean provides information about the _____ of the distribution.

Select the correct option

☐	Centre	
☐	Dispersion	
☐	Symmetry	
☒	Kurtosis	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com

[Click to Save Answer & Move to Next Question](#)



EFFORT BY AMAAN KHAN

VU Medical Zone

MC200202978: NASIR RASHEED

Time Left 30 sec(s)

STA301:Grand Quiz_Sta301

Quiz Start Time: 09:48 PM, 11 July 2020

Question # 13 of 30 (Start time: 11:35:36 AM, 12 July 2020)

Total Marks: 1

A list of 7 pulse rates is:
70, 64, 80, 74, 92, 96, 98
What is the median for this list?

Select the correct option

☐	70	
☒	80	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	92	
☐	98	



Click to Save Answer & Move to Next Question



MC200202978: NASIR RASHEED

Time Left 75 sec(s)

STA301:Grand Quiz_Sta301

Quiz Start Time: 09:48 PM, 11 July 2020

Question # 14 of 30 (Start time: 11:36:45 AM, 12 July 2020)

Total Marks: 1

Consider a set $A = \{1, 2, 3\}$. What is the number of subsets of A?

Select the correct option

☒	3	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	6	
☐	8	
☐	9	

Click to Save Answer & Move to Next Question



EFFORT BY AMAAN KHAN

VU Medical Zone

MC200202978: NASIR RASHEED

Time Left 31 sec(s)

STA301:Grand Quiz_Sta301

Quiz Start Time: 09:48 PM, 11 July 2020

Question # 15 of 30 (Start time: 11:37:09 AM, 12 July 2020)

Total Marks: 1

The stem for the following data is:
22, 45, 36, 15, 14, 12, 14, 14, 17, 21, 24, 24, 25, 25, 26, 26, 27, 29, 31, 34, 35

Select the correct option

☒	1,2,3,4	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	1,2,3,4,5	
☐	11,12,13,14,15	
☐	10,20,30,40,50	



Click to Save Answer & Move to Next Question



MC200202978: NASIR RASHEED

Time Left 64 sec(s)

STA301:Grand Quiz_Sta301

Quiz Start Time: 09:48 PM, 11 July 2020

Question # 16 of 30 (Start time: 11:38:31 AM, 12 July 2020)

Total Marks: 1

An event that contains only one sample points is called:

Select the correct option

☐	Mutually exclusive event	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	Normal event	
☒	Simple event	
☐	Compound event	

Click to Save Answer & Move to Next Question



EFFORT BY AMAAN KHAN

VU Medical Zone

MC200202978: NASIR RASHEED

Time Left 19 sec(s)

STA301:Grand Quiz_Sta301

Quiz Start Time: 09:48 PM, 11 July 2020

Question # 17 of 30 (Start time: 11:39:15 AM, 12 July 2020)

Total Marks: 1

Frequency distribution is considered as negatively skewed if all values of distribution moves to

Select the correct option

☐	lower tail	
☐	median tail	
☐	variance tail	
☒	upper tail	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com

Click to Save Answer & Move to Next Question

MC200202978: NASIR RASHEED

Time Left 47 sec(s)

STA301:Grand Quiz_Sta301

Quiz Start Time: 09:48 PM, 11 July 2020

Question # 18 of 30 (Start time: 11:40:56 AM, 12 July 2020)

Total Marks: 1

Which of the following is NOT a common measure of central tendency?

Select the correct option

☐	Mode	
☒	Range	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	Median	
☐	Mean	

Click to Save Answer & Move to Next Question

EFFORT BY AMAAN KHAN

VU Medical Zone

MC200202978: NASIR RASHEED

Time Left 55 sec(s)

STA301:Grand Quiz_Sta301

Quiz Start Time: 09:48 PM, 11 July 2020

Question # 19 of 30 (Start time: 11:42:00 AM, 12 July 2020)

Total Marks: 1

From the table given below, how many students obtained marks between 60 and 69?

Marks	f	Mid-Points
50-59	5	54.5
60-69	7	64.5
70-79	8	74.5
80-89	5	84.5

Select the correct option

☐	64.5	
☐	12	
☐	60	
☒	7	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com

Click to Save Answer & Move to Next Question



MC200202978: NASIR RASHEED

Time Left 14 sec(s)

STA301:Grand Quiz_Sta301

Quiz Start Time: 09:48 PM, 11 July 2020

Question # 20 of 30 (Start time: 11:42:43 AM, 12 July 2020)

Total Marks: 1

Dividing mean deviation by mean we get a pure number known as

Please make sure

Select the correct option

☒	Co-efficient of mean deviation	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	Co-efficient	
☐	Co-efficient of quartile deviation	
☐	None of the above	

Click to Save Answer & Move to Next Question



EFFORT BY AMAAN KHAN

VU Medical Zone

MC200202978: NASIR RASHEED

Time Left 12 sec(s)

STA301:Grand Quiz_Sta301

Quiz Start Time: 09:48 PM, 11 July 2020

Question # 21 of 30 (Start time: 11:44:27 AM, 12 July 2020)

Total Marks: 1

If the first and third quartiles are 22.16 and 56.36 respectively, then the quartile deviation is:

Select the correct option

☒	17.1	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	30.5	
☐	50.5	
☐	51.3	

[Click to Save Answer & Move to Next Question](#)



MC200202978: NASIR RASHEED

Time Left 18 sec(s)

STA301:Grand Quiz_Sta301

Quiz Start Time: 09:48 PM, 11 July 2020

Question # 22 of 30 (Start time: 11:46:13 AM, 12 July 2020)

Total Marks: 1

The precise numbers which are separated from one class to another class is called

Please make sure

Select the correct option

☐	Class Mark	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☒	Class Boundaries	
☐	Class Limit	
☐	Class Interval	

[Click to Save Answer & Move to Next Question](#)



EFFORT BY AMAAN KHAN

VU Medical Zone

MC200202978: NASIR RASHEED

Time Left 64 sec(s)

STA301:Grand Quiz_Sta301

Quiz Start Time: 09:48 PM, 11 July 2020

Question # 23 of 30 (Start time: 11:47:51 AM, 12 July 2020)

Total Marks: 1

Let A and B are two dependent events such that $P(A)=1/4$, $P(A|B)=1/2$ and $P(B|A)=2/3$. Find $P(A \cap B)$.

Please make sure

Select the correct option

☐	1/8	
☐	1/6	
☒	2/3	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	1/4	

Click to Save Answer & Move to Next Question



MC200202978: NASIR RASHEED

Time Left 16 sec(s)

STA301:Grand Quiz_Sta301

Quiz Start Time: 09:48 PM, 11 July 2020

Question # 24 of 30 (Start time: 11:48:25 AM, 12 July 2020)

Total Marks: 1

Adding all the squared deviations taken from mean and dividing by the number of observations, we get:

Select the correct option

☒	Standard Deviation	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	Variance	
☐	Mean Deviation	
☐	None of the above	

Click to Save Answer & Move to Next Question



EFFORT BY AMAAN KHAN

VU Medical Zone

MC200202978: NASIR RASHEED

Time Left 42 sec(s)

STA301:Grand Quiz_Sta301

Quiz Start Time: 09:48 PM, 11 July 2020

Question # 25 of 30 (Start time: 11:50:14 AM, 12 July 2020)

Total Marks: 1

If we place a vertical mirror in the centre of _____, the left hand side will be the mirror image of the right hand side:

Not sure

Select the correct option

☐	Negatively skewed distribution	
☒	J-shaped distribution	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	Positively skewed distribution	
☐	Symmetrical distribution	

Click to Save Answer & Move to Next Question



MC200202978: NASIR RASHEED

Time Left 62 sec(s)

STA301:Grand Quiz_Sta301

Quiz Start Time: 09:48 PM, 11 July 2020

Question # 26 of 30 (Start time: 11:51:16 AM, 12 July 2020)

Total Marks: 1

Calculate range for the following data:
10, 32, 33, 34, 37, 42, 55, 58, 70

Select the correct option

☐	50	
☒	60	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	40	
☐	20	

Click to Save Answer & Move to Next Question



EFFORT BY AMAAN KHAN

VU Medical Zone

MC200202978: NASIR RASHEED

Time Left 38 sec(s)

STA301:Grand Quiz_Sta301

Quiz Start Time: 09:48 PM, 11 July 2020

Question # 27 of 30 (Start time: 11:51:57 AM, 12 July 2020)

Total Marks: 1

In a Venn diagram, the overlap between two circles represents:

Select the correct option

☒	The union of two sets	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	The intersection of two sets	
☐	The elements that are in either of two sets	
☐	The difference between the number of elements in two sets	



Click to Save Answer & Move to Next Question



MC200202978: NASIR RASHEED

Time Left 35 sec(s)

STA301:Grand Quiz_Sta301

Quiz Start Time: 09:48 PM, 11 July 2020

Question # 28 of 30 (Start time: 11:53:12 AM, 12 July 2020)

Total Marks: 1

Component bar charts are used when data is divided into:

Select the correct option

☒	Parts	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	Groups	
☐	Circles	
☐	None of these	



Click to Save Answer & Move to Next Question



EFFORT BY AMAAN KHAN

VU Medical Zone

MC200202978: NASIR RASHEED

Time Left 30 sec(s)

STA301:Grand Quiz_Sta301

Quiz Start Time: 09:48 PM, 11 July 2020

Question # 29 of 30 (Start time: 11:54:35 AM, 12 July 2020)

Total Marks: 1

In a Box and Whisker plot, right end of the box is referred to as:

Select the correct option

☐	First quartile	
☐	Second quartile	
☒	Third quartile	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	Mode	



Click to Save Answer & Move to Next Question

Question No : 1 of 26 Marks: 1 (Budgeted Time 1 Min)

The probability of drawing a 'white' ball from a bag containing 4 red, 8 black and 3 white balls is:

Answer (Please select your correct option)

☐	0	
☒	$\frac{3}{15}$	Answer solved by Amaan Khan Contact: 0305-4716616 Email: maniamaan2@gmail.com
☐	$\frac{1}{12}$	
☐	$\frac{1}{2}$	

Made By: Waqar Siddhu

EFFORT BY AMAAN KHAN

VU Medical Zone

Question No : 2 of 26

Marks: 1 (Budgeted Time 1 Min)

If the probability of one event does not affected by the occurrence of another event then both events are:

Answer (Please select your correct option)

- ☐ Dependent
- ☐ Not Mutually Exclusive
- ☐ Mutually Exclusive
- ☒ Independent

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 3 of 26

Marks: 1 (Budgeted Time 1 Min)

A die is rolled. What is the probability of getting a number that is an even number and greater than 2.

Answer (Please select your correct option)

- ☐ 1/2
- ☐ 1/3
- ☒ 2/3
- ☐ 5/6

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 4 of 26

Marks: 1 (Budgeted Time 1 Min)

The collection of all the elements under study is called:

Answer (Please select your correct option)

- ☐ Population
- ☒ Sample
- ☐ Data
- ☐ Registration

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

VU Medical Zone

Question No : 5 of 26

Marks: 1 (Budgeted Time 1 Min)

The mode value from raw data can be obtained by the help of

Answer (Please select your correct option)

☒ Dot plot

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ Stem and leaf plot

☐ Bar chart

☐ None of these

Made By: Waqar Siddhu

Question No : 6 of 26

Marks: 1 (Budgeted Time 1 Min)

A student solved 25 questions from first 50 questions of a book . The probability that he will solve the remaining all questions is:

Answer (Please select your correct option)

☐ 0.25

☒ 0.5

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ 1

☐ 0

Made By: Waqar Siddhu

Question No : 7 of 26

Marks: 1 (Budgeted Time 1 Min)

The difference between the largest and the smallest data values is called the

Answer (Please select your correct option)

☐ Variance

☐ Interquartile range

☒ Range

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ Coefficient of variation

Made By: Waqar Siddhu

VU Medical Zone

Question No : 8 of 26

Marks: 1 (Budgeted Time 1 Min)

Which one is the formula of mid- quartile range:

Answer (Please select your correct option)

☐ $Q_3 - Q_1$

☐ $\frac{Q_3 - Q_1}{2}$

☐ $\frac{Q_1 - Q_3}{2}$

☒ $\frac{Q_1 + Q_3}{2}$

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 9 of 26

Marks: 1 (Budgeted Time 1 Min)

For the given data 2, 3, 7, 0, -8; G. M will be:

Answer (Please select your correct option)

☐ Negative

☐ Positive

☒ Zero

☐ Undefined

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 10 of 26

Marks: 1 (Budgeted Time 1 Min)

Mean deviation is least when it is calculated from _____.

Answer (Please select your correct option)

☐ Mean

☐ Mode

☒ Median

☐ Geometric mean

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

VU Medical Zone

Question No : 11 of 26

Marks: 1 (Budgeted Time 1 Min)

If X and Y are independent variables then $\text{Var}(X-Y) =$ _____

Answer (Please select your correct option)

☒ $\text{Var}(X) - \text{Var}(Y)$

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ $\text{Var}(X) + \text{Var}(Y)$

☐ $\text{Var}(X+Y)$

☐ $\text{Var}(X) \times \text{Var}(Y)$

Made By: Waqar Siddhu

Question No : 12 of 26

Marks: 1 (Budgeted Time 1 Min)

Rang measures the dispersion around the _____

Answer (Please select your correct option)

☐ Extreme values

☐ Minimum value

☐ Maximum value

☒ Mid-range value

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 13 of 26

Marks: 1 (Budgeted Time 1 Min)

The variable plotted on the horizontal or X-axis in a scatter diagram is called the:

Answer (Please select your correct option)

☐ Scatter variable

☒ Independent variable

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ Dependent variable

☐ Correlation variable

Made By: Waqar Siddhu

VU Medical Zone

Question No : 14 of 26

Marks: 1 (Budgeted Time 1 Min)

In a scatter diagram we plot:

Answer (Please select your correct option)

☒ X and Y

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ X and $\hat{Y}$

☐ Y and $\hat{Y}$

☐ $\hat{Y}$ and X

Made By: Waqar Siddhu

Question No : 15 of 26

Marks: 1 (Budgeted Time 1 Min)

If $P(A \cap B) = P(A|B) \times P(B)$ then A and B will be:

Answer (Please select your correct option)

☐ Independent

☒ Mutually Exclusive

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ Dependent

☐ Equally Likely

Made By: Waqar Siddhu

Question No : 16 of 26

Marks: 1 (Budgeted Time 1 Min)

Which one of the following is the class frequency?

Answer (Please select your correct option)

☒ The number of observations in each class

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ The difference between consecutive lower class limits

☐ Always contains at least 5 observations

☐ Usually a multiple of the lower limit of the first class

Made By: Waqar Siddhu

VU Medical Zone

Question No : 17 of 26

Marks: 1 (Budgeted Time 1 Min)

How to convert a frequency distribution to a relative frequency distribution?

Answer (Please select your correct option)

- ☐ Find the difference between consecutive lower class limits
- ☐ Find the difference between consecutive lower limits
- ☐ Count the number of observations in the class
- ☒ Divide the class frequency by the total number of observations

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 18 of 26

Marks: 1 (Budgeted Time 1 Min)

In statistics, we deal with:

Answer (Please select your correct option)

- ☐ Individuals
- ☐ Isolated items
- ☒ Aggregates of facts
- ☐ Qualitative data

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 19 of 26

Marks: 1 (Budgeted Time 1 Min)

Pie chart consists of:

Answer (Please select your correct option)

- ☐ A rectangular
- ☐ A triangle
- ☐ A square
- ☒ A circle

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

VU Medical Zone

Question No : 1 of 26

Marks: 1 (Budgeted Time 1 Min)

For two mutually exclusive events A and B, $P(A) = 0.2$ and $P(B) = 0.4$, then $P(A \cup B)$ is:

☐ 0.8

☐ 0.2

☒ 0.6

☐ 0.5

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 2 of 26

Marks: 1 (Budgeted Time 1 Min)

When two coins are tossed the probability of at most one head is:

☐ 1/4

☐ 2/4

☒ 3/4

☐ 4/4

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 3 of 26

Marks: 1 (Budgeted Time 1 Min)

A value which has half of the observations above it and half of the observations below it, is known as.....

☐ Rang

☒ Median

☐ Mean

☐ Mode

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

VU Medical Zone

Question No : 4 of 26

Marks: 1 (Budgeted Time 1 Min)

In a set of 20 values all the values are 10, what will be median?

Answer (Please select your correct option)

- ☐ 2
- ☐ 5
- ☒ 10
- ☐ 20

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 5 of 26

Marks: 1 (Budgeted Time 1 Min)

Which one of the following measure is not based on all the observations?

Answer (Please select your correct option)

- ☐ Arithmetic Mean
- ☐ Geometric Mean
- ☐ Harmonic Mean
- ☒ Mode

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 6 of 26

Marks: 1 (Budgeted Time 1 Min)

The collection of all the elements under study is called:

Answer (Please select your correct option)

- ☐ Population
- ☒ Sample
- ☐ Data
- ☐ Registration

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

VU Medical Zone

Question No : 7 of 26

Marks: 1 (Budgeted Time 1 Min)

A five-number summary consists of :

Answer (Please select your correct option)

☒ X_0 , Q_1 , Median, Q_3 , and X_m

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ X_m , Q_1 , Mean, Q_3 , and X_0

☐ X_m , Q_1 , Mode, Q_3 , and X_0

☐ X_0 , Q_1 , Median, Q_2 , and X_m

Made By: Waqar Siddhu

Question No : 8 of 26

Marks: 1 (Budgeted Time 1 Min)

For what condition of k , at least $1 - 1/k^2$ of the data-values fall within k standard deviations of the mean:

Answer (Please select your correct option)

☒ Greater than 1

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ Less than 1

☐ Greater or equal to 1

☐ Less or equal to 1

Made By: Waqar Siddhu

Question No : 9 of 26

Marks: 1 (Budgeted Time 1 Min)

Which of the following can never be taken as the probability of an event?

Answer (Please select your correct option)

☐ 1

☒ 0

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ 0.5

☐ -0.5

Made By: Waqar Siddhu

VU Medical Zone

Question No : 10 of 26

Marks: 1 (Budgeted Time 1 Min)

If E is an impossible event, then $P(E)$ is:

- ☐ 1
- ☐ 0.15
- ☒ 0
- ☐ 0.5

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 11 of 26

Marks: 1 (Budgeted Time 1 Min)

The average which is defined as the reciprocal of the arithmetic mean of the reciprocals of the values is called:

- ☐ Geometric Mean
- ☒ Harmonic Mean
- ☐ Mode
- ☐ Median

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 12 of 26

Marks: 1 (Budgeted Time 1 Min)

An automobile is running, during the first 60 Km, at the rate of 10 Km/hr. During the second 60 Km at the rate of 30Km/hr, while during the third 60 Km its speed was 40 Km/hr. What method is more appropriate to calculate the average speed?

- ☐ Median
- ☒ Arithmetic mean
- ☐ Harmonic mean
- ☐ Geometric mean

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

VU Medical Zone

Question No : 13 of 26

Marks: 1 (Budgeted Time 1 Min)

What is the standard deviation of the following values?
7, 7, 7, 7, 7, 7, 7

Answer (Please select your correct option)

- ☐ 7
- ☐ 1
- ☐ 49
- ☒ 0

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 14 of 26

Marks: 1 (Budgeted Time 1 Min)

Which one of the following is a meso-kurtic curve?

Answer (Please select your correct option)

- ☐ Negatively skewed
- ☐ Positively skewed
- ☐ J-shaped
- ☒ Normal

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 15 of 26

Marks: 1 (Budgeted Time 1 Min)

Men tend to marry women who are slightly younger than themselves. Suppose that every man married a woman who was exactly 5 years younger than themselves. Which of the following is correct?

Answer (Please select your correct option)

- ☐ The correlation coefficient is -5
- ☒ The correlation coefficient is 5
- ☐ The correlation coefficient is 1
- ☐ The correlation coefficient is 0

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

VU Medical Zone

Question No : 16 of 26

Marks: 1 (Budgeted Time 1 Min)

In a multiplication theorem $P(A \cap B)$ equals:

☐ $P(A) P(B)$

☐ $P(A) + P(B)$

☒ $P(A) \times P(B|A)$

☐ $P(B|A) \times P(B)$

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 17 of 26

Marks: 1 (Budgeted Time 1 Min)

Which one of the following is the class frequency?

☒ The number of observations in each class

☐ The difference between consecutive lower class limits

☐ Always contains at least 5 observations

☐ Usually a multiple of the lower limit of the first class

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 18 of 26

Marks: 1 (Budgeted Time 1 Min)

Which of the following comes first to make frequency distribution.

☐ Number of Groups

☐ Class interval

☒ Range

☐ Tally marks

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

VU Medical Zone

Question No : 19 of 26

Marks: 1 (Budgeted Time 1 Min)

Data obtained from the Ministry of food, is an example of

Answer (Please select your correct option)

- ☐ Primary data
- ☒ Secondary data
- ☐ Qualitative data
- ☐ None of these

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 1 of 26

Marks: 1 (Budgeted Time 1 Min)

The probability of drawing a 'white' ball from a bag containing 4 red, 8 black and 3 white balls is:

Answer (Please select your correct option)

- ☐ 0
- ☒ $\frac{3}{15}$
- ☐ $\frac{1}{12}$
- ☐ $\frac{1}{2}$

correct

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 2 of 26

Marks: 1 (Budgeted Time 1 Min)

For two mutually exclusive events A and B, $P(A) = 0.2$ and $P(B) = 0.4$, then $P(A \cup B)$ is:

Answer (Please select your correct option)

- ☐ 0.8
- ☐ 0.2
- ☒ 0.6
- ☐ 0.5

correct

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

VU Medical Zone

Question No : 3 of 26

Marks: 1 (Budgeted Time 1 Min)

Which one is the formula of range:

☐ $x_m - x_0$

correct

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ $x_0 - x_m$

☐ $\frac{x_0 - x_m}{2}$

☐ $\frac{x_0 + x_m}{2}$

Made By: Waqar Siddhu

Question No : 4 of 26

Marks: 1 (Budgeted Time 1 Min)

If X and Y are independent variables then $\text{Var}(X-Y) =$ _____

☐ $\text{Var}(X) - \text{Var}(Y)$

correct

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ $\text{Var}(X) + \text{Var}(Y)$

☐ $\text{Var}(X+Y)$

☐ $\text{Var}(X) \times \text{Var}(Y)$

Made By: Waqar Siddhu

Question No : 5 of 26

Marks: 1 (Budgeted Time 1 Min)

If a player well shuffles the pack of 52 playing card, then the probability of a black card from 52 playing cards is:

☐ $1/52$

☐ $13/52$

☐ $4/52$

☐ $26/52$

correct

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

VU Medical Zone

Question No : 6 of 26

Marks: 1 (Budgeted Time 1 Min)

Pearson's coefficient of skewness is not possible if standard deviation is:

☐ 1

☐ 1.5

☒ 0

☐ 3

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 7 of 26

Marks: 1 (Budgeted Time 1 Min)

Men tend to marry women who are slightly younger than themselves. Suppose that every man married a woman who was exactly 5 years younger than themselves. Which of the following is correct?

☐ The correlation coefficient is -5

☒ The correlation coefficient is 5

☐ The correlation coefficient is 1

☐ The correlation coefficient is 0

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 8 of 26

Marks: 1 (Budgeted Time 1 Min)

What is the difference between permutation and combination?

☒ In permutation order is important and in combination order is not important

☐ In permutation order is not important and in combination order is important

☐ Only combination is based on the classical definition of probability

☐ Only permutation is based on the classical definition of probability

correct

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

VU Medical Zone

Question No : 9 of 26

Marks: 1 (Budgeted Time 1 Min)

If data is categorized about any characteristic, then which measurement scale should be used?

Answer (Please select your correct option)

- ☒ Ordinal
- ☐ Interval
- ☐ Nominal
- ☐ Ratio

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 10 of 26

Marks: 1 (Budgeted Time 1 Min)

Which of the following scale has true zero point?

agr not true zero ho
to then interval
hoga

Answer (Please select your correct option)

- ☒ Ratio Scale
- ☐ Interval scale
- ☐ Nominal scale
- ☐ Ordinal scale

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com correct

Made By: Waqar Siddhu

Question No : 11 of 26

Marks: 1 (Budgeted Time 1 Min)

In a simple bar chart:

Answer (Please select your correct option)

- ☐ Width of bar is meaningful
- ☐ Height of bar is meaningful
- ☐ Height of bar is not meaningful
- ☒ Height and width both are meaningful

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

VU Medical Zone

Question No : 12 of 26

Marks: 1 (Budgeted Time 1 Min)

What is the name of following curve?



Answer (Please select your correct option)

- ☒ Positively skewed curve
- ☐ Symmetrical curve
- ☐ Normal curve
- ☐ Negatively skewed curve

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 13 of 26

Marks: 1 (Budgeted Time 1 Min)

If $A = \{1, 2, 3, 4, 5, 10\}$ and $B = \{1, 3, 5\}$ then $B \subset A$ means:

- ☐ A is less than B
- ☐ A is contained in B
- ☒ B is contained in A
- ☐ B is less than A

correct

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 14 of 26

Marks: 1 (Budgeted Time 1 Min)

The graph of cumulative frequency distribution is called:

- ☐ Frequency polygon
- ☒ Ogive
- ☐ Frequency curve
- ☐ Histogram

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

correct

Made By: Waqar Siddhu

VU Medical Zone

Question No : 15 of 26

Marks: 1 (Budgeted Time 1 Min)

Given the series 1,2,1,1,2,2,2,2,3,4,5,3,2,3,1,4,2,3. Which one of the following is mode of the given series:

Answer (Please select your correct option)

- ☐ 4
- ☐ 3
- ☐ 2
- ☒ 1

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 16 of 26

Marks: 1 (Budgeted Time 1 Min)

Which one of the following is equal to the 2nd quartile:

Answer (Please select your correct option)

- ☐ P_{33}
- ☐ D_3
- ☒ Median
- ☐ Mode

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com correct

Made By: Waqar Siddhu

Question No : 17 of 26

Marks: 1 (Budgeted Time 1 Min)

The variance of a sample of 81 observations equal to 64. The standard deviation of the sample is equal to:

Answer (Please select your correct option)

- ☐ 256
- ☐ 4096
- ☒ 8
- ☐ 6,561

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

VU Medical Zone

Question No : 18 of 26

Marks: 1 (Budgeted Time 1 Min)

Under which condition standard deviation could assume a negative value:

Answer (Please select your correct option)

- ☐ When more than half of the data values are negative
- ☐ If all the data values are same
- ☒ The standard deviation cannot be negative
- ☐ When all the data values are negative

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 19 of 26

Marks: 1 (Budgeted Time 1 Min)

In a set of 20 values all the values are 2, what will be the Geometric Mean?

Answer (Please select your correct option)

- ☒ 2
- ☐ 5
- ☐ 10
- ☐ 20

correct

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 1 of 26

Marks: 1 (Budgeted Time 1 Min)

When three coins are tossed simultaneously, P (3 Heads) is:

Answer (Please select your correct option)

- ☒ $\frac{3}{8}$
- ☐ $\frac{1}{8}$
- ☐ $\frac{4}{8}$
- ☐ $\frac{2}{8}$

correct

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

VU Medical Zone

Question No : 2 of 26

Marks: 1 (Budgeted Time 1 Min)

The distribution is mesokurtic if the moment ratio i.e. b_2 is:

Answer (Please select your correct option)

☐ Equal to 0

☒ Equal to 3

☐ Less than 3

☐ Greater than 3

correct

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 3 of 26

Marks: 1 (Budgeted Time 1 Min)

A set is any well-defined collection of

Answer (Please select your correct option)

☐ Positive Objects

☐ Negative Objects

☐ Same Objects

☒ Distinct Objects

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

correct

Made By: Waqar Siddhu

Question No : 4 of 26

Marks: 1 (Budgeted Time 1 Min)

If an observation in the data set is negative, then the geometric mean is:

Answer (Please select your correct option)

☐ Positive

☒ negative

☐ Zero

☐ undetermined

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

VU Medical Zone

Question No : 5 of 26

Marks: 1 (Budgeted Time 1 Min)

Mean deviation is least when it is calculated from _____.

Answer (Please select your correct option)

☐ Mean

☐ Mode

☒ Median

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ Geometric mean

Made By: Waqar Siddhu

Question No : 6 of 26

Marks: 1 (Budgeted Time 1 Min)

If a player well shuffles the pack of 52 playing card, then the probability of a black card from 52 playing cards is:

Answer (Please select your correct option)

☐ 1/52

☐ 13/52

☐ 4/52

☒ 26/52

correct

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 7 of 26

Marks: 1 (Budgeted Time 1 Min)

For a positively skewed distribution m_3 will be:

Answer (Please select your correct option)

☒ Positive

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

correct

☐ Negative

☐ Zero

☐ 1

Made By: Waqar Siddhu

VU Medical Zone

Question No : 8 of 26

Marks: 1 (Budgeted Time 1 Min)

Which of the following value could not represent a coefficient of correlation?

Answer (Please select your correct option)

☐ $r = 0.99$

☐ $r = 1.09$

☒ $r = -0.73$

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ $r = -1$

Made By: Waqar Siddhu

Question No : 9 of 26

Marks: 1 (Budgeted Time 1 Min)

In a scatter diagram we plot:

Answer (Please select your correct option)

☒ X and Y

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

correct answer solve
by hadi

☐ X and $\hat{Y}$

☐ Y and $\hat{Y}$

☐ $\hat{Y}$ and X

Made By: Waqar Siddhu

Question No : 10 of 26

Marks: 1 (Budgeted Time 1 Min)

The conditional probability is $P(A|B)$ is given by formula:

Answer (Please select your correct option)

☐ $\frac{P(A \cup B)}{P(A)}$

☒ $\frac{P(A \cap B)}{P(B)}$

correct

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ $\frac{P(A \cap B)}{P(A)}$

☐ $\frac{P(A \cup B)}{P(B)}$

Made By: Waqar Siddhu

VU Medical Zone

Question No : 11 of 26

Marks: 1 (Budgeted Time 1 Min)

If a curve has a longer tail to the right, it is called :

☒ Positively skewed

correct

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ Negatively skewed

☐ J-shaped

☐ Symmetric

Made By: Waqar Siddhu

Question No : 12 of 26

Marks: 1 (Budgeted Time 1 Min)

Which one of the following is the class frequency?

☒ The number of observations in each class

correct

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ The difference between consecutive lower class limits

☐ Always contains at least 5 observations

☐ Usually a multiple of the lower limit of the first class

Made By: Waqar Siddhu

Question No : 13 of 26

Marks: 1 (Budgeted Time 1 Min)

Which of the following scale has not true zero point?

☐ Nominal scale

☐ Ordinal scale

☒ Interval scale

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com correct

☐ Ratio scale


Made By: Waqar Siddhu

VU Medical Zone

Question No : 14 of 26

Marks: 1 (Budgeted Time 1 Min)

What is the name of following curve?



Answer (Please select your correct option)

☒ Positively skewed curve

Answer solved by Amaan Khan

Contact: 0305-4716616

Email: maniamaan2@gmail.com correct

☐ Symmetrical curve

☐ Normal curve

☐ Negatively skewed curve

Made By: Waqar Siddhu

Question No : 15 of 26

Marks: 1 (Budgeted Time 1 Min)

A set that contains all possible outcomes of a system is known as

Answer (Please select your correct option)

☐ Finite Set

☐ Infinite Set

☒ Universal Set

Answer solved by Amaan Khan

Contact: 0305-4716616

Email: maniamaan2@gmail.com correct

☐ None of these

Made By: Waqar Siddhu

Question No : 16 of 26

Marks: 1 (Budgeted Time 1 Min)

The graph of cumulative frequency distribution is called:

Answer (Please select your correct option)

☐ Frequency polygon

☒ Ogive

Answer solved by Amaan Khan

Contact: 0305-4716616

Email: maniamaan2@gmail.com correct

☐ Frequency curve

☐ Histogram

Made By: Waqar Siddhu

VU Medical Zone

Question No : 17 of 26

Marks: 1 (Budgeted Time 1 Min)

Mean is affected by the change of.

Answer (Please select your correct option)

☒ Origin Only

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ Scale Only

☐ Origin and Scale

☐ Not affected

Made By: Waqar Siddhu

Question No : 18 of 26

Marks: 1 (Budgeted Time 1 Min)

What will be the mode for the data 2,3,4,5,4,6,4?

Answer (Please select your correct option)

☐ 2

☐ 3

☒ 4

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com correct

☐ 5

Made By: Waqar Siddhu

Question No : 19 of 26

Marks: 1 (Budgeted Time 1 Min)

In a set of 20 values all the values are 5, what will be the mean?

Answer (Please select your correct option)

☐ 4

☒ 5

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com correct

☐ 10

☐ 20

Made By: Waqar Siddhu

VU Medical Zone

Question No : 1 of 26

Marks: 1 (Budgeted Time 1 Min)

A letter is chosen at random from the word STATISTICS. The probability of getting a vowel is:

Answer (Please select your correct option)

- ☒ 3/10 Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com
- ☐ 4/10
- ☐ 5/10
- ☐ 6/10

Made By: Waqar Siddhu

Question No : 2 of 26

Marks: 1 (Budgeted Time 1 Min)

When two coins are tossed simultaneously, P (one head) is:

Answer (Please select your correct option)

- ☐ $\frac{1}{4}$
- ☐ $\frac{1}{2}$
- ☐ $\frac{3}{4}$
- ☒ 1 Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 3 of 26

Marks: 1 (Budgeted Time 1 Min)

A value which has half of the observations above it and half of the observations below it, is known as.....

Answer (Please select your correct option)

- ☐ Rang
- ☒ Median Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com
- ☐ Mean
- ☐ Mode

Made By: Waqar Siddhu

VU Medical Zone

Question No : 4 of 26

Marks: 1 (Budgeted Time 1 Min)

In a set of 20 values all the values are 2, what will be the Geometric Mean?

Answer (Please select your correct option)

☒ 2 Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ 5

☐ 10

☐ 20

Made By: Waqar Siddhu

Question No : 5 of 26

Marks: 1 (Budgeted Time 1 Min)

Which of the following measure of dispersion is least affected by the extreme values in a data?

Answer (Please select your correct option)

☐ Range

☒ Quartile deviation Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ Mean absolute deviation

☐ Standard deviation

Made By: Waqar Siddhu

Question No : 6 of 26

Marks: 1 (Budgeted Time 1 Min)

Which is appropriate average for finding the average speed of a car:

Answer (Please select your correct option)

☒ Mean Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ Geometric mean

☐ Harmonic mean

☐ Weighted mean

Made By: Waqar Siddhu

VU Medical Zone

Question No : 7 of 26

Marks: 1 (Budgeted Time 1 Min)

What will be the value of the total amount of dispersion obtained by summing the $(X - \bar{X})$?

Answer (Please select your correct option)

☒ 0
Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ -1

☐ 1

☐ 100

Made By: Waqar Siddhu

Question No : 8 of 26

Marks: 1 (Budgeted Time 1 Min)

Rang measures the dispersion around the _____.

Answer (Please select your correct option)

☐ Extreme values

☐ Minimum value

☐ Maximum value

☒ Mid-range value
Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 9 of 26

Marks: 1 (Budgeted Time 1 Min)

The deviation of a distribution from symmetry is called:

Answer (Please select your correct option)

☐ Kurtosis

☒ Skewness
Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ Dispersion

☐ Flatness

Made By: Waqar Siddhu

VU Medical Zone

Question No : 10 of 26

Marks: 1 (Budgeted Time 1 Min)

For the independent events A and B if $P(A) = 0.25$, $P(B) = 0.40$ then $P(A \cap B) = \dots\dots\dots$

Answer (Please select your correct option)

☐ 0.65

☐ 0.1

☐ 0.50

☒ 0.15

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 11 of 26

Marks: 1 (Budgeted Time 1 Min)

The variable plotted on the vertical or Y-axis in a scatter diagram is called the:

Answer (Please select your correct option)

☐ Scatter variable

☐ Independent variable

☒ Dependent variable

☐ Correlation variable

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 12 of 26

Marks: 1 (Budgeted Time 1 Min)

In a multiplication theorem $P(A \cap B)$ equals:

Answer (Please select your correct option)

☐ $P(A) P(B)$

☐ $P(A) + P(B)$

☒ $P(A) \times P(B|A)$

☐ $P(B|A) \times P(B)$

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

VU Medical Zone

Question No : 13 of 26

Marks: 1 (Budgeted Time 1 Min)

For two independent events A and B, if $P(A) = 0.2$ and $P(B) = 0.4$, then what is $P(A \cap B)$?

Answer (Please select your correct option)

☐ 0.06

☐ 0.08

☒ 0.02

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ 0.04

Made By: Waqar Siddhu

Question No : 14 of 26

Marks: 1 (Budgeted Time 1 Min)

The level of satisfaction for a certain facility which Govt. is providing is the example of:

Answer (Please select your correct option)

☐ Constant

☒ Qualitative variable

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ Variable

☐ Quantitative variable

Made By: Waqar Siddhu

Question No : 15 of 26

Marks: 1 (Budgeted Time 1 Min)

Quantitative variable is further divided into:

Answer (Please select your correct option)

☐ Continuous variable

☐ Discrete variable

☒ Continuous & Discrete variable

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ None of the above

Made By: Waqar Siddhu

VU Medical Zone

Question No : 16 of 26

Marks: 1 (Budgeted Time 1 Min)

If you connect the mid-points of rectangles in a histogram by a series of lines that also touches the x-axis from both ends, what will you get?

Answer (Please select your correct option)

☐ Ogive

☒ Frequency polygon

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ Frequency curve

☐ Histogram

Made By: Waqar Siddhu

Question No : 17 of 26

Marks: 1 (Budgeted Time 1 Min)

Which type of data is collected in population census?

Answer (Please select your correct option)

☐ Grouped data

☒ Secondary data

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ Primary data

☐ Array data

Made By: Waqar Siddhu

Question No : 18 of 26

Marks: 1 (Budgeted Time 1 Min)

Data obtained from the Bureau of Statistics, is an example of:

Answer (Please select your correct option)

☐ None of these

☐ Primary data

☒ Secondary data

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ Qualitative data

Made By: Waqar Siddhu

VU Medical Zone

Question No : 19 of 26

Marks: 1 (Budgeted Time 1 Min)

A set that contains all possible outcomes of a system is known as

Answer (Please select your correct option)

- ☐ Finite Set
- ☐ Infinite Set
- ☒ Universal Set
- ☐ None of these

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 1 of 26

Marks: 1 (Budgeted Time 1 Min)

The probability of drawing a 'white' ball from a bag containing 4 red, 8 black and 3 white balls is:

Answer (Please select your correct option)

- ☐ 0
- ☒ $\frac{3}{15}$
- ☐ $\frac{1}{12}$
- ☐ $\frac{1}{2}$

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com correct

Made By: Waqar Siddhu

Question No : 2 of 26

Marks: 1 (Budgeted Time 1 Min)

If the probability of one event does not affected by the occurrence of another event then both events are:

Answer (Please select your correct option)

- ☐ Dependent
- ☐ Not Mutually Exclusive
- ☐ Mutually Exclusive
- ☒ Independent

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com correct

Made By: Waqar Siddhu

VU Medical Zone

Question No : 3 of 26

Marks: 1 (Budgeted Time 1 Min)

A die is rolled. What is the probability of getting a number that is an even number and greater than 2.

Answer (Please select your correct option)

☐ 1/2

☐ 1/3

☒ 2/3

Answer solved by Amaan Khan

Contact: 0305-4716616

Email: maniamaan2@gmail.com

correct

☐ 5/6

Made By: Waqar Siddhu

Question No : 4 of 26

Marks: 1 (Budgeted Time 1 Min)

The collection of all the elements under study is called:

Answer (Please select your correct option)

☐ Population

☒ Sample

Answer solved by Amaan Khan

Contact: 0305-4716616

Email: maniamaan2@gmail.com

correct

☐ Data

☐ Registration

Made By: Waqar Siddhu

Question No : 5 of 26

Marks: 1 (Budgeted Time 1 Min)

The mode value from raw data can be obtained by the help of

Answer (Please select your correct option)

☒ Dot plot

Answer solved by Amaan Khan

Contact: 0305-4716616

Email: maniamaan2@gmail.com

☐ Stem and leaf plot

☐ Bar chart

☐ None of these

Made By: Waqar Siddhu

VU Medical Zone

Question No : 6 of 26

Marks: 1 (Budgeted Time 1 Min)

A student solved 25 questions from first 50 questions of a book . The probability that he will solve the remaining all questions is:

Answer (Please select your correct option)

☐ 0.25

☒ 0.5

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

correct

☐ 1

☐ 0

Made By: Waqar Siddhu

Question No : 7 of 26

Marks: 1 (Budgeted Time 1 Min)

The difference between the largest and the smallest data values is called the

Answer (Please select your correct option)

☐ Variance

☐ Interquartile range

☒ Range

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

correct

☐ Coefficient of variation

Made By: Waqar Siddhu

Question No : 8 of 26

Marks: 1 (Budgeted Time 1 Min)

Which one is the formula of mid- quartile range:

Answer (Please select your correct option)

☐ $Q_3 - Q_1$

☐ $\frac{Q_3 - Q_1}{2}$

☐ $\frac{Q_1 - Q_3}{2}$

☒ $\frac{Q_1 + Q_3}{2}$

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

VU Medical Zone

Question No : 9 of 26

Marks: 1 (Budgeted Time 1 Min)

For the given data 2, 3, 7, 0, -8; G. M will be:

Answer (Please select your correct option)

☐ Negative

☐ Positive

☒ Zero

Answer solved by Amaan Khan

Contact: 0305-4716616

Email: maniamaan2@gmail.com

correct

☐ Undefined

Made By: Waqar Siddhu

Question No : 10 of 26

Marks: 1 (Budgeted Time 1 Min)

Mean deviation is least when it is calculated from _____.

Answer (Please select your correct option)

☐ Mean

☐ Mode

☒ Median

Answer solved by Amaan Khan

Contact: 0305-4716616

Email: maniamaan2@gmail.com

☐ Geometric mean

Made By: Waqar Siddhu

Question No : 11 of 26

Marks: 1 (Budgeted Time 1 Min)

If X and Y are independent variables then $\text{Var}(X-Y) =$ _____.

Answer (Please select your correct option)

☒ $\text{Var}(X) - \text{Var}(Y)$

correct

Answer solved by Amaan Khan

Contact: 0305-4716616

Email: maniamaan2@gmail.com

☐ $\text{Var}(X) + \text{Var}(Y)$

☐ $\text{Var}(X+Y)$

☐ $\text{Var}(X) \times \text{Var}(Y)$

Made By: Waqar Siddhu

VU Medical Zone

Question No : 12 of 26

Marks: 1 (Budgeted Time 1 Min)

Rang measures the dispersion around the _____

Answer (Please select your correct option)

- ☐ Extreme values
- ☐ Minimum value
- ☐ Maximum value
- ☒ Mid-range value

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

correct

Made By: Waqar Siddhu

Question No : 13 of 26

Marks: 1 (Budgeted Time 1 Min)

The variable plotted on the horizontal or X-axis in a scatter diagram is called the:

Answer (Please select your correct option)

- ☐ Scatter variable
- ☒ Independent variable
- ☐ Dependent variable
- ☐ Correlation variable

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 14 of 26

Marks: 1 (Budgeted Time 1 Min)

In a scatter diagram we plot:

Answer (Please select your correct option)

- ☒ X and Y
- ☐ X and $\hat{Y}$
- ☐ Y and $\hat{Y}$
- ☐ $\hat{Y}$ and X

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

VU Medical Zone

Question No : 15 of 26

Marks: 1 (Budgeted Time 1 Min)

If $P(A \cap B) = P(A|B) \times P(B)$ then A and B will be:

Answer (Please select your correct option)

☐ Independent

☒ Mutually Exclusive

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ Dependent

☐ Equally Likely

Made By: Waqar Siddhu

Question No : 16 of 26

Marks: 1 (Budgeted Time 1 Min)

Which one of the following is the class frequency?

Answer (Please select your correct option)

☒ The number of observations in each class

correct

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ The difference between consecutive lower class limits

☐ Always contains at least 5 observations

☐ Usually a multiple of the lower limit of the first class

Made By: Waqar Siddhu

Question No : 17 of 26

Marks: 1 (Budgeted Time 1 Min)

How to convert a frequency distribution to a relative frequency distribution?

Answer (Please select your correct option)

☐ Find the difference between consecutive lower class limits

☐ Find the difference between consecutive lower limits

☐ Count the number of observations in the class

☒ Divide the class frequency by the total number of observations

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

EFFORT BY AMAAN KHAN

VU Medical Zone

Question No : 18 of 26

Marks: 1 (Budgeted Time 1 Min)

In statistics, we deal with:

Answer (Please select your correct option)

☐ Individuals

☐ Isolated items

☒ Aggregates of facts

Answer solved by Amaan Khan

Contact: 0305-4716616

Email: maniamaan2@gmail.com

correct

☐ Qualitative data

Made By: Waqar Siddhu

Question No : 19 of 26

Marks: 1 (Budgeted Time 1 Min)

Pie chart consists of:

Answer (Please select your correct option)

☐ A rectangular

☐ A triangle

☐ A square

☒ A circle

Answer solved by Amaan Khan

Contact: 0305-4716616

Email: maniamaan2@gmail.com

correct

Made By: Waqar Siddhu

Question No : 1 of 26

Marks: 1 (Budgeted Time 1 Min)

A letter is chosen at random from the word STATISTICS. The probability of getting a vowel is:

Answer (Please select your correct option)

☒ 3/10

Answer solved by Amaan Khan

Contact: 0305-4716616

Email: maniamaan2@gmail.com

correct

☐ 4/10

☐ 5/10

☐ 6/10

Made By: Waqar Siddhu

VU Medical Zone

Question No : 2 of 26

Marks: 1 (Budgeted Time 1 Min)

When two coins are tossed simultaneously, P (one head) is:

☐ $\frac{1}{4}$

☐ $\frac{1}{2}$

☐ $\frac{3}{4}$

☒ 1

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 3 of 26

Marks: 1 (Budgeted Time 1 Min)

A value which has half of the observations above it and half of the observations below it, is known as.....

☐ Rang

☒ Median

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

correct

☐ Mean

☐ Mode

Made By: Waqar Siddhu

Question No : 4 of 26

Marks: 1 (Budgeted Time 1 Min)

In a set of 20 values all the values are 2, what will be the Geometric Mean?

☒ 2

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

correct

☐ 5

☐ 10

☐ 20

Made By: Waqar Siddhu

VU Medical Zone

Question No : 5 of 26

Marks: 1 (Budgeted Time 1 Min)

Which of the following measure of dispersion is least affected by the extreme values in a data?

Range

☐

Quartile deviation

☒

Mean absolute deviation

☐

Standard deviation

☐

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 6 of 26

Marks: 1 (Budgeted Time 1 Min)

Which is appropriate average for finding the average speed of a car:

Mean

☒

Geometric mean

☐

Harmonic mean

☐

Weighted mean

☐

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 7 of 26

Marks: 1 (Budgeted Time 1 Min)

What will be the value of the total amount of dispersion obtained by summing the $(X - \bar{X})$?

0

☒

-1

☐

1

☐

100

☐

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com correct

Made By: Waqar Siddhu

VU Medical Zone

Question No : 8 of 26

Marks: 1 (Budgeted Time 1 Min)

Rang measures the dispersion around the _____.

Answer (Please select your correct option)

☐ Extreme values

☐ Minimum value

☐ Maximum value

☒ Mid-range value

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 9 of 26

Marks: 1 (Budgeted Time 1 Min)

The deviation of a distribution from symmetry is called:

Answer (Please select your correct option)

☐ Kurtosis

☒ Skewness

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ Dispersion

☐ Flatness

Made By: Waqar Siddhu

Question No : 10 of 26

Marks: 1 (Budgeted Time 1 Min)

For the independent events A and B if $P(A) = 0.25$, $P(B) = 0.40$ then $P(A \cap B) = \dots\dots\dots$

Answer (Please select your correct option)

☐ 0.65

☐ 0.1

☐ 0.50

☒ 0.15

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

VU Medical Zone

Question No : 11 of 26

Marks: 1 (Budgeted Time 1 Min)

The variable plotted on the vertical or Y-axis in a scatter diagram is called the:

Answer (Please select your correct option)

- ☐ Scatter variable
- ☐ Independent variable
- ☒ Dependent variable
- ☐ Correlation variable

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 12 of 26

Marks: 1 (Budgeted Time 1 Min)

In a multiplication theorem $P(A \cap B)$ equals:

Answer (Please select your correct option)

- ☐ $P(A) P(B)$
- ☐ $P(A) + P(B)$
- ☒ $P(A) \times P(B|A)$
- ☐ $P(B|A) \times P(B)$

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com correct

Made By: Waqar Siddhu

Question No : 13 of 26

Marks: 1 (Budgeted Time 1 Min)

For two independent events A and B, if $P(A) = 0.2$ and $P(B) = 0.4$, then what is $P(A \cap B)$?

Answer (Please select your correct option)

- ☐ 0.06
- ☐ 0.08
- ☒ 0.02
- ☐ 0.04

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

VU Medical Zone

Question No : 14 of 26

Marks: 1 (Budgeted Time 1 Min)

The level of satisfaction for a certain facility which Govt. is providing is the example of:

Answer (Please select your correct option)

- ☐ Constant
- ☒ Qualitative variable
- ☐ Variable
- ☐ Quantitative variable

Answer solved by Amaan Khan

Contact: 0305-4716616

Email: maniamaan2@gmail.com

correct

Made By: Waqar Siddhu

Question No : 15 of 26

Marks: 1 (Budgeted Time 1 Min)

Quantitative variable is further divided into:

Answer (Please select your correct option)

- ☐ Continuous variable
- ☐ Discrete variable
- ☒ Continuous & Discrete variable
- ☐ None of the above

Answer solved by Amaan Khan

Contact: 0305-4716616

Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

Question No : 16 of 26

Marks: 1 (Budgeted Time 1 Min)

If you connect the mid-points of rectangles in a histogram by a series of lines that also touches the x-axis from both ends, what will you get?

Answer (Please select your correct option)

- ☐ Ogive
- ☒ Frequency polygon
- ☐ Frequency curve
- ☐ Histogram

Answer solved by Amaan Khan

Contact: 0305-4716616

Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

VU Medical Zone

Question No : 17 of 26

Marks: 1 (Budgeted Time 1 Min)

Which type of data is collected in population census?

Answer (Please select your correct option)

☐ Grouped data

☒ Secondary data

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

☐ Primary data

☐ Array data

Made By: Waqar Siddhu

Question No : 18 of 26

Marks: 1 (Budgeted Time 1 Min)

Data obtained from the Bureau of Statistics, is an example of:

Answer (Please select your correct option)

☐ None of these

☐ Primary data

☒ Secondary data

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com correct

☐ Qualitative data

Made By: Waqar Siddhu

Question No : 19 of 26

Marks: 1 (Budgeted Time 1 Min)

A set that contains all possible outcomes of a system is known as

Answer (Please select your correct option)

☐ Finite Set

☐ Infinite Set

☒ Universal Set

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com correct

☐ None of these

Made By: Waqar Siddhu

VU Medical Zone

Question No : 1 of 26

Marks: 1 (Budgeted Time 1 Min)

For two mutually exclusive events A and B, $P(A) = 0.2$ and $P(B) = 0.4$, then $P(A \cup B)$ is:

Answer (Please select your correct option)

☐ 0.8

☐ 0.2

☒ 0.6

Answer solved by Amaan Khan

Contact: 0305-4716616

Email: maniamaan2@gmail.com correct

☐ 0.5

Made By: Waqar Siddhu

Question No : 2 of 26

Marks: 1 (Budgeted Time 1 Min)

When two coins are tossed the probability of at most one head is:

Answer (Please select your correct option)

☐ 1/4

☒ 2/4

Answer solved by Amaan Khan

Contact: 0305-4716616

Email: maniamaan2@gmail.com

☐ 3/4

☐ 4/4

Made By: Waqar Siddhu

Question No : 3 of 26

Marks: 1 (Budgeted Time 1 Min)

A value which has half of the observations above it and half of the observations below it, is known as.....

Answer (Please select your correct option)

☐ Rang

☒ Median

Answer solved by Amaan Khan

Contact: 0305-4716616

Email: maniamaan2@gmail.com correct

☐ Mean

☐ Mode

Made By: Waqar Siddhu

VU Medical Zone

Question No : 4 of 26

Marks: 1 (Budgeted Time 1 Min)

In a set of 20 values all the values are 10, what will be median?

Answer (Please select your correct option)

- ☐ 2
- ☐ 5
- ☒ 10
- ☐ 20
- Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com correct

Made By: Waqar Siddhu

Question No : 5 of 26

Marks: 1 (Budgeted Time 1 Min)

Which one of the following measure is not based on all the observations?

Answer (Please select your correct option)

- ☐ Arithmetic Mean
- ☐ Geometric Mean
- ☐ Harmonic Mean
- ☒ Mode
- Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com correct

Made By: Waqar Siddhu

Question No : 6 of 26

Marks: 1 (Budgeted Time 1 Min)

The collection of all the elements under study is called:

Answer (Please select your correct option)

- ☐ Population
- ☒ Sample
- ☐ Data
- ☐ Registration
- Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com correct

Made By: Waqar Siddhu

VU Medical Zone

Question No : 7 of 26

Marks: 1 (Budgeted Time 1 Min)

A five-number summary consists of :

Answer (Please select your correct option)

- ☒ X_0 , Q_1 , Median, Q_3 , and X_m Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com correct
- ☐ X_m , Q_1 , Mean, Q_3 , and X_0
- ☐ X_m , Q_1 , Mode, Q_3 , and X_0
- ☐ X_0 , Q_1 , Median, Q_2 , and X_m

Made By: Waqar Siddhu

Question No : 8 of 26

Marks: 1 (Budgeted Time 1 Min)

For what condition of k , at least $1 - 1/k^2$ of the data-values fall within k standard deviations of the mean:

Answer (Please select your correct option)

- ☒ Greater than 1 Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com correct
- ☐ Less than 1
- ☐ Greater or equal to 1
- ☐ Less or equal to 1

Made By: Waqar Siddhu

Question No : 9 of 26

Marks: 1 (Budgeted Time 1 Min)

Which of the following can never be taken as the probability of an event?

Answer (Please select your correct option)

- ☐ 1
- ☒ 0 Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com correct
- ☐ 0.5
- ☐ -0.5

Made By: Waqar Siddhu

VU Medical Zone

Question No : 10 of 26

Marks: 1 (Budgeted Time 1 Min)

If E is an impossible event, then $P(E)$ is:

Answer (Please select your correct option)

- ☐ 1
- ☐ 0.15
- ☒ 0
- ☐ 0.5

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

correct

Made By: Waqar Siddhu

Question No : 11 of 26

Marks: 1 (Budgeted Time 1 Min)

The average which is defined as the reciprocal of the arithmetic mean of the reciprocals of the values is called:

Answer (Please select your correct option)

- ☐ Geometric Mean
- ☒ Harmonic Mean
- ☐ Mode
- ☐ Median

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

correct

Made By: Waqar Siddhu

Question No : 12 of 26

Marks: 1 (Budgeted Time 1 Min)

An automobile is running, during the first 60 Km, at the rate of 10 Km/hr. During the second 60 Km at the rate of 30Km/hr, while during the third 60 Km its speed was 40 Km/hr. What method is more appropriate to calculate the average speed?

Answer (Please select your correct option)

- ☐ Median
- ☒ Arithmetic mean
- ☐ Harmonic mean
- ☐ Geometric mean

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

VU Medical Zone

Question No : 13 of 26

Marks: 1 (Budgeted Time 1 Min)

What is the standard deviation of the following values?
7, 7, 7, 7, 7, 7, 7

Answer (Please select your correct option)

- ☐ 7
- ☐ 1
- ☐ 49
- ☒ 0

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

correct

Made By: Waqar Siddhu

Question No : 14 of 26

Marks: 1 (Budgeted Time 1 Min)

Which one of the following is a meso-kurtic curve?

Answer (Please select your correct option)

- ☐ Negatively skewed
- ☐ Positively skewed
- ☐ J-shaped
- ☒ Normal

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

correct

Made By: Waqar Siddhu

Question No : 15 of 26

Marks: 1 (Budgeted Time 1 Min)

Men tend to marry women who are slightly younger than themselves. Suppose that every man married a woman who was exactly 5 years younger than themselves. Which of the following is correct?

Answer (Please select your correct option)

- ☐ The correlation coefficient is -5
- ☒ The correlation coefficient is 5
- ☐ The correlation coefficient is 1
- ☐ The correlation coefficient is 0

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Made By: Waqar Siddhu

VU Medical Zone

Question No : 16 of 26

Marks: 1 (Budgeted Time 1 Min)

In a multiplication theorem $P(A \cap B)$ equals:

Answer (Please select your correct option)

☐ $P(A) P(B)$

☐ $P(A) + P(B)$

☒ $P(A) \times P(B|A)$

Answer solved by Amaan Khan

Contact: 0305-4716616

Email: maniamaan2@gmail.com correct

☐ $P(B|A) \times P(B)$

Made By: Waqar Siddhu

Question No : 17 of 26

Marks: 1 (Budgeted Time 1 Min)

Which one of the following is the class frequency?

Answer (Please select your correct option)

☒ The number of observations in each class

Answer solved by Amaan Khan

Contact: 0305-4716616

Email: maniamaan2@gmail.com correct

☐ The difference between consecutive lower class limits

☐ Always contains at least 5 observations

☐ Usually a multiple of the lower limit of the first class

Made By: Waqar Siddhu

Question No : 18 of 26

Marks: 1 (Budgeted Time 1 Min)

Which of the following comes first to make frequency distribution.

Answer (Please select your correct option)

☐ Number of Groups

☐ Class interval

☒ Range

Answer solved by Amaan Khan

Contact: 0305-4716616

Email: maniamaan2@gmail.com correct

☐ Tally marks

Made By: Waqar Siddhu

VU Medical Zone

Question No : 19 of 26

Marks: 1 (Budgeted Time 1 Min)

Data obtained from the Ministry of food, is an example of

Answer (Please select your correct option)

☐ Primary data

☒ Secondary data

Answer solved by Amaan Khan

Contact: 0305-4716616

Email: maniamaan2@gmail.com correct

☐ Qualitative data

☐ None of these

Made By: Waqar Siddhu

Question No : 20 of 26

Marks: 1 (Budgeted Time 1 Min)

Total angle of a Pie Chart is:

Answer (Please select your correct option)

☐ 90°

☐ 180°

☐ 270°

☒ 360°

Answer solved by Amaan Khan

Contact: 0305-4716616

Email: maniamaan2@gmail.com correct

Made By: Waqar Siddhu