CS101_MCQs for Final-Term

1. When code is converted to machine language then it is _____ to see the output.
   - compiled
   - assembled
   - executed
   - translated
2. Mnemonics are _____ to represent early generation language codes.
   - names
   - symbols
   - characters
   - words
3. Machine language consists of _____ digit system.
   - binary
   - hexadecimal
   - octal
   - decimal
4. _____ converts mnemonic expressions into machine language instructions.
   - assembler
   - translator
   - compiler
   - convertor
5. Computer uses_____ language to communicate within its modules.
   - natural
   - JAVA
   - C
   - binary
6. Descriptive names used to represent mnemonic expressions are called as _____?
   - constants
   - both a and b
   - identifiers
   - program variables
7. A complete mnemonic system used for representing is collectively known as _____.
   - programming language
   - assembly language
   - natural language
   - machine language
8. The process of locating and correcting an error in a programming language is called _____.
   - debugging

Maha Malik

- correcting
- executing
- editing

9. COBOL Stands for _____.
- Comprehensive business oriented language
- Common business oriented language
- Comprehensive business object language
- Common business object language

10._____ translates one instruction to machine language at a time.
- interpreter
- both a,b
- compiler
- translator

11. Identifiers are also known as _____.
- variables
- names
- values
- constants

12.FORTRAN stands for _____.
- Formula transporter
- Formula transition
- Formula translator
- Formula transfer

13._____ language is precisely defined by rules and grammar.
- Formal
- Programming
- Natural
- English

14.A program written in a third-generation language could be used on any machine simply by applying the appropriate compiler is called _____.
- machine dependence
- machine optimization
- machine compiler
- machine independence

15. The extended part of the compiler ,which is not the actual part of the standard language, is called _____.
- compiler extension
- machine dependence.
- machine independence
- language extension

16. Which of the following is the disadvantage of assembly language?
- code is machine dependent.

Maha Malik

- works in small increments.
- code is machine independent.
- both a and b

17. A compiler translates _____ code to machine language at a time.
- one by one each instruction
- complete
- module by module.
- function by function

18. If a program is installed on two different machines and by making small changes it can be used on both. This is known as _____.
- goal of machine independence
- disadvantage of machine dependence
- disadvantage of machine independence
- goal of machine dependence

19. By definition, _____ is if code does not run on a variety of computer systems.
- machine optimization
- machine compiler
- machine dependence
- machine independence

20. _____ languages lies under imperative paradigm.
- C++ and Python
- FORTRAN and COBOL
- C and C++
- C++ and JAVA

21. The procedural paradigm is also known as _____.
- imperative paradigm
- object oriented paradigm
- functional paradigm
- declarative paradigm

22. Start finding an algorithm and then express that algorithm in sequence of commands. This approach is known as _____.
- imperative paradigm
- declarative paradigm
- functional paradigm
- object oriented paradigm

23. Programming languages are evolved in _____ no of paradigms
- 2
- 3
- 1
- 4

24. Programming paradigms are known as _____ approaches to the programing process.
- alternate

Maha Malik

- identical
- similar
- coinciding

25. A _____is a computer language programmers use to develop software programs, scripts, or other sets of instructions for computers to execute.

- Java Language
- natural language
- C++ language
- programming language

26. GPSS and Prolog are examples of _____ programming paradigm?

- imperative paradigm
- declarative paradigm
- object oriented paradigm
- functional paradigm

27. _____ programming is emerged as a result of the declarative paradigm.

- Procedural
- Functional
- Logic
- Object oriented

28. The programmer develops a precise statement of the described problem to be solved rather than describing an algorithm. This approach is known as _____.

- imperative paradigm
- functional paradigm
- declarative paradigm
- object oriented paradigm

29. Weather forecasting is an example of _____ programming paradigm.

- imperative
- object oriented
- declarative
- functional

30. _____ is an entity which takes some inputs and produces some output.

- Function
- Program
- Module
- Task

31. In _____ paradigm, a program is developed by connecting predefined functions so that each functions outputs are used as another functions inputs in such a way that the desired overall input-to-output relationship is obtained.

- functional paradigm
- imperative paradigm
- object oriented paradigm
- declarative paradigm

Maha Malik

32. Nested functions are example of _____ paradigm.

- imperative
- object oriented
- functional
- declarative

33. In OOP, each object is consist of collection of _____.

- methods
- units
- classes
- elements

34. Collection of functions associated with objects are known as _____.

- class
- methods
- module
- function of objects

35. An object is a part of a particular class is also known as a/an _____ of that class.

- case
- instance
- type
- part

36. OOP stands for _____.

- Object oriented programming
- Object organization procedure
- Object organization programming
- Object oriented procedure

37. C#, Java are examples of _____ paradigm?

- object oriented paradigm
- imperative paradigm
- functional paradigm
- declarative paradigm

38. Which of the following is the correct way to declare a variable named grade which will store the grade of a student.

- char grade;
- int grade;
- boolean grade;
- float grade;

39. Which of the following is the correct way to declare a variable named shipping_price which will store the price converted from dollars which is not necessarily a whole number.

- boolean shipping_price;
- char shipping_price;
- int shipping_price;
- float shipping_price;

Maha Malik

40. A variable is required to store the number 100.001. Select the correct data type for this variable from the given options.

- char
- string
- float
- int

41. Descriptive names used in programming languages are called _____.

- variable
- data type
- int
- float

42. Integer data type can only store _____numbers.

- real
- fractions
- whole
- decimal

43. Choose the correct type of array to store the data given below.

50.5	60	70	70.8	80

- int number[5]
- float number[6]
- int number[6]
- float number[5]

44. "cout" statement is used to _____?

- save the data
- edit the data
- take the input
- print the output

45. How many locations are required to store "Ali haider" name in char array?

- char name[11]
- char name[10]
- char name [8]
- char name [9]

46. Consider the given below structure and select the correct method to access its field named age.

```
struct
{char Name[25];
int Age;
float SkillRating;}Employee;
```

Maha Malik

- Employee(age)
- Employee.age
- Employee[age]
- Employee{age}

47. _____ is known as the conceptual shape or arrangement of data in the storage of the computer.

- Data abstraction
- Database
- Data structure
- Data alignment

48. A two-dimensional array of integers named Scores having two rows and nine columns will be declared as:

- int Scores[2]/[9];
- int Scores[9]/[2];
- int Scores[2][9];
- int Scores[9][2];

49. Which two symbols are used for assignment statements in different programming languages.

- =, ==
- =,<=>
- =, ;=
- =, :=

50. What would be the output of the given program?

```
int price=10;

cout<<price;

int price=1000;

cout<<price;
```

- 10 and 1000
- 100
- 10
- 1000

51. Assignment statement is _____ type of statement.

- imperative
- declarative
- object oriented
- functional

52. The correct way to declare numeric value 8 in c++ is?

- int 8;
- Integer a=8;
- integer 8;
- int a=8;

Maha Malik

53. In programming language, '=' operator is used to represent _____operation.

- comparison
- assignment
- inequivalent
- equal to

54. A structure is called as_____ array.

- multi-dimensional
- heterogeneous
- homogeneous
- single dimensional

55. In C++,

If (condition) Statement A Else Statement B,

The statement B will execute when?

- ' If ' statement B excutes first;
- ' If ' condition becomes true ;
- Both A and B ;
- ' If 'condition becomes false ;

56. If the value of variable count is greater than 10, a single statement that prints "Hello" word by using ' If ' statement is :

- if (count>10) cout >> "Hello";
- if (count<10) cout << "Hello";
- if (count>10) cout << "Hello";
- if (count>10) cin << "Hello";

57. In imperative paradigm, statements are executed _____.

- randomly
- first statement at the end
- sequentially
- last statement at the start

58. Which one of the following is the correct syntax for if statement?

- If(condition);
- If("condition")
- If(condition):
- If(condition)

59. What is sequential execution?

- Execution of statements one after other.
- Statements are distributed for execution.
- Execution of statements on priority.
- Execution of multiple statements at a single time.

60. Select the correct output for this program.

cout<<"Hello to ITP";

Maha Malik

cout<<"BYE BYE ";

- BYE BYE
- Error
- Hello to ITP BYE BYE
- Hello to ITP

61. Condition in programming means _____.

- It is a statement which will be evaluated if it is true or false and output depends on it.
- It is a statement which will not be evaluated and output does not depend on it.
- It is a statement which will be ignored while execution of the code.
- It is the statement which will be executed as it is.

62. Select the correct output for this program if student marks are 30.

if (marks>=50)

cout<<"You have passed the examination ";

Else

cout<<"You have failed the examination";

- You have failed the examination
- Error
- You have passed the examination and You have failed the examination
- You have passed the examination

63. In C++, the student pass if _____.

if (scores >= 50)

cout << " Congratulation you have passed" ;

- Scores 30
- Scores 49
- Scores 50
- Scores 40

64. _____ alters the execution sequence of the program.

- Control structures
- Linear structures
- Uncontrolled structures
- Non-linear structures

65. int a=15; if (a < 15) cout << "a"; else cout << "abc ": What would be the output?

- aabc
- abc
- 15
- a

66. The statement i++; is equivalent to

- i = i + 1;

Maha Malik

- i = i + i;
- i = i - 1;
- i --;

67. What should be printed on screen? if(-1 == -1) cout<<"LOVE PAKISTAN"; else cout<<"I ";

- I
- I LOVE PAKISTAN
- LOVE PAKISTAN
- Compilation Error.

68. What type of control structure is used in the following statement?

while(expression) statement;

- Symmetric
- Loop
- Selection.
- Sequence

69. Which of the following is not a type of control structure:

- Selection.
- Sequence
- Repetition
- Symmetric

70. How to declare an integer variable in C ++?

- int=x;
- declare int x;
- x int;
- int x;

71. int i=1;

while(i<=6)

{

cout<<"Value of variable i is: "<<i ; i--;

}

How many times loop will execute?

- 7
- 6
- Infinite
- 1

72. A process of repeating the set of instructions is called?

- Algorithm
- Branching

Maha Malik

- Looping
- Recursion

73. A loop structure consists of:
- Loop control variable.
- All of above.
- Body of Loop.
- Condition .

74. Choose the correct loop syntax in C++.
- for(initialization; condition; inc/dec);
- for(declaration; increment operation; condition);
- for(declaration; condition; increment operation);
- Both b and c

75.
```
int i=1;

while(i<=3)

{

cout<<"Value of variable i is: "<<i  ; i++;

}
```
How many times loop will execute?
- 2
- 1
- 4
- 3

76. _____ define the structure of a programming language.
- Semantic.
- Dictionary
- Both B and C.
- Syntax.

77. Parallelism leads to what _____.
- Distribution
- Decentralization.
- Concurrency .
- Non-simultaneous.

78. _____ ensure that only one process at a time may be granted to resources.
- Mutual inclusive.
- Mutual cooperation.
- Deadlock .
- Mutual exclusive.

79. _____ increase the system's productivity.
- Single-programming

Maha Malik

- Multiprogramming
- Multiprocessing
- Multitasking

80. Execution of multiple activities at same time is called.

- Multiprocessing.
- All of above.
- Parallel processing.
- Multitasking.

81. _____ takes two operands and performs a calculation on them.

- Equation.
- Arithmetic operation.
- None of these.
- Arithmetic operators.

82. In C++ _____ operators are used to compare numerical values.

- Boolean.
- Relational.
- Both A and B.
- Arithmetic.

83. _____ data type only represents the whole-valued number.

- Integer.
- All of above.
- Float.
- Variable.

84. Which of the following are not an arithmetic operator in C-language.

- *
- =
- -
- +

85. What will be the output of the following statement ?

int a = 2.4 + 3.1

- 5
- 5.5
- 6
- 5.4

86. The operator " <= " in C++ is used for:

- Greater.
- Less.
- Greater than and equal.
- Less than and equal.

87. int a=5;

Maha Malik

if (a%2==0) cout<<"Green";

else

cout<<"Red";

What would be the output?

- Red
- Green
- Green Red
- White

88._____is the symbolic representation of " Not Equal To " Relation operators ?

- =/
- ==
- =!
- !=

89. What is the output of the following program:

int a=2 b=3;

if (a> b)

{

d= a+b;

cout<< d;

}

else cout<< a;

- 2
- 5
- a+b
- a

90. Following are the types of operators in C-language.

- Arithmetic.
- Logical
- All of above .
- Relational.

91. In C++ _____ operators are used to compare more than one condition.

- Relational
- Arithmetic
- Logical
- Boolean

92. In _____ operator output is 1 only when both conditions are True.

Maha Malik

- NOT
- AND
- NAND
- OR

93. What will be the output of the program in C++?

```
{
int A=22; int B=32;
if(A >=40 || B >=40)
cout<<"A  and B are awesome ";
if(!( A >=23))
cout<<"A  is awesome";
}
```

- 22 is awesome
- A and B are awesome.
- A is awesome.
- B is awesome.

94. The _____ operator inverts the output.

- NAND
- OR
- NOT
- AND

95. The symbolic representation of AND operator is:

- Both A and B
- &
- &&
- =!

96. Wrong estimations of product lead to _____.

- Dissatisfied customer.
- Late delivery.
- All of above.
- Cost overruns.

97. A _____ is a measure of software characteristics that are quantifiable.

- Index.
- None of these.
- Scale.
- Metrics .

98. CASE tools help in the cost estimation of the products. (True)

99. CASE stands for _____.

Maha Malik

- Computer-aided software engineering.
- Computer-aimed software engineering.
- Computer-acted software engineering.
- Computer-aided semantic engineering.

100. Eclipse and Visual studio are examples of:
- DBL
- IDEs
- None of these
- CASA

101. The software is moved to the maintenance phase when _____.
- Changes are done in previous modifications to introduce the errors.
- All of above.
- Changes in the software application.
- Errors are discovered.

102. The _____ include design, the development and the maintenance of software.
- Software engineering.
- Software development.
- Hardware engineering.
- Testing.

103. A _____ is a well-defined, structured sequence of stages in software engineering to develop the intended software product.
- Software.
- Testing.
- Developed manual.
- Software life cycle.

104. In the maintenance phase in the software life cycle, we are more focused on removing bugs. (True)

105. The software life cycle consists of.
- Maintenance .
- All of above.
- Usage.
- Development.

106. The_____ includes identifies the needs of the software users.
- Requirement analysis.
- Maintenance.
- Developing.
- Testing.

107. The _____is a written agreement between all parties in the software development cycle.
- Software life cycle.
- Software requirements specification.
- Software needed specification.

Maha Malik

- Requirement analysis.

108. The requirement analysis is a process of compiling the needs of the users and discussing the cost of the software. (True)

109. The Requirements analysis identifies problems. (True)

110. In the _____ phase of the software development cycle, the internal structure of the software system is established.

- Maintenance.
- Requirement analysis.
- Design.
- Testing.

111. The writing of programs, creation of data files and development of databases are the part of _____ phase.

- Implementation.
- Design.
- Developing.
- Maintenance.

112. The _____ is a person who involved primarily in the implementation step in the software development cycle.

- Stake holder
- System analyst.
- Software designer.
- Programmer .

113. The process of debugging is involved in which phase?

- Testing.
- Maintenance.
- Requirement analysis.
- Developing.

114. The _____ includes identifies the needs of the software users.

- Maintenance.
- Developing.
- Testing.
- Requirement analysis.

115. In the _____ phase of the software development cycle, the internal structure of the software system is established.

- Testing.
- Design.
- Requirement analysis.
- Maintenance.

116. The software life cycle begins with _____.

- Developing.
- Maintenance.
- Testing.

Maha Malik

- Requirement analysis.

117. The _____ include design, the development and the maintenance of software.
- Testing.
- Software engineering.
- Software development.
- Hardware engineering.

118. Which of the following are the major reasons for the failure in developing software.
- Poor communication.
- Both A and B.
- Changing requirements .
- Lack of deep knowledge about the system.

119. The _____ phase involves creating a plan for the construction of the proposed system.
- Developing.
- Testing.
- Maintenance.
- Design.

120. A programmer is a person who mainly focuses on the requirement phase and design. (False)

121. The requirement analysis is a process of compiling the needs of the users and discussing the cost of the software. (True)

122. The results obtained from the design phase are converted to programs. (True)

123. In_____ phase we find solution of requirements .
- Maintenance.
- Design.
- Developing.
- Requirement analysis.

124. _____ is performed for quality assurance.
- Testing.
- Implementation.
- Analysis.
- Developing.

125. Which of the following has more input in the Requirement Analysis phase?
- Programmer
- Performance.
- Design .
- Stakeholder.

126. In software life cycle _____ phase consists of correcting and updating.
- Maintenance.
- All of these.
- Developing.
- Testing .

127. The software is moved to the maintenance phase when _____.
- All of above.

Maha Malik

- Errors are discovered.
- Changes in the software application.
- Changes are done in previous modifications to introduce the errors.

128. The _____ is a person who involved primarily in the implementation step in the software development cycle.

- System analyst.
- Programmer .
- Stake holder
- Software designer

129. From a lay- person's perspective, requirements analysis is often equated with _____ a software system is to do.

- How.
- What .
- Who .
- Where.

130. _____ is the extension of the waterfall model.

- Spinal model.
- Requirement model.
- Iterative model.
- Incremental model.

131. Concerning the waterfall model, each phase must be completed before the _____can begin and there is no overlapping in the phases.

- Previous phase.
- Next phase.
- None of the above.
- Both A and B.

132. RUP stands for _____.

- Requirement Unified Program.
- Rational Unity Process.
- Rational Unified Process.
- Requirement Unified Process.

133. _____ is a significant example of iterative techniques.

- Free-wheeling.
- Rational unified process.
- Ratio unified process.
- Requirement unified process.

134. Which of the following are not the process model in Software Development Life Cycle.

- Waterfall model.
- Incremental model.
- Requirement model.
- Iterative model.

135. A waterfall model is a model of _____.

Maha Malik

- System Enhancement.
- Software Development Life Cycle.
- System Maintenance.
- Requirement model.

136. In the waterfall model, the output of one phase is input to the next phase. (True)

137. Which of the following is an agile method?
- Testing programming.
- Rational unified programming .
- Throw away programming.
- Extreme programming.

138. Functional dependencies in the structure chart are represented by.
- Lines.
- Circles.
- Rectangles.
- Arrows.

139. _____ deals with only a part of the software's overall responsibility.
- Task.
- Chart
- Process
- Module.

140. The process in which the previous prototype may be discarded after refining the system is called.
- Evolutionary prototyping.
- Rapid prototyping.
- All of these.
- Throwaway prototyping.

141. _____ produce the free software that is used by anyone.
- Open-source deployment.
- Open-save development.
- Open-source development.
- Open-safe development.

142. An incomplete version of the proposed system is called.
- Prototyping.
- Developing.
- Analysis.
- Extreme programming.

143. The sharing of data between inter-module coupling is known as:
- Analysis coupling .
- Control coupling.
- Data coupling.
- Function coupling.

144. A weak form of cohesion is known as:

Maha Malik

- Functional.
- Non-logical.
- Logical .
- Non-functional

145. When a module in software passes control of execution to another as in a function call is known as
- Function coupling .
- Control coupling.
- Data coupling.
- Analysis coupling.

146. In _____ cohesion, all parts of the module are focused on the performance of a single activity.
- Functional.
- Internal.
- Logical.
- Object.

147. Applying Encapsulation is an example of_____ Goal.
- Implementation
- Design
- Requirement
- Analysis

148. Which are the possible incarnations of Information Hiding?
- Testing and Design goals
- Design and implementation goals
- Implementation and Testing goals
- Requirement and Design goals

149. Allowing other modules to access _____ of a module will corrupt the data.
- External Data
- Internal data
- Application layer
- Physical layer

150. Maximizing Cohesion and Minimizing Coupling is an example of _____.
- Design Goal
- Requirement gathering
- Implementation Strategy
- Testing and implementation

151. Component based software engineering is also called_____ Architecture.
- Object
- Component
- Building
- Class

152. Which one of the following is Not a software component?

Maha Malik

- APIs
- Software template
- Mouse
- Objects

153. C++ programmers use _____ for implementing objects for performing different roles.

- Standard Template Library
- Java Application Programmer Interface (API)
- .NET Framework Class Library
- Standalone Template Directory

154. C++, Java and C# are supported with prefabricated _____.

- Firmware
- Hardware
- CLI
- Templates

155. The Java's library (API) stands for _____.

- Applied Processing Interface
- Application Programming Interface
- Applied Processing Implementation
- Application Programming Information

156. _____has designed for C# programmers?

- .Net Framework Class Library
- Standard Template Library
- Application Programming Interface (API)
- Hyper Text Markup Library

157. Java Programming Interface Design pattern has been developed by_____.

- IBM
- CISCO
- Oracle
- Microsoft

158. _____pattern provides a standardized way for achieving manageable solution.

- Decorator
- Test
- Implementation
- Analysis

159. Loosely Coupled Design Patterns help in _____.

- overloading the new instance
- making the instances dependent
- reusing the created instance
- recreating the new instance

160. The research of _____ reveals the origins of Design patterns.

- Steve jobs

Maha Malik

- Charles cabbages
- Bill Gates
- Christopher Alexander

161. What do you know about the Software Engineering Design Pattern?

- Pre Developed Model for solving problems
- Software Tool for Implementation
- Test Box Modeling for debugging
- Post Developed Model for solving problems

162. Shopping Cart Design patterns are used in situation where_____ to be sold.

- one item
- more products
- relevant product
- single same type instance

163. _____tool can easily make drawing diagrams and changing data dictionaries.

- CARE
- CAST
- CASE
- SDLC

164. _____ was the main purpose of Software Quality Assurance in early years.

- Fixing errors in Software
- Improving software quality
- Improving standards of software
- Modeling software structure

165. Alpha testing is performed on the _____side.

- Market
- Customer
- Developer
- Audience

166. In Software Testing _____possible lines or paths of a program are checked

- some
- exactly 10
- more than 1
- at most 20

167. Boundary Value Analysis testing is done on values like_____.

- 1,2,3,4,5
- 0 - 5
- Data in objects form
- A, B, C, D, E

168. _____testing ensures that each instruction in the software will be executed at least once.

- Black Box

Maha Malik

- White Box
- Basis path
- Glass Box

169. Small part of Italy's population controlled mostly wealth of Italy's is called _____principle.

- Pareto
- Charles Babbage
- Tim Berners-Lee
- Bill Gates

170. What do you mean by Software Testing?

- A branch of Quality Assurance
- Part of Requirement Analysis Phase
- A branch of the Software Design Phase
- A study of the Development Process

171. _____ testing is performed on a preliminary version of the software for certain audience.

- Alpha
- Beta
- Gama
- Glass Box

172. Testers of the _____ testing have knowledge of the interior structure of the software.

- Black Box
- Glass Box
- Basis path
- White Box

173. Which one of the following is NOT a relevant option for Technical Documentation?

- Indenting lines of code
- Introducing naming conventions
- Commenting lines of code
- Listing expenditure of software

174. _____is hired to write User's Documentation for the Software.

- Designer
- Analyst
- Technical writer
- Programmer

175. What is meant by Software Documentation?

- To use and maintain software
- To fix bugs in software
- Removing anomalies in software
- Enhancing software's performance

176. Which one of the following is NOT a type of Software Documentation?

Maha Malik

- Technical Documentation
- User Documentation
- License Documentation
- System Documentation

177. A Human Machine Interface provides detail about _____of the software.

- presentation
- internal structure
- integrity
- quality

178. Human Machine Interface should be designed in accordance with the _____.

- Cost affordability of a person
- Hardware requirements
- Human Information Processing
- Reduction in workload of developers

179. GOMS stands for_____.

- goals, operations, methodology and selection
- goods, operators, memory and selection
- goods, operators, management and services
- goals, operators, methods and selection

180. Designing a mouse is an example of _____.

- Ergonomics
- Cognetics
- Turing Test
- Design Goal

181. What do you mean by Copyrights and Patent Law?

- Protecting the ownership and selling the software
- Protecting ownership and software from the client
- Allowing clients to take ownership on payment
- Selling the ownership with license to a certain group

182. Patent law gives rights to the inventor for an invention for a limited period of ____years.

- 25
- 30
- 50
- 20

183. Which one of the following is a drawback of Patent law?

- In expensive but time consuming
- Expensive and less secure rights
- Expensive and time consuming
- Expensive and limited time offer

184. What do you mean by Software Ownership and Liability?

- Customer should get profit and ownership

Maha Malik

- Advertising company take charge of ownership
- Developer should get profit and ownership
- Developer should be agreed to provide ownership

185. _____, comes under Intellectual Property Law.

- Providing ownership of software to developer
- Issuing the stamp agreement of sold property
- Getting license of the property from the owner
- Granting ownership to the customer on payment

186. Data Abstraction is also known as _____.

- Database
- Data Structure
- DBMS
- SQL

187. A block of data of a single employee containing fields like 'name', 'salary', 'scale' and 'address' is an example of _____type.

- Array
- Stack
- Aggregate
- Queue

188. Position of elements or data in two dimensional array is identified with help of _____.

- strings
- bits
- characters
- Pair of indices

189. _____ is an operation of stack.

- PUSH
- DELETE
- INSERT
- DROP

190. _____ type has the capability of storing different types of data.

- Array
- List
- Aggregate
- Stack

191. List, Stack and Queue are different forms of _____.

- SQL Server
- Data Abstraction
- DBMS
- Data Base

192. What do you know about QUEUE?

- Entries are removed from the tail

Maha Malik

- Entries are inserted at the tail
- It works in “First in Last Out” manner
- Entries are removed by POP operation

193. Entries in a _____are inserted and removed at one end (TOP).
- Queue
- Stack
- Array
- Aggregate

194. A parent of a Binary Tree can have _____nodes.
- four
- more than two
- at most three
- at most two

195. Leaf node of the tree is also called _____ node.
- Root
- Terminal
- Parent
- Child

196. _____is the longest path from Root Node to the Leaf Node at the lowest extreme.
- Path
- Terminal
- Width
- Depth

197. A Sub Tree is also called a _____from the parent.
- Binary tree
- Depth
- Level
- Branch

198. Which one is the most suitable choice of Data Structure for representing Parent Children Relationship?
- Queue
- Stack
- Index
- Tree

199. Siblings nodes of the tree have _____.
- leaf node as parent
- only root node as parent
- different parents in upper levels
- same parent

200. Pointers are included as a _____data type in various programming languages.
- Primitive
- Open source

Maha Malik

- Close ended
- User defined

201. Addresses in computer's memory are identified by _____values.
- character
- numeric
- alphabet
- pointer

202. A pointer is a storage area that holds _____.
- memory address
- bits
- pseudocode
- byte code

203. Managing efficiently a scattered list of different novels in computer memory is an application of _____.
- Queue
- Stack
- Pointer
- Class

204. Pointers are used to _____.
- maintain database system
- improve integrity of system
- store and manage addresses
- enhance Operating System

205. In File Oriented Information system records are _____.
- space saving
- integrated
- reliable
- duplicated

206. _____system is one dimensional data storage system.
- Database
- RDBMS
- Flat file
- Aggregate

207. Flat File Storage System is suitable in _____ environment.
- Static
- Continues
- Random
- Dynamic

208. In Database Oriented Information system records are_____.
- duplicated
- un secure
- redundant

Maha Malik

- integrated

209. Which one of the following is a role of database schema?
- Specifying storage structure for database records
- Defining access rights for all database users
- Enlisting software and hardware requirements
- Providing information about requirement analysis

210. _____ restricts an individual for performing a specific operation on a portion of database.
- Full Schema
- Sub Schema
- Presentation Schema
- Partial Schema

211. The entire database structure is defined by _____.
- Full Schema
- Sub Schema
- Schema
- Partial Schema

212. Which one of the following is true for DBMS?
- Hardware system storing user records
- Software that manages database
- Hardware system holding data items
- Standalone database of various users

213. _____ passes the user's request to the DBMS for performing certain operation(s) on the database.
- Operating system
- Microsoft Word
- Application software
- MS Power point

214. A/ An _____ has certain attributes or columns which describe its characteristics.
- class
- tuple
- object
- entity

215. _____represents a column in relation or table.
- Tuple
- Attribute
- Index
- Object

216. _____represents a row in a relation or table.
- Object
- Index
- Tuple

Maha Malik

- Attribute

217. Relational database model stores data in the form of_____.
- Tables
- Objects
- Classes
- Entities

218. The relational database model portrays the data being stored in:
- A rectangular structure having rows and columns
- A circular structure
- A hierarchical structure like trees
- A linear structure having data elements in sequence

219. Which one of the following converts the Conceptual View into actual representation of the database?
- Abstraction
- Queue
- DBMS
- Class

220. If a relation in a relational database model has multiple entries for a single entity, this issue is called _____.
- Data ambiguity
- Incorrect data modeling
- Redundancy of the data
- Schema problem

221. The redundancy of data within a single relation of a database model can be eliminated by:
- Removing the redundant entries
- Removing the columns that caused redundancy
- Changing the position of columns within a relation
- Breaking the single relation into multiple relations

222. _____ is a condition created within a database or data storage technology in which the same piece of data is held in two separate places.
- Table join
- Data redundancy
- Repetition
- Data distribution

223. We can use the _____ operation to combine two relations into a single relation within a database.
- JOIN
- CONNECT
- SELECT
- COMBINE

224. The "SELECT" relational operator is used for _____ from a relational database model?

Maha Malik

- Extracting the required column(s)
- Extracting the schema information
- Extracting the required tuple(s)
- Joining two relations

225. The "PROJECT" relational operator is used for _____ from a relational database model.

- Extracting the schema information
- Joining two relations
- Extracting the required tuple(s)
- Extracting the required column(s)

226. Which of the following is an operator for the relational database models?

- Extract
- Arrange
- Connect
- Project

227. Which of the following is not an operator for the relational database models?

- Sort
- Join
- Project
- Select

228. Which of the following is not an operator for the relational database models?

- Project
- Select
- Connect
- Join

229. The "STD" term in the following relational query represents a(n) _____.

STD<- SELECT from STUDENT where StdId = 'VU470'

- Array
- Relation
- Column name
- String variable

230. The "PROJECT" query is used to extract _____ from a relation in the relational database.

- Multiple tuples at a time
- Specified columns
- One or multiple tuples
- Only a specific row

231. The "SELECT" query extracts _____ from the specified relation in the relational database.

- One or multiple tuples
- Multiple tuples at a time

Maha Malik

- Only a single tuple
- One or multiple columns

232. MAIL < - PROJECT Name, Address, City from EMPLOYEE

- In the above relational query, the "MAIL" relation contains:
- None of the columns of EMPLOYEE relation
- All the columns of EMPLOYEE relation
- All the tuples of EMPLOYEE relation having non-empty data in the specified columns
- Only the specified columns of EMPLOYEE relation

233. Which of the following represent(s) the name(s) of the relation(s) in the given relational query?

STD<- SELECT from STUDENT where StdId = 'VU470'

a. STD

b. STUDENT

c. StdId

- a, b and c
- b only
- c only
- a and b

234. The correct syntax for the "SELECT" relational query is:

- NEW < - from TABLENAME, SELECT where ColumnName = 'XYZ'
- NEW < - SELECT from TABLENAME where ColumnName = 'XYZ'
- NEW < - SELECT where ColumnName = 'XYZ' from TABLENAME
- NEW < - SELECT ColumnName = 'XYZ' from TABLENAME

235. The correct syntax for the "PROJECT" relational query to extract a particular column from a relation is:

- NEW < - PROJECT from TABLENAME where Column = 'ColumnName'
- NEW < - PROJECT ColumnName from TABLENAME
- NEW < - PROJECT TABLENAME.ColumnName
- NEW < - PROJECT ColumnName(TABLENAME)

236. MAIL < - PROJECT Name, Address, City from EMPLOYEE

The name of relation(s) in the above "PROJECT" relational query is/are:

- MAIL and EMPLOYEE
- EMPLOYEE only
- Name, Address, and City
- MAIL only

237. The result of the following query will be:

REL < - PROJECT Column1, Column2 from TABLE

- A new relation "REL" containing two specified columns from relation "TABLE"

- A new relation "REL" containing specific rows from relation "TABLE"
- A new database "REL" containing all the columns from relation "TABLE"
- A new Tuple "REL" containing two specified columns from relation "TABLE"

238. In the given relational query, "STUDENT" term represents:

STD < - SELECT from STUDENT where StudentId = 'VU100'

- Parent relation
- Child relation
- Tuple name
- Column name

239. The _____ relational operation on two relations produces a new relation whose attributes consist of the attributes from the original relations.

- CONNECT
- JOIN
- PROJECT
- SELECT

240. Which of the following keyword is used to connect two relations into a single one?

- COMBINE
- CONNECT
- JOIN
- LINK

241. In a relational database, the attributes of two relations are given below:

EMPLOYEE: EmployeeId, Name, Address, ContactNo

JOBS: JobId, EmployeeId, JobTitle, DeptName

The JOIN of both the relations will be based on the attribute(s):

- Name and JobId
- JOIN is not possible
- Name, JobTitle, DeptName
- EmployeeId

242. The links between objects in an object-oriented database are normally maintained by the _____.

- Operating System
- Compiler
- DBMS
- Application software

243. In the object-oriented approach, the objects that are created during the program's execution and discarded after termination are called _____ objects.

- Transient
- Dynamic
- Persistent

Maha Malik

- Resident

244. In an Object-Oriented Database, the database consists of _____ that are linked to each other to reflect their relationship.

- Modules
- Objects
- Methods
- Tables

245. Which of the following is mainly responsible for maintaining the integrity of the database?

- User application
- Operating system
- End-user
- DBMS

246. What is the consequence of a partially completed transaction within a database system?

- Has no impact on the database functionality
- Impacts the database Integrity positively
- It makes the database more transparent
- Impacts the database Integrity negatively

247. One of the major roles of the DBMS is to maintain database _____ by guarding against partially completed or wrong transactions causing incorrect information in the database

- Completeness
- Durability
- Clarity
- Integrity

248. What is not true about the "Commercial Database Management Systems"?

- It maintains the database integrity by guarding against problems arising from partially completed operations.
- It can have devastating consequences for incorrect or lost data.
- It is used for large and multi-user database environments.
- It stores information whose loss or corruption would be inconvenient rather than disastrous.

249. Which of the following is/are example(s) of a transaction in the relational database system?

a. Transfer of funds from one bank account to another

b. Cancellation of an airline reservation

c. Registration of a student in a university course

- a only
- All of the given
- a and c
- b and c

250. The main purpose of the rollback protocol is to:

- Delete any irrelevant record from the databases

Maha Malik

- Unlock the databases for editing
- To undo the last completed transaction
- To undo the partially executed transaction

251. By using _____, a record being accessed by multiple transactions cannot be accessed until it is released by parent transaction.

- Cursors
- Triggers
- Lock
- Pointers

252. If a particular data item in the memory is restricted to be used for some other transaction by the parent transaction, the item is said to be _____.

- Locked
- Selected
- Limited
- Available

253. If one transaction related to funds deduction reads the current balance in an account at the point when the other transaction related to funds deduction has just read the balance but has not yet calculated the new balance, then both transactions will base their deductions on the same initial balance. The problem which may arise due to this is _____ .

- Transaction loss
- Transaction failure
- Incorrect summary problem
- Lost update problem

254. The problem known as the _____ can arise if one transaction is in the middle of transferring funds from one account to another when another transaction tries to compute the total deposits in the bank.

- Incorrect summary problem
- Lost update problem
- Transaction failure
- Transaction loss

255. The term "EOF", in a sequential file, is referred to as _____.

- Execution of file
- Exclusively open fragment
- End of file
- Extra object file

256. The _____ files are inefficient when records within the file must be retrieved in an unpredictable order.

- Sequential
- Hash
- Indexed
- Index sequential

Maha Malik

257. A _____ file is a file that is accessed serially from its beginning to its end as though the information is arranged in a row.

- Hash
- Index sequential
- Index
- Sequential

258. Which of the following file type is designed purely to allow random record retrieval?

- Indexed file
- Index sequential file
- Sequential file
- Serial file

259. The overhead associated with the Indexed files is

- Retrieval of a record in an unpredictable manner
- Maintenance of a separate index file in mass storage
- Retrieval of a record in a sequential manner
- Computation of address using the hash function

260. The indexes of the Indexed File are stored in the _____ as a separate file.

- Main memory
- Cache
- RAM
- Mass storage

261. The index of a file is normally stored _____ as the indexed file.

- As a separate file on the main memory storage
- As a separate file on the same mass storage device
- In the same file on the main memory storage
- In the same file on the same mass storage device

262. In the hashing system, the data storage space is divided into several sections, called _____.

- Fragments
- Buckets
- Pages
- Containers

263. In hash files, the phenomenon of a disproportionate number of keys happening to hash to the same bucket is known as _____.

- Clustering
- Collection
- Clouding
- Grouping

264. The simplest of the hash functions used in storing and retrieving records in hash files is _____.

- Remainder method
- MD5 hash function

Maha Malik

- Mid square method
- Cryptographic method

265. In a file storage system, the algorithm which converts the key value of a record into its bucket number for storing the record is known as the _____.

- Paging function
- Index function
- Hash function
- Address translation function

266. In _____ file system, the records are distributed among the available buckets according to an algorithm that converts key values into bucket numbers.

- Indexed
- Sequential
- Indexed sequential
- Hash

267. _____ is to transform an arbitrary sized value to a fixed-length value or key, which ultimately helps in identifying the location of a record directly.

- Recursion
- Pointer
- Hashing
- Indexing

268. Which of the following is a key factor in locating a record that needs to be stored and retrieved in the Hash files?

- File extension
- Hash function
- Storage type
- Address space

269. When hashing is applied to a storage structure within main memory, the result is usually called a _____.

- Hash table
- Hash file
- Hash tree
- Hash structure

270. When hashing is applied to a storage structure in mass storage, the result is called a _____.

- Hash table
- Hash file
- Hash tree
- Hash structure

271. Within a hash file system, each bucket is usually capable of holding _____.

- A pair of records
- A single record
- Unlimited number of records

Maha Malik

- Several records

272. Grouping and categorization of data items based on found properties is called _____.
- Clouding
- Clustering
- Grouping
- Collection

273. Which form of data mining deals with links discovery between data groups?
- Cluster analysis
- Association analysis
- Class description
- Data analysis

274. _____ is the form of data mining to deal with the identification of properties that distinguish between classes of data.
- Class discrimination
- Data analysis
- Class description
- Data computing

275. The field of _____ consists of techniques for discovering the unknown patterns in collections of data.
- Data mining
- Data warehousing
- Data computing
- Data analysis

276. The static data collection, which is usually used for analysis in data mining, is referred to as _____.
- Data warehouse
- Spreadsheet
- DBMS
- Database

277. In data mining, the _____ analysis can be used to identify credit card theft by detecting sudden deviations from a customer's normal purchase patterns by recognizing unusual behavior.
- Sequential pattern
- Class
- Cluster
- Outlier

278. _____ is the form of data mining for the comparison between classes based on the general properties that identify each class.
- Data computing
- Class discrimination
- Data analysis
- Class description

Maha Malik

279. From the given data set of a grocery store, the most suitable form of data mining is _____ which can find about "those people who buy potato chips also buy Juices and soda".

- Association analysis
- Sequential pattern analysis
- Cluster analysis
- Outlier analysis

280. Data mining is usually practiced on _____.

- All types of live and static data collections
- Data collections that are subject to frequent changes
- Online (live) data collections
- Static data collections

281. _____ is a form of data mining that tries to identify data entries that do not comply with the norm.

- Class discrimination
- Outlier analysis
- Sequential pattern analysis
- Cluster analysis

282. Using database technology, which of the following examples represents a data collection mode in which the data collection process is readily apparent to the user?

- Search engines recording the user search queries
- Grocery store asking customers to fill forms voluntarily for getting discounts
- Website recording who visits the website
- Credit company recording user purchasing practices

283. _____ can be the approach(es) for protecting society from the abusive use of the databases.

Apply legal remedies

Public opinion

Legalizing the commercial use of databases

- a and c
- a and b
- b and c
- a only

284. _____ is an approach to protect society from the abusive use of the database.

- Illegal control
- Legalizing the commercial use of databases
- Banning the culprits
- Applying legal remedies

285. Microbots can be used:

- For Delivering Drugs to the targeted body area through the bloodstream.

- To carry out heavy medication in hospitals.
- To alleviate patients in hospitals.
- As a receptionist in hospitals.

286. Which of the following intelligent agent is used in Apple devices?

- Siri
- Cortana
- Amazon echo
- Google Assistant

287. Which instruments are used for perceiving and acting upon the environment?

- Sensors and Actuators
- Robots
- Sensors
- Perceivers

288. Learning _____ usually involves a trial and error process by which an agent learns appropriate actions by being punished for poor actions and rewarded for good ones.

- Declarative knowledge
- Procedural knowledge
- Lexical knowledge
- Theoretical knowledge

289. Learning _____ usually takes the form of expanding or altering the "facts" in an agent's store of knowledge.

- theoretical knowledge
- declarative knowledge
- lexical knowledge
- procedural knowledge

290. The performance of an agent can be improved by _____.

- Observing
- Perceiving
- Searching
- Learning

291. _____ is an intelligent device, which perceives its environment through sensors and responds to stimuli using actuators.

- Agent
- Camera
- Server
- Client

292. In the past, the Turing test (proposed by Alan Turing in _____) has served as a benchmark in measuring progress in the field of artificial intelligence.

- 1956
- 1952
- 1941
- 1950

Maha Malik

293. A well-known example arose as a result of the program DOCTOR (a version of the more general system called ELIZA) developed by Joseph Weizenbaum in the _____.

- Mid-1955s
- Mid-1958s
- Mid-1969s
- Mid-1960s

294. _____ is a test for measuring the intelligence of a machine, such that a human is unable to distinguish between a machine and a human.

- Turing test
- Intelligence test
- Cognitive test
- IQ test

295. In _____ research track in artificial intelligence, researchers try to develop a computational understanding of human intelligence.

- Engineering
- Comparative
- Theoretical
- Computational

296. Artificial intelligence (AI) has two groups named _____ and _____.

- Practitioners, Theoreticals
- Researchers, Engineers
- Researchers, Developers
- Engineers, Scientists

297. The performance of an agent can be improved based on this.

- Improvise
- Implement
- Learn
- Observe

298. A methodology used to develop behavior-based autonomous agents.

- Descriptors
- Behavior modeling
- Auto engineering
- Behavior engineering

299. In _____research track in artificial intelligence, researchers try to develop systems that exhibit intelligent behaviors.

- Comparative
- Engineering
- Theoretical
- Computational

300. _____ refers to the process of understanding or describing characteristics identified by image processing.

- Image visualization

Maha Malik

- Image editing
- Image processing
- Image analysis

301. _____ refers to identification of characteristics of an image.
- Image processing
- Image analysis
- Image editing
- Image visualization

302. _____ of natural language refers to identification of conditions or settings in which a statement is generated and understanding the meaning in their accordance.
- Semantic analysis
- Contextual analysis
- Sentiment analysis
- Syntactical analysis

303. _____ of natural language is the process of analyzing if a sentence gives clear meaning.
- Sentiment analysis
- Semantic analysis
- Contextual analysis
- Syntactical analysis

304. For _____ processing, syntactical, sematic and contextual knowledge is required.
- Assembly language
- Low-level language
- High level language
- Natural language

305. Which of the following does not include a major task of NLP?
- Discourse Analysis
- Automatic Summarization
- Machine Translation
- Data Analysis

306. _____ of natural language is the process of analyzing if the language conforms to the rules of grammar.
- Contextual analysis
- Syntactical analysis
- Sentiment analysis
- Semantic analysis

307. Which of the following computer science(CS) has a positive impact on society?
- It is very easy to access and use data for business applications.
- It is a fast changing technology, so it is required to be updated timely.
- It facilitates computer crime and cyber cyber theft.
- Chances of data stolen and hacking that destroys data.

Maha Malik

308. Which one of the following options is correct keeping in mind the negative impacts of Computer Science on human health?

- Health news can be viewed online.
- Posture could lead to bone issues.
- Hospitals can be managed more efficiently.
- Online health tips/issues are available.

309. Which one of the following options is correct keeping in mind the positive impacts of Computer Science on human health?

- We can take online appointments.
- Social Isolation.
- Hearing loss is more common in those listening to high volume music on the computer.
- Communication Issues.

310. Which one of the following options is correct keeping in mind the negative impacts of Computer Science on the environment?

- Americans use about 680 pounds of paper per person, per year
- The average American household throws away 13,000 pieces of paper (around 1 billion trees in total in the USA) each year.
- In offices, people print unnecessarily.
- This amounts to about 85 million tons of paper or 2 billion trees.

311. Which one of the following options is correct keeping in mind the positive impacts of Computer Science on the environment?

- E-waste is sent to developing countries where people extract materials from these electronics such as gold, silver, and copper.
- The usage of energy has increased with the use of the computer.
- Paperless such as online reading and publishing.
- In offices, people print unnecessarily.

312. What is the core benefit of the paperless environment for online reading and publishing?

- Saving cartridge of printers
- Saving trees
- Saving cottons
- Saving metals

313. _____ is a set of moral principles that govern the behavior of an individual or group of people.

- Protocol
- Utility
- Ethics
- Privacy

314. Ethical issues are related to _____ or the branch of knowledge dealing with these.

- All of the mentioned
- Ethical hacking
- Moral principles
- Ethical principles

Maha Malik

315. _____deals with the protection of an individual's information which is implemented while using the Internet on any computer or personal device.

- Digital agony
- Digital privacy
- Digital secrecy
- Digital protection

316. The users must agree to the _____ terms and agreements when they use open-source software.

- System
- License
- Programmer
- Community

317. A software that can be freely accessed and modified.

- Package Software
- Open Source software
- Synchronous Software
- Middleware software

318. _____ technology is used for analyzing and monitoring traffic in network and information flow.

- Network Security Firewall (NSF)
- Cloud access security brokers (CASBs)
- Managed detection and response (MDR)
- Network traffic analysis (NTA)

319. Possible threat to any information cannot be _____

- ignored
- protected
- transferred
- reduced

320. In open source software _____ can change it.

- no person
- globally person
- two person
- one person

321. Firewalls are to protect against

- Virus Attacks.
- Unauthorized Attacks.
- Data Driven Attacks.
- Fire Attacks.

322. In computer security, _____ means that the information contained in a computer system can only be read by authorized persons.

- Integrity
- Confidentiality

Maha Malik

- Authenticity
- Availability

323. Firewall is a type of _____.
- Worm
- Virus
- Security threat
- Security-conscious piece of hardware or software

324. In computer security, _____ means that active computer systems can only be modified by authorized persons.
- Availability
- Confidentiality
- Integrity
- Availability

325. _____ application is the illegal access to the network or computer system.
- Virus
- Security
- Piracy
- Cracking

326. How Social companies saved our data/information from theft?
- Anti-Virus
- Spam
- Encryption
- integration

327. When can cyberbullying not happen?
- When you are at school
- When you talk to someone face to face
- When you talk with your friends
- When you are at home

328. What do you do if someone you know is being cyberbullied?
- Let someone know
- Get into a fight with that person
- Delete the text messages
- Keep it to yourself

329. What is an example of cyberbullying?
- Telling someone their shit is ugly
- Mean text messages
- Ignoring someone that is talking to you
- Hitting someone

330. Which of the following is not a technique used by spammer?
- Junk tags associated with spam-emails
- Making important deals through such emails
- Sending attached virus in spams

Maha Malik

- Spoofing the domain

331. Which of the following is not a proper way of how spammers get the email Ids?
- From offline form fill-up documents
- Databases formed by spiders fetching email Ids from different sources
- When a user registers to online services, blogs, and sites
- Online ad-tracking tools

332. There are _____ major ways of spamming.
- 2
- 3
- 4
- 5

333. How does excessive use of technology affect children's physical health?
- Cyber Relationship Addiction
- Social Isolation
- Anxiety and Depression
- Culture ambiguity

334. Which of the following electronic theft?
- Cyberbullying
- Malicious code
- Online Fraud
- Illegal content

335. Which of the following contact risk?
- Online Fraud
- Illegal content
- Malicious code
- Cyberbullying

336. _____ will protect children from watching illegal content on the internet.
- Web Engineering
- Web Developing
- Web Editing
- Web filtering

337. Which of the following information security technique?
- Cyberbullying
- Illegal content
- Online Fraud
- Malicious code

338. _____ will protect children from watching illegal content on the internet.
- Web Engineering
- Web Developing
- Web Editing
- Web filtering

339. Which of the following content risk?

Maha Malik

- Cyberbullying
- Malicious code
- Online fraud
- Illegal content

340. Which of the following is not a "Menu/Ribbon" in MS Word?

- References
- View
- Styles
- Home

341. Default font family for writing a text in Microsoft Word is_____.

- Algerian
- Verdana
- Calibri
- Times New Roman

342. Default font size of text in Microsoft Word is_____.

- 8
- 11
- 12
- 9

343. MS Word provides the facility to open recently used files. (True)

344. A _____ appears instantly when you double click a word or select a sentence/paragraph in MS word.

- Mini Toolbar
- Dialogue Box
- Tooltip
- None of above

345. By default on the top left corner of MS Word's window commonly used commands are given in a bar, this bar is known as_____.

- Menu Bar
- Quick Access Toolbar
- Ribbon Tool
- Mini Toolbar

346. Whenever you save an MS Word file on your system, it is saved with the _____extension.

- .wrd
- .docx
- .wdx
- .txt

347. Conversely speaking "save file icon" does not appear in default quick access toolbar of MS Word. (False)

348. Is it possible to add different commands available in MS Word on Quick Access Toolbar? (Yes)

Maha Malik

349. In MS Word, If you want to add the required command in the quick access toolbar then you can add that by clicking on the drop-down button right next to the quick access toolbar and choosing the _____option.

- Open Commands
- Quick Commands
- All Commands
- More Commands

350. By default there are _____ command buttons available in quick access toolbar.

- 3
- 8
- 2
- 4

351. In MS Word, following icon is used for _____.



- None of above
- Redo
- Retype
- Undo

352. In MS Word, under the home ribbon, multiple groups of similar commands are available, which group provides the facility of searching or replacing?

- Clipboard
- Styles
- Paragraph
- Editing

353. In MS Word, If you want to give vertical space between the lines of a text, you can use the line spacing command option of _____ group of Home Ribbon.

- Design
- Layout
- Styles
- Paragraph

354. In MS Word you can change the font color, size or font family using the_____group.

- Text
- Font
- Style sheet
- Editing

355. In MS Word, which command group will you choose to apply a certain style on a paragraph given under the home ribbon?

- Editing
- Design
- Styles
- Paragraph

Maha Malik

356. After selection of paragraph/sentence and by applying clear formatting the font family of text gets changed to_____.

- Calibri
- Arial Black
- Times New Roman
- Arial

357. In MS Word, which option of font group is suitable for writing 3 as a power of 2, where 2 is base and 3 is an exponent in 23?

- Text Typography
- Superscript
- Power Script
- Subscript

358. In MS Word, by default, Copy and Cut options under Home Ribbon are active when you open a blank document. (False)

359. In MS Word, which of the following does not belong to the clipboard group?

- Copy
- Change case
- Cut
- Paste


360. In MS Word _____ ribbon contains the clipboard group.

- Insert
- Home
- View
- Clipboard

361. In MS Word, You can apply the same format of the line or word you copied using format painter by clicking the format painter icon _____ and selecting the desired words or multiple lines throughout your document.

- Twice
- None of above
- Thrice
- Once

362. In MS Word, commands given in following image belongs to _____ group.



- Special Paste
- Clipboard
- Home
- None of above

363. In MS Word, this (¶) button available in paragraph group is used to show/check____.

- Tables

Maha Malik

- Words and digits
- Protected data
- Hidden spaces, page break or etc.

364. In MS Word, the Paragraph group under the home ribbon provides different types of borders which can be applied on lines or pages. Is it true? (Yes)

365. In MS Word, to distribute the text evenly between the left and right margins of paragraphs we can apply the _____ operation.

- Right Margin
- Justify
- Left Margin
- Equal Margin

366. In MS Word _____ option is used to give a background color to text under paragraph group.

- Text effect and Typography
- Shading
- Font Color
- Highlighting

367. In MS Word, Paragraphs or table data can be sorted into ascending or descending order: which group provides this functionality under home ribbon?

- Insert
- Tables
- Editing
- Paragraph

368. In MS Word, which type of new bullet/bullets a user can choose of his own choice

- Pictorial
- All of above
- Textual
- Symbolic

369. In MS word, under paragraph group of home ribbon we can customize the bullet with some picture or some special symbol.Is it true? (Yes)

370. In MS Word, the paragraph group under the Home Ribbon can be used to create a _____ list.

- Number
- Bullet
- All of above
- Multi-level

371. In MS Word, the Increase indent option under paragraph group moves your text from _____ margin towards_____ side.

- Right, Left
- Left , Right
- Left , Left
- None of Above.

Maha Malik

372. Is it true or not that we can modify the font size, color and font family of given styles in MS word? (True)

373. In MS Word, in order to apply different kinds of styles to text, we can use the Style group placed under_____ Ribbon.

- Illustration
- Home
- Design
- View

374. In MS Word, the formatting characteristics of Styles are based on _____.

- Line spacing or indentation
- Font Family, Font size, Font color
- All of above
- Border or shading

375. In MS Word we can check the total no of occurrences with the position of a particular word or phrase in the whole document by using ____ option available in the editing group under the Home ribbon.

- Replace
- Find
- Search
- Select

376. In MS Word, Using the goto command of Editing group under home ribbon we can move to any _____of the given document by entering their number/name

- All of these
- Page
- Bookmark
- Footnote

377. In MS Word, Find Command belongs to the _____ group of Home Ribbon.

- Find()
- None of these
- Editing
- Search

378. In MS Word, If you want to insert a mathematical equation into your document you can use the ____ command group of Insert Ribbon.

- Text
- Symbols
- Expression
- Illustration

379. In MS Word, we can insert hyperlinks in our document of any website using the _____ group of Insert ribbon.

- URL
- Links
- Both A and C

Maha Malik

- Websites

380. In MS Word, we can insert special characters or different symbol using_____ group of insert Ribbon.
- Illustration
- None of above
- Equation
- Symbols

381. In MS Word, which of the following group does not belong to the Insert ribbon?
- Illustrations
- Pages
- Text
- Paragraph

382. In MS Word, Screenshot option is available in _____ group of Insert ribbon.
- Illustrations
- None of above
- Media
- Screenshots

383. In MS Word, a blank page can be inserted anywhere in the document. Is it false? (No)

384. In MS Word, built-in templates of tables are available in the _____option of the Tables group, which can be customized according to our needs.
- Draw Table
- Insert Table
- Quick Tables
- Built_in Table.

385. In MS Word, A_____ option is available under the illustration group of Insert Ribbon by using that we can directly add the image of currently opened windows by clicking any one of them.
- Screenshot
- Images
- Pictures
- Insert

386. In MS Word, we can add _____ chart in our documents for analysis using illustration group of Insert ribbon.
- Pie
- Bar
- All of these
- Line

387. In MS Word _____ are very useful to add additional information relevant to the particular content of a document and it does not affect the contents of a file.
- Headings
- Subtitles
- Paragraphs

Maha Malik

- Comments

388. In MS Word. Text group under Insert ribbon does not include_____command.
- Insert Date and Time
- Explore Quick Part
- Word Art
- Comment

389. Landscape is?
- Font Style
- Paper Size
- Page Layout
- Page Orientation

390. The space left between the margin and the start of a paragraph is called _____
- Gutter
- Spacing
- Alignment
- Indentation

391. Which of the following is not a type of page margin?
- Center
- Left
- Top
- Right

392. The space left between the margin and the start of a paragraph is called _____
- Spacing
- Gutter
- Indentation
- Alignment

393. If you want to Go to the end of a document, press _____ shortcut key from the keyboard.
- Ctrl+End
- Home
- Shift+End
- End

394. What is the default page size for word document?
- A4
- Letter
- Legal
- None of these

395. Single spacing in MS-word document causes_____ Point line spacing?
- 16
- 12
- 10
- 14

Maha Malik

396. The insertion point _____
- Is located under the standard toolbar and shortcut buttons
- Indicated the location where text line when necessary
- Provides features for changing margins, tabs, and indentations
- Is located under the standard toolbar and has shortcut buttons

397. Which item is printed at the bottom of each page
- Title
- Footnote
- Header
- Footer

398. The _____ feature in Word automatically corrects certain spelling, typing, and capitalisation or grammar errors.
- AutoFix
- AutoMark
- AutoCorrect
- AutoSpell

399. Where footnotes appear in a document?
- None
- Bottom of a Page
- End of document
- End of Heading

400. What item contains detailed information about something in the text ?
- Head Note
- Footer
- Header
- Footnote

401. A bookmark is an item or location in a document that you identify a name for future Reference. Which of the following tasks is accomplished by using bookmarks?
- None of These
- To add hyperlinks in a web page
- To mark the ending of a page of document
- To quickly jump to a specific location in the document

402. Where does Word insert a table of contents?
- Before the document title
- After the cover page
- On the first page of the report
- At the insertion point

403. The Word Count command on the Tools menu displays the number of words as well as the number of _____ in the current document
- all of the above
- Paragraphs
- Lines

Maha Malik

- Characters

404. How many margins are surrounded around the document page?
- Two (landscape and portrait)
- Two (header and footer)
- Four (center, top, left and bottom)
- Four (top, bottom, right and left)

405. What is the name of the feature that allows us to take a step backward if we've made a mistake?
- Undo
- Redo
- Backspace
- Cancel

406. The _____ feature in Word automatically corrects certain spelling, typing, and capitalisation or grammar errors.
- AutoSpell
- AutoFix
- AutoCorrect
- AutoMark

407. Which of the following does not belong to Translate command in MS Word?
- Translate Selected Text
- Translate Document
- Spell Check
- Mini Translator

408. Changing the appearance of an MS Word document is called:
- Proofing
- Formatting
- Editing
- Reviewing

409. Which of the following drop down contains the commands: Set Proofing Language and Language Preferences.
- Translate
- Language
- Word Count
- Thesaurus

410. Which of the following commands is present in the Review tab?
- Proofing
- Comments
- All of the above
- Tracking

411. Which would you choose to list Synonyms & Antonyms of a selected word?
- Tools, Options
- Tools, Spelling & Grammar

Maha Malik

- Tools, Language
- Insert,Cross-reference

412. What action do you need to take to switch off track changes?

- Under the Review tab on the Ribbon, in the Changes group, click on the Accept button to switch track changes off.
- None of the options listed above are correct.
- Under the Review tab on the Ribbon, in the Tracking group, click on the Show Markup button to switch track changes off.
- Under the Review tab on the Ribbon, in the Tracking group, click on the Track Changes button to switch track changes off.

413. To block another user from switching off track changes in a document, what function should you enable?

- No function is necessary, once Track Changes is switched on, they cannot be stopped unless all changes are accepted.
- All of the options listed above are correct.
- The Lock Tracking option, which is located under the Track Changes button, will discourage users from switching off track changes.
- Activate the Reviewing Pane in the Tracking group. This will prevent other users from switching off the track changes function.

414. How can you easily and consistently navigate between track changes in a document?

- All of the options listed above are correct.
- Use the scrolling wheel on your mouse and look out for changes made in red in a document.
- Click on the Show Markup button in the Tracking group to navigate between track changes in a document.
- In the Changes group, use the Previous and Next buttons to navigate between track changes in a document.

415. How do you permanently apply all the edits that were made in track changes, to a document?

- In the Display for Review box in the Tracking group, select No Markup to accept all the changes in a document.
- Right-click the document and select Apply Track Changes and Stop Tracking from the list to accept all the changes in a document.
- Click on the dropdown arrow below the Accept button in the Changes group and select Accept All Changes.
- Click on the Track Changes button in the Tracking group to accept all changes in a document and to stop tracking changes.

416. The ribbon in Word 2007 consists of a series of?

- Smaller ribbons
- Icons
- Tabs
- Gates

417. Which of the following provides a list of synonyms?

- Thesaurus
- Find Command
- Replace Command
- Spelling and Grammar

418. How do you insert a comment into a document?

- All of the options listed above are correct.
- Under the Insert tab on the Ribbon, in the Comments group, select Comment then type your comment.
- Right click and select Insert Comment then type your comment.
- Under the Review tab on the Ribbon, in the Comments group, select New Comment then type your comment.

419. Suppose you are asked to review the corrections made using the Track Change function by your supervisor, however, the changes are not visible. How can you view the changes he made?

- There are no track changes made to this document.
- You can view the changes by selecting Show Markup in the Tracking group.
- You can view the changes by changing the Display for Review value to All Markup.
- You can view the changes by switching on track changes by clicking on the Track Changes button in the Tracking group.

420. In MS-Word ruler helps_____?

- to change page margins
- to set indents
- all of the above
- to set tabs

421. Which view helps to rearrange the slides easily and quickly?

- Slide master
- Notes page
- Normal
- Slide sorter

422. Which is not the valid edition of MS PowerPoint?

- MS PowerPoint 2003
- MS PowerPoint 2010
- MS PowerPoint 2007
- MS PowerPoint 1920

423. In PowerPoint, the header and footer button can be found on the insert tab in what group?

- Object group
- Text group
- Illustrations group
- Tables group

424. Which is the presentation processing software?

- Avast
- MS PowerPoint 2007

Maha Malik

- Mozilla Firefox
- Google chrome

425. MS PowerPoint is software of _____
- Microsoft
- Google
- Apple
- Android

426. The slide that is used to introduce a topic and set the tone for the presentation is called the
- Title slide
- Table slide
- Bullet slide
- Graph slide

427. Which PowerPoint view displays each slide of the presentation as a thumbnail and is useful for rearranging slides?
- Notes Page
- Slide Sorter
- Slide Master
- Slide Show

428. Which type of view is not present in MS PowerPoint?
- Normal
- Extreme animation
- Slide show
- Slide sorter

429. What is the default PowerPoint standard layout?
- Comparison
- Title only
- Title slide
- Blank

430. Which command will you use in PowerPoint if you need to change the color of different objects without changing content?
- Object Color
- Design Template
- Font Color
- Color Scheme

431. The minimum zoom size in MS PowerPoint is ____
- 100
- 30
- 10
- 0

432. In slide layout panel, how many layouts are available for text layout by default?
- 4
- 12

Maha Malik

- 7
- 15

433. Which of the following file format can be added to a PowerPoint show?
- .wav
- All of these
- .gif
- .jpg

434. What's the best way to design the layout for your slides?
- Apply templates from the Slide Design task pane
- Create layouts for slides, handouts and notes using the Master Layout dialog box in slide master view
- For each new slide, select a layout from the Slide Layout task pane
- None of above

435. Which of the following is the default page set-up orientation for notes pages, outlines and handouts?
- Portrait
- All of these
- Vertical
- Landscape

436. In which bar we can see the current position of the slide?
- Ribbon
- Status bar
- Title bar
- View option bar

437. What happens if you select first and second slide and then click on New Slide button on toolbar?
- A new slide is inserted as third slide in presentation
- A new slide is inserted as first slide in presentation
- None of above
- A new slide is inserted as second slide in presentation

438. In a presentation of PowerPoint, the special effects used to introduce slides are known as _____
- Annotations
- Transitions
- None of the above
- Custom Animation

439. In Powerpoint, the objects on the slide used to hold the text are called as _____
- Textbox
- Text holders
- Placeholders
- None of the above

440. Is it possible to apply the same transition on all slides in a powerpoint presentation?

Maha Malik

- Can't say
- True
- False
- May be

441. Which of the following are the types of sound files?

- WAV files
- None of the above
- DAT files
- LOG files

442. Which of the following is the shortcut key used to start the presentation from the current slide?

- Ctrl + F5
- F5
- None of the above
- Shift + F5

443. Which of the following fill effects can be used to fill the background of the slide?

- Gradient
- Picture
- All of the above
- Texture

444. _____ enable Graphical representation of the data in Excel

- Charts
- Smart Art
- Equation
- Table

445. In Excel each row is represented by

- Symbol
- Number
- Alpha Numeric
- Alphabet

446. The address of a cell is represented with combination of an alphabet and a number e.g. A1. Here in A1 , A represents ..... and 1 represents .....

- Column , Row
- Row, Column

447. _____ is an electronic spreadsheet application that enables users to store, organize, calculate and manipulate the data.

- Microsoft Powerpoint
- Microsoft Access
- Microsoft Word
- Microsoft Excel

448. The area which falls at the intersection of a column and a row is known as

- Name Box

Maha Malik

- Formula Bar
- Ribbon
- Cell

449. Software that is used to organize, manipulate and display data arranged in rows and columns is known as

- Spreadsheed
- Register
- File
- Document

450. In MS Excel which function is used to count the number of cells in a specified range.

- Count
- Max
- Sum
- Average

451. What is the formula to find Finds the minimum value within a range

- Low
- Minimum
- Min
- Lowest

452. A file that exists of cells in rows and columns and can help arrange, calculate and sort data is called

- Spreadsheet
- Presentation file
- Document
- None of the Above

453. In Excel formula starts with _____ sign

- @
- =
- $
- #

454. _____ is used to specify the range of the cell on which you want to apply the formula

- :
- !
- %
- ;

455. In MS Excel, charts can be inserted from ..... tab

- Formula
- Data
- Home
- Insert

456. The _____ feature of MS Excel quickly completes a series of data

- Fill Handle

Maha Malik

- Sorting
- Auto Fill
- Auto Complete

457. In MS Excel two or more cells can be combined to create a new, single and larger cell by using ..... option.

- Filter
- Pivot
- Merge
- Wrap

458. In Excel, which one denoted a range from B1 through E5

- B1:E5
- B1 to E5
- B1 - E5
- B1$E5

459. Which of the following identifies a cell in Excel?

- Name
- Formula
- Address
- Label

460. ……. of data lets you hide unimportant data and show only that data you're interested in.

- Restricting
- Alignment
- Filtering
- Sorting

461. The process of arranging the data in ascending and descending order is known as ……...

- Sorting
- Alignment
- Filtering
- Restricting

462. How many types of sorting techniques are available in MS Excel?

- Three
- Two
- Four
- One

463. In Microsoft Excel, Sort & Filter button can be found in _____.

- Insert tab
- Home tab
- Formula tab
- Review tab

464. _____ allows you to manipulate data in a worksheet based on a given set of criteria.

- None of the above

Maha Malik

- Sorting and Filtering
- Formatting

465. You can sort the data in
- Ascending order
- None of the above
- Descending order
- Both 1 and 2

466. In order to access and retrieve data from the database we use
- HTML
- XML
- CSS
- SQL

467. _____ Tab is used to import, export, collect and share data between different databases.
- Datasheet
- External Data
- Create
- Database Tools

468. SQL is used for ……
- None of these
- Creating Front End of websites
- Creating Web Pages
- Accessing databases

469. Organized collection of data or information that can be accessed, updated, and managed is called _____
- File
- DBMS
- Database
- None of the above

470. What is the full form of SQL?
- Straight Query Language
- Structured Query Language
- Simple Query Language
- Structured Query Linear

471. Information is organized in these tables in the form of _____ and _____ for easy access and management purposes.
- Fields and record
- None of the above
- All of the above
- Key and Value

472. In Access, _____ are used to store the data.
- Query
- Report

Maha Malik

- Table
- Form

473. Each column in the table is referred to as a
- None of the above
- Field
- Tuple
- Record

474. Each row of a table is referred to as a
- field
- a single record
- a single type of data
- None of the above

475. _____ Tab helps you to provide a quick and easy way to create tables, forms, reports and queries.
- Datasheet
- External Data
- Database Tools
- Create

476. Which of the following Microsoft Office tool is used to create database
- Microsoft Access
- Microsoft PowerPoint
- Microsoft Excel
- Microsoft Word

477. Which of the following is not a type of Microsoft Access database object?
- Form
- Table
- Worksheets
- Modules

478. Press _____ to quit MS Access.
- Alt+F4
- Tab +F4
- Esc+ W
- Ctrl +F4

479. Tool that allows users to manage, store, retrieve and analyze the information.
- Field
- Record
- Query
- Database management system (DBMS)

480. An Access database object that is used to enter, view or edit records
- Table
- Query
- Form

Maha Malik

- Report

481. Elements such as tables, queries, forms and reports in a database are called _____
- Objects
- Datasheets
- Data types
- Records

482. Query design views can be used to design or create a query with the addition of other parameters
- Datasheet View
- Design View
- SQL View
- PivotChart View

483. How many basic types of queries are used to manipulate the databases
- 2
- None of the Above
- 4
- 3

484. Following are the examples of block elements except _____
- <h1>
-
- <p>
- <b>

485. _____ Tag represents the content of the page that is visible to the end-user.
- All of the above
- <body>
- <html>
- <head>

486. HTML stands for:
- High Text Machine Language
- Hypertext Markup Links
- Hypertext Markup Language
- None of these

487. Web page documents have the file extension ….
- .class
- .obj
- .html
- .cpp

488. A web page is a document that is commonly written in
- C++
- CSS
- Java
- HTML

Maha Malik

489. Which of the following program is used by users to view the web pages?

- Web browser
- Protocol
- Search Engine
- Web server

490. which of the following is the example of inline elements

- None of the above
- <img>
- All of the above
- <a>

491. A web page can be written using the following editor

- Both 1 and 2
- Dreamweaver
- Notepad
- None of the above

492. HTML editors can work with the following

- XML
- HTML
- CSS
- All of the Above

493. Elements have _____ that provides additional information about that element.

- Records
- Fields
- All of the above
- Attributes

494. Use the Ordered List button in the Property Inspector to create ……..

- None of the above
- Numbered list
- Both 1 and 2
- A bulleted list

495. Use the Unordered List button in the Property Inspector to create _____

- Numbered List
- a bulleted list
- None of the above
- Sequential numbers List

496. Which of the following tags don't require a closing tag?

- Both 1 and 2
-
- None of the above
- <hr>

497. What is the use of the <b> tag?

- It is used to write black-colored font.

Maha Malik

- It converts the text within it to bold font.
- None of the above.
- It is used to change the font size.

498. HTML tags can be written within?
- ! !
- < >
- { }
- None of the above

499. How to create an Unordered list in HTML?
- <href>
-
-
- <b>

500. How to create an ordered list in HTML?
-
-
- <href>
- <b>

501. To insert the table, we need to go to the
- Format tab
- Modify tab
- Insert tab
- Edit tab

502. What tag is used to display an image on a webpage?
- None of the above
- <src>
- <image>
- <img>

503. After selecting the image from the Insert tab, the image will be added to your webpage wherever you had placed the ……
- All of the Above
- Pointer
- Mouse
- Cursor

504. What are the attributes used to change the size of an image?
- Top and bottom
- Width and height
- None of the above
- Big and Small

505. What is the function of the HTML style attribute?
- It is used to add styles to an HTML element.
- None of the above.

Maha Malik

- Both 1 and 2.
- It is used to uniquely identify some specific styles of some element.

506. In Dreamweaver, we need to go to the _____ to insert an image in HTML page, in Dreamweaver

- Insert tab
- Edit tab
- Command tab
- Format Tab

507. _____ Attribute is used to specify the location of an image file.

- alt
- src
- title
- name

BS English (Applied Linguistics)
https://whatsapp.com/channel/0029VaazKAVBfxoDMH4l9U0u

Maha Malik