
EASY TO LEARN
EASY TO LEARN WITH M.ZEESHAN
WITH M.ZEESHAN
SUBSCRIBE TODAY
VU
LMS HANDLING SERVICES AVAILABLE
✓COMPLETE/HALF LMS HANDLING
✓ASSIGNMENTS
✓QUIZZES
✓GDB
✓LECTURE WATCHING ASSISTANCE
✓PAST PAPERS
✓HANDOUTS
✓PROJECTS
✓THESES
✓IMPORTANT FILES & RESOURCES
✓ CISCO ASSIGNMENT
✓ WITH 90-100 GUARANTEED MARKS
Get in touch now for complete exam preparation and boost your grades!
0313-5610637
MUHAMMAD ZEESHAN

# MTH645 - Fuzzy Logic and Applications (Quiz No.2)

**MTH645 - Fuzzy Logic and Applications (Quiz No.2)**

**Question # 1 of 10 ( Start time: 07:31:37 AM, 12 June 2025 )**

If $f(x)=e^{(x-10)}$, then $f^{-1}(x)$ = _____.

**Select the correct option**

- ○ 10000+lnx
- ○ 100+lnx
- ◉ 10+lnx
- ○ 1000+lnx

Click here to join our WhatsApp channel

**Question # 2 of 10 ( Start time: 07:32:07 AM, 12 June 2025 )**

Using the Product t-norm, what is the value of T (0.7,0.5)?

**Select the correct option**

- ○ 0.36
- ◉ 0.35
- ○ 1.20
- ○ 0.20

Click here to join our WhatsApp channel

## MTH645 - Fuzzy Logic and Applications (Quiz No.2)

**Question # 3 of 10 ( Start time: 07:32:31 AM, 12 June 2025 )**

If $f(x) = e^{x-5}$, then $a$ = _____.

**Select the correct option**

- ○ $e^{-1}$
- ○ $x$
- ◉ $e^{-5}$
- ○ $e$

Click here to join our WhatsApp channel

**MTH645 - Fuzzy Logic and Applications (Quiz No.2)**

**Question # 4 of 10 ( Start time: 07:32:58 AM, 12 June 2025 )**

Which of the following is **NOT** a requirement for a triangular norm (t-norm)?

**Select the correct option**

| | |
|---|---|
| ○ | Associativity |
| ○ | Monotonicity |
| ● | Distributivity over addition |
| ○ | Commutativity |

Click here to join our WhatsApp channel

**MTH645 - Fuzzy Logic and Applications (Quiz No.2)**

**Question # 5 of 10 ( Start time: 07:33:23 AM, 12 June 2025 )**

If $f(x)= e^{x-50}$, then a = _____.

**Select the correct option**

| | |
|---|---|
| ○ | x-50 |
| ● | $e^{-50}$ |
| ○ | $e^{-x-50}$ |
| ○ | lnx-50 |

Click here to join our WhatsApp channel

**Question # 6 of 10 ( Start time: 07:33:48 AM, 12 June 2025 )**

In fuzzy logic, t-norms are generally used to model which classical logical operation?

**Select the correct option**

| | |
|---|---|
| ○ | OR |
| ○ | IMPLIES |
| ○ | NOT |
| ◉ | AND |

Click here to join our WhatsApp channel

**Question # 7 of 10 ( Start time: 07:34:13 AM, 12 June 2025 )**

Using the Product t-norm, what is the value of T (0.4,0.9)?

**Select the correct option**

- 0.13
- (●) 0.36
- 0.49
- 0.45

**MTH645 - Fuzzy Logic and Applications (Quiz No.2)**

**Question # 8 of 10 ( Start time: 07:34:36 AM, 12 June 2025 )**

$$For\ every\ t-norm\ \Delta,\ the\ following\ equality\ holds,\\ x\Delta_0 y \leqslant x\Delta y \leqslant x\Delta_5 y$$

**Select the correct option**

- True
- (●) False

Click here to join our WhatsApp channel

**MTH645 - Fuzzy Logic and Applications (Quiz No.2)**

**Question # 9 of 10 ( Start time: 07:35:15 AM, 12 June 2025 )**

Which of the following is an example of an Archimedean t-norm?

**Select the correct option**

- ○ T (a, b) = a+ b
- ○ T (a, b) = max (a, b)
- ○ T (a, b) = min (a, b)
- ◉ T (a, b) = a· b

**MTH645 - Fuzzy Logic and Applications (Quiz No.2)**

**Question # 10 of 10 ( Start time: 07:35:40 AM, 12 June 2025 )**

$A\ triplet\ (S,T,N)\ is\ called\ De\ morgan\ triplet\ if\ it\ satisfies\ S(x,y) =$ _____.

**Select the correct option**

- ○ $N(N(N(x),N(y)))$
- ◉ $N(T(N(x),N(y)))$
- ○ $N(T(T(x),T(y)))$
- ○ $T(N(x),N(y))$

Click here to join our WhatsApp channel

**WhatsApp group for more solution**

https://chat.whatsapp.com/CnQepeok6wm5HWawGYn5vP

**Join WhatsApp community group FOR LATEST FILES**

https://chat.whatsapp.com/I3iL7NDTsi8GE569nYR5rD

**Visit to my YouTube channel for more info**

**Jazakallak**

https://youtube.com/@easytolearnwithm.zeeshan?si=Ph3euvxJZUQg-K6m

Click here to join our WhatsApp channel