MTH645

Quiz No.4 Jan 2026

VU Zone | Iqra Azhar Official

Our Services

- LMS Handling (All Subjects)
- Assignments (All Subjects)
- Quizzes & GDBs (All Subjects)
- Lecture Views Assistance
- Online Book Shop
- Seminar
- Project Handling (All Types of Projects - CS, Management, English, Math, and more)
- Internship /Organizational Reports (All Fields)
- Web/App Development for Other Shops / Businesses

90% To 100% Marks

Iqra Azhar: +923305516507

Arslan Asghar: +923032046086

Q1. Nebla-Implications are often used in fuzzy logic because they:

A. Are simpler than classical implications

B. Do not require t-norms

✓ C. Provide a way to handle partial truth values

D. Can only be applied to Boolean variables

Q2. In fuzzy implication, for any fuzzy number x, x·(η(x)) is equal to:

A. x

B. 1 − x

✓ C. $x - x^2$

D. x^2

Q3. If A(x) = 0.3 and B(x) = 0.35 are two fuzzy sets, then max(A, B) =

A. 0.5

B. 0.3

C. 0

VU ZONE WITH IQRA AZHAR

✓ D. 0.35

Q4. What is the primary characteristic of Nebla-Implications in fuzzy logic?

A. They use only the minimum operator

✓ B. They are defined based on a continuous t-norm

C. They are defined based on probabilistic interpretations

D. They use only the maximum operator

Q5. Which of the following is a common method for calculating the distance between two fuzzy sets?

A. Euclidean distance

B. Minkowski distance

C. Hamming distance

✓ D. All of the above

VU ZONE WITH IQRA AZHAR

Q6. If two fuzzy sets are identical, what is the distance between them?

A. It cannot be determined

B. One

C. Infinity

✓ D. Zero

Q7. Which of the following properties is NOT typically associated with Nebla-Implications?

A. Associativity

B. Monotonicity

✓ C. Symmetry

D. Continuity

Q8. Which of the following is true about Nebla-Implications?

✓ A. They do not follow the law of the excluded middle

VU ZONE WITH IQRA AZHAR

B. They are defined using a residual operator

C. They are only applicable in binary logic

D. They are a special case of classical implications

Q9. Nebla-Implications are derived from which of the following types of operators?

A. Negation operators

B. Conjunction operators

C. Disjunction operators

✓ D. Residual operators

Q10. Let X = {x_1, x_2, …, x_n} be a universal set and A, B are two fuzzy sets on X, the distance d(A, B) satisfies:

✓ A. $0 \leq d(A, B) \leq 1$

B. $d(A, B) \leq 0$

C. $1 \leq d(A, B)$

D. $-1 \leq d(A, B) \leq 0$

VU ZONE WITH IQRA AZHAR

PROFESSIONAL ONLINE ACADEMY BY IQRA AZHAR

Academic Support • LMS Handling • Assignments • Quizzes • Projects

Visit My YouTube Channel for Important Files,

Subjective Solutions, Assignment Solutions, and

GDB Solutions

Click Here: VU ZONE WITH IQRA AZHAR

Join Our WhatsApp Community

Click Here: VU Zone | Iqra Azhar Official

Contact Number (Phone / WhatsApp)

Click Here: +923305516507, +923032046086

THANK YOU

For more help, contact us on WhatsApp at
+923305516507, +923032046086

VU ZONE WITH IQRA AZHAR