BIF401 - Bioinformatics I (Quiz No. 3)

Question # 5 of 10 (Start time: 07:53:54 PM, 26 August 2022)

Beeta-pleated sheets are the examples of .....

Select the correct option

- 3' OR 3-D OR Tertiary Structure of proteins
- 4' OR 4-D OR Quaternary Structure of proteins
- 1' OR 1-D OR Primary Structure of proteins
- 2' OR 2-D OR Secondary Structure of proteins

BIF401 - Bioinformatics I (Quiz No. 3)

Question # 7 of 10 (Start time: 07:56:03 PM, 26 August 2022)

Which of the following statements is true about proteins?

Select the correct option

- ○ Proteins are polymers of glucose
- ◉ Proteins are polymers of amino acids
- ○ Proteins are polymers of peptide bonds
- ○ Proteins are polymers of di-sulfide bridges

BIF 401 – Bioinformatics I (Quiz No. 3)

Question # 6 of 10 (Start time: 07:54:59 PM, 26 August 2022)

At isoelectric pH, an amino acid exists as

Select the correct option

●	Zwitterion
○	None of these
○	Anion
○	Cation

BIF401 – Bioinformatics I (Quiz No. 3)

Question # 8 of 10 (Start time: 07:56:16 PM, 26 August 2022)

Which of the following is not the function of proteins?

Select the correct option

○	Helps in digesting food
○	Fight against the invading pathogens
◉	Carries genetic information
○	Helps in transporting oxygen in the blood

BIF401 - Bioinformatics I (Quiz No. 3)

Question # 2 of 10 (Start time: 07:51:08 PM, 26 August 2022)

Which one of the following bonds, is the reason of 2-D (2' OR Secondary) structure formation of protein?

Select the correct option

○	Peptides bond
●	Hydrogen bond
○	Covalent bond
○	Ionic bond

BIF401 - Bioinformatics I (Quiz No. 3)

Question # 2 of 10 (Start time: 07:51:08 PM, 26 August 2022)

Which one of the following bonds, is the reason of 2-D (2' OR Secondary) structure formation of protein?

Select the correct option

○	Peptides bond
●	Hydrogen bond
○	Covalent bond
○	Ionic bond

BIF401 - Bioinformatics I (Quiz No. 3)

Question # 5 of 10 (Start time: 07:53:54 PM, 26 August 2022)

Beeta-pleated sheets are the examples of .....

Select the correct option

- 3' OR 3-D OR Tertiary Structure of proteins
- 4' OR 4-D OR Quaternary Structure of proteins
- 1' OR 1-D OR Primary Structure of proteins
- 2' OR 2-D OR Secondary Structure of proteins

BIF401 - Bioinformatics I (Quiz No. 3)

Question # 1 of 10 (Start time: 07:50:41 PM, 26 August 2022)

Which of the following statements is un-true about proteins?

Select the correct option

○	Proteins are made by transcription of amino acids
○	Proteins spontaneously fold to take 3D forms
○	Proteins structures are organized into 1', 2', 3', 4' modular conformations
○	Proteins properties are linked to the properties of amino acids.

BIF401 - Bioinformatics I (Quiz No. 3)

Question # 10 of 10 (Start time: 07:57:56 PM, 26 August 2022)

Lysine is represented by one-letter code i.e.,

Select the correct option

- Y
- L
- K
- I

BIF401 - Bioinformatics I (Quiz No. 3)

Question # 8 of 10 (Start time: 07:56:16 PM, 26 August 2022)

Which of the following is not the function of proteins?

Select the correct option

○	Helps in digesting food
○	Fight against the invading pathogens
●	Carries genetic information
○	Helps in transporting oxygen in the blood

BIF401 - Bioinformatics I (Quiz No. 3)

Question # 9 of 10 (Start time: 07:56:57 PM, 26 August 2022)

How many bonded atoms are required to constitute a dihedral angle, such as phi or psi?

Select the correct option

○	2
○	1
○	3
●	4

BIF401 - Bioinformatics I (Quiz No. 3)

Question # 4 of 10 (Start time: 07:53:18 PM, 26 August 2022)

Proteins are made by ..... of amino acids.

Select the correct option

○	Transcription
○	Translation
○	None of these
●	Polymerization

BIF401 - Bioinformatics I (Quiz No. 3)

Question # 3 of 10 (Start time: 07:52:21 PM, 26 August 2022)

Which of the following statements is un-true about 2' (Secondary) structure of proteins?

Select the correct option

○	2' Structures of proteins are formed as a result of peptides bond formation between N and C termini in a protein backbone
○	Hydrogen bonds are the reason of 2' structures of proteins
○	2' Structures of proteins are formed as a result of Hydrogen bond formation between N and C termini in a protein backbone
○	2' structures of proteins include Alpha helices and Beta sheets

BIF401 - Bioinformatics I (Quiz No. 3)

Question # 6 of 10 (Start time: 07:54:59 PM, 26 August 2022)

At isoelectric pH, an amino acid exists as

Select the correct option

- (●) Zwitterion
- ( ) None of these
- ( ) Anion
- ( ) Cation

Question # 7 of 10 (Start time: 07:56:03 PM, 26 August 2022)

Which of the following statements is true about proteins?

Select the correct option

○	Proteins are polymers of glucose
●	Proteins are polymers of amino acids
○	Proteins are polymers of peptide bonds
○	Proteins are polymers of di- sulfide bridges

Secondary structures arise as H bonds form between local groups of amino acids in a region of the polypeptide chain.

Select the correct option

Reload Ma

○	False
○	True

In program GOR IV result page, E stand for

Select the correct option

○	Extended beta strand
○	Beta strand
○	Both beta strand & Extended beta strand
○	Helix

β-pleated sheets are the examples of .....

Select the correct option

○	1′ Structure
○	3′ Structure
○	2′ Structure
○	4′ Structure

Which of the following statements about PDB is incorrect regarding its usage?

Select the correct option

Reload

○	Analyze – stability and interactions of molecule, Structure function relationships
○	None of these
○	Engineer and Design – Mutations, additions, deletions to manipulate the function, Facilitate tracking, discover drugs
○	Compare Structures - under different conditions, bound to various molecules, in health and disease

The first character of PDB ID always a numeral in the range of . . .

Select the correct option

○	0 - 5
○	0 - 9
○	1 - 9
○	1 - 5

Which one of the following is un-true about secondary structure of protein?

Select the correct option

○	The side-chain substituents of the amino acid groups in an a-helix extend to the outside
○	The a-helix is a left-handed coiled strand
○	The hydrogen bonding in a ß-sheet is between sinter-strand rather than intra-strand
○	The two strands can be either parallel or anti-parallel