BIO201 - Cell Biology (Quiz # 2)

Question # 1 of 5 (Start time: 07:39:53 AM, 23 December 2022)

Agarose can be dissolved in _____ buffer for gel preparation.

Select the correct option

○	Both a & b 
○	TBE
○	TAE
◉	None

tion # 5 of 5 (Start time: 07:23:08 AM, 23 December 2022)

electrophoresis is a laboratory method used to separate mixtures of DNA according to its


t the correct option

	Molecular size
	Polarity
	Molecular weight
	Charge

Helicase enzyme breaks the _____ between the complementary strands of DNA.

Select the correct option

- (●) Covalent bonds
- ( ) Ester bonds
- ( ) Hydrogen bonds
- ( ) Sulphur bonds



Question # 5 of 5 (Start time: 07:43:55 AM, 23 December 2022)

Taq DNA polymerase is extracted from a bacterium, known as _____

Select the correct option

○	Thermus antranikianii
○	Thermus amyloliquefaciens
○	Thermus thermophiles
◉	Thermus aquaticus

Question # 4 of 5 (Start time: 07:42:48 AM, 23 December 2022)

PCR is an in vitro method of DNA amplification, which resembles the natural

Select the correct option

○	RNA synthesis
○	Transcription
○	Translation
◉	Replication

Question # 3 of 5 (Start time: 07:42:36 AM, 23 December 2022)

Taq DNA polymerase is the most common enzyme used for PCR

Select the correct option

- ○ Transformation
- ○ Translation
- ○ Transcription
- ◉ Amplification

Click to

Question # 2 of 5 (Start time: 07:21:22 AM, 23 December 2022)

Taq DNA polymerase is the most common enzyme used for PCR

Select the correct option

○	Transcription
○	Transformation
○	Amplification
○	Translation

BIO201 - Cell Biology (Quiz # 2)

Question # 3 of 5 (Start time: 07:21:49 AM, 23 December 2022)

Primer is a short, _____ sequence of nucleotides

Select the correct option

- ○ Double stranded
- ○ Parallel strand
- ○ Anti-parallel strand
- ◉ Single stranded

Question # 2 of 5 (Start time: 07:41:40 AM, 23 December 2022)

Which RNA present in ribosomes stabilizes H-bonding between t and m RNA

Select the correct option

○	RNAi
○	siRNA
◉	tRNA
○	rRNA

Question # 1 of 5 (Start time: 07:21:00 AM, 23 December 2022)

_____ is an X-linked chromosomal disorder.

Select the correct option

- (●) Down's syndrome
- ( ) Edward syndrome
- ( ) Patau syndrome
- ( ) Turner syndrome

Click to

Taq DNA polymerase is the most common enzyme used for PCR

Select the correct option

○	Transformation
○	Translation
●	Amplification
○	Transcription

BIO201 - Cell Biology (Quiz # 2)

Question # 4 of 5 (Start time: 06:19:04 AM, 23 December 2022)

During annealing step of PCR,

Select the correct option

- ○ polymerization occurs
- ○ DNA denatures
- ◉ Primer binds to DNA strand
- ○ dNTPs added to new strand

uestion # 1 of 5 (Start time: 06:17:15 AM, 23 December 2022)

MgCl2 (Magnesium chloride), an essential ingredient of the PCR master mix, acts as

elect the correct option

○	DNA
◉	DNA polymerase
○	Primers
○	dNTPs

PCR was developed by _____ in 1980s

Select the correct option

○	James Watson
○	Francis Crick
○	Rosalind Franklin
◉	Kary Mullis

BIO201 - Cell Biology (Quiz # 2)

Question # 3 of 5 (Start time: 06:18:48 AM, 23 December 2022)

Correct sequence of steps in a PCR

Select the correct option

- ○ Annealing → Denaturation → Extension
- ○ Denaturation → Extension → Annealing
- ○ Extension → Denaturation → Annealing
- ◉ Denaturation → Annealing → Extension