3:40 4G 32%
vulms.vu.edu.pk/LessonView 10

Assessment Quiz

Question # 2 of 2 **Time L**

Glucono delta-lactone (GDL) is a type of la commonly found in honey, fruit juices, pers lubricants, and wine. It hydrolyses in water t _____ which has a _____ pH

Select the correct option

○	glyceraldehyde, neutral
○	glucose, neutral
○	glucuronic acid, acidic
●	gluconic acid, acidic

Click to Save Answer & Move to Next Qu

3:40 4G 32%
vulms.vu.edu.pk/LessonView 10

Assessment Quiz

In the synthesis and metabolism of carbohydr
intermediates are very often not the sugars th
but their _____ derivatives.

elect the correct option

- methylated
- oxidized
- phosphorylated
- carboxylated

Click to Save Answer & Move to Next Quest

3:37 4G 33%
vulms.vu.edu.pk/LessonView 10

Assessment Quiz

Question # 2 of 2 **Time Left**

All of the following statements about glucose correct EXCEPT:

Select the correct option

- ○ It is present in fruit juices
- ◉ It mostly exists in L form
- ○ It is the chief physiological sugar prese normal blood at a fairly constant level
- ○ It is the precursor for all other carbohyc the body

Click to Save Answer & Move to Next Que

3:38 4G 33%
vulms.vu.edu.pk/LessonView 10

Assessment Quiz

Question # 2 of 2 **Time Left:**

Sugars are classified on the basis of number of atoms present. An example of a tetrose is:

Select the correct option

- glyceraldehyde
- erythrose
- glucose
- ribose

Click to Save Answer & Move to Next Question

3:40 4G 32%
vulms.vu.edu.pk/LessonView 10

Assessment Quiz

Question # 1 of 2 **Time Le**

Glucuronide is a soluble, non-toxic compour excreted in the urine. It is produced when _____ forms conjugates with toxic s including drugs, hormones and bilirubin.

Select the correct option

○	gluconic acid
◉	glucuronic acid
○	glucose
○	glyceraldehyde

Click to Save Answer & Move to Next Que

3:36 4G 33%
vulms.vu.edu.pk/LessonView 10

Assessment Quiz

uestion # 1 of 2 **Time Left:**

Glucose and galactose are epimers which diffe
configuration around carbon no. _____.

lect the correct option

- (●) 4
- ( ) 1
- ( ) 2
- ( ) 6

Click to Save Answer & Move to Next Quest

3:36 4G 33%
vulms.vu.edu.pk/LessonView 10

Assessment Quiz

uestion # 1 of 1 **Time Left:**

Among six membered cyclic carbohydrates, th
_____ is much more stable than t
aldofuranose ring.

elect the correct option

- ketopyranose ring
- aldopentose ring
- aldopyranose ring
- ketofuranose ring

Click to Save Answer & Move to Next Quest

3:35 4G 33%
vulms.vu.edu.pk/LessonView 10

Assessment Quiz

ost-Assessment

uestion # 1 of 1 **Time Left**

Isomeric forms of monosaccharides that diffe their configuration about the hemiacetal or he carbon atom are called _____.

elect the correct option

- (●) anomers
- ( ) stereoisomers
- ( ) epimers
- ( ) enantiomers

3:30 4G 34%
vulms.vu.edu.pk/LessonView 10

Assessment Quiz

ost-Assessment

uestion # 2 of 2 **Time Left:**

In aqueous solutions, monosaccharides occur predominantly as _____ structure

elect the correct option Reload Math Eq

- [ ] Regular
- [x] Ring
- [ ] Rectangular
- [ ] Linear

Click to Save Answer & Move to Next Quest

3:31 4G 34%
vulms.vu.edu.pk/LessonView 10

Assessment Quiz

uestion # 1 of 1 **Time Left:**

The designation of a sugar isomer as the D forı the L form is determined by its spatial relations the parent compound of the carbohydrates, w _____.

lect the correct option

- glycerol
- glucose
- glyceraldehyde
- glycogen

Click to Save Answer & Move to Next Quest

3:32 4G 34%
vulms.vu.edu.pk/LessonView 10

Assessment Quiz

With reference to carbohydrate structu
isomers have nearly identical chemical
differ in their interaction with plane-pol

Select the correct option

○	anomers
○	aldose-ketose isomerism
◉	enantiomers
○	epimers

Click to Save Answer & Move to Nex

3:30 4G 34%
vulms.vu.edu.pk/LessonView 10

Assessment Quiz

uestion # 1 of 2 Time Left:

Two sugars that differ only in the configuration one carbon atom are called _____

elect the correct option Reload Math Eq

- Epimers
- Monomers
- Oligomers
- Polymers

Click to Save Answer & Move to Next Quest

3:29 4G 34%
vulms.vu.edu.pk/LessonView 10

Assessment Quiz

Question # 1 of 1 **Time Left**

Both glycogen and cellulose are made up of g
subunits. However, while glycogen is _____
cellulose exists in the form of _____

Select the correct option

- ○ polysaccharide, disaccharide
- ○ disaccharide, polysaccharide
- ○ linear chains, branched
- ◉ branched, linear chains

Click to Save Answer & Move to Next Ques

3:28 4G 34%
vulms.vu.edu.pk/LessonView 10

Assessment Quiz

estion # 2 of 2 Time Left: 7

_____ is commonly found
uit juices, personal lubricants, and wine, and is
o create tangy taste in food.

ect the correct option

- Salt
- Honey
- Glucose
- Glucono delta-lactone

Click to Save Answer & Move to Next Questio

3:28 4G 34%
vulms.vu.edu.pk/LessonView 10

Assessment Quiz

Question # 1 of 2 **Time Left**

Monosaccharides can be subdivided further depending upon_____

Select the correct option

- ○ Number of carbon atoms
- ○ None of given
- ◉ Number of carbon atoms and aldehyd ketone groups
- ○ aldehyde groups

Click to Save Answer & Move to Next Que

3:27 4G 34%
vulms.vu.edu.pk/LessonView 10

Assessment Quiz

uestion # 1 of 2 **Time Left:**

_____ is semi-quantitativ
detect presence of glucose in a solution.

elect the correct option

- ○ Ninhydrin test
- ○ Molisch's test
- ○ None of given
- ○ Benedict's test ✓

Click to Save Answer & Move to Next Ques

3:27 4G 34%
vulms.vu.edu.pk/LessonView 10

Assessment Quiz

Post-Assessment

Question # 1 of 1 **Tin**

Simplest carbohydrate is _____.

Select the correct option

- ○ Glycerine
- ◉ Glyceraldehyde
- ○ Glucose
- ○ Sucrose

Assessment Quiz

Carbohydrates are detected in the laboratory based upon certain properties. Benedict's test is routinely used to check for the presence of _____.

Select the correct option

- ○ polysaccharides
- ○ ketohexoses
- ○ aldopentoses
- ○ reducing sugars

Glucose and galactose are epimers which differ in the configuration around carbon no. _____.

Select the correct option

- ○ 6
- ○ 1
- ○ 2
- ○ 4 ✓

Assessment Quiz

Glucose is excreted in urine in poorly controlled diabetes mellitus as a result of hyperglycemia. This medical condition is known as:

Select the correct option

- glyceraldehyde 3 dehydrogenase deficiency
- glucosuria
- hyperinsulinism
- hypoglycemia

_____ is commonly found in fruit juices, personal lubricants, and wine, and is used to create tangy taste in food.

Select the correct option

- Glucose
- Glucono delta-lactone ✓
- Salt
- Honey

urse Content

vulms.vu.edu.pk/LessonViewer.aspx

ssessment Quiz

Question # 1 of 2

1. Carbohydrates are polyhydroxy_____, or substances that yield such compounds on hydrolysis.

Select the correct option

- ○ All of given
- ◉ Aldehydes or ketones ✓
- ○ ketones
- Aldehydes

ontent

vulms.vu.edu.pk/LessonViewer.aspx

sment Quiz

If the carbonyl group is at an end of the carbon chain (that is, in an_____) the monosaccharide is an aldose.

Select the correct option

- ○ Ketone group
- ◉ Aldehyde group ✓
- ○ Carbonyl group
- ○ Carboxyl group

sment Quiz

Monosaccharides can be subdivided further depending upon_____

Select the correct option

- aldehyde groups
- Number of carbon atoms and aldehyde or ketone groups ✓
- Number of carbon atoms
- None of given