بِسْمِ اللَّهِ الرَّحْمَٰنِ الرَّحِيمِ

Bio_203

Methods in Molecular Biology

Quiz No.2 Fall 2022

Full Solution

Total Marks: 10 **Due date: 29/12/2022**

From Lec 21 to 39



"Don't Stop When you Tired, Stop When you Done"


0304-4756496

MUHAMMAD ZAMAN

For Paid Quiz contact on 03044756496


(Please If You find any mistake then also let us to Know)

Mini primer PCR is used to amplify conserved DNA sequences, such as the ____gene.



For Paid Quiz contact on 03044756496


For Paid Quiz contact on 03044756496



For Paid Quiz contact on 03044756496

For Paid Quiz contact on 03044756496


Primers can be designed __ to enable to initiate replication from a large number of target locations



For Paid Quiz contact on 03044756496

For Paid Quiz contact on 03044756496


Endonucleases are classified in to _____ main classes



For Paid Quiz contact on 03044756496

For Paid Quiz contact on 03044756496


_____is used to assemble two or more pieces of DNA into one piece



For Paid Quiz contact on 03044756496

For Paid Quiz contact on 03044756496


_____ is used to amplify 16S rRNA gene



For Paid Quiz contact on 03044756496

For Paid Quiz contact on 03044756496


WGA is a group of procedures that allow amplification to occur at _____in a genome.



For Paid Quiz contact on 03044756496

For Paid Quiz contact on 03044756496


Suicide PCR is used in ———



For Paid Quiz contact on 03044756496

For Paid Quiz contact on 03044756496


_____enzymes have symmetrical recognition sequences but are of little value



For Paid Quiz contact on 03044756496

For Paid Quiz contact on 03044756496


Mini Primer PCR uses a thermostable polymerase (S-Tbr) that can extend from short primers as short as_____nucleotides.



For Paid Quiz contact on 03044756496

For Paid Quiz contact on 03044756496


PCR technique is not applied for _____.



For Paid Quiz contact on 03044756496


For Paid Quiz contact on 03044756496

In mini PCR a primer of length _____ nucleotides is used



For Paid Quiz contact on 03044756496


For Paid Quiz contact on 03044756496



For Paid Quiz contact on 03044756496

For Paid Quiz contact on 03044756496


Degenerate Primers are used for the amplification of _____



For Paid Quiz contact on 03044756496

For Paid Quiz contact on 03044756496


Endonucleases are classified in to _____ main classes



For Paid Quiz contact on 03044756496

For Paid Quiz contact on 03044756496


_____is typically used in paleogenetics studies



For Paid Quiz contact on 03044756496

For Paid Quiz contact on 03044756496


Which of the following belongs to PCR?



For Paid Quiz contact on 03044756496

For Paid Quiz contact on 03044756496


Methylation-specific PCR is used to identify patterns of DNA methylation at



For Paid Quiz contact on 03044756496

For Paid Quiz contact on 03044756496


A recognition sequence usually ranges from____ bases



For Paid Quiz contact on 03044756496

For Paid Quiz contact on 03044756496


The limitations of PCR are _____.



For Paid Quiz contact on 03044756496

For Paid Quiz contact on 03044756496

Primers can be designed __ to enable to initiate replication from a large number of target locations



Zoology LEGENDS

(For Every BS/MSc Zoology Students)

https://chat.whatsapp.com/HMS1CGrZW4h7QWa1D53roe

For Paid Quiz contact on 03044756496

For Paid Quiz contact on 03044756496

Bio_203

https://chat.whatsapp.com/KfUfXKDlT8rAVzVkWZML8G

There is all are 100% right solved

But there is a little chance of any mistake

Please If You find any mistake then also let us to Know

Muhammad Zaman

03044756496

JazakAllaH

For Paid Quiz contact on 03044756496