BIO303:Quiz

Question # 5 of 10 (Start time: 04:48:43 PM, 30 July 2021)

ATP forms strong complexes with following metal ion

Quiz Bio303 By Tabih Fatima

Select the correct option

●	Mg^{2+}
○	Br^{2+}
○	Ca^{2+}
○	Na^{2+}

Scanned with CamScanner

Question # 2 of 10 (Start time: 04:45:49 PM, 30 July 2021)

Acetyle CoA is a _____

Select the correct option

- ○ Choroester
- ○ Phosphoester
- ● Phosphodiester
- ○ Thioester

Scanned with CamScanner

Question # 3 of 10 (Start time: 04:46:50 PM, 30 July 2021)

Total Marks: 1

Dihydroxyacetone phosphate is reversibly converted to glyceraldehyde 3-phosphate by _____ enzyme.

Select the correct option

O	Pyruvate kinase
O	Phosphofructokinase-1
O	Triose phosphate isomerase
O	Aldolase

Scanned with CamScanner

 Total Marks: 1

Dihydroxyacetone phosphate is reversibly converted to glyceraldehyde 3-phosphate by _____ enzyme.

Select the correct option

○	Pyruvate kinase
○	Phosphofructokinase-1
●	Triose phosphate isomerase
○	Aldolase

Click to Save Answer & Move to Next Question

Scanned with CamScanner

BIO303:Quiz

Question # 4 of 10 (Start time: 04:48:14 PM, 30 July 2021)

A chemical bond which iinvolves the sharing of electron pairs between atoms is called

Select the correct option

○	Ionic bond
○	Physical bond
○	Coordinate bond
●	Covalent bond

Scanned with CamScanner

Question # 6 of 10 (Start time: 04:49:27 PM, 30 July 2021) Total Marks: 1

Dietary deficiency of Niacin the vitamin form of NAD and NADP, causes_____.

Select the correct option

○	None of given
○	Arthritis
○	Diabetes
●	Pellagra

Click to Save Answer & Move to Next Question

Scanned with CamScanner

Question # 7 of 10 (Start time: 04:50:32 PM, 30 July 2021) Total Marks: 1

The loss of ____ from an alcohol results in the introduction of a C=C bond between two adjacent carbon atoms.

Select the correct option

○	H+
○	OH-
●	H2O
○	ATP

Click to Save Answer & Move to Next Question

Scanned with CamScanner

Question # 8 of 10 (Start time: 04:50:42 PM, 30 July 2021)

Most biochemical reactions occur near pH

Select the correct option

●	7
○	10
○	0
○	14

Scanned with CamScanner

BIO303:Quiz

Question # 8 of 10 (Start time: 04:50:42 PM, 30 July 2021)

Most biochemical reactions occur near pH

Select the correct option

●	7
○	10
○	0
○	14

Scanned with CamScanner

All of the following is true about reduction reaction except____.

Select the correct option

- ○ Removal of oxygen
- ● Gain of electrons
- ○ Gain of hydrogen
- ○ Addition of oxygen

Click to Save Answer & Move to Next Question

Scanned with CamScanner

Question # 1 of 10 (Start time: 04:45:20 PM, 30 July 2021)

Total Marks: 1

Gibbs free energy, G expresses the amount of energy capable of doing work during a reaction at constant _____.

Select the correct option

○	Temperature
○	Pressure
●	Temperature and pressure
○	Force

Scanned with CamScanner

1. 'High-energy' compounds have a $\Delta G'^{0}$ of hydrolysis more negative than -25 kj/mol

Scanned with CamScanner

Question # 7 of 10 (Start time: 10:41:33 AM, 30 July 2021)
Total Marks: 1

The loss of ____ from an alcohol results in the introduction of a C=C bond between two adjacent carbon atoms.

Select the correct option

o	H2O
o	OH-
o	H+
o	ATP

correct

Scanned with CamScanner

Question # 3 of 10 (Start time: 10:37:41 AM, 30 July 2021) Total Marks:

The reduction of pyruvate to lactate is catalyzed by lactate_____, which forms lactate at pH 7.

Select the correct option

- Phosphatase
- Decarboxylation
- Dehydrogenase
- Kinase

correct

Scanned with CamScanner

BIO303:Quiz

Question # 4 of 10 (Start time: 10:38:24 AM, 30 July 2021)

During fermentsation, material rich in _____ is supplied to a pure culture of a specific microorganism

Select the correct option

- ○ Carbohydrates

Correct

- ○ Lipids
- ○ Nucleic Acids
- ○ Proteins

Scanned with CamScanner

Question # 5 of 10 (Start time: 10:38:58 AM, 30 July 2021) Total Marks: 1

The payoff phase of glycolysis includes the energy-conserving steps in which _____ takes place.

Select the correct option

O	Methylation
O	Nitration
O	Phosphorylation
O	All of given

correct

Click to Save Answer & Move to Next Question

Scanned with CamScanner

Question # 6 of 10 (Start time: 10:40:42 AM, 30 July 2021)
Total Marks: 1

The process in which the enolate of an aldehyde or a ketone reacts at the α-carbon with the carbonyl of another molecule to obtain β-hydroxy aldehyde or β-hydroxy ketone, is called as _____.

Select the correct option

O	Decarboxylation
O	Hydrolysis
O	Aldol condensation correct
O	Claisen condensation

Scanned with CamScanner

Question # 8 of 10 (Start time: 10:42:46 AM, 30 July 2021)
Total Marks: 1

Pyruvate is oxidized, with loss of its carboxyl group to yield _____.

Select the correct option

o	Acetyl-coenzyme A correct
o	Starch
o	Malate
o	Succinyl CoA

Scanned with CamScanner

- This flow of phosphoryl groups is catalyzed by kinases, and proceeds with an overall loss of free energy under intracellular conditions.

Scanned with CamScanner

Description: When a carboxylic acid is treated with an alcohol and an acid catalyst, an ester is formed (along with

Scanned with CamScanner