MCQs FILE OF BIO401

FINAL TERM

CREATED BY JIYYA RANA

1) Name two types of statistics.....

Discriptive

inferential

2) Name two types of Discriptive statistics.....

Graphical measure

Numerical measure

3) Name two types of Numerical measure.....

Frequency distribution

Summary measure

4) Name two types of summary measure.....

Measure of central tendancy

Measure of dispersion

5) Name three types of Measure of tendency.....

Mean

Median

Mode

6) The extent to which the observation in the data set are spread away from the central value is called.....

Dispersion

7) .....are the method that convey information regarding the amount of variability present in the set of data.

Measure of dispersion

8) Variation, Spread, and Scatter are the term used ..... with dispersion.

Synonymusly

9) PPO is the abrivation of.....

Polyphenolic Oxidase

10) YPC is the abrivation of.....

Yellow Pigment Content

11) How many types of measure of dispersion?

Two

12) Name two types of measure of dispersion.....

Relative measure of dispersion

Absolute measure of dispersion

13) Measures which are expressed in term of same unit as original data are termed as.....

Absolute measure of dispersion

14) Measures which are expressed in term of ratios and %age are termed as.....

Relative measure of dispersion

IMPORTANT POINT

- **Absolute measure of dispersion can converted into relative measure of**

disperssion but relative measure of dispersion cannot be converted into abosolute measure of dispersion

15) Which of the following is not the type of absolute measure of dispersion.....

a) Range

b) Quartile deviation

c) Mean

d) Mean absolute deviation

e) Standard deviation and variance

16) The difference b/w minimum and maximum value in the data is called.....

Range

17) ..... is the half difference b/w upper quartile and lower quartile?

Quartile deviation (Q.D)

18) Formula for measuring the lower quartile?

$Q_1 = 1(n+1)/4$ value

19) Formula for measuring the upper quartile?

$Q_3 = 3(n+1)/4$ value

20) Formula for quartile deviation?

Q.D = Inter quartile range /2 $= Q_3 - Q_1 /2$

21) IQR is the abrivation of.....

Inter quartile range

22) ..... of the absolute deviation measured either from mean or median.

Arithmetic mean

23) ..... is define as the mean of the squared deviation of the observation from

thier mean.

Variance

24) The square root of the variance is called.....

Standard daviation

25) The variance is independent of the .....

Origin

26) Comparing dispersion in two data sets on the basis of standard deviation may lead to .....

fallacious results.

27) C.V is the abrivation of .....

Coefficient of variation

28) .....is define as the deperture of symmetry.

Skewness

29) What is the symbol of skewness?

S.K

30) What is the formula of skewness?

S.K = Mean - mode / S.D

31) The useful visual device for communicating the information contained in a data set is called.....

Boxplot

32) Box and whisker plot drawn for ..... variable

Quantitative variables

33) Some activity with observable outcomes is called.....

Experiment

34) An experiments which produced different outcomes in multiple repititions of the experiment, performed under similar condition is called.....

Randome experiment

35) Rolling of a dice is the example of ..... experiment

Random

36) How many types of events?

two

37) Name two types of events...

Simple and composite event

38) ..... event consist of only one outcome..

Simple

39) If event consist of more than one outcomes it is called..... event.

composite

40) Name varoius other types of events.....

Mutually exclusive event

Collectively exhaustive event

Equally likely event

Indepedent and dependent event

41) How many types of probability?

Two

42) Name two types of probabilty

Objective
Subjective

43) Name further two types of objective probability....

Classical
relative frequency

44) In ..... year L.J Savage give the concept of probability.

1950

45) Two or more events are said to be ..... event if the event do not have any outcomes in common?

Mutually exclusive event

46) Two or more events are said to be .....event if one event is as likely to occur as the other?

Equally likely event

47) When the occurance of event A has an influence on the occurance of an event B then this event is called

Dependent event

48) When the occurance of event A has no effect on event B then this event is called.....

independent event

IMPORTANT POINT

- **Complementary event are always mutually exclusive event but mutually exclusive event are not complementary event**

49) In ..... year the axiomatic approach to probabilty was formalized by the Russian Mathmatician A.N Kolmogrove.

1933

50) Three axiomatic properties of probability.....

- **Axiom of Non – Negativity**
- **Axiom of Exhaustiveness**
- **Axiom of Additive - ness**

51) If the some of the mutually exclusive event is equal to 1 then this called.....

Axiom of Exhautiveness

52. Formula that use to find probability that this person will be 18 year old or younger …….?

Ans: p (E)=number of early subject /total number of subject

53. The probability we are seeking may be written in symbolic nation as……

Ans: p (E intersection A)

54. The symbol ‘intersection ‘show that…….

Joint occurrence

55. The formula of joint probability ……

Ans: n (E intersectin A)/n (s)

56. Formula of conditional probability…….is

P (A/B) =P (A intersection B)/P(B)

57. Which condition show a conditional probability……..

A vertical line .between A and B

58. When the occurance of an event A has **no effect** on the occurance of an event B is called…….?

Independent Event

59. When the occurance of event A has an **influence** on the occurance of an event B. that is called ……?

Dependent event

60. The way to find the probability of two event occurring at the same time is called……..?

Multipicative rule

61. Formula of multiplicative rule……is?

P (A and E) = P (A intersection B)

62. Multipicative rule is also called …..?

‘’AND’’ rule

63.For any **two independent event** A and E,the probability for the **joint occurance** of the both A and E is the product of their individual probabilities…..is a

.Specific Multipicative rule

64. Each parents has …… chance of making an (a) gamete

½

65. If the event do not have an outcomes in commen .They are the event **that cannot occure together. ….is?**

Mutually exclusive

66. The event that occure together is……

Not-mutually event

67. Following **TWO** rules use to calculate the probability an event…….?

- .Rule of complementary event
- Bayes rule

68. A…….is used to determine the presence or absence of a disease.

Diagnostic test

69. A……. identifies a symptotic individual who may have disease.

Screening test

70. Blood pressure for hypertension is a……..?

Screening test

71. PSA test for prostate cancer…….is

Screening test

72. Fasting blood suger for diabtes is a……?

Screening test

73. Blood glucose level…….

70-100mg/dL

74.Cholesterole level……is

Less than 100mg/dL

75. Systolic blood pressure is…….?

120

76. Diastolic blood pressure is…?

80

77. When test indicate a positive status…….

Having a disease

78. When test show a negative status it indicate ……

Not having disease

79. Sensitivity and specificity of a diagnosis test depend on the……..?

Quality of test

80. ROC curves is reported by the …….?

Goldestien and Mushline

81. The lower the **T4 values**, show the……

Patients are to be Hypothyroid

82. ROC analysis a part of the field called''……''?

Signal detection theory

83. The portion that develops disease is a ……?

Incidence disease

84. If you report the incidence rate of say the heart disease study as ……per……person years.

2.5 , 1000

85. Prevalence is measure for following disease……..?

Chronic disease such as diabetes or Osteoarthritis

86. …….. is measure of frequency of occurrence of death.

Mortality

87. IS the infant mortality rate is a raio?

Yes

88. An experiment or a trial , whose outcome can be classified as either a success or a failure is called……..?

Bernoulli trial

89. Jacob Bernoulli is a…….?

Swiss Mathematician

90. Jacob Bernoulli was born……and death in..... year?

1705-1965

91. ‘’ X=1’’

When the outcome is success

92. When the outcome is failure……?

‘’ X=0’’

93. A sequence of Bernouli trials forms a ----------?

Bernouli process

94. Each Bernouli trials results in one of the ---------- possible outcomes?

Two

95. The name of two possible outcomes are?

- Failure
- Success

96. The probability of success denoted by --------?

P

97. The probability of success remains -------- from trial to trial?

Constant

98. The trials are ----------?

Independent

99.A ---------- results from Bernouli process?

Bionomial probability Distribution

100.A bionomial probability of distribution has ---------- number of trials?

Fixed

101. ---------- will denote the probabilities of Sucess and Failures respectively?

P and q

102. "P" is ---------?

Probability of success

103. "q" is ----------?

Probability of failure

104. "n" is a fixed number of -------?

Trials

105. "x" is a ---------?

Specific number of success in "n" trials

106. P(x) is equal to --------?

Probability of getting exactly "x" success among the "n" trials

107. $p^x(1-p)^{n-x}$ **= is a ---------?**

Probability of "x" success among "n"

108. How many methods for finding Probability?

Three

109. In a --------, we finding the probabilities corresponding to the random variable “x” ?

Bionomial Distribution

110. Methods of finding probability?

- Using the bionomial probability formula
- Using the Table of probabilities
- Using technology

111. Suppose we have n = 5 and $p = 0.60$ The probability that bionomial trials yeild 4 success will be given as :

Ppppq = (0.60)4 x 0.40 = 0.05184

112. One has to be very certain that “x” and “p” both refers to the same cetagory being called a ----------?

Success

113. When sampling is conducted without replacement, then consider events to be -------- if n<0.05 n:

Independent

114. The -------- suggests that values are unusual if they are outside of these limits.

Range rule of Thumb

115. $\mu + 2\sigma$ is a ---------- value.

Maximum value

116. $\mu - 2\sigma$ is a ---------- value.

Minimum Value

117. For p = 0.5 and large or small "n" the bionomial distribution will be:

Symmetric

118. For large "p" and small "n" the bionomial distribution will be ------?

Left skewed

119. For small "p" and small "n" the bionomial distribution will be -------?

Right skewed

120. For small "p" but large "n" the bionomial distribution approaches ------?

Symmetry

121. By using MS excel we will use a function

BINOMDIST

122. In interest, number of events occurring ?

2

123. Number of Deaths claims received per day by a -------- company?

Insurance

124. Number of Alpha particles emitted from a ---------- during a given period of time?

Radioactive source

125. The discrete distribution used for such instances; number of families with child, About deaths claims and alpha particles emitted from radioactive source is called --------?

Poisson probability distribution

126. Who invented the poisson distribution?

French mathematician "Simeon Denis Poisson"

127. The probability that event occurs in a given unit of time is the ----- for all units?

Same

128. The events that occur in one unit of time is -------- of the number of events in other units.

Independent

129. The mean or expected rate Is ----?

λ. (lamda)

130. λ. Is -----?

Average number of events per interval

131. The base of natural logarithms is --------?

Euler's number

132. $p(x) = \frac{\lambda^x}{x!} e^{-\lambda}, \qquad x = 0, 1, 2, \ldots$ the following equation is called ------?

Poisson Random variable

133. The poisson process generates a -------?

Poisson distribution

134. How many traits in poisson process ?

Three

135. In poisson process -------- are discrete??

Outcomes

136. The probability of two or more successes over a sufficiently small interval is essentially --------?

Zero

137. In the study drug induced of anaphyl axis among patients taking -------- as a part of their anesthesia?

Recuronium bromide

138. $P(X = 3) = \frac{e^{-12}12^3}{3!} = .00177$ **i**t is the -------- of patients receiving recuronium?

Probability

139. poisson distribution is often used as an ------ for bionomial probabilities ?

Approximation

140. Poisson distribution is important because it is often used for discribing the behaviour of ----------?

Rare events

141. A --------- is a collection of all elements of interest?

Population

142. A -------- is a subset of population?

Sample

143. kinds of sample ??

Representive or non-representive

144. --------- samples are the samples selected using the principles of probability?

Probabilistic

145. The researcher can determine the probability of any given sampling error and make ---------- about population characteristics.

Statistical interferences

146. --------- sample may be resonably representative?

Quota sample

147. Sample for each stratum or subgroup of a population is called.....

Startified samples

148. Combinations of random , systematic ,startified and cluster sampling is called.....

Multistage sampling

149. If probability involves at each stage then which sample distribution can be obtained?

Sample statistics

150. The -------- CMAs of Regina and Saskatoon are strata?

Two

151. Lists of elements that sample selected from is called -----?

Frame

152. Characteristics of a population is called ?

Parameter

153. Numerical characteristics of a population is called?

Statics

154. Probability of distribution of a static is called -------?

Sample distribution

155. In -------- each sample possible of size *n* has the same probability of being selected.

Simple random sample

156. It may be difficult to obtain a -------?

Frame

157. The --------- is the frequency of occurence of a characteristic divided by total number of elements.

Proportion

158. ---------- may also be termed as population values ?

Parameters

159. A specific value of point estimator is reffered as ---------- of a parameter.

Point estimator

160. Difference between the point estimate and the value of parameter is called ?

Sampling Error

161. Culter poll has a sampling error of only ------ % point for the liberals.

0.2%

162. A ----- is the probability diatribution for all possible values of sample static.

Sample distribution

163. In sampling distribution each sample contain ------- elements.

Different

164) _____ is a statistical technique used to determine the degree to which two variables are related.

Correlation

165) Name of two quantitative variables

One variable is called independent (X) and

The second is called dependent (Y)

166) measures the nature and strength between two variables of

the _____ type

Quantitative.

167) The sign of ..... denotes the nature of association

r

168) The value of .....denotes the strength of association.

r

169) Statistic showing the degree of relation between two variables is also called

Pearson's correlation or product moment correlation

coefficient.

170) If the sign is +ve this means the relation is .....

direct.

171) While if the sign is .....this means an inverse or indirect relationship.

-ve

172) Regression tells us how to draw the straight line described by the .....

correlation.

173) ..... describes the strength of a linear relationship between two variables.

Correlation

174) If r = ... this means no association or correlation between the two variables.

Zero

175) If 0 < r < 0.25 = ...correlation.

weak

176) If $0.25 \leq r < 0.75$ = ...correlation.

intermediate

177) If $0.75 \leq r < 1$ = ...correlation.

strong

178) If r = l = ... correlation.

perfect

179) Spearman Rank Correlation Coefficient (rs)

It is a non-parametric measure of correlation.

180) The names of four windows.

Data editor

Output viewer

Syntax editor

Script window

181) SPSS stands for.....

Statistical Product and Service Solutions.

182) ..... is Spreadsheet-like system for defining, entering, editing, and displaying data. Extension of the saved file will be “sav.”

Data Editor

183) Displays output and errors. Extension of the saved file will be “spv.”

Output Viewer

184) The.....shows that more people who receives wireless service tends to own PDA compared to people who doesn't receive wireless service.

graph

185) .....Text editor for syntax composition. Extension of the saved file will be "sps."

Syntax Editor

186) .....Provides the opportunity to write full-blown programs, in a BASIC-like language. Text editor for syntax composition. Extension of the saved file will be "sbs."

Script Window

187) There are two sheets in the window:

1. Data view 2. Variable view

188) The basic analysis of SPSS that will be introduced in this class.

- Frequencies
- Descriptives
- Linear regression analysis

Bio # 401 MCQs

i) _____ is a subset of the Population ~~Samp~~

Sample

ii) The collection of all the element of intrest is _____

Population

3) Large Sample could alter

The nature of Population

4) _____ obtain a cross section of Population

Quota Sample

5 A Sampling _____ in which each ~~per~~ member has an equal chance of being selected is ~~cattle~~

Random Sampling

6) _____ is a list of element that Sample selected from

Frame

7) In which case the element has the same chance of being selected when ——
: $n = 1$

8) If A, B, C, D then how many combinations will be possible.
6 Combination :

9) Formula used to find combination

$$C_n^N = \frac{N!}{n!(N-n)}$$

10) ——— important for Sampling
careful desgin

11) ——— is used for standard deviation
σ

12) μ is ———
Mean

13) _____ characterstics of a Population

Parameter

14) Parameter also termed as
Population value

15) Differance between the point estimate and the value of Parameter is _____ ?

standard error

16) probability distribution for all the possible values of the Sample Statistics is

Sampling distribution

17) How Sampling method may allow the researcher to determine the Sampling _____ ?

When sampling is selected

18) The mean of distribution of $\bar{x}$ is

μ

19) _____ referred to as

Point estimator

20) SDP stand for

sampling distribution sample

THE END

REMEMBER ME IN YOUR PRAYER

REGARDS = JIYYA RANA

Question # 9 of 10 (Start time: 02:48:50 PM, 08 February 2021) Total Marks: 1

_____ is defined as departure from symmetry

Select the correct option

- (●) Skewness
- ( ) Mean
- ( ) Mode
- ( ) Probability

Click to Save Answer & Move to Next Question

Dr.Iqbal Arain

BIO401:Quiz 2

Quiz Start Time: 02:52 PM, 08 February 2021

Question # 4 of 10 (Start time: 02:52:57 PM, 08 February 2021)

Total Marks: 1

Box and Whisker Plot is also sometimes called

Select the correct option

- Whisker Box
- Box Whisker
- Box Plot
- None of these

Click to Save Answer & Move to Next Question

Dr. Iqbal Arain

Question # 9 of 10 (Start time: 02:53:39 PM, 08 February 2021) Total Marks: 1

If an Event consists of exactly one outcome, it is called

Select the correct option

- Complex event
- Simple Event
- Simple complex event
- None of these

Click to Save Answer & Move to Next Question

Dr.Iqbal Arain

Question # 10 of 10 (Start time: 02:53:45 PM, 08 February 2021) Total Marks: 1

Relative frequency in population is known as

Select the correct option

- Sampling
- Dispersion
- Probability
- None of these

Click to Save Answer & Move to Next Question

Dr.Iqbal Arain

Question # 1 of 10 (Start time: 10:15:13 PM, 08 February 2021) Total Marks: 1

Quantiles are more robust and less susceptible than _ if there are outlying observations in the data

Select the correct option

- Mode
- Standard deviation
- Mean
- Dispersion

Click to Save Answer & Move to Next Question

Dr.Iqbal Arain

BIO401:Quiz 2

Quiz Start Time: 10:15 PM, 08 February 2021

Question # 2 of 10 (Start time: 10:15:21 PM, 08 February 2021)

Total Marks: 1

The Mean and Median are Special cases of a family of parameters known as

Select the correct option

- [x] Location parameters
- [ ] Specific parameters
- [ ] Local parameters
- [ ] None of these

Click to Save Answer & Move to Next Question

Dr.Iqbal Arain

Question # 3 of 10 (Start time: 10:15:28 PM, 08 February 2021) Total Marks: 1

The range of a list is _____ if and only if all the data-points in the list are _____:

Select the correct option

- 0, unequal
- 1, unequal
- 1, equal
- 0, equal

Click to Save Answer & Move to Next Question

Dr.Iqbal Arain

BIO401:Quiz 2 Quiz Start Time: 10:15 PM, 08 February 2021

Question # 4 of 10 (Start time: 10:15:32 PM, 08 February 2021) Total Marks: 1

The positive square root of the variance is called _____

Select the correct option

- [x] Standard deviation
- [ ] Mean
- [ ] Mode
- [ ] Quartile

Click to Save Answer & Move to Next Question

Dr.Iqbal Arain

BIO401:Quiz 2

Quiz Start Time: 10:15 PM, 08 February 2021

Question # 5 of 10 (Start time: 10:15:39 PM, 08 February 2021)

Total Marks: 1

The location parameters which help us to determine the position of a particular observations in a data are called _____

Select the correct option

- (●) Measures of position
- ( ) Measures of change
- ( ) Local parameters
- ( ) Measures of observation

Dr.Iqbal Arain

Click to Save Answer & Move to Next Question

Question # 6 of 10 (Start time: 10:15:47 PM, 08 February 2021) Total Marks: 1

_____ is independent of the scale of measurement:

Select the correct option

- Variation
- Coefficient
- Coefficient of variation
- All of these

Click to Save Answer & Move to Next Question

Dr.Iqbal Arain

BIO401:Quiz 2

Quiz Start Time: 10:15 PM, 08 February 2021

Question # 7 of 10 (Start time: 10:15:52 PM, 08 February 2021)

Total Marks: 1

_____ is independent of the scale of measurement:

Select the correct option

- (●) Coefficient of variation
- ( ) Dispersion
- ( ) Standard deviation
- ( ) All

Dr.Iqbal Arain

Click to Save Answer & Move to Next Question

BIO401:Quiz 2 Quiz Start Time: 10:15 PM, 08 February 2021

Question # 8 of 10 (Start time: 10:16:02 PM, 08 February 2021) Total Marks: 1

In an array the Quartiles are _ cut-points that divides the values into 4 equal parts.

Select the correct option

- (●) 3
- ( ) 4
- ( ) 2
- ( ) 6

Click to Save Answer & Move to Next Question

Dr.Iqbal Arain

Question # 9 of 10 (Start time: 10:16:07 PM, 08 February 2021) Total Marks: 1

Two or more events are said to be _____ , if the events do not have any outcomes in common.

Select the correct option

- (●) mutually exclusive
- ( ) mutually inclusive
- ( ) interdependent
- ( ) none of these

Click to Save Answer & Move to Next Question

Dr. Iqbal Arain

Question # 10 of 10 (Start time: 10:16:12 PM, 08 February 2021) Total Marks: 1

The Mean and Median are Special cases of a family of parameters known as _____

Select the correct option

- [x] Local parameters
- [ ] Non-local parameters
- [ ] Mobile parameters
- [ ] Risk parameters

Click to Save Answer & Move to Next Question

Dr.Iqbal Arain

BIO401 Important MCQs

Lecture no 59-64

1. A sequence of Bernouli trials forms a ----------?

Bernouli process

2. Each Bernouli trials results in one of the ---------- possible outcomes?

Two

3. The name of two possible outcomes are?

- Failure
- Success

4. The probability of success denoted by --------?

P

5. The probability of success remains -------- from trial to trial?

Constant

6. The trials are ----------?

Independent

7. A ---------- results from Bernouli process?

Bionomial probability Distribution

8. A bionomial probability of distribution has ---------- no of trials?

Fixed

9. ---------- will denote the probabilities of S and F respectively?

P and q

10. "P" is ---------?

Probability of success

11. "q" is ----------?

Probability of failure

12. "n" is a fixed number of -------?

Trials

13. "x" is a ---------?

Specific number of success in "n" trials

14. P(x) is equal to --------?

Probability of getting exactly "x" success among the "n" trials

15. $p^x(1-p)^{n-x}$ **= is a ---------?**

Probability of "x" success among "n"

16. How many methods for finding Probability?

Three

17. In a --------, we finding the probabilities corresponding to the random variable "x" ?

Bionomial Distribution

18. Methods of finding probability?

- Using the bionomial probability formula
- Using the Table of probabilities

- Using technology

19. Suppose we have n = 5 and $p = 0.60$ The probability that bionomial trials yeild four success will be given as :

Ppppq = (0.60)4 x 0.40 = 0.05184

20. One has to be very certain that "x" and "p" both refers to the same cetagory being called a ----------?

Success

21. When sampling is conducted without replacement, then consider events to be -------- if n<0.05 n:

Independent

22. The -------- suggests that values are unusual if they are outside of these limits.

Range rule of Thumb

23. $\mu + 2\sigma$ is a ---------- value.

Maximum value

24. $\mu - 2\sigma$ is a ---------- value.

Minimum Value

25. For p = 0.5 and large or small "n" the bionomial distribution will be:

Symmetric

26. For large "p" and small "n" the bionomial distribution will be ------?

Left skewed

27. For small “p” and small “n” the bionomial distribution will be -------?

Right skewed

28. For small “p” but large “n” the bionomial distribution approaches ------?

Symmetry

29. By using MS excel we will use a function

BINOMDIST

30. In interest, number of events occurring ?

2

31. Number of Deaths claims received per day by a -------- company?

Insurance

32. Number of Alpha particles emitted from a ---------- during a given period of time?

Radioactive source

33. The discrete distribution used for such instances; number of families with child, About deaths claims and alpha particles emitted from radioactive source is called --------?

Poisson probability distribution

34. Who invented the poisson distribution?

French mathematician “Simeon Denis Poisson”

35. The probability that event occurs in a given unit of time is the ----- for all units?

Same

36. The events that occur in one unit of time is -------- of the number of events in other units.

Independent

37. The mean or expected rate Is ----?

λ. (lamda)

38. λ. Is -----?

Average number of events per interval

39. The base of natural logarithms is --------?

Euler's number

40. $p(x) = \frac{\lambda^x}{x!} e^{-\lambda}, \qquad x = 0, 1, 2, \ldots$ the following equation is called ------?

Poisson Random variable

41. The poisson process generates a -------?

Poisson distribution

42. How many traits in poisson process ?

Three

43. In poisson process -------- are discrete??

Outcomes

44. The probability of two or more successes over a sufficiently small interval is essentially --------?

Zero

45. In the study drug induced of anaphylaxis among patients taking ---------- as a part of their anesthesia?

Recuronium bromide

46. $P(X = 3) = \frac{e^{-12}12^3}{3!} = .00177$ **i**t is the -------- of patients receiving recuronium?

Probability

47. poisson distribution is often used as an ------ for bionomial probabilities ?

Approximation

48. Poisson distribution is important because it is often used for discribing the behaviour of ----------?

Rare events

49. A --------- is a collection of all elements of interest?

Population

50. A -------- is a subset of population?

Sample

51. kinds of sample ??

Representive or non-representive

52. --------- samples are samples selected using the principles of probability?

Probabilistic

53. The researcher can determine the probability of any given sampling error and make ---------- about population characteristics.

Statistical interferences

54. --------- sample may be resonably representative?

Quota sample

55. Sample for each stratum or subgroup of a population?

Startified samples

56. Combinations of random , systematic ,startified and cluster sampling?

Multistage sampling

57. If probability involves at each stage then which sample distribution can be obtained?

Sample statistics

58. The -------- CMAs of Regina and Saskatoon are strata?

Two

59. Lists of elements that sample selected from is called -----?

Frame

60. Characteristics of a population is called ?

Parameter

61. Numerical characteristics of a population is called?

Statics

62. Probability of distribution of a static is called -------?

Sample distribution

63. In -------- each sample possible of size *n* has the same probability of being selected.

Simple random sample

64. It may be difficult to obtain a -------?

Frame

65. The --------- is the frequency of occurence of a characteristic divided by total number of elements.

Proportion

66. ---------- may also be termed as population values ?

Parameters

67. A specific value of point estimator is reffered as ---------- of a parameter.

Point estimator

68. Difference between the point estimate and the value of parameter is called ?

Sampling Error

69. Culter poll has a sampling error of only ------ % point for the liberals.

0.2%

70. A ----- is the probability diatribution for all possible values of sample static.

Sample distribution

71. In sampling distribution each sample contain ------- elements.

Different

MCQS OF BIO401 AND OTHER MIX MATERIAL OF BIO401

1)Statistics is a field of study that is concerned with:
collection, organization, summarization, all of these

2) The use of tools for the data that is derived from biological sciences and medicine Biological,chemical,statistical

3) Bio-statistical methods were used in the ancient civilizations like Ancient Greece, Ancient Rome, India and China all of these

4) One of the earliest known demographic / Bio-statistics study was conducted by John Graunt (1662) (1662). 1663 1664

5) John Graunt developed life tables to warn off the onset and spread of Bubonic plague in London.,America.japan


6) Famously known as "Father of Modern Statistical sciences".
Sir Ronald A. Fisher.donald trump francis bacon

7) Applications of Biostatistics are Genomics, proteomics,genetics all of these

8) "To understand God's thoughts we must study statistics, for these are the measures of purpose" HIS,HIV HCV HBV

9)EXAMPLE OF CONTINUOUS VARIABLE IS HEIGHT, WEIGHT, CIRCUMFERANCE ALL OF TTHESE

10) A Statistic:
zt is a descriptive measure computed from the data of a
POPULATION ,GROWTH.PROGRESS NON OF THESE



11) A Parameter:
It is a a descriptive measure computed from the data of

. a population ,SAMPLE, GROWTH

12) A measure of central tendency is a measure which indicates where the of the data is.
Middle,UPPER LOWER

13) The three most commonly used measures of central tendency are:
The Mean, the Median, and
MADE,MUDE, the Mode.

14) Here is a random sample of size 10 of ages, where
☐ 1 = 42, ☐ 2 = 28, ☐ 3 = 28, ☐ 4 = 61, ☐ 5 = 31,
☐ 6 = 23, ☐ 7 = 50, ☐ 8 = 34, ☐ 9 = 32, ☐ 10 = 37.

= (42 + 28 + … + 37) / 10 = 36.2,36.3,36.4,36.5,36.6

15) (n+1)/2 th IS THE FORMULA OF
MEAN MOD OR MEDIAN

16) If all values are different there is no
MEAN ,MEDIAN MODE

17) Sometimes, there are more than one
1. MEAN ,MEDIAN MODE

18) A descriptive value for a population is called
SAMPLE POPULATION PARAMETER

19) Quantitative Variable

$$MEAN = \frac{S}{\sqrt{N}}, \frac{S}{\sqrt{M}}, \frac{S}{\sqrt{n}}$$

20) The Mean and Median are Special cases of a family of parameters known as ……?
location parameters. ,location sample, lacation technique

21) Other location parameters which help us to determine the position of a particular observations in a data are called Measures of
position.,sample,population

22) These Measures of Position when help us to divide the sample data into n equal parts, or divide the probability distribution into contiguous interval with equal probabilities are called QUINTILES.quartiles,quality,quantity

23)cut points are a lso called……..?
Mode median mean quantiles
24)quantiles denoted by
$Q_{k,} Q_{F,} Q_{S}$

25) is defined as the extent to which the observations in the dataset are spread away from the central value.

DISPERSION,EXPANSION.DEPRESSION
26) Measures which are expressed in terms of the same units as the original data are termed as

ABSOLOUTE MEASURE OF DISPERSION.COMPLETE MEASURE OF DISPRSION, UNCOMPLETE MEASURES OF DISPERSION

27) the departure from Symmetry"IS
SKYNESS ,SKEWNESS

28)SKEWNESS IS DENOTED BY
SK.SL.SM

29)SKEWNESS IS GIVEN BY
Karl Pearson (1857 – 1936)

30) three axiomatic properties of Probability
Axiom of Non – Negativity

Axiom of Exhaustiveness

Axiom of Additive - ness

31) Box and Whisker plot is drawn for ….?
QUALITATIVE VARIABLE,QUANTITATIVE VARIABLE NON OF THESE

MCQS OF BIO401 AND OTHER MIX MATERIAL OF BIO401

1)Statistics is a field of study that is concerned with:
collection, organization, summarization, all of these

2) The use of tools for the data that is derived from biological sciences and medicine Biological,chemical,statistical

3) Bio-statistical methods were used in the ancient civilizations like Ancient Greece, Ancient Rome, India and China all of these

4) One of the earliest known demographic / Bio-statistics study was conducted by John Graunt (1662) (1662). 1663 1664

5) John Graunt developed life tables to warn off the onset and spread of Bubonic plague in London.,America.japan


6) Famously known as "Father of Modern Statistical sciences".
Sir Ronald A. Fisher.donald trump francis bacon

7) Applications of Biostatistics are Genomics, proteomics,genetics all of these

8) "To understand God's thoughts we must study statistics, for these are the measures of purpose" HIS,HIV HCV HBV

9)EXAMPLE OF CONTINUOUS VARIABLE IS HEIGHT, WEIGHT, CIRCUMFERANCE ALL OF TTHESE

10) A Statistic:
zt is a descriptive measure computed from the data of a
POPULATION ,GROWTH.PROGRESS NON OF THESE



11) A Parameter:
It is a a descriptive measure computed from the data of

. a population ,SAMPLE, GROWTH

12) A measure of central tendency is a measure which indicates where the of the data is.
Middle,UPPER LOWER

13) The three most commonly used measures of central tendency are:
The Mean, the Median, and
MADE,MUDE, the Mode.

14) Here is a random sample of size 10 of ages, where
☐ 1 = 42, ☐ 2 = 28, ☐ 3 = 28, ☐ 4 = 61, ☐ 5 = 31,
☐ 6 = 23, ☐ 7 = 50, ☐ 8 = 34, ☐ 9 = 32, ☐ 10 = 37.

= (42 + 28 + … + 37) / 10 = 36.2,36.3,36.4,36.5,36.6

15) (n+1)/2 th IS THE FORMULA OF
MEAN MOD OR MEDIAN

16) If all values are different there is no
MEAN ,MEDIAN MODE

17) Sometimes, there are more than one
1. MEAN ,MEDIAN MODE

18) A descriptive value for a population is called
SAMPLE POPULATION PARAMETER

19) Quantitative Variable

$$MEAN = \frac{S}{\sqrt{N}}, \frac{S}{\sqrt{M}}, \frac{S}{\sqrt{n}}$$

20) The Mean and Median are Special cases of a family of parameters known as ……?
location parameters. ,location sample, lacation technique

21) Other location parameters which help us to determine the position of a particular observations in a data are called Measures of
position.,sample,population

22) These Measures of Position when help us to divide the sample data into n equal parts, or divide the probability distribution into contiguous interval with equal probabilities are called QUINTILES.quartiles,quality,quantity

23)cut points are a lso called……..?
Mode median mean quantiles
24)quantiles denoted by
$Q_{k,} Q_{F,} Q_{S}$

25) is defined as the extent to which the observations in the dataset are spread away from the central value.

DISPERSION,EXPANSION.DEPRESSION
26) Measures which are expressed in terms of the same units as the original data are termed as

ABSOLOUTE MEASURE OF DISPERSION.COMPLETE MEASURE OF DISPRSION, UNCOMPLETE MEASURES OF DISPERSION

27) the departure from Symmetry"IS
SKYNESS ,SKEWNESS

28)SKEWNESS IS DENOTED BY
SK.SL.SM

29)SKEWNESS IS GIVEN BY
Karl Pearson (1857 – 1936)

30) three axiomatic properties of Probability
Axiom of Non – Negativity

Axiom of Exhaustiveness

Axiom of Additive - ness

31) Box and Whisker plot is drawn for ….?
QUALITATIVE VARIABLE,QUANTITATIVE VARIABLE NON OF THESE

Question # 9 of 10 (Start time: 02:48:50 PM, 08 February 2021) Total Marks: 1

_____ is defined as departure from symmetry

Select the correct option

- (●) Skewness
- ( ) Mean
- ( ) Mode
- ( ) Probability

Click to Save Answer & Move to Next Question

Dr.Iqbal Arain

BIO401:Quiz 2

Quiz Start Time: 02:52 PM, 08 February 2021

Question # 4 of 10 (Start time: 02:52:57 PM, 08 February 2021)

Total Marks: 1

Box and Whisker Plot is also sometimes called

Select the correct option

- Whisker Box
- Box Whisker
- Box Plot
- None of these

Click to Save Answer & Move to Next Question

Dr. Iqbal Arain

Question # 9 of 10 (Start time: 02:53:39 PM, 08 February 2021) Total Marks: 1

If an Event consists of exactly one outcome, it is called

Select the correct option

- Complex event
- Simple Event
- Simple complex event
- None of these

Click to Save Answer & Move to Next Question

Dr.Iqbal Arain

Question # 10 of 10 (Start time: 02:53:45 PM, 08 February 2021) Total Marks: 1

Relative frequency in population is known as

Select the correct option

- Sampling
- Dispersion
- Probability
- None of these

Click to Save Answer & Move to Next Question

Dr.Iqbal Arain

Question # 1 of 10 (Start time: 10:15:13 PM, 08 February 2021) Total Marks: 1

Quantiles are more robust and less susceptible than _ if there are outlying observations in the data

Select the correct option

- Mode
- Standard deviation
- Mean
- Dispersion

Click to Save Answer & Move to Next Question

Dr.Iqbal Arain

BIO401:Quiz 2

Quiz Start Time: 10:15 PM, 08 February 2021

Question # 2 of 10 (Start time: 10:15:21 PM, 08 February 2021)

Total Marks: 1

The Mean and Median are Special cases of a family of parameters known as

Select the correct option

- [x] Location parameters
- [ ] Specific parameters
- [ ] Local parameters
- [ ] None of these

Click to Save Answer & Move to Next Question

Dr.Iqbal Arain

Question # 3 of 10 (Start time: 10:15:28 PM, 08 February 2021) Total Marks: 1

The range of a list is _____ if and only if all the data-points in the list are _____:

Select the correct option

- 0, unequal
- 1, unequal
- 1, equal
- 0, equal

Click to Save Answer & Move to Next Question

Dr.Iqbal Arain

BIO401:Quiz 2 Quiz Start Time: 10:15 PM, 08 February 2021

Question # 4 of 10 (Start time: 10:15:32 PM, 08 February 2021) Total Marks: 1

The positive square root of the variance is called _____

Select the correct option

- [x] Standard deviation
- [ ] Mean
- [ ] Mode
- [ ] Quartile

Click to Save Answer & Move to Next Question

Dr.Iqbal Arain

BIO401:Quiz 2

Quiz Start Time: 10:15 PM, 08 February 2021

Question # 5 of 10 (Start time: 10:15:39 PM, 08 February 2021)

Total Marks: 1

The location parameters which help us to determine the position of a particular observations in a data are called _____

Select the correct option

- (●) Measures of position
- ( ) Measures of change
- ( ) Local parameters
- ( ) Measures of observation

Dr.Iqbal Arain

Click to Save Answer & Move to Next Question

Question # 6 of 10 (Start time: 10:15:47 PM, 08 February 2021) Total Marks: 1

_____ is independent of the scale of measurement:

Select the correct option

- Variation
- Coefficient
- Coefficient of variation
- All of these

Click to Save Answer & Move to Next Question

Dr.Iqbal Arain

BIO401:Quiz 2

Quiz Start Time: 10:15 PM, 08 February 2021

Question # 7 of 10 (Start time: 10:15:52 PM, 08 February 2021)

Total Marks: 1

_____ is independent of the scale of measurement:

Select the correct option

- (●) Coefficient of variation
- ( ) Dispersion
- ( ) Standard deviation
- ( ) All

Dr.Iqbal Arain

Click to Save Answer & Move to Next Question

BIO401:Quiz 2 Quiz Start Time: 10:15 PM, 08 February 2021

Question # 8 of 10 (Start time: 10:16:02 PM, 08 February 2021) Total Marks: 1

In an array the Quartiles are _ cut-points that divides the values into 4 equal parts.

Select the correct option

- (●) 3
- ( ) 4
- ( ) 2
- ( ) 6

Click to Save Answer & Move to Next Question

Dr.Iqbal Arain

Question # 9 of 10 (Start time: 10:16:07 PM, 08 February 2021) Total Marks: 1

Two or more events are said to be _____ , if the events do not have any outcomes in common.

Select the correct option

- (●) mutually exclusive
- ( ) mutually inclusive
- ( ) interdependent
- ( ) none of these

Click to Save Answer & Move to Next Question

Dr. Iqbal Arain

Question # 10 of 10 (Start time: 10:16:12 PM, 08 February 2021) Total Marks: 1

The Mean and Median are Special cases of a family of parameters known as _____

Select the correct option


- [x] Local parameters
- [ ] Non-local parameters
- [ ] Mobile parameters
- [ ] Risk parameters

Click to Save Answer & Move to Next Question

Dr.Iqbal Arain

VU Medical Zone

BIO 401 Quiz no 1 Spring 2021


BIO401:Quiz 1

Quiz Start Time: 01:37 AM, 03 June 2021

Question # 1 of 10 (Start time: 01:37:39 AM, 03 June 2021)

Total Marks: 1

---------- is affected by extreme values.

Select the correct option

Reload Math Equations


- Mode
- Mean

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

- All
- Median

Type here to search

1:38 AM
6/3/2021


BIO401:Quiz 1

Quiz Start Time: 01:37 AM, 03 June 2021

Question # 2 of 10 (Start time: 01:38:42 AM, 03 June 2021)

Total Marks: 1

The average value of a data is called ____

Select the correct option

Reload Math Equations

- Mode
- Mean

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

- Standard deviation
- Median

Click to Save Answer & Move to Next Question

Type here to search

1:39 AM
6/3/2021

EFFORT BY AMAAN KHAN

VU Medical Zone

BIO401:Quiz 1 — Quiz Start Time: 01:37 AM, 03 June 2021

Question # 3 of 10 (Start time: 01:39:18 AM, 03 June 2021) — Total Marks: 1

We need sampling for _____ purpose

Select the correct option

Reload Math Equations

- Speed
- Economy
- Accuracy
- All

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Click to Save Answer & Move to Next Question



BIO401:Quiz 1 — Quiz Start Time: 01:37 AM, 03 June 2021

Question # 4 of 10 (Start time: 01:39:56 AM, 03 June 2021) — Total Marks: 1

If we wish to check the BP values of some patients in a hospital then all patients admitted in hospital are

Select the correct option

Reload Math Equations

- Data

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

- Population
- Sample
- Source



EFFORT BY AMAAN KHAN

VU Medical Zone

BIO401:Quiz 1 — Quiz Start Time: 01:37 AM, 03 June 2021

Question # 5 of 10 (Start time: 01:40:56 AM, 03 June 2021) — Total Marks: 1

Commonly used measure of central tendency is/are:

Select the correct option

Reload Math Equations

- Mode
- Mean
- Median
- All

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com



BIO401:Quiz 1 — Quiz Start Time: 01:37 AM, 03 June 2021

Question # 6 of 10 (Start time: 01:41:31 AM, 03 June 2021) — Total Marks: 1

In NCn , N represents:

Select the correct option

Reload Math Equations

- The number of combinations (subsets) of n from N
- The number of cases in the sampling frame
- The sampling fraction
- The number of cases in the sample

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Click to Save Answer & Move to Next Question



EFFORT BY AMAAN KHAN

VU Medical Zone

BIO401:Quiz 1 — Quiz Start Time: 01:37 AM, 03 June 2021

Question # 7 of 10 (Start time: 01:42:11 AM, 03 June 2021) — Total Marks: 1

Population is the collection of all possible entities which is described by _____

Select the correct option

Reload Math Equations

- Parameters

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

- Statistics
- Numbers
- Values

Click to Save Answer & Move to Next Question



BIO401:Quiz 1 — Quiz Start Time: 01:37 AM, 03 June 2021

Question # 8 of 10 (Start time: 01:43:16 AM, 03 June 2021) — Total Marks: 1

---------- sampling is commonly known as unsystematic, accidental or opportunistic sampling.

Select the correct option

Reload Math Equations

- Quota sampling
- Convenience

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

- Snow Ball Sampling
- Judgmental or deliberate sampling

Click to Save Answer & Move to Next Question



EFFORT BY AMAAN KHAN

VU Medical Zone

BIO401:Quiz 1 — Quiz Start Time: 01:37 AM, 03 June 2021

Question # 9 of 10 (Start time: 01:43:48 AM, 03 June 2021) — Total Marks: 1

A discrete variable is:

Select the correct option

Reload Math Equations

- (●) The number of daily admissions in a hospital

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

- ( ) Skull circumference
- ( ) Height
- ( ) Weight

Click to Save Answer & Move to Next Question



BIO401:Quiz 1 — Quiz Start Time: 01:37 AM, 03 June 2021

Question # 10 of 10 (Start time: 01:44:50 AM, 03 June 2021) — Total Marks: 1

The General Population that the study seeks to understand. Which of the following is NOT a Characteristics of a good sample?

Select the correct option

Reload Math Equations


- ( ) Obtained by using proper sampling methodology.
- ( ) It captures most of the variation in the population.
- ( ) It should be representative.
- (●) Informative with maximum use of resources.

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com




EFFORT BY AMAAN KHAN


VU Medical Zone



EFFORT BY AMAAN KHAN



EFFORT BY AMAAN KHAN


BIO401:Quiz 1
Question # 5 of 10 (Start time: 07:51:27 PM, 30 May 2021)
_____ type of sampling refers to Identifying someone who meets the criteria for inclusion in the study.
Select the correct option
Random sampling
Probability sampling
Snowball sampling
Non Probability sampling
Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

BIO401: Quiz 1

Quiz Start Time: 08:00 PM, 30 May 2021

Question # 5 of 10 (Start time: 08:03:16 PM, 30 May 2021)

Total Marks: 1

---------- sampling is commonly known as unsystematic, accidental or opportunistic sampling.

Select the correct option

- Quota sampling
- Convenience
- Judgmental or deliberate sampling
- Snow Ball Sampling

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

BIO401 Quiz 1

Question # 4 of 10 (Start time: 08:13:28 PM, 30 May 2021)

Total Marks: 1

Which information is not correct about sample?

Select the correct option

- Sample statistics are generally imperfect representatives of the corresponding population parameters
- A sample is typically only a part of the whole population
- Sample data provide only limited information about the population

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

- None


Source of data can be
Routinely kept records
Surveys & Experiments
Routinely kept records
All
Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

VU Medical Zone

BIO401:Quiz 1

Quiz Start Time: 08:44 PM, 30 May 2021

Question # 2 of 10 (Start time: 08:45:20 PM, 30 May 2021)

Total Marks: 1

Which one is not the type of Probability Sampling designs?

Select the correct option

- Systematic sampling
- Non-systematic sampling

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

- Cluster (area) sampling
- Multistage sampling

Click to Save Answer & Move to Next Question

EFFORT BY AMAAN KHAN

VU Medical Zone

BIO401:Quiz 1

Quiz Start Time: 08:44 PM, 30 May 2021

Question # 8 of 10 (Start time: 08:47:04 PM, 30 May 2021)

Total Marks: 1

The drawing of inferences about a body of data, when only a part of data is observed is called?

Select the correct option

- Descriptive data
- Statistics

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

- All given
- Sampling

Click to Save Answer & Move to Next Question

EFFORT BY AMAAN KHAN

VU Medical Zone

BIO401:Quiz 1

Quiz Start Time: 08:33 PM, 30 May 2021

Question # 4 of 10 (Start time: 08:34:33 PM, 30 May 2021)

Total Marks: 1

Probability sampling is divided into _____ types


Select the correct option

- 7
- 5
- 6
- 4

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

EFFORT BY AMAAN KHAN

VU Medical Zone



EFFORT BY AMAAN KHAN

BIO401:Quiz 1

Quiz Start Time: 09:52 AM, 30 May 2021

Question # 5 of 10 (Start time: 09:54:35 AM, 30 May 2021)

Total Marks: 1

The General Population that the study seeks to understand.

Select the correct option

- ○ Study population
- ● target population

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

- ○ Sample population
- ○ Source population

Click to Save Answer & Move to Next Question

EFFORT BY AMAAN KHAN

BIO401:Quiz 1

Quiz Start Time: 08:00 PM, 30 May 2021

Question # 2 of 10 (Start time: 08:01:36 PM, 30 May 2021)

Total Marks: 1

If the administrator of a clinic wishes to obtain information regarding the mode of transportation used by patients to visit the clinic, what should be done to take information?

Select the correct option

- (●) All

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

- ( ) Literature study
- ( ) Survey
- ( ) Experimental study

EFFORT BY AMAAN KHAN

VU Medical Zone

Question # 7 of 10 (Start time: 08:28:19 PM, 30 May 2021) Total Marks: 1

Median for the given values 23, 28, 28, 31, 32, 34, 37, 42, 50, 61 will be:

Select the correct option

- 34
- 33
- 35
- 32

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

EFFORT BY AMAAN KHAN

BIO401:Quiz 1

Quiz Start Time: 08:00 PM, 30 May 2021

Question # 9 of 10 (Start time: 08:05:30 PM, 30 May 2021)

Total Marks: 1

Mean of values 115, 110, 119, 117, 121 and 126 is:

Select the correct option

- 118

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

- 120
- 117
- 119

EFFORT BY AMAAN KHAN

BIO401:Quiz 1

Question # 7 of 10 (Start time: 09:43:49 AM, 30 May 2021)

In sampling design "n" stands for_____

Select the correct option

- ○ The sampling fraction
- ○ The number of combinations
- ○ The number of cases in the sampling frame
- ● The number of cases in the sample

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Click to Save Answer & Move to Next Question

EFFORT BY AMAAN KHAN

VU Medical Zone

BIO401:Quiz 1

Quiz Start Time: 08:19 PM, 30 May 2021

Question # 2 of 10 (Start time: 08:20:19 PM, 30 May 2021)

Total Marks: 1

Ordinal data scale is used for _____ measurement

Select the correct option


- (●) Variable intervals

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

- ( ) Categories
- ( ) Real numbers
- ( ) Constant intervals

Click to Save Answer & Move to Next Question

EFFORT BY AMAAN KHAN


Example of simple random sampling is:
Get list of clients over past year
All
Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com
Small service agency
Client assessment of quality of service

VU Medical Zone

BIO401:Quiz 1

Quiz Start Time: 08:00 PM, 30 May 2021

Question # 1 of 10 (Start time: 08:00:51 PM, 30 May 2021)

Total Marks: 1

A descriptive value for a population is called:

Select the correct option

- Inferential Statistics
- Statistics
- Descriptive Statistics
- Parameter

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

EFFORT BY AMAAN KHAN

sec(s)

BIO401:Quiz 1

Quiz Start Time: 09:52 AM, 30 May 2021

Question # 3 of 10 (Start time: 09:53:24 AM, 30 May 2021)

Total Marks: 1

"An aggregate of entities for which we have an interest at a particular time" is called

Select the correct option

- Data
- Sample
- Population
- Mean

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Click to Save Answer & Move to Next Question

BIO401:Quiz 1

Quiz Start Time: 09:52 AM, 30 May 2021

Question # 10 of 10 (Start time: 09:57:03 AM, 30 May 2021)

Total Marks: 1

Qualitative Variables include:

Select the correct option

- Height
- Blood group

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

- Hemoglobin values
- RBCs count

Click to Save Answer & Move to Next Question

BIO401:Quiz 1

Quiz Start Time: 08:33 PM, 30 May 2021

Question # 2 of 10 (Start time: 08:33:50 PM, 30 May 2021)

Total Marks: 1

---------- is known as "Father of Modern Statistical sciences"

Select the correct option

- John Graunt
- Florence Nightingale
- Lady with Lamp
- Sir Ronald A. Fisher

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

VU Medical Zone

BI0401:Quiz 1

Quiz Start Time: 08:33 PM, 30 May 2021

Question # 5 of 10 (Start time: 08:35:32 PM, 30 May 2021)

Total Marks: 1

The source of a data may be a ---------, if the data needed is about answering certain questions.


Select the correct option

- Survey

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

- External sources
- Experiments
- Routinely kept records

EFFORT BY AMAAN KHAN


BIO401:Quiz 1
Quiz Start Time: 08:44 PM, 30 May 2021
Question # 3 of 10 (Start time: 08:45:56 PM, 30 May 2021)
Total Marks: 1
Sampling problems may differ in each strata
Select the correct option
Systematic Random Sampling
Cluster Random Sampling
Multi-Stage Sampling
Stratified Random Sampling
Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

BIO401:Quiz 1

Quiz Start Time: 08:00 PM, 30 May 2021

Question # 10 of 10 (Start time: 08:08:53 PM, 30 May 2021)

Total Marks: 1

An assumption about the population parameter is ----------

Select the correct option

- (●) Hypothesis

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

- ( ) Significance
- ( ) Probability
- ( ) Inference

EFFORT BY AMAAN KHAN

BIO401:Quiz 1

Quiz Start Time: 08:19 PM, 30 May 2021

Question # 8 of 10 (Start time: 08:22:29 PM, 30 May 2021)

Total Marks: 1

Procedure for Systematic Random Sampling includes following except:

Select the correct option

- Number units in population from 1 to N.
- N/n=k the interval size.
- Decide on the n that you want or need.
- Randomly select a number from 0 to k

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

BS ZOOLOGY 2nd

SEMESTER by

MUHAMMAD HABIB

The General Population that the study seeks to understand.

Select the correct option

- Source population
- Sample population
- Study population
- target population

Question # 3 of 10 (Start time: 03:39:38 PM, 07 December 2020) Total Marks: 1

Median for the given values 23, 28, 28, 31, 32, 34, 37, 42, 50, 61 will be:

Select the correct option

- 32
- 33
- 34
- 35

BIO401:Quiz 1

Quiz Start Time: 03:38 PM, 07 December 2020

Question # 2 of 10 (Start time: 03:38:48 PM, 07 December 2020)

Total Marks: 1

Commonly used measure of central tendency is/are:

Select the correct option

- Mean
- Mode
- Median
- All

BIO401:Quiz 1

Quiz Start Time: 03:38 PM, 07 December 2020

Question # 10 of 10 (Start time: 03:44:27 PM, 07 December 2020)

Total Marks: 1

Qualitative Variables include:

Select the correct option

- Height
- Hemoglobin values
- Blood group
- RBCs count

Question # 4 of 10 (Start time: 03:49:11 PM, 07 December 2020) Total Marks: 1

"An aggregate of entities for which we have an interest at a particular time" is called

Select the correct option

- Sample
- Mean
- Data
- Population

Click to Save Answer & Move to Next Question

Question # 3 of 10 (Start time: 03:48:18 PM, 07 December 2020)

Total Marks: 1

Sampling problems may differ in each strata

Select the correct option

- Multi-Stage Sampling
- Systematic Random Sampling
- Cluster Random Sampling
- Stratified Random Sampling

Click to Save Answer & Move to Next Question

Question # 2 of 10 (Start time: 03:47:33 PM, 07 December 2020)

Total Marks: 1

Source of data can be

Select the correct option

- Routinely kept records
- Routinely kept records
- Surveys & Experiments
- All



Click to Save Answer & Move to Next Question

Question # 5 of 10 (Start time: 03:50:03 PM, 07 December 2020)

Total Marks: 1

Procedure for Systematic Random Sampling includes following except:

Select the correct option

- Number units in population from 1 to N.
- Decide on the n that you want or need.
- N/n=k the interval size.
- Randomly select a number from 0 to k

Click to Save Answer & Move to Next Question

Question # 6 of 10 (Start time: 03:51:02 PM, 07 December 2020) Total Marks: 1

One of the earliest known demographic / Bio-statistics study was conducted by ---------- .

Select the correct option

- John Graunt
- The Lady with a Lamp
- Ronald A. Fisher
- Nightingale

Click to Save Answer & Move to Next Question

Question # 7 of 10 (Start time: 03:51:46 PM, 07 December 2020) Total Marks: 1

Population is the collection of all possible entities which is described by _____

Select the correct option

- Values
- Numbers
- Parameters
- Statistics

Click to Save Answer & Move to Next Question

BIO401:Quiz 1

Question # 3 of 10 (Start time: 06:07:18 PM, 07 December 2020)

In NCn , N represents:

Select the correct option

○	The number of cases in the sampling frame
○	The number of cases in the sample
○	The number of combinations (subsets) of n from N
○	The sampling fraction

Time Left sec(s)

BIO401:Quiz 1

Quiz Start Time: 06:06 PM, 07 December 2020

Question # 2 of 10 (Start time: 06:06:48 PM, 07 December 2020)

Total Marks: 1

Probability sampling is divided into _____ types

Select the correct option

- 4
- 5
- 6
- 7

Click to Save Answer & Move to Next Question

Question # 1 of 10 (Start time: 06:06:14 PM, 07 December 2020)

Total Marks: 1

Example of simple random sampling is:

Select the correct option

- Small service agency
- Client assessment of quality of service
- Get list of clients over past year
- All

Click to Save Answer & Move to Next Question

Question # 4 of 10 (Start time: 06:07:49 PM, 07 December 2020) Total Marks: 1

Ordinal data scale is used for _____ measurement

Select the correct option

- Constant intervals
- Variable intervals
- Real numbers
- Categories

Click to Save Answer & Move to Next Question

Question # 6 of 10 (Start time: 06:09:03 PM, 07 December 2020) Total Marks: 1

The General Population that the study seeks to understand.

Which of the following is NOT a Characteristics of a good sample?

Select the correct option

- Informative with maximum use of resources.
- Obtained by using proper sampling methodology.
- It captures most of the variation in the population.
- It should be representative.

Click to Save Answer & Move to Next Question

Question # 7 of 10 (Start time: 06:09:39 PM, 07 December 2020) Total Marks: 1

A descriptive value for a population is called:

Select the correct option

- Parameter
- Statistics
- Descriptive Statistics
- Inferential Statistics

Click to Save Answer & Move to Next Question

Question # 8 of 10 (Start time: 06:10:16 PM, 07 December 2020)

Total Marks: 1

The average value of a data is called ____

Select the correct option

- Mean
- Median
- Mode
- Standard deviation

Click to Save Answer & Move to Next Question

Question # 9 of 10 (Start time: 06:10:42 PM, 07 December 2020)

Total Marks: 1

Sometimes ---------- is also called as "proportional" or "quota" random sampling.

Select the correct option

- Simple sampling
- Stratified sampling
- Cluster sampling
- Systematic sampling

Click to Save Answer & Move to Next Question

Question # 10 of 10 (Start time: 06:31:23 PM, 07 December 2020) Total Marks: 1

If the administrator of a clinic wishes to obtain information regarding the mode of transportation used by patients to visit the clinic, what should be done to take information?

Select the correct option

- Experimental study
- Survey
- Literature study
- All

Click to Save Answer & Move to Next Question

Question # 9 of 10 (Start time: 06:30:09 PM, 07 December 2020) Total Marks: 1

The General Population that the study seeks to understand.

Select the correct option

- Source population
- Sample population
- Study population
- target population

Click to Save Answer & Move to Next Question

Question # 7 of 10 (Start time: 06:28:04 PM, 07 December 2020)

---------- is the hypothesis that is believed to be true by the researcher:

Select the correct option

○	Null hypothesis
○	Alternative hypothesis
○	Rejected hypothesis
○	None

Question # 6 of 10 (Start time: 06:27:04 PM, 07 December 2020)

Total Marks: 1

---------- is known as "Father of Modern Statistical sciences"

Select the correct option

- Sir Ronald A. Fisher
- John Graunt
- Florence Nightingale
- Lady with Lamp

Click to Save Answer & Move to Next Question

BIO401:Quiz 1

Quiz Start Time: 06:17 PM, 07 December 2020

Question # 5 of 10 (Start time: 06:26:05 PM, 07 December 2020)

Total Marks: 1

---------- is affected by extreme values.

Select the correct option

- Mean
- Median
- Mode
- All

Click to Save Answer & Move to Next Question

Question # 4 of 10 (Start time: 06:25:06 PM, 07 December 2020)

Total Marks: 1

Mean of values 115, 110, 119, 117, 121 and 126 is:

Select the correct option

- 117
- 118
- 119
- 120

Click to Save Answer & Move to Next Question

Question # 2 of 10 (Start time: 06:19:06 PM, 07 December 2020) Total Marks: 1

The source of a data may be a ---------, if the data needed is about answering certain questions.

Select the correct option

- Survey
- Routinely kept records
- External sources
- Experiments

Click to Save Answer & Move to Next Question

Question # 1 of 10 (Start time: 06:17:26 PM, 07 December 2020)

Total Marks: 1

Which information is not correct about sample?

Select the correct option

- A sample is typically only a part of the whole population
- Sample data provide only limited information about the population
- Sample statistics are generally imperfect representatives of the corresponding population parameters
- None



Click to Save Answer & Move to Next Question

BIO401:Quiz 1 Quiz Start Time: 11:02 AM, 08 December 2020

Question # 5 of 10 (Start time: 11:10:01 AM, 08 December 2020) Total Marks: 1

One of the earliest known demographic / Bio-statistics study was conducted by ---------- .

Select the correct option

- John Graunt
- The Lady with a Lamp
- Ronald A. Fisher
- Nightingale

Question # 7 of 10 (Start time: 11:11:11 AM, 08 December 2020)

Total Marks: 1

Example of simple random sampling is:

Select the correct option

- Small service agency
- Client assessment of quality of service
- Get list of clients over past year
- All

BIO401:Quiz 1 Quiz Start Time: 11:02 AM, 08 December 2020

Question # 8 of 10 (Start time: 11:11:50 AM, 08 December 2020) Total Marks: 1

We need sampling for _____ purpose

Select the correct option

- Economy
- Speed
- Accuracy
- All

Question # 9 of 10 (Start time: 11:12:24 AM, 08 December 2020)

Total Marks: 1

A discrete variable is:

Select the correct option

- Height
- Weight
- Skull circumference
- The number of daily admissions in a hospital

Click to Save Answer & Move to Next Question

Question # 10 of 10 (Start time: 11:13:19 AM, 08 December 2020)

Total Marks: 1

Source of data can be

Select the correct option

- Routinely kept records
- Routinely kept records
- Surveys & Experiments
- All

BIO401:Quiz 1

Question # 1 of 10 (Start time: 11:18:08 AM, 08 December 2020)

_____ type of sampling refers to Identifying someone who meets the criteria for inclusion in the study.

Select the correct option

- Non Probability sampling
- Probability sampling
- Snowball sampling
- Random sampling

BIO401:Quiz 1

Question # 2 of 10 (Start time: 11:18:46 AM, 08 December 2020)

Median for the given values 23, 28, 28, 31, 32, 34, 37, 42, 50, 61 will be:

Select the correct option

- 32
- 33
- 34
- 35


BIO401:Quiz 1

Question # 4 of 10 (Start time: 11:20:47 AM, 08 December 2020)

Sampling problems may differ in each strata

Select the correct option

- Multi-Stage Sampling
- Systematic Random Sampling
- Cluster Random Sampling
- Stratified Random Sampling



BIO401:Quiz 1

Question # 5 of 10 (Start time: 11:21:55 AM, 08 December 2020)

Probability sampling is divided into _____ types

Select the correct option

- 4
- 5
- 6
- 7

BIO401:Quiz 1

Question # 6 of 10 (Start time: 11:23:19 AM, 08 December 2020)

---------- sampling is commonly known as unsystematic, accidental or opportunistic sampling.

Select the correct option

- Convenience
- Judgmental or deliberate sampling
- Quota sampling
- Snow Ball Sampling

BIO401:Quiz 1

Question # 7 of 10 (Start time: 11:24:18 AM, 08 December 2020)

The General Population that the study seeks to understand.

Select the correct option

- Source population
- Sample population
- Study population
- target population

BIO401:Quiz 1

Question # 8 of 10 (Start time: 11:25:48 AM, 08 December 2020)

We need sampling for _____ purpose

Select the correct option

- Economy
- Speed
- Accuracy
- All

Question # 10 of 10 (Start time: 11:27:45 AM, 08 December 2020)

In sampling design "n" stands for_____

Select the correct option

○	The number of cases in the sample
○	The number of cases in the sampling frame
○	The sampling fraction
○	The number of combinations

VU Mehfil
BIO 401 Quiz

BIO401:Quiz 1

Question # 1 of 10 (Start time: 04:51:29 AM, 04 December 2020)

Sampling problems may differ in each strata

Select the correct option

- ○ Multi-Stage Sampling
- ○ Systematic Random Sampling
- ○ Cluster Random Sampling
- ● Stratified Random Sampling

Answer solved by Amaan Khan
Contact: 0305-4716616
Email:maniamaan2@gmail.com



BIO401:Quiz 1

Question # 2 of 10 (Start time: 04:52:37 AM, 04 December 2020)

We need sampling for _____ purpose

Select the correct option

- ○ Economy
- ○ Speed
- ○ Accuracy
- ● All

Answer solved by Amaan Khan
Contact: 0305-4716616
Email:maniamaan2@gmail.com

BIO401:Quiz 1

Question # 3 of 10 (Start time: 04:53:33 AM, 04 December 2020)

"An aggregate of entities for which we have an interest at a particular time" is called

Select the correct option

- ○ Sample
- ○ Mean
- ○ Data
- ◉ Population

Answer solved by Amaan Khan
Contact: 0305-4716616
Email:maniamaan2@gmail.com



BIO401:Quiz 1

Question # 4 of 10 (Start time: 04:54:20 AM, 04 December 2020)

Mean of values 115, 110, 119, 117, 121 and 126 is:

Select the correct option

- ○ 117
- ◉ 118
- ○ 119
- ○ 120

Answer solved by Amaan Khan
Contact: 0305-4716616
Email:maniamaan2@gmail.com

Question # 7 of 10 (Start time: 04:56:51 AM, 04 December 2020)

Which one is not the type of Probability Sampling designs?

Select the correct option

●	Non-systematic sampling
○	Systematic sampling
○	Cluster (area) sampling
○	Multistage sampling

Answer solved by Amaan Khan
Contact: 0305-4716616
Email:maniamaan2@gmail.com



BIO401:Quiz 1

Question # 8 of 10 (Start time: 04:57:51 AM, 04 December 2020)

---------- is the hypothesis that is believed to be true by the researcher:

Select the correct option

○	Null hypothesis
●	Alternative hypothesis
○	Rejected hypothesis
○	None

Answer solved by Amaan Khan
Contact: 0305-4716616
Email:maniamaan2@gmail.com

BIO401:Quiz 1

Question # 9 of 10 (Start time: 04:59:01 AM, 04 December 2020)

One of the earliest known demographic / Bio-statistics study was conducted by ---------- .

Select the correct option

- [x] John Graunt

Answer solved by Amaan Khan
Contact: 0305-4716616
Email:maniamaan2@gmail.com

- [ ] The Lady with a Lamp
- [ ] Ronald A. Fisher
- [ ] Nightingale



BIO401:Quiz 1

Question # 10 of 10 (Start time: 04:59:34 AM, 04 December 2020)

Procedure for Systematic Random Sampling includes following except:

Select the correct option

- [ ] Number units in population from 1 to N.
- [ ] Decide on the n that you want or need.
- [ ] N/n=k the interval size.
- [x] Randomly select a number from 0 to k

Answer solved by Ama
Contact: 0305-4716616
Email:maniamaan2@g


BIO401:Quiz 1

Question # 5 of 10 (Start time: 04:55:32 AM, 04 December 2020)

---------- is known as "Father of Modern Statistical sciences"

Select the correct option

- [x] Sir Ronald A. Fisher
- [ ] John Graunt
- [ ] Florence Nightingale
- [ ] Lady with Lamp



BIO401:Quiz 1

Question # 6 of 10 (Start time: 04:56:15 AM, 04 December 2020)

Commonly used measure of central tendency is/are:

Select the correct option

- [ ] Mean
- [ ] Mode
- [ ] Median
- [x] All

Answer solved by Amaan Khan
Contact: 0305-4716616
Email:maniamaan2@gmail.com

VU Medical Zone

BIO 401 Quiz no 2 Fall 2020

BIO401:Quiz 2

Quiz Start Time: 03:05 AM, 07 February 2021

Question # 1 of 10 (Start time: 03:05:43 AM, 07 February 2021)

Total Marks: 1

Box and Whisker Plot is also sometimes called

Select the correct option

- Whisker Box
- Box Whisker

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

- Box Plot
- None of these

Click to Save Answer & Move to Next Question



BIO401:Quiz 2

Quiz Start Time: 03:05 AM, 07 February 2021

Question # 2 of 10 (Start time: 03:07:29 AM, 07 February 2021)

Total Marks: 1

Quantiles are more robust and less susceptible than _ if there are outlying observations in the data

Select the correct option

- Mode
- Standard deviation
- Mean

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

- Dispersion

Click to Save Answer & Move to Next Question



Effort by Amaan Khan

VU Medical Zone

sec(s)

BIO401:Quiz 2

Quiz Start Time: 03:05 AM, 07 February 2021

Question # 3 of 10 (Start time: 03:08:17 AM, 07 February 2021)

Total Marks: 1

The range of a list is _____ if and only if all the data-points in the list are _____.

Select the correct option

- 0, unequal
- 1, unequal
- 1, equal
- 0, equal

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Click to Save Answer & Move to Next Question



sec(s)

BIO401:Quiz 2

Quiz Start Time: 03:05 AM, 07 February 2021

Question # 4 of 10 (Start time: 03:08:54 AM, 07 February 2021)

Total Marks: 1

In an array the Quartiles are _ cut-points that divides the values into 4 equal parts.

Select the correct option

- 3

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

- 4
- 2
- 6

Click to Save Answer & Move to Next Question



Effort by Amaan Khan

VU Medical Zone

BIO401:Quiz 2

Quiz Start Time: 03:05 AM, 07 February 2021

Question # 5 of 10 (Start time: 03:09:37 AM, 07 February 2021) **Total Marks: 1**

Relative frequency in population is known as

Select the correct option

- [x] Sampling

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

- [ ] Dispersion
- [ ] Probability
- [ ] None of these

Click to Save Answer & Move to Next Question



BIO401:Quiz 2

Quiz Start Time: 03:05 AM, 07 February 2021

Question # 6 of 10 (Start time: 03:11:30 AM, 07 February 2021) **Total Marks: 1**

The Mean and Median are Special cases of a family of parameters known as _____

Select the correct option

- [x] Local parameters

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

- [ ] Non-local parameters
- [ ] Mobile parameters
- [ ] Risk parameters

Click to Save Answer & Move to Next Question



Effort by Amaan Khan

VU Medical Zone

sec(s)

BIO401:Quiz 2

Quiz Start Time: 03:05 AM, 07 February 2021

Question # 7 of 10 (Start time: 03:11:59 AM, 07 February 2021)

Total Marks: 1

If an Event consists of exactly one outcome, it is called

Select the correct option

- Complex event
- Simple Event

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

- Simple complex event
- None of these

Click to Save Answer & Move to Next Question



sec(s)

BIO401:Quiz 2

Quiz Start Time: 03:05 AM, 07 February 2021

Question # 8 of 10 (Start time: 03:12:23 AM, 07 February 2021)

Total Marks: 1

_____ is independent of the scale of measurement:

Select the correct option

- Variation
- Coefficient
- Coefficient of variation

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

- All of these

Click to Save Answer & Move to Next Question



Effort by Amaan Khan

VU Medical Zone

sec(s)

BIO401:Quiz 2

Quiz Start Time: 03:05 AM, 07 February 2021

Question # 9 of 10 (Start time: 03:13:38 AM, 07 February 2021) **Total Marks: 1**

The location parameters which help us to determine the position of a particular observations in a data are called _____

Select the correct option

- (●) Measures of position
- ( ) Measures of change
- ( ) Local parameters
- ( ) Measures of observation

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Click to Save Answer & Move to Next Question



sec(s)

BIO401:Quiz 2

Quiz Start Time: 03:05 AM, 07 February 2021

Question # 10 of 10 (Start time: 03:15:21 AM, 07 February 2021) **Total Marks: 1**

Two or more events are said to be _____ . if the events do not have any outcomes in common.

Select the correct option

- (●) mutually exclusive
- ( ) mutually inclusive
- ( ) interdependent
- ( ) none of these

Answer solved by Amaan Khan
Contact: 0305-4716616
Email: maniamaan2@gmail.com

Click to Save Answer & Move to Next Question



Effort by Amaan Khan