Virtual University	CS411-Visual Basics (Solved Macq's) LECTURE FROM (22 to 45)	VU LMS HELP vulmshelp.com
Junaidfazal08@gmail.com Bc190202640@vu.edu.pk	FOR MORE VISIT VULMSHELP.COME	JUNAID MALIK 0304-1659294



AL-JUNAID TECH INSTITUTE

Question # 1: In Xaml browser application, how much isolated memory we can use?

- 256 kb
- 128 kb
- **512 kb PG # 132**
- 1024 kb

Question # 2: Which property will be used if we want to restrict the user to don"t increase thewidth of a WPF element from a specific amount?

- **MaxWidth Page # 81**
- MaximumWidth
- WidthMaximum
- None of given options

Question # 3: Which one is the correct syntax for declaring attribute?

- **[Obsolete] page # 42**
- {Obsolete}
- (Obsolete)
- *Obsolete

Question # 4: In C#, comments are written using_____.

- # and */ /*
- **// and /* */ page # 14**
- # and /*
- // and */ /*

Question # 5: An event that is raised whenever the value of "CanExecute" changes is knownas_____.

- CanExecute

AL-JUNAID TECH INSTITUTE 0304-1659294 www.vulmshelp.com

- **CanExecuteChanged**
- Command
- Execute

Question # 6:_____is an event that is introduced into an event processing system byan event producer.

- Event Producer
- Event Consumer
- **Raw Event Page # 11**
- Event Stream

Question # 7: Whenever an attribute value is enclosed in curly braces "{}", the XAMLcompiler/parser treats it as a/an__rather than a/an_____.

- Markup event, property
- Markup property, Event
- Literal string, Markup extension value
- **Markup extension value, literal string page # 65**

Question # 8: HTML is called_____layer.

- Physical
- Presentation
- Behavioral
- **Structural PG # 195**

Question # 9: CSS is called_____layer.

- Physical
- **Presentation PG # 179**
- Behavioral

0304-1659294
www.vulmshelp.com

- Structural

Question # 10: JS (JavaScript) is called_____layer.

- Physical
- Presentation
- **Behavioral PG # 179**
- Structural

Question # 11: Shift key is true if the shift key is_____when the event occurs.

- **Down PG # 187**
- Up
- None of the given
- Move

Question # 12: Which of the following response show internal server error?

- 404
- **500**
- 200
- 304

Question # 13: The original name of JavaScript was_____.

- JavaScript
- **LiveScript PG # 179**
- wireScript

0304-1659294 www.vulmshelp.com

- none of the given

Question # 14: One of the ways to create an instance of a class is____.

- **System array PG # 14**
- Factory method
- Sequential heap
- XAML compiler

Question # 15: Which "transform" property can help us to flip the element from its center?

- ScaleY
- None of given options
- ScaleX
- **RenderTransformOrigin PG # 85**

Question # 16: If we want that "Stretch" property of child element takes the available "heightor width of Parent" and shape of child elements doesn't change, then we should write —Stretch =_____||.

- 1
- **Fill PG # 100**
- UniformToFill
- Uniform

Question # 17: When a button makes itself disabled, then the value of "Focusable" property is _____?

0304-1659294 www.vulmshelp.com

- **False**
- Null
- True
- None of the given options

Question # 18: ManipulationCompleted gets raised after_____ is raised for all fingers.

- TouchMove
- **TouchUp PG # 116**
- TouchDown
- TouchRight

Question # 19: CSS is a_____language.

- Object Oriented
- Structuring
- **Formatting PG # 180**
- Non

Question # 20: JavaScript code is written inside file having extension____.

- JSC
- **JS**
- Javasript
- JVS

Question # 21: Which of the following is TRUE about Object data providers?

- This is useful for binding XML data
- This is useful for binding objects which are designed for binding

0304-1659294
www.vulmshelp.com

- **This is useful for binding objects which are not designed for binding PG # 151**
- None of the given

Question # 22: Which of the following is TRUE about **IsAsync** in context of data binding?

- This is used to access the property of an object in background
- This is used to access the property of an object in foreground
- **This is used to create data source object in background**
- This is used to create data source object in foreground

Question # 23: Refresh" is a predefined building command classified as:

- **Navigation command PG # 121**
- Media command
- Application command
- Editing command

Question # 24: Which of the following is NOT true about threads?

- Threads are useful to handle simultaneous requests.
- **A program can have more than one thread**
- Data cannot be share among the threads.
- Each thread can proceed independently of other threads.

Question # 25: Which of the following is correct way to start execution of a thread objectnamed as myThread?

- myThread.Go();
- **myThread.Start(); PG # 156**
- myThread.Begin();

0304-1659294 www.vuhelp.com

- myThread.initialize ();

Question # 26: The best way to implement simple threading in Windows Forms programs is touse the class.

- **BackgroundWorker**
- Windowsform
- Simplethreadworker
- None of the given

Question # 27: A child Window is just like any other top-level window: but it automatically gets closed when the parent is closed and minimized when the parent is minimized. Such aWindow is sometimes called a_____.

- **Modeless Dialog PG # 124**
- Inherited Window
- Super Window
- Sibling Window

Question # 28: In .Net, a task that does not return a value is represented by the
_____.

- System.Threading.Tasks.Task<TResult>
- System.Threading.Tasks.Task
- System.Threarding.Tasks.
- **None of the given options**

Question # 29: In TAP, progress is handled through an_interface, which ispassed to the asynchronous method a parameter.

- **IProgress<T>**
- Progress<T> (Action<T>)

0304-1639294 www.vulmshelp.com

- Iprogress (T)
- Progress<T>

Question # 30: In navigation Windows, the frames are more like a/an___.

- **HTML frame Page #128**
- .Net frame
- Java frame
- Image frame

Question # 31:_____keeps the navigation history in navigation based applications.

- **Journal**
- Frame
- Web browser
- Web page

Question # 32: URI stands for:

- Universal Resource Identifier
- **Uniform Resource Identifier**
- Uniform Resource Identification
- Universal Resource Identification

Question # 33: In Objective-C, which of the following statements can be used to displaysomething in the "answer" field?

- [answerField:answer];
- [setTextanswer];
- **[answerFieldsetText:answer]; PG # 208**
- [setText answeranswerField]

Question # 34: Which one of the following is used, if we want to add resources in Window?

- <windowResources></windowResources>
- <windowsResources></windowsResources>
- **<window.Resources></window.Resources> PG # 136**

Question # 36: Which of the following is used to set the view to default?

- NSCoder

- clearAll
- **IB** **PG # 217**
- Redraw

Question # 37: In context of data binding, when we want to apply both sorting and groupingtogether then the rule is that_.

- Grouping will be applied before sorting
- **Sorting will be applied before Grouping PG # 150**
- Both shall be applied different properties
- None of the given

Question # 38: What is the word —Color‖ in given below code? UIColor" (^) (Line*,int anotherArg)

- Return Type of Block
- Notation to specify that it is a block
- Name of Variable
- **Block Variable PG # 222**
- <windows.Resources></windows.Resources>

Question # 35: If we assign an NSString to a possession for its possessionName, and then werelease the string, it will be.

- Allocated
- Decreased
- Instance created
- **Destroyed**

Question # 39:_____helps us in provisioning ease of access to data source for databinding.

- **Data Provider**
- Interfaces
- Source
- Data Organizer

Question # 40: What is the purpose of given below code? [self.viewaddSubview:imageView];

- To make sure that image is not scaled incorrectly
- To create the image View
- To set the image
- **Add the image to this View controllers PG # 226**

Question # 41: What is the purpose of given below code? NSArray *folders NSSearchPathForDirectoriesInDomains(NSD ocumentDirectory,NSUserDomaianIask, YES);

- **Get the document folder(s) PG # 226**
- Create the folder

- Get the first folder
- Add the image to first folder

Question # 42: Which JQuery object is used with bind() function to pass data to an eventhandling function?

- Target
- Bind
- **Data** **PG # 187**
- Jobj

Question # 43: Which of the following technologies is not used in AJAX?

- DOM
- DHTML
- **Flash**
- Css

Question # 44: Which function is used to create cancel button event of dialog box_____.

- OnInitCancel()
- OnClickCancel()
- CancelClick()
- **OnCancel()**

Question # 45: Consider the following C# code segment: button.Background = (Brush) new BrushConverter().ConvertFrom (—SystemColors.WindowBrush); Which one of the following isequivalent XAML code?

- <Button Background= —SystemColors.WindowsBrush />
- Button Background= —SystemColor.WindowsBrush />
- <Button Background= —SystemColor.WindowBrush />
- **<Button Background= "SystemColors.WindowBrush"/>** **PG # 132**

Question # 46: Multi touch events are categorized into_____and_____.

- Touch events, touchup events
- Touchdown events, touchup events
- Advanced touch events, low-level manipulation events
- Basic touch events, higher-level manipulation events

Question # 47: Which of the following components generates an input Event?

- Printer
- **Multi Touch**

- Plotter
- Speaker

Question # 48: Using_____requires more overhead than_____because of theextra tracking.

- StaticResource, DynamicResource
- **DynamicResource, StaticResource PG # 137**
- PermanentResource, TemporaryResource
- TemporaryResource, PermanentResource

Question # 49: We use "UIElement" property ClipToBounds= —false when _____.

- We want area child element don't cross the boundary of parent
- None of given
- **We want area of child element is allowed to cross the boundary of parentPG # 97**
- Parent area also increases on increasing of area of child element

Question # 50:__is used to perform navigation.

- Session
- **Hyperlink PG # 127**
- Hypertext markup language code
- Internet protocol

Question # 51: To design a complex Interface, which of the following technique is best toachieve the required results?

- Panels composed in three panels
- **Panels composed within panels**
- Panels composed in two panels
- Panels composed in single panel

Question # 52: Which of the following is not a string format property throughout WPF?

- ContentStringFormat
- ItemStringFormat
- **RowHeaderStringFormat**
- StringFormat

Question # 53: In multi touch events, a/an_____id is assigned to each individualevent.

- Device
- Processor
- CPU

0304-1659294 www.vulmshelp.com

- **Event**

Question # 54: Commonly we have two types of custom command bindings named as___.

- StartBindings and StopBindings
- EventBindings and InstanceBindings
- ButtonBindings and TextboxBindings
- **KeyBindings and MouseBindings PG # 122**

Question # 55: Which of the following is an example of tunnel key event?

- Key up
- Preview key entered
- **Preview key down**
- Key down

Question # 56: In context of data binding,_____contains the current item to get itsynchronized with data Source.

- String
- Template
- View
- **List**

Question # 57:_____and_____are the two important properties of Bindingobject.

- Start, Destination
- Items, Selected
- **Source, Path**
- BindTo, BindFrom

Question # 58: Which one of the following panels is most powerful, versatile andcustomizable?

- **Grid Panel PG # 92**
- Canvas panel

0304-1659294 www.vulmshelp.com

- Doc panel
- Stack panel

Question # 59: In order to resize the row and column in Grid panel,__is used.

- Grid divider
- Grid compiler
- Grid converter
- **Grid splitter PG # 95**

Question # 60: Data binding is about tying together arbitrary .NET__.

- **Objects PG # 140**
- Functions
- Properties
- Variables

Question # 61:_____supports the creation of applications that run directly in a webbrowser.

- **WPF**
- C/C++
- C#
- HTML

Question # 62: Which of the following operation cannot be performed by using a View?

- Grouping
- Filtering
- Sorting
- **Searching PG # 146**

Question # 63: To check that the user either pressed left Alt key or right

0304-1659294 www.vulmshelp.com

Alt key, the____is used.

- IsKeyDown
- IsDown
- **keyboardDevice.IsKeyDown PG # 113**
- KeyStates.IsKeyDown

Question # 64: In _____browser app, you change"<TargetZone>Internet</TargetZone>"to "<TargetZone>Custom</TargetZone>"

- Partial-trust
- Full-reject
- Partial-reject
- Full-trust

Question # 65:_____provides the logic behind the "Back" and "Forward" buttons.

- Hyperlink
- Navigation Window
- IFrame
- **Journal PG # 138**

Question # 66: In multi touch events, when multiple fingers are touching simultaneously,these events get raised for each finger.

- **Independently**
- Completely
- Partially
- Dependently

Question # 67: In a code segment, if the Visibility=||Collapsed|| then which of the following events are not generated?

- Key down Events

0304-1659294 www.vulmshelp.com

- **Mouse Events PG # 113**
- Routed Events
- Keyboard Events

Question # 68: A Window can spawn_____number of additional Windows byinstantiating a Window-derived Class and calling Show (...).

- Four
- **Any PG # 124**
- Six
- Five

Question # 69: Frame has a_____property used in enabling or disabling the bar.

- ShowsNavigationUI
- BlocknavigationUI
- **NavigationUIVisibility PG # 129**
- NavigationUIBlock

Question # 70: If we insert some objects in a single cell in Grid panel, then these objects areplaced on _

- **One on Top of the other**
- One after the other
- One on Bottom of the other
- One on Side of the other

Question # 71: A _____receives keyboard events only if it has keyboard focus.

- Mouse
- Keyboard Controls

AL JUNAID TECH INSTITUTE 0304-1659294 www.vulmshelp.com

- Keyboard
- **UIElement**

Question # 72: To remove data binding between the source and the target, we can use _____function.

- **ClearBinding PG # 151**
- ResetBinding
- StopBinding
- RemoveBinding

Question # 73: A/An_____screen is an image that appears while a game or program isloading.

- Opening
- Initial
- **Splash**
- Startup

Question # 74: We can perform sorting through View by using an object of_____class

- ViewOrder
- ViewDescription
- SortOrder
- **SortDescription PG # 158**

Question # 75: "Binding" technique binds two properties together and keeps a _____open.

- Memory location
- Selection

0304-1659294 www.vulmshelp.com

- Choice
- **Communication channel PG # 140**

Question # 76: Which one of the following can be used to set dependency property values?

- Temporary resource
- Permanent resource
- **Dynamic resource PG # 137**
- Static resource

Question # 77: Which one of the following is used, if we want to add a window resource inprocedural code?

- Window.Resource.Add ();
- <Widows.Resources></Widows.Resources>
- Window.Resoruces.Add();
- NONE

Question # 78: We use "GetDefaultView" method of_____to get the default View.

- **CollectionViewSource PG # 146**
- DataSource
- ViewDescription
- ViewCollection

Question # 79: In case of HTML page navigation, you must use the_____of"Navigate" that_____a URI.

- Overload, rejects
- IFrame, rejects
- IFrame, accepts

0304-1659294 www.vuhelp.com

- **Overload, accepts**

Question # 80: The Java programming language has a specific class for creating splashscreens, called_.

- Java.awt.start
- Java.lang.splash
- Java.start.screen
- **Java.awt.SplashScreen**

Question # 81: In case of integrating Navigation to XBAP, "ShowNavigationUI" should be setto___in order to bypass integration.

- **False**
- True
- Null
- 0

Question # 82: Which of the followings are keyboard events?

- Key entered, key exist
- Key strike, key release
- Key pressed, key released
- **Key down, key up PG # 113**

Question # 83: To plug custom logic, you need to add a___to the element thatwill execute the command or any parent element.

- Execute command
- Helpcanexecute
- **CommandBinding**
- **RoutedUICommand**

AL-JUNAID TECH INSTITUTE 0304-1639294 www.vulmshelp.com

Question # 84: A class that implements the _ICommand` and supports _bubbling` just like arouted event is known as___.

- **RoutedUICommand PG # 121**
- Canexecute
- Executed command
- CanexecuteChanged

Question # 85: Which of the following is not true about task completion source?

- Provide exception handling facility
- Support result return facility
- Provide Continuation facility
- **it is executable thing PG # 175**

Question # 86: "JavaScript"_____is available in web browser.

- **Interpreter**
- Compiler
- Linker
- Conjunction

Question # 87: The "Task Based Asynchronous pattern" method returns either a "Task" or a "Task<TResult>", based on whether the corresponding____method returns "void" ora type "TResult".

- Callback
- Return
- **Synchronous**
- Asynchronous

Question # 88: Which of the following C# Method reports a progress

www.vulmshelp.com

change?

- Finalize
- **OnReport**
- GetType
- GetHashCode

Question # 89: Threadpool is used to_____.

- To make easy the process of thread creation
- To make easy debugging process
- **To save time of thread creation PG# 160**
- To avoid complexity

Question # 90: Which of the following is not a part of "cancellation" task?

- **The calling thread does forcibly end the task**
- Notice and respond to the cancellation request in your user delegate
- Pass a cancellation token to your user delegate and optionally to the task instance
- Create and start a cancelable task

Question # 91: DOM is a___representation of data.

- Tree
- Graphical
- Object
- **None of the given**

Question # 92: which of the following Object creates a cancellation token?

- OperationCanceledtoken
- OperationCanceled

0304-1659294 www.vulmshelp.com

- CancellationToken
- **CancellationTokenSource PG#172**

Question # 93: which of the following is not a "JQuery" filter?

- Even
- Odd
- Has
- **Write PG#184**

Question # 94: Which of the following -Event‖ property is used to show the —distance (in pixels)‖ of the mouse pointer from the left edge of the browser window?

- pageY
- **pageX PG # 187**
- ScreenX
- ScreenY

Question # 95: —async and_____keywords in C# are the heart of asynchronousprograming.

- Return
- **Await**
- Wait
- String

Question # 96:_____Mode of binding is opposite to OneWay mode ofbinding.

- **OneWay To source PG#153**
- TwoWay
- One Time

0304-1659294 www.vulmshelp.com

- Two Time

Question # 97:_____Can add/remove/change —CSS‖ properties based on input or mouse clicks.

- J#
- JQuery
- HTML
- **None of the given option PG#180**

Question # 98: —JavaScript‖ is_____scripting Language.

- Interpreter
- Browser
- Server
- **Client**

Question # 99:_____solves —JavaScript‖ complexity and browser incompatibilities.

- Jhtml
- RQuery
- **JQuery PG#179**
- J#

Question # 100:_____is more than one thing happening at the same time.

- Cohesion
- Congruence
- Coherence
- Concurrency

AL-JUNAID TECH INSTITUTE 0304-1659294 www.vulmshelp.com

Question # 101: Which of the following —Event —properties is used with —key press event‖ to determine the numeric code for the key that was pressed? .

- Page X
- **Which PG#187**
- Shift Key
- Target

Question # 102: Which of the following is correct way to temporarily stop execution of athread object named as —myThread‖ for 500 milisec?

- myThread.Sleep(0.50);
- myThread.Stop(0.05);
- **myThread.Sleep(500);**
- myThread.Stop(500);

Question # 103: HTML is a_____helper function.

- RQuery
- Browser
- **jQuery PG#184**
- JS

Question # 104: Which of the following server(s) support -AJAX‖?

- Both SMTP and HTTP
- **HTTP**
- www
- SMTP

Question # 105: Why we use —Alloc message?

0304-1659294 www.vulmshelp.com

- To create a class
- **To create an instance**
- To extend functions
- To inherent methods

Question # 106: Objective – c introduces_____messaging in c?

- **Smalltalk style PG# 197**
- Short session
- Group
- New Style

Question # 107: Threadpool create and reduce real threads using hillclimbing algo to _____.

- **To maximize CPU usage Pg#160**
- To reduce the cost of thread creation
- To maximize memory utilization
- To minimize CPU usage

Question # 108: Which of the following is not handled by the —Task Parallel Library (TPL)**||**?

- Partitioning of the work
- **Progress report handling**
- Scheduling of threads
- Scales the degree of concurrency

Question # 109: "Callback" method is used to_____the operation.

- **Terminate**
- Pause

0304 1659294 www.vulmshelp.com

- Invoke
- Revoke

Question # 110: While dealing with "threads" in ".Net", one can avoid performance bottlenecks and enhance the overall responsiveness of his / her application by using _____programming.

- Multithreading programming
- Synchronous programming
- Parallel programming
- Asynchronous programming

Question # 111: Interact with web page layout

- Java script
- **HTML**
- XML
- DOM

Question # 112:_____are high order functions that compose, combine, or otherwisemodify functions in useful and interesting ways.

- **Combinators**
- None of the given
- Separators
- Modifiers

Question # 113: Which of these are defined as the model object?

- UILabel *questionField;
- NSMutableArray *questions@field;
- **NSMutableArray *questions; PG # 205**
- Question= 0;

0304-1659294 www.vulmshelp.com

Question # 114: Which of the following "Event" property is used to show the "distance (inpixels)" of the mouse pointer from top edge of the Monitor?

- **ScreenY PG#187**
- pageX
- pageY
- ScreenX

Question # 115: What is —nil| like?

- **Null Page # 197**
- zero
- terminate
- move to new line

Question # 116: Which of the following "Event" property is used to show the "distance (inpixels)" of the mouse pointer from top edge of the browser window?

- **pageY Page # 187**
- pageX
- screenX
- screenY

Question # 117: Observe the following piece of code taken out from Main() function: Thread myThread = new Thread (Go); myThread.Strat(); myThread.Join(); What will be the effect ofinstruction myThread.Join()?

- Execution of myThread will be joined with existing running threads
- myThread will be executed after Main thread is completed
- **Main thread execution will be suspended till completion of myThread**
- Both Main thread and myThread can now

share the data Question # 118: What message

is used to send to destroy the object?

- stop
- delete
- free
- **release**

Question # 119: What is NSMutableArray?

- Object
- **Class Reference**
- Method
- Group

Question # 120: AJAX stands for_____.

- Abstract JSON and XML
- Asynchronous JavaScript and XHtml
- **Asynchronous JavaScript and XML**
- Abstract Java and XML Library

Question # 121: What is the purpose of the following "JQuery" code?
$(_#navbar a‘)

- Find all the element whose name is navbar and then find a descendent a
- Find all the element whose name is navbar and then find a ancestor a
- **Find all the element whose ID is navbar and then find a**

0304-1659294 www.vulmshelp.com

descendent a

- Find all the element whose ID is navbar and then find a ancestor a

Question # 122: The pairing of labels and arguments is an important feature of_____.

- C++
- Scripts
- **Objective-C page # 197**
- PHP

Question # 123: Web servers receive request and responds as____.

- Html only
- Plan Text only
- JSON only
- **Html, plain text and JSON Page #192**

Question # 124: Which of the following class supports data parallelism in "Task ParallelLibrary"?

- System.Threading.Tasks
- System.Task.Parallel
- **System.threading.Task.Parallel**

System.Task.Threading.Parallel Question # 125: Which of the following "Event" property is used to show the "distance (inpixels)" of the mouse pointer from left edge of the Monitor?

- pageX
- pageY
- ScreenY
- **ScreenX PG# 187**

AL-JUNAID TECH INSTITUTE

Question # 126: which of the following response show file not found error?

- **404**
- 500
- 200
- 304
-

AL-JUNAID TECH INSTITUTE
0304-1659294
www.vulmshelp.com