Learning4help by Waqas

Asslam-o-Alaikum! In this file we'll provide you CS411 quiz 3 2023 Important &100% Correct Finalterm MCQs Verified By Handouts. Must Prepare Before Finalterm Exams.


If you found mistake then let us know.

You can contact us on WhatsApp https://wa.me/+923421718143

Or You can send us gmail: Learningn4help@gmail.com

Facebook page is https://m.facebook.com/WAQASQURESHI34555/

For more educational stuff keep visiting




Subscribe to my Channel:

https://www.youtube.com/channel/UC_CGywvKgSGACQHPuq-951Q

Waqas






Frame has a _____ property used in enabling or disabling the bar (containing Back/Forward buttons).

Select the correct option


- BlocknavigationUI
- NavigationUIBlock
- NavigationUIVisibility
- ShowsNavigationUI





Which of the following class supports data parallelism in "Task Parallel Library"?


Select the correct option


- System.Threading.Tasks
- System.threading.Task.Parallel
- System.Task.Threading.Parallel
- System.Task.Parallel



vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
Question # 1 of 15 (Start time: 03:27:57 AM, 29 January 2023)
Total Marks: 1
Identify the correct option:
Select the correct option
Reload Math Equations
Commands are a more abstract and loosely coupled version of events
A control that supports a command does not support an event
A control that supports an event does not support a command
Commands in WPF are created by implementing the IComponentConnector interface.
Search
8°C
ENG
3:28 AM
vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
Data binding between the source and the target is performed through an object of _____ class.
Select the correct option
String
Binding
Content
Connection
Search
8°C
ENG
3:22 AM


vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
A Window can spawn _____ number of additional Windows by instantiating a Window-derived class and calling Show(...).
Select the correct option
Six
Four
Any
Five
Search
8°C
ENG
3:22 AM


vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
Which one of the following can be used to set dependency property values?
Select the correct option
Permanent resource
Temporary resource
Dynamic resource
Static resource
Search
8°C
ENG
3:21 AM


vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
In case of integrating Navigation to XBAP, "ShowNavigationUI" should be set to _____ in order to bypass integration.
Select the correct option
0
True
False
Null
Search
8°C ENG 3:21 AM
vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
_____ are high order functions that compose, combine, or otherwise modify functions in useful and interesting ways.
Select the correct option
Reload Math Equations
Combinators
Constants
Modifiers
Separators
Click to Save Answer & Move to Next Question
Search
8°C ENG 3:20 AM


vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
"Callback" method is used to _____ the operation.
Select the correct option
Revoke
Terminate
Pause
Invoke
Search
8°C ENG 3:20 AM
vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
Question # 6 of 15 (Start time: 03:19:24 AM, 29 January 2023)
Total Marks:
Which of the following Object creates a cancellation token?
Select the correct option
OperationCanceledtoken
CancellationToken
CancellationTokenSource
Search
8°C ENG 3:19 AM



Which of the following C# Method reports a progress change?

Select the correct option

- (●) OnReport
- ( ) GetHashCode
- ( ) Finalize
- ( ) GetType


Which one of the following is used, if we want to add a window resource in procedural code?


Select the correct option


Reload Math Equations


- ( ) <Window.Resources></Window.Resources>
- ( ) <Widows.Resources></Widows.Resources>
- ( ) Window.Resource.Add ();
- (●) Window.Resources.Add();


Click to Save Answer & Move to Next Question



vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
Which of the following is not a part of "cancellation" task?
Select the correct option
Create and start a cancelable task
The calling thread does forcibly end the task
Notice and respond to the cancellation request in your user delegate
Pass a cancellation token to your user delegate and optionally to the task instance
Search
8°C
ENG
3:07 AM



vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
CS411 - Visual Programming (Quiz No 3)
Quiz Start Time: 02:58 AM, 29 January 2023
Question # 14 of 15 (Start time: 03:06:50 AM, 29 January 2023)
Total Marks: 1
Data binding between the source and the target is performed through an object of _____ class.
Select the correct option
Binding
String
Connection
Search
8°C
ENG
3:07 AM


vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
_____ is used to perform navigation.
Select the correct option
Hyperlink
Session
Internet protocol
Hypertext markup language code
Search
8°C ENG 3:06 AM
vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
Question # 12 of 15 (Start time: 03:04:38 AM, 29 January 2023)
Total Marks: 1
Observe the following piece of code taken out from Main() function:
Thread myThread = new Thread (Go);
myThread.Strat();
myThread.Join();
What will be the effect of instruction myThread.Join()?
Select the correct option
Reload Math Equations
myThread will be executed after Main thread is completed
Both Main thread and myThread can now share the data
Execution of myThread will be joined with existing running threads
Main thread execution will be suspended till completion of myThread
Click to Save Answer & Move to Next Question
Search
8°C ENG 3:05 AM


vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
CS411 - Visual Programming (Quiz No 3)
Quiz Start Time: 02:58 AM, 29 January 2023
Question # 11 of 15 (Start time: 03:04:04 AM, 29 January 2023)
Total Marks: 1
In C# WPF, we can perform sorting through View by using an object of _____ class.
Select the correct option
Reload Math Equations
SortOrder
SortDescription
ViewOrder
ViewDescription
Search
8°C
ENG
3:04 AM
vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
anvas.Background ></ Canvas.Background
No matches.
Which one of the following code segment is used to set the background of Canvas Panel?
Select the correct option
</Canvas.Background> <Canvas.Background>
</Canvas.BackGround> <Canvas.BackGround>
<Canvas.BackGround> </Canvas.BackGround>
<Canvas.Background> </Canvas.Background>
Lightshot
Lightshot
Screenshot is saved to Screenshot_35.png. Click here to open in the folder.
Search
8°C
ENG
3:03 AM


vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
No matches.
Select the correct option
</Canvas.Background> <Canvas.Background>
</Canvas.BackGround> <Canvas.BackGround>
<Canvas.BackGround> </Canvas.BackGround>
<Canvas.Background> </Canvas.Background>
Search
8°C
ENG
3:03 AM


vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
Threadpool creates or reduces real threads using a hillclimbing algo to _____.
Select the correct option
To maximize memory utilization
To reduce the cost of thread creation
To minimize CPU usage
To maximize CUP usage
Search
8°C
ENG
3:02 AM



Using _____, system can support customized setup user interfaces, such as showing an end user license agreement (EULA).


Select the correct option


- ClickOnce
- Windows Installer
- Windows API
- license agreement (EULA)


Threadpool is used to _____.

Select the correct option

- To save time of thread creation
- To make easy debugging process
- To avoid complexity
- To make easy the process of thread creation


vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
In multi touch events, a/an _____ id is assigned to each individual event.
Select the correct option
Event
Processor
CPU
Device
Search
8°C ENG 2:59 AM
vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
BC160402899: Zulquarnain Ali
Time Left 71 sec(s)
CS411 - Visual Programming (Quiz No 3)
Quiz Start Time: 02:58 AM, 29 January 2023
Question # 1 of 15 (Start time: 02:58:16 AM, 29 January 2023)
Total Marks:
"Binding" technique binds two properties together and keeps a _____ open.
Select the correct option
Communication channel
Choice
Search
8°C ENG 2:58 AM


vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
Which of the following is not true about task completion source?
Select the correct option
Provide exception handling facility
Support result return facility
It is an executable thing
Provide Continuation facility
Search
8°C ENG 2:56 AM
vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
CS411 - Visual Programming (Quiz No 3)
Quiz Start Time: 02:48 AM, 29 January 2023
Question # 14 of 15 (Start time: 02:56:08 AM, 29 January 2023)
Total Marks:
Which of the following is not handled by the "Task Parallel Library (TPL)"?
Select the correct option
Scales the degree of concurrency
Progress report handling
Scheduling of threads
Search
8°C ENG 2:55 AM



_____ provides the logic behind the "Back" and "Forward" buttons.


Select the correct option


- Navigation Window
- Journal
- Hyperlink
- IFrame


The "Task Based Asynchronous pattern" method returns either a "Task" or a "Task<TResult>", based on whether the corresponding _____ method returns "void" or a type "TResult".

Select the correct option

- Callback
- Synchronous
- Asynchronous
- Return


vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
CS411 - Visual Programming (Quiz No 3)
Quiz Start Time: 02:48 AM, 29 January 2023
Question # 11 of 15 (Start time: 02:54:42 AM, 29 January 2023)
Total Marks: 1
In multi touch events, when multiple fingers are touching simultaneously, these events get raised for each finger _____.
Select the correct option
Independently
Completely
Partially
Search
8°C
ENG
2:54 AM



vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
CS411 - Visual Programming (Quiz No 3)
Quiz Start Time: 02:48 AM, 29 January 2023
Question # 10 of 15 (Start time: 02:54:18 AM, 29 January 2023)
Total Marks: 1
In WPF, _____ resource is reapplied every time it changes
Select the correct option
Reload Math Equations
Dynamic
Abstract
permanent
Static
Search
8°C
ENG
2:53 AM



Using _____, system can support customized setup user interfaces, such as showing an end user license agreement (EULA).

Select the correct option

- Windows API
- ClickOnce
- license agreement (EULA)
- Windows Installer




CS411 - Visual Programming (Quiz No 3) **Quiz Start Time: 02:48 AM, 29 January 2023**


Question # 8 of 15 (Start time: 02:51:50 AM, 29 January 2023) **Total Marks:** 1


In multi touch events, a/an _____ id is assigned to each individual event.


Select the correct option

- Event
- CPU
- Processor


vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
In WPF, using _____ requires more overhead than _____ because of the extra tracking.
Select the correct option
Reload Math Equations
TemporaryResource, PermanentResource
DynamicResource, StaticResource
StaticResource, DynamicResource
PermanentResource, TemporaryResource
Click to Save Answer & Move to Next Question
Search
8°C
ENG
2:50 AM
vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
An event that is raised whenever the value of "CanExecute" changes is known as _____.
Select the correct option
Execute
CanExecute
Command
CanExecuteChanged
Search
8°C
ENG
2:50 AM


vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
Multi touch events are categorized into _____ and _____.
Select the correct option
Touch events, touchup events
Basic touch events, higher-level manipulation events
Touchdown events, touchup events
Advanced touch events, low-level manipulation events
Search
8°C
ENG
2:49 AM


vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
Question # 4 of 15 (Start time: 02:49:38 AM, 29 January 2023)
Total Marks: 1
Which one of the following can be used to set dependency property values?
Select the correct option
Permanent resource
Dynamic resource
Temporary resource
Search
8°C
ENG
2:49 AM


vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
Question # 3 of 15 (Start time: 02:49:06 AM, 29 January 2023)
Total Marks: 1
Hierarchical data templates are used to display data in a _____ like structure.
Select the correct option
List
Graph
Tree
Search
8°C
ENG
2:48 AM
vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
Question # 2 of 15 (Start time: 02:48:29 AM, 29 January 2023)
Total Marks: 1
In WPF C#, which of the following operation cannot be performed by using a View?
Select the correct option
Reload Math Equations
Grouping
Filtering
Sorting
Searching
Search
8°C
ENG
2:48 AM

myThread.Join();

What will be the effect of instruction myThread.Join()?

Select the correct option

Reload Math Equations


- ○ Both Main thread and myThread can now share the data
- ○ Execution of myThread will be joined with existing running threads
- ○ Main thread execution will be suspended till completion of myThread
- ◉ myThread will be executed after Main thread is completed


Click to Save Answer & Move to Next Question


In _____ browser app, you change
"<TargetZone>Internet</TargetZone>" to
"<TargetZone>Custom</TargetZone>"


Select the correct option


- ○ Partial-trust
- ○ Full-reject
- ◉ Full-trust
- Partial-reject



vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
Which of the following method is used to get the location of touch?
Select the correct option
getTouch();
getTouchpoint();
getTouchDown();
getTocuhLocation();
Search
9°C
ENG
2:28 AM



vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
Data binding between the source and the target is performed through an object of _____ class.
Select the correct option
Content
String
Connection
Binding
Search
9°C
ENG
2:27 AM


vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
_____ supports the creation of applications that run directly in a web browser.
Select the correct option
Logic Behind
C/C++
WPF
Partial Class
Search
9°C
ENG
2:26 AM


vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
Question # 10 of 15 (Start time: 02:26:02 AM, 29 January 2023)
Total Marks:
"Callback" method is used to _____ the operation.
Select the correct option
Pause
Revoke
Terminate
Search
9°C
ENG
2:26 AM


vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
_____ is more than one thing happening at the same time.
Select the correct option
Cohesion
Congruence
Coherence
Concurrency
Search
vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
Which of the following is not a string format property throughout WPF?
Select the correct option
ContentStringFormat
ItemStringFormat
StringFormat
RowHeaderStringFormat
Search


vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
Question # 7 of 15 (Start time: 02:24:21 AM, 29 January 2023)
Total Marks:
Button and Texbox have _____ Knowledge of each other.
Select the correct option
Direct
Partial
No Direct
Search
9°C ENG 2:25 AM
vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
In context of data binding, _____ contains the current item to get it synchronized with data source.
Select the correct option
Template
View
List
String
Search
9°C ENG 2:24 AM



CS411 - Visual Programming (Quiz No 3) Quiz Start Time: 02:19 AM, 29 January 2023

Question # 5 of 15 (Start time: 02:22:29 AM, 29 January 2023) Total Marks: 1

In multi touch events, a/an _____ id is assigned to each individual event.


Select the correct option


- (•) Event
- ( ) Device
- ( ) CPU


By default, Navigation Window _____ a bar along with the top with Back/Forward buttons while a frame _____.


Select the correct option


- ( ) Both doesn't have
- (•) Has, doesn't have
- ( ) Has, has
- ( ) Doesn't have, has



vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
The "Task Based Asynchronous pattern" method returns either a "Task" or a "Task<TResult>", based on whether the corresponding _____ method returns "void" or a type "TResult".
Select the correct option
Synchronous
Return
Callback
Asynchronous
While dealing with "threads" in ".Net", one can avoid performance bottlenecks and enhance the overall responsiveness of his / her application by using _____ programming.
Select the correct option
Parallel programming
Asynchronous programming
Synchronous programming
Multithreading programming



vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
"async" and _____ keywords in C# are the heart of asynchronous programming.
Select the correct option
Return
Wait
String
Await
Search
vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
A class that implements the 'ICommand' and supports 'bubbling' just like a routed event is known as _____.
Select the correct option
ExecutedCommand
CanExecuteChanged
RoutedUICommand
CanExecute
Search



vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
"Editable Grid" is an example of _____ mode of binding in context of data binding.
Select the correct option
OneWay
OneTime
TwoWay
TwoTime
Search
8°C
ENG
3:48 AM


vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
Data binding between the source and the target is performed through an object of _____ class.
Select the correct option
Connection
String
Content
Binding
Search
8°C
ENG
3:39 AM


vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
To remove data binding between the source and the target, we can use _____ function.
Select the correct option
ResetBinding
StopBinding
RemoveBinding
ClearBinding
Search
8°C
ENG
3:38 AM


vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
Which of the following is not handled by the "Task Parallel Library (TPL)"?
Select the correct option
Scheduling of threads
Progress report handling
Partitioning of the work
Scales the degree of concurrency
Search
8°C
ENG
3:37 AM


vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
In C# WPF, we use "GetDefaultView" method of _____ to get the default View.
Select the correct option
Reload Math Equations
ViewDescription
CollectionViewSource
DataSource
ViewCollection
Click to Save Answer & Move to Next Question
Search
8°C
ENG
3:37 AM
vulms.vu.edu.pk/Quiz/QuizQuestion.aspx
A/An _____ screen is an image that appears while a game or program is loading
Select the correct option
Startup
Splash
Initial
Opening
Search
8°C
ENG
3:35 AM



Learning4help.com