

Question No. 02

TCP stands for _____.

- A. Total communication protocol
- B. Transmission control protocol
- C. Transfer control protocol
- D. Transfer collection protocol

- 1. IP - Internet Protocol
- 2. TCP - Transmission Control Protocol
- 3. HTTP - Hyper Text Transfer Protocol
- 4. SMTP - Simple Mail Transfer Protocol
- 5. FTP - File Transfer Protocol
- 6. ARPA - Advanced Research Projects Agency
- 7. MILNET - Military Network
- 8. CSNET - Computer Science Network
- 9. NSFNET - National Science Foundation Network
- 10. WWW - World Wide Web (1989)

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 01

_____ is a set of rules that govern the communication over network.

- A. NIC
- B. Hub
- C. **Protocols**
- D. Cables

Data Communication System

There are five main components of the data communication system.

Sender Device that sends data message. e.g. Computer, Work Station etc.

Receiver Device that receive data message. e.g. Computer, Work Station etc.

Message Information or Data that can be communicated is called Message. e.g. Text, Video, Numbers etc.

Medium Physical path that a message uses to travel from the Sender to the Receiver is called Medium. e.g. Copper Cable, Coaxial Cable etc.

Protocols Set of Rules Govern Communication. e.g. Both Speak same Language etc.

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 03

When network are connect in the same building
this type of network in known as:

- A. LAN
- B. WAN
- C. MAN
- D. Internet

Networks

LAN A network of computers located in the same building or a handful of nearby buildings. (PVCs Network).

WAN A network in which computers are separated by great distances, typically across cities or even continents. (ATMs)

MAN A network connected with each other form a large geographical distance.

Internet A network in which large number of network are interconnected physically.

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 04

If you are required to join two network that are exists on several paths. Which device is most suitable for this purpose.

- A. Routers
- B. Bridges
- C. Gateways
- D. Modems

Connecting LANs to other Networks

Router Is used to connect to network exists on several paths.

Bridge Is used to connect to two separate, but similar networks.

Gateway Is used to connect two network using different protocols.

Modem Is used for modulation + demodulation

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 05

ARPA NET stands for _____.

- A. All Research Project Agency
- B. Advance Routing Program Agency
- C. Advance Research Program Agency
- D. Advance Research Projects Agency

- 1. IP - Internet Protocol
- 2. TCP - Transmission Control Protocol
- 3. HTTP - Hyper Text Transfer Protocol
- 4. SMTP - Simple Mail Transfer Protocol
- 5. FTP - File Transfer Protocol
- 6. ARPA - Advanced Research Projects Agency
- 7. MILNET - Military Network
- 8. CSNET - Computer Science Network
- 9. NSFNET - National Science Foundation Network
- 10. WWW - World Wide Web (1989)

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 06

LAN is stand for _____

- A. Locality Area Network
- B. Long Area Network
- C. Logical Area Network
- D. Local Area Network

1. LAN – Local Area Network

2. WAN – Wide Area Network

3. MAN – Metropolitan Area Network

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 07

Which Protocols are working on Application Layer
_____.

- A. TCP/IP
- B. FTP/SMTP
- C. IP
- D. None of above

Layers and Their Respective Protocols

Application Layer	☐ FTP, SMTP
Transport Layer	☐ TCP, UDP
Network Layer	☐ IP
Data Link Layer	☐ All Protocol

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 08

In mesh topology, if there are five nodes then there will be _____ links.

- A. 5
- B. 10**
- C. 15
- D. 20

Mesh Topology

It require maximum number of links.

Formula to Calculate Links:

$$= N(N-1)/2$$

$$= 5(5-1)/2$$

$$= 5(4/2)$$

$$= 5(2)$$

$$= 10$$

Star Topology

Formula to Calculate Links:

$$= N-1$$

$$= 5-1$$

$$= 4$$



SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 09

What does the terminology ATM mean?

- A. Asynchronous transfer mode
- B. Automatic translation mode
- C. Automatic transfer mode
- D. Asynchronous transformation mode

ATM

ATM is the abbreviation of Automatic transfer mode

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 10

Which network topology uses a Hub?

- A. Mesh Topology
- B. Ring Topology
- C. Bus Topology
- D. Star Topology

ATM

- 1. Mesh Topology – Use Switch
- 2. Star Topology – Use Hub
- 3. Bus Topology – Use Cable
- 4. Ring Topology – Use Switch

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 11

MILNET stands for _____.

- A. Merged Network
- B. Military Network
- C. Military Networking
- D. Manufactured Network

- 1. IP - Internet Protocol
- 2. TCP - Transmission Control Protocol
- 3. HTTP - Hyper Text Transfer Protocol
- 4. SMTP - Simple Mail Transfer Protocol
- 5. FTP - File Transfer Protocol
- 6. ARPA - Advanced Research Projects Agency
- 7. MILNET - Military Network
- 8. CSNET - Computer Science Network
- 9. NSFNET - National Science Foundation Network
- 10. WWW - World Wide Web (1989)

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 12

A _____ converts an analog signal into a digital signal.

- A. Modulator
- B. Demodulator
- C. Both A and B
- D. None of the given

Modulator and Demodulator

Modulator converts a digital signal into an analog signal using ASK, FSK, PSK or QAM.

Demodulator converts an analog signal into a digital signal.



SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 13

The information to be communicated in a data communication system is the _____.

- A. Medium
- B. Protocol
- C. Message
- D. Transmission

Data Communication System

There are five main components of the data communication system.

Sender Device that sends data message. e.g. Computer, Work Station etc.

Receiver Device that receive data message. e.g. Computer, Work Station etc.

Message Information or Data that can be communicated is called Message. e.g. Text, Video, Numbers etc.

Medium Physical path that a message uses to travel from the Sender to the Receiver is called Medium. e.g. Copper Cable, Coaxial Cable etc.

Protocols Set of Rules Govern Communication. e.g. Both Speak same Language etc.

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 14

How many layer presented in OSI model?

- A. 3
- B. 5
- C. 7
- D. None of the given

OSI - Model

Application Layer	7
Presentation Layer	6
Session Layer	5
Transport Layer	4
Network Layer	3
Data Link Layer	2
Physical Layer	1

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 15

ASK, PSK, FSK and QAM are examples of modulation.

- A. digital-to-digital
- B. digital-to-analog
- C. analog-to-analog
- D. analog-to-digital

Modulator and Demodulator

Modulator converts a digital signal into an analog signal using ASK, FSK, PSK or QAM.

Demodulator converts an analog signal into a digital signal.

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 16

Asynchronous transmission is _____ .

- A. Slow
- B. Fast
- C. Costly
- D. None of the given

Data Transmission

1. Parallel Transmission

- ☐ Binary data consisting of 1s and 0s may be organized into groups of 'n' bits each
- ☐ By grouping we can send data 'n' bits at a time instead of one bit

2. Serial Transmission

- ☐ One bit follows another, so we need only one channel rather than 'n' to transmit data between two devices
- ☐ Conversion devices are required at the interface

Two sub categories of Serial Transmission

- a) Asynchronous Transmission (Slow)
- b) Synchronous Transmission (Fast)

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 17

There are _____ major types of network topologies?

- A. 1
- B. 2
- C. 3
- D. 4

- 1. Mesh Topology
- 2. Start Topology
- 3. Bus Topology
- 4. Ring Topology

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 18

_____ is a multipoint topology.

- A. Mesh Topology
- B. Bus Topology
- C. Star Topology
- D. Ring Topology

- 1. Mesh Topology – Single Point
- 2. Star Topology – Single Point
- 3. Bus Topology – Multi Point
- 4. Ring Topology – Single Point

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 19

_____ is a signal that complete pattern in a certain period of time. (Cycle).

- A. Periodic Signals
- B. Non-Periodic Signals
- C. Both A and B
- D. All of the above

Types of Signals

Periodic Signals

A Periodic Signals is a signal that complete pattern in a certain period of time. (Cycle).

Non-Periodic Signals A Non-Periodic Signals is a signal that changes its pattern in each cycle.

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 20

Which of the following is not a types of data flow mode?

- A. Simplex Mode
- B. Half Duplex Mode
- C. Full Duplex Mode
- D. None of the above

Types Data Flow Modes

There are three types of Data Flow Modes:

1. Simplex Mode
2. Half Duplex Mode
3. Full Duplex Mode

SUBSCRIBE TO **Key to Success** FOR **GUARANTEED SUCCESS**

Question No. 21

CSNET stands for _____

- A. Computer Science Network
- B. Combine Solution Network
- C. Combine Solved Network
- D. All of the above

- 1. IP - Internet Protocol
- 2. TCP - Transmission Control Protocol
- 3. HTTP - Hyper Text Transfer Protocol
- 4. SMTP - Simple Mail Transfer Protocol
- 5. FTP - File Transfer Protocol
- 6. ARPA - Advanced Research Projects Agency
- 7. MILNET - Military Network
- 8. CSNET - Computer Science Network
- 9. NSFNET - National Science Foundation Network
- 10. WWW - World Wide Web (1989)

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 22

When network are connect in large geographical area or greater distance is known as:

- A. LAN
- B. WAN
- C. MAN
- D. Internet

Networks

LAN A network of computers located in the same building or a handful of nearby buildings. (PVCs Network).

WAN A network in which computers are separated by great distances, typically across cities or even continents. (ATMs)

MAN A network connected with each other form a large geographical distance.

Internet A network in which large number of network are interconnected physically.

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 23

On Data Link Layer which Protocol works
_____.

- A. TCP/IP
- B. FTP/SMTP
- C. IP
- D. All of the above

Layers and Their Respective Protocols

Application Layer	☐ FTP, SMTP
Transport Layer	☐ TCP, UDP
Network Layer	☐ IP
Data Link Layer	☐ All Protocol
Physical Layer	



SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 24

Signal can be controlled by three attributes:
Amplitude, frequency and _____.

- A. Phase
- B. Frequency
- C. Amplitude
- D. All of the above

Signals Control

Signal can be controlled by three attributes:

1. Amplitude
2. Frequency
3. Phase



SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 24

Signal can be controlled by three attributes:
Amplitude, frequency and _____.

- A. Phase
- B. Frequency
- C. Amplitude
- D. All of the above

Signals Control

Signal can be controlled by three attributes:

1. Amplitude
2. Frequency
3. Phase



SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 25

The internet model consists of _____ layers.

- A. Three
- B. Two
- C. Five
- D. Seven

Internet Model

Application Layer	5
Transport Layer	4
Network Layer	3
Data Link Layer	2
Physical Layer	1

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 26

In _____ transmission, bits are transmitted simultaneously, each across its own wire.

- A. Parallel Transmission
- B. Serial Transmission
- C. Asynchronous Transmission
- D. Synchronous Transmission

Data Transmission

1. Parallel Transmission

- ☐ Binary data consisting of 1s and 0s may be organized into groups of 'n' bits each
- ☐ By grouping we can send data 'n' bits at a time instead of one bit

2. Serial Transmission

- ☐ One bit follows another, so we need only one channel rather than 'n' to transmit data between two devices
- ☐ Conversion devices are required at the interface

Two sub categories of Serial Transmission

- a) Asynchronous Transmission (Slow)
- b) Synchronous Transmission (Fast)

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 27

Which of the following network topologies among the list below is incorrect?

- A. Mesh Topology
- B. Internet
- C. Star Topology
- D. Ring Topology

- 1. Mesh Topology
- 2. Star Topology
- 3. Bus Topology
- 4. Ring Topology

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 28

A protocol used for receiving email messages is called _____.

- A. URL
- B. Telnet
- C. POP3
- D. SMTP

- 1. IP - Internet Protocol
- 2. TCP - Transmission Control Protocol
- 3. HTTP - Hyper Text Transfer Protocol
- 4. SMTP - Simple Mail Transfer Protocol
- 5. FTP - File Transfer Protocol
- 6. ARPA - Advanced Research Projects Agency
- 7. MILNET - Military Network
- 8. CSNET - Computer Science Network
- 9. NSFNET - National Science Foundation Network
- 10. WWW - World Wide Web (1989)

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 29

Which of the following technique is used converts an digital signal into an analog signal.

- A. ASK
- B. FSK
- C. PSK
- D. All of the above

Modulator and Demodulator

Modulator converts a digital signal into an analog signal using ASK, FSK, PSK or QAM.

Demodulator converts an analog signal into a digital signal.

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 30

The Device that receive data on network is known as _____.

- A. Sender
- B. Receiver
- C. Message
- D. Medium

Data Communication System

There are five main components of the data communication system.

Sender Device that sends data message. e.g. Computer, Work Station etc.

Receiver Device that receive data message. e.g. Computer, Work Station etc.

Message Information or Data that can be communicated is called Message. e.g. Text, Video, Numbers etc.

Medium Physical path that a message uses to travel from the Sender to the Receiver is called Medium. e.g. Copper Cable, Coaxial Cable etc.

Protocols Set of Rules Govern Communication. e.g. Both Speak same Language etc.

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 31

NSFNET stands for _____.

- A. National Science Foundation Network
- B. Normal Science Foundation Network
- C. Nominal Science Foundation Network
- D. National Science Foundation Network

- 1. IP - Internet Protocol
- 2. TCP - Transmission Control Protocol
- 3. HTTP - Hyper Text Transfer Protocol
- 4. SMTP - Simple Mail Transfer Protocol
- 5. FTP - File Transfer Protocol
- 6. ARPA - Advanced Research Projects Agency
- 7. MILNET - Military Network
- 8. CSNET - Computer Science Network
- 9. NSFNET - National Science Foundation Network
- 10. WWW - World Wide Web (1989)

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 32

How many components in Data Communication System?

- A. 3
- B. 5
- C. 7
- D. 9

Data Communication System

There are five main components of the data communication system.

Sender Device that sends data message. e.g. Computer, Work Station etc.

Receiver Device that receive data message. e.g. Computer, Work Station etc.

Message Information or Data that can be communicated is called Message. e.g. Text, Video, Numbers etc.

Medium Physical path that a message uses to travel from the Sender to the Receiver is called Medium. e.g. Copper Cable, Coaxial Cable etc.

Protocols Set of Rules Govern Communication. e.g. Both Speak same Language etc.

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 33

Which topology requires the maximum number of I/O ports.

- A. Star
- B. Bus
- C. Mesh
- D. All of the above

Mesh Topology

It require maximum number of links.

Formula to Calculate Links:

$$= N (N - 1) / 2$$

$$= 5 (5 - 1) / 2$$

$$= 5 (4 / 2)$$

$$= 5 (2)$$

$$= 10$$

Star Topology

Formula to Calculate Links:

$$= N - 1$$

$$= 5 - 1$$

$$= 4$$

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 34

In _____ which type of transmission mode only one bit transfer between two devices.

- A. Parallel Transmission
- B. Serial Transmission**
- C. Asynchronous Transmission
- D. Synchronous Transmission

Data Transmission

1. Parallel Transmission

- ☐ Binary data consisting of 1s and 0s may be organized into groups of 'n' bits each
- ☐ By grouping we can send data 'n' bits at a time instead of one bit

2. Serial Transmission

- ☐ One bit follows another, so we need only one channel rather than 'n' to transmit data between two devices
- ☐ Conversion devices are required at the interface

Two sub categories of Serial Transmission

- a) Asynchronous Transmission (Slow)
- b) Synchronous Transmission (Fast)

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 35

Which of the following is types of data flow mode in which data is travel in one direction?

- A. Simplex Mode
- B. Half Duplex Mode
- C. Full Duplex Mode
- D. None of the above

Types Data Flow Modes

There are three types of Data Flow Modes:

1. Simplex Mode
2. Half Duplex Mode
3. Full Duplex Mode

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 36

Which of the following are the characteristics of Data Communication System?

- A. Timeline
- B. Accuracy
- C. Jitter
- D. All of the above

Character of Data Communication System

Delivery of Message (System has ability to deliver the message)

Timeline (System has ability to deliver the message on time)

Accuracy (System has ability to deliver the message accurately)

Jitter (System has ability to deliver the message in sequence)

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 37

Signal can be controlled by three attributes:
Amplitude, frequency and _____.

- A. phase
- B. time
- C. wavelength
- D. All of the above

Signals Control

Signal can be controlled by three attributes.

1. Amplitude
2. Frequency
3. Phase

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 38

In which of the following networks does the client submit a task to the server, then the server executes and returns the result for the requesting client station?

- A. Peer-to-Peer
- B. Client-Server
- C. Server-Based
- D. All of the above

Symmetric or Asymmetric

There are following ways in which service executes and return the result of requesting client station.

Symmetric Peer-to-Peer
Communication between peer entities

Asymmetric Client-Server
Client/server

Server-Based

B option is correct

SUBSCRIBE TO KEY TO SUCCESS FOR GUARANTEED SUCCESS

Question No. 39

In fiber optics the signal source is _____ waves.

- A. Light
- B. Radio
- C. Infrared
- D. All of the above

Fiber Optic

1. In fiber optics the signal source is radio waves.
2. In fiber optics the signal are in light waves.

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 40

Router work on _____.

- A. Application Layer
- B. Transport Layer
- C. Network Layer
- D. Data Link Layer

Router

1. Router is work on Network Layer.

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 41

WWW was develop in _____.

- A. 1988
- B. 1989
- C. 1990
- D. 1991

- 1. IP - Internet Protocol
- 2. TCP - Transmission Control Protocol
- 3. HTTP - Hyper Text Transfer Protocol
- 4. SMTP - Simple Mail Transfer Protocol
- 5. FTP - File Transfer Protocol
- 6. ARPA - Advanced Research Projects Agency
- 7. MILNET - Military Network
- 8. CSNET - Computer Science Network
- 9. NSFNET - National Science Foundation Network
- 10. WWW - World Wide Web (1989)

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 42

The Device that sends data message on network is known as _____.

- A. Sender
- B. Receiver
- C. Message
- D. Medium

Data Communication System

There are five main components of the data communication system.

Sender Device that sends data message. e.g. Computer, Work Station etc.

Receiver Device that receive data message. e.g. Computer, Work Station etc.

Message Information or Data that can be communicated is called Message. e.g. Text, Video, Numbers etc.

Medium Physical path that a message uses to travel from the Sender to the Receiver is called Medium. e.g. Copper Cable, Coaxial Cable etc.

Protocols Set of Rules Govern Communication. e.g. Both Speak same Language etc.

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 43

In star topology, if there are five nodes then there will be _____ links.

- A. 2
- B. 3
- C. 4
- D. 5

Mesh Topology

It require maximum number of links.

Formula to Calculate Links:

$$= N (N - 1) / 2$$

$$= 5 (5 - 1) / 2$$

$$= 5 (4 / 2)$$

$$= 5 (2)$$

$$= 10$$

Star Topology

Formula to Calculate Links:

$$= N - 1$$

$$= 5 - 1$$

$$= 4$$

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 44

A _____ converts an digital signal into an analog signal.

- A. Modulator
- B. Demodulator
- C. Both A and B
- D. None of the given

Modulator and Demodulator

Modulator converts a digital signal into an analog signal using ASK, FSK, PSK or QAM.

Demodulator converts an analog signal into a digital signal.

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 45

Which Protocol works on Physical Layer _____.

- A. TCP/IP
- B. FTP/SMTP
- C. IP
- D. None of above

Layers and Their Respective Protocols

Application Layer	☐ FTP, SMTP
Transport Layer	☐ TCP, UDP
Network Layer	☐ IP
Data Link Layer	☐ All Protocol
Physical Layer	



SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 46

TCP/IP was develop in _____ but officially use in internet in 1983.

- A. 1963
- B. 1973
- C. 1983
- D. 1993

1. TCP/IP Protocol

TCP/IP was presented by Vint Cerf and Bob Kahn in 1973 but official use in internet in 1983.

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 47

Which protocol is use to transfer a file over the network ?

- A. HTTP
- B. SMTP
- C. FTP
- D. TCP

- 1. IP - Internet Protocol
- 2. TCP - Transmission Control Protocol
- 3. HTTP - Hyper Text Transfer Protocol
- 4. SMTP - Simple Mail Transfer Protocol
- 5. FTP - File Transfer Protocol
- 6. ARPA - Advanced Research Projects Agency
- 7. MILNET - Military Network
- 8. CSNET - Computer Science Network
- 9. NSFNET - National Science Foundation Network
- 10. WWW - World Wide Web (1989)

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 48

A large number of networks interconnected physically is called _____.

- A. LAN
- B. WAN
- C. MAN
- D. Internet

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 50

FTP stands for _____.

- A. File transmission protocol
- B. File transmission path
- C. File transfer protocol
- D. Fine transfer path

- 1. IP - Internet Protocol
- 2. TCP - Transmission Control Protocol
- 3. HTTP - Hyper Text Transfer Protocol
- 4. SMTP - Simple Mail Transfer Protocol
- 5. FTP - File Transfer Protocol
- 6. ARPA - Advanced Research Projects Agency
- 7. MILNET - Military Network
- 8. CSNET - Computer Science Network
- 9. NSFNET - National Science Foundation Network
- 10. WWW - World Wide Web (1989)

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**

Question No. 49

If you are required to join two Labs of similar type of LAN then which device will be more suitable to fulfill this requirement?

- A. Routers
- B. Bridges**
- C. Gateways
- D. Modems

Connecting LANs to other Networks

Router Is used to connect to network exists on several paths.

Bridge Is used to connect to two separate, but similar networks.

Gateway Is used to connect two network using different protocols.

Modem Is used for modulation + demodulation

SUBSCRIBE TO **KEY TO SUCCESS** FOR **GUARANTEED SUCCESS**