Q.1 In business communication, _____ centered approach searches for a connection between analysis of the target situation and course contents.

A. language

B. skill

C. teaching

D. learning

Q.2 Grammar is the rules and conventions of a language shared by a group of _____ speakers.

A. British

B. foreign

C. native

D. expert

Q.3 The _____analysis normally produces lists which have an important bearing on the cost of the course and distribution of responsibilities.

A. cost

B. needs

C. evaluation

D. means

Q.4 Learning styles are related to_____, which is a collection of techniques, models, and theories based on how the mind works and how people behave and communicate.

A. PLN

B. LPN

C. NLP

D. LNP

Q.5 In business communication while designing a course, objectives can be made for _____ skills.

A. writing

B. negotiation

C. presentation

D. all the given options

Q.6 In business world, the content of a course for _____ managers may include balance sheets and profit and loss statements.

A. marketing

B. transport

C. human resource

D. finance

Q.7 One common tool for doing communication needs analysis is a _____test, which is a test designed to provide a comparison with other learners.

A. placement

B. cloze

C. summative

D. formative

Q.8 Learning _____can be analyzed by using different tools to collect a series of snapshots.

A. gaps

B. styles

C. lacks

D. needs

Q.9 Key principal for a Business English course is to focus on _____ of language items instead of talking about them.

A. performance

B. pre-performance

C. conformance

D. confirmance

Q.10 The gap between the target proficiency and existing proficiency can be referred as the learner's _____.

A. lacks

B. wants

C. gaps

D. necessities

Q.11 In C/C++, the algebraic expression (b2-4ac) / 2a can be written as:

A. (b*b – 4*a*c) / (2*a)

B. b*b – 4*a* c/ 2*a

C. b*b – 4* a*c / (2*a)

D. b*b – (4*a*c) / 2*a

Q.12 What will be the output of the following code? int i = 0; while(i!=15){ cout << i << " "; i = i + 5; }

A. 5 10

B. 1 5 10

C. 0 5

D. 0 5 10

Q.13 Which of the following C++ statements is used to show output on the screen?

A. cerr

B. cin

C. cout

D. cget

Q.14 What will be the output of following program? #include <iostream> using namespace std; int main() { int x = 5; while (x > 0) { x--; } cout << "Final value of x: " << x << endl; return 0; }

A. Final value of x: 6

B. Final value of x: 5

C. Final value of x: 0

D. Final value of x: 2

Q.15 What will be the output of the following code? int i = 1; while(i<10){ if (i % 2 == 0) cout << i << " "; i++; }

A. 2 4 6 10

B. 1 3 5 7

C. 2 4 6 8

D. 2 4 8 10

Q.16 What will be the output of the following code? int i = 1; while(i<10){ if (i / 2 == 2) cout << i << " "; i++; }

A. 4 5

B. 2 3

C. 6 7

D. 2 4

Q.17 Which of the following is an example of repetition structure?

A. while

B. if

C. if-else

D. cond

Q.18 Which of the following C++ statements is used take input from the user?

A. cerr

B. cin

C. cget

D. cout

Q.19 Which of the following is an example of logical operator?

A. +,*

B. /,%

C. &&,||

D. <,>

Q.20 In C++, which of the following option has the correct meaning of the expression "a <= b" ?

A. a is greater than or equal to b

B. a is greater than b

C. a is less than or equal to b

D. a is less than b

VU TOOLKIT