Q.1 In CSS3, there are _____ different combinators.

A. Two
B. Three
C. One
D. Four

Q.2 _____ element is used to define links in HTML and link address is specified in _____ attribute?

A. <hyperlink>, href
B. <anchor>, ID
C. <a>, href
D. <link>, address

Q.3 The id selector uses the id attribute of the HTML element, and is defined with a_____.

A. _
B. @
C. #
D. %

Q.4 Auto margin is used for:

A. border
B. font
C. color
D. alignment

Q.5 Which of the following is correct property to define the font for an HTML element using style attribute?

A. font-family
B. fontfamily
C. definefont
D. fontstyle

Q.6 In HTML, table headings are defined with _____ tag.

A. <th>
B. <heading>
C. <h>
D. <theading>

VU TOOLKIT

Q.7 Which of the following symbol is not used by a dynamic URL?

A. ?

B. &

C. ~

D. %

Q.8 In HTML, <bdo> element defines _____.

A. Bi-Developer Online

B. Bi-Directional Override

C. Bi-Direction Online

D. Bi-Direction Overload

Q.9 Correct syntax to add comment in HTML is _____.

A. #comment here

B. <!-- comments here -->

C. /* comment here*/

D. // comments here

Q.10 Which tag defines a form?

A. <form>

B. <field>

C. <submit>

D. <input>

VU TOOLKIT