Q.1 In the calling function, after the execution of the function called, the program continues its execution from the _____after the function call.

A. End

B. Beginning

C. Previous line

D. Next line

Q.2 A template is a function or class that is written with a _____data type.

A. Specific

B. Generic

C. Definite

D. Logical

Q.3 In singly linked list "next" field of node contains:

A. Object of next node

B. Address of head node

C. Address of next node

D. Object of current node

Q.4 Consider we have performed the following operations on a stack of size 5. Push(10); Push(20); Push(30); Pop(); Pop(); Push(40); Push(50); Pop(); After the completion of all operations, the number of element present on stack are ____.

A. 4

B. 1

C. 2

D. 3

Q.5 In singly linked list which node will keep track of starting position of the list.

A. Last Node

B. Head Node

C. Previous Node

D. Next Node

Q.6 The usage of the class of a data structure causes the code of the program

A. Difficult

B. Lengthy

C. Complicated

D. Simplifies

Q.7 If we use singly linked list to implement list, then there is an issue that it gives difficulty when we:

A. We will increase its size

B. Move backward in the list

C. Move forward in the list

D. We will decrease its size

Q.8 Whenever we call a function, the compiler makes a stack, the top element of the stack is _____ of the function.

A. Variable name only

B. Return address

C. First argument

D. Last argument

Q.9 Consider the linked list having data [6, 72, 35, 65, 25] stored in it. While current pointer is pointing to memory location having 35 stored in it. What will be the resultant linked list after calling add(18) function on the given linked list.

A. 6, 18 ,72, 35, 65, 25

B. 6, 72, 35, 18, 65, 25

C. 6, 72, 18, 35, 65, 25

D. 6, 72, 35, 65, 25, 18

Q.10 _____ is utilized at the time of memory allocation in dynamic manner.

A. Heap and Stack

B. Heap

C. Stack

D. Queue
