Q.1 In terms of computer networking, MAC stands for _____.

A. Media authentic control
B. Media aggregate control
C. Media access control
D. Media auto control

Q.2 In Ping command, maximum value of TTL can be _____.

A. 255
B. 260
C. 256
D. 250

Q.3 Which of the following error will occur if the local system has no route to the desired destination?

A. Request Timed Out
B. Computer's loopback
C. Destination Host Unreachable
D. Time UP

Q.4 _____ is an address that uniquely identifies a physical adapter on a LAN.

A. Port
B. MAC
C. Logical
D. IP

Q.5 Which of the following is correct syntax for traceroute command?

A. Tracerroute www.vu.edu.pk
B. Tracet www.vu.edu.pk
C. Tracert www.vu.edu.pk
D. Traceoute www.vu.edu.pk

Q.6 Which of the following is not a data structure ?

A. Memory cell
B. Stack
C. Linked list
D. Queue

VU TOOLKIT

Q.7 In doubly linked list a node consists of three parts:

A. 1 pointer and 2 objects

B. 3 objects

C. 3 pointers

D. 2 pointers and 1 object

Q.8 In singly linked list a node comprises of _____ field/s.

A. Four

B. Two

C. Three

D. One

Q.9 start() method of List class is used to:

A. Moves the “current” pointer to one step after the first element of the array.

B. Moves the “current” pointer to very first element.

C. Moves the “current” pointer to very last element.

D. Moves the “current” pointer to one step before the first element of the array.

Q.10 Consider the linked list having data [6, 72, 35, 65, 25] stored in it. While current pointer is pointing to memory location having 35 stored in it. What will be the resultant linked list after calling add(18) function on the given linked list.

A. 6, 18 ,72, 35, 65, 25

B. 6, 72, 35, 18, 65, 25

C. 6, 72, 18, 35, 65, 25

D. 6, 72, 35, 65, 25, 18

Q.11 In singly linked list a node consists of two parts:

A. Two pointers

B. Two objects

C. Object and structure

D. Object and pointer

Q.12 Which of the following signature of the constructor function for a stack is correct as a generic data type?

A. Template Stack::Stack ();

B. Stack<T> :: Stack() ;

C. Stack:: Stack() ;

D. Template<stack T>;

Q.13 Which of the following is not a form of expression?

A. Postfix

B. Infix

C. Prefix

D. Pastfix

Q.14 _____ is a collection of elements arranged in a linear order.

A. Binary Search Tree

B. Stack

C. AVL Tree

D. Heap

Q.15 Suppose we have a value for Queue: 2 1 4 6 3 Where front is at 2 and rear is at 3, after dequeue one element from that Queue, what will be the resultant Queue?

A. 2 1 4 6

B. 1 4 6 3

C. 2 1 4 6 3

D. 2 1 6 3

VU TOOLKIT