Q.1 Which of the following operation is used to get and remove top element from the stack?

A. top()

B. pop()

C. remove()

D. push()

Q.2 Each node in a singly linked list contains two fields, one field called data field while other field contains:

A. Pointer to an integer

B. Pointer to character

C. Pointer to class

D. Pointer to next node

Q.3 The abstract data type refers to the basic mathematical concept that defines the

A. structure

B. Function type

C. Class type

D. Data type

Q.4 Which of the following function don't belongs to the stack class?

A. top()

B. push()

C. crash()

D. pop()

Q.5 Whenever we call a function, the compiler makes a stack, the top element of the stack is _____ of the function.

A. Variable name only

B. Return address

C. First argument

D. Last argument

Q.6 The _____ method of list will position the currentNode and lastCurrentNode at the start of the list.

A. Remove

B. Next

C. Back

D. Start

VU TOOLKIT

Q.7 Consider the linked list having data [6, 72, 35, 65, 25] stored in it. While current pointer is pointing to memory location having 72 stored in it. After calling remove() function on the following linked list current point will point to memory location having value?

A. 6

B. 35

C. 65

D. 25

Q.8 What will be the result of evaluating following expression? 5+3*2/(6-3)

A. 5

B. 3

C. 7

D. 10

Q.9 What will be the postfix expression of following infix expression? D+E*F/G

A. DEF*G/+

B. DE+FG*/

C. DE*F/G+

D. DE+F*G/

Q.10 What will be the postfix expression of following infix expression? A*B/C+D-E

A. A B * C / D + E –

B. A B + C D/ + E –

C. A B / C * D + E –

D. A B * C + D E/ –
