Q.1 Why should we write our own assignment operator when dynamic memory is involved?

A. Compiler performs shallow copy
B. Assignment operator is not generated by compiler automatically
C. Overloading is mandatory
D. Deep copy causes errors

Q.2 Which of the following is the correct syntax of declaring static variable "count" of type int?

A. int static count;
B. int count static;
C. static int count;
D. static count int;

Q.3 Which of the following stores the address of a variable?

A. Function
B. Constructor
C. Destructor
D. Pointer

Q.4 What will be the value of variables a,b, and c after instantiating an object of the given class? class test { int a; int b; int c; public: test():b(5),c(a),a(b){ } };

A. Junk value, 5, Junk value
B. 5, Junk value, 5
C. 5, 5, 5
D. Junk value, 5, 5

Q.5 Why should the return type of the assignment operator be const?

A. To increase memory usage
B. To avoid assignment to subexpressions
C. To increase speed
D. To allow assignment chaining

Q.6 Which of the following is an example of unary operator?

A. Increment Operator (++)
B. Inequality Operator (!=)
C. Division Operator (/)
D. Equality Operator (= =)

Q.7 Which of the following best describes relationship between House and Address classes?

A. Aggregation
B. Composition
C. Inheritance
D. Association

Q.8 In composition _____ are called from composing objects to composed objects.

A. Pointers
B. Constructors
C. Destructors
D. Member Functions

Q.9 What happens if the assignment operator returns non-const reference?

A. Memory leak occurs
B. Compilation time increases
C. Assignment to subexpressions is allowed
D. Syntax error occurs

Q.10 What does return *this; do in an overloaded assignment operator?

A. Returns a reference to the current object
B. Returns a pointer
C. Returns a temporary object
D. Terminates the function
