

Open recording fragments

Proteins

*Solved by Arif khan*

Online resource formation

*03007607817*

Open Reading Frame

Question # 1 of 10 ( Start time: 06:26:21 PM, 19 August 2022 )

Total Marks:

Virtual Terminator in Helicos prevents incorporation of multiple \_\_\_\_\_ per cycle

select the correct option

☐ peptides☐ histone☒ nucleotides☐ nucleic acid

*Solved by Arif Khan*

*03007607817*

[Click to Save Answer & Move to Next Question](#)

Question # 3 of 10 ( Start time: 06:27:24 PM, 19 August 2022 )

Total Marks:

The ----- nucleotide distribution information is a basis for translation start prediction

Select the correct option

 Reload Math Equations

|                                  |          |
|----------------------------------|----------|
| <input checked="" type="radio"/> | Biased   |
| <input type="radio"/>            | RNA      |
| <input type="radio"/>            | DNA      |
| <input type="radio"/>            | Unbiased |

Click to Save Answer &amp; Move to Next Question

Question # 4 of 10 ( start time: 06:28:14 PM, 19 August 2022 )

Total Marks:

Ab initio detect \_\_\_\_\_ by looking for distinct patterns that define where a gene begins and ends

Select the correct option



proteins



genes



telomeres



chromosomes

Select the correct option

 Reload Math Equations

|                                  |                     |
|----------------------------------|---------------------|
| <input type="radio"/>            | Circular Graph      |
| <input type="radio"/>            | Opposite Graph      |
| <input checked="" type="radio"/> | Bidirectional Graph |
| <input type="radio"/>            | Linear Graph        |

Click to Save Answer & Move to Next Question

Question # 6 of 10 ( Start time: 06:29:37 PM, 19 August 2022 )

Total Marks:

It is the part of gene that has a potential to code for proteins comes in triples called:

Select the correct option

|                                  |          |
|----------------------------------|----------|
| <input checked="" type="radio"/> | Locus    |
| <input type="radio"/>            | Intron   |
| <input checked="" type="radio"/> | Codon    |
| <input type="radio"/>            | Promoter |

[Click to Save Answer & Move to Next Question](#)

Question # 8 of 10 ( start time: 06:31:50 PM, 19 August 2022 )

Total Marks:

Which method finds the genes by comparing fragments of a sequence with those of already identified genes

Select the correct option

|                                  |             |
|----------------------------------|-------------|
| <input type="radio"/>            | NDS         |
| <input type="radio"/>            | Illumina    |
| <input type="radio"/>            | Ab initio   |
| <input checked="" type="radio"/> | Comparative |

[Click to Save Answer & Move to Next Question](#)

Question # 9 of 10 ( Start time: 06:32:30 PM, 19 August 2022 )

Total Marks:

If every nucleotide has ----- frequency in a position, then the position's information content is ZERO

Select the correct option

 Reload Math Equations

|                                  |      |
|----------------------------------|------|
| <input type="radio"/>            | 0.50 |
| <input type="radio"/>            | 100  |
| <input type="radio"/>            | 1    |
| <input checked="" type="radio"/> | 0.25 |

Click to Save Answer &amp; Move to Next Question

Question # 10 of 10 ( start time: 06:32:48 PM, 19 August 2022 )

Total Marks:

Two Genes are ----- if the expression of one gene modulates the effect of other gene by either activation or inhibition

Select the correct option

Reload Math Equations

|                                  |            |
|----------------------------------|------------|
| <input type="radio"/>            | Opposite   |
| <input checked="" type="radio"/> | Connected  |
| <input type="radio"/>            | linear     |
| <input type="radio"/>            | Irrelevant |



Click to Save Answer &amp; Move to Next Question