

Professional Online Academy Vu Topper RM



CS614-Data Warehousing Update MCQ'S Final Term By Vu Topper RM



Follow Us on YouTube:
[@vutopperrm](https://www.youtube.com/@vutopperrm)

For More Help Contact What's app Me!!!
Number's = # 0322-4021365, 0316-4980094

[Rizwan Manzoor](#)
[Vu Topper RM](#)

وَتَعَزَّ مَنْ تَشَاءُ وَتَذِلَّ مَنْ تَشَاءُ



Our Services

- Assignments
- Quiz & Gdb's
- LMS Handling
- Online Classes
- Lectures Views
- Project Handling
- Important Notes

Result

**85% To
100%**

پہلے ہمارے سٹوڈنٹس کے رزلٹ دیکھیں
پھر ہم سے سروسز لیں



www.youtube.com/@vutopperrm



Contact us

**0322 4021365
0316 4980094**

بري صحبت سے تہائی بہتر ہے اور تہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:1

(Marks:1)

Vu-Topper RM

“What means What”. The phrase refers to:

A. Meta data **Page 338**

B. External data

C. Transformed data

D. Internal representations

Question No:2

(Marks:1)

Vu-Topper RM

In Four Cell Quadrant Technique, The quadrant's vertical axis refers to:

A. Scope

B. Feasibility

C. Resources available

D. The potential impact or value to the business **Page 297**

Question No:3

(Marks:1)

Vu-Topper RM

Which of the following is NOT one of the methodologies for Data Warehouse project development?

A. Data driven

B. System driven **Page 283**

C. Resource driven

D. Requirement driven

Question No:4

(Marks:1)

Vu-Topper RM

Which of the following is the most ignored step during data warehouse development

A. Schema validation

B. The vision definition

C. The requirement verification

D. Success criteria development

Question No:5

(Marks:1)

Vu-Topper RM

Waterfall model is appropriate when

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

- A. When the budget is low
- B. When the deadline is strict
- C. When resources are limited

D. Requirements are clearly defined

Page 284

Question No:6

(Marks:1)

Vu-Topper RM

Users do not care, how advance the front end of your DWH is, what they care is that:

- A. Tables should be properly denormalized
- B. Proper partitioning technique should be used
- C. At least star or snow flake schema should be implemented
- D. They should get information in timely manner and the way they want**

Question No:7

(Marks:1)

Vu-Topper RM

A top down implementation approach is useful when

- A. Business objectives are unclear
- B. Technology is mature and well understood**
- C. Problem to be solved are not well documented
- D. Organization can not implement latest technologies

Page 283

Question No:8

(Marks:1)

Vu-Topper RM

Identify the TRUE statement:

- A. Both clustering and classification are supervised learning
- B. Both clustering and classification are unsupervised learning
- C. Clustering is unsupervised learning and classification is supervised learning**
- D. Clustering is supervised learning and classification is unsupervised learning

Page 270

Question No:9

(Marks:1)

Vu-Topper RM

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

The _____ phase of fundamental data warehouse life cycle model includes data warehouse daily maintenance activities

A. Project

B. Operation

Page 288

C. Deployment

D. Maintenance

Question No:10

(Marks:1)

Vu-Topper RM

Horizontally wide data means:

A. Dataset has attribute skews

B. Dataset has partitioning skews

C. Dataset has large no. of records

D. Dataset has large no. of attributes

Page 330

Question No:11

(Marks:1)

Vu-Topper RM

Which of the following is/are included in the list of Top-7 key steps for smooth DWH implementation?

A. All of the given options

Page 318

B. Be a diplomat NOT a technologist

C. Assign significant resources for ETL

D. Consider handing-off project management

Question No:12

(Marks:1)

Vu-Topper RM

Implementation of a data warehouse requires _____ activities

A. Highly integrated

B. Loosely integrated

C. Tightly decoupled

D. None of the given

Page 289

Question No:13

(Marks:1)

Vu-Topper RM

Goal driven approach of data warehouse development was result of _____ work

A. Bill Inmon

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

B. Westerman
C. Ralph Kimball

D. Böhnlein and Ulbrich-vom

Page 285

Question No:14

(Marks:1)

Vu-Topper RM

In context of analytical applications track, the application development activity can begin after:

A. Database Design is complete

Page 307

B. A subset of historical data has been loaded

C. The data access tools and metadata are installed

D. All of the given options

Question No:15

(Marks:1)

Vu-Topper RM

In _____ phase of a fundamental data warehouse life cycle model, a working model of data warehouse is deployed for a selective set of users

A. Design

B. Operation

C. Prototype

Page 287

D. Deployment

Question No:16

(Marks:1)

Vu-Topper RM

Which of the following activity executes parallel with all other activities in Kimball's DWH development approach?

A. Deployment

B. Project planning

C. Project management

Page 289

D. Requirement elicitation

Question No:17

(Marks:1)

Vu-Topper RM

The first step of the "12-steps data warehouse implementation approach" of Shaku Atre is:

A. Finding user needs

Page 336

B. Finding system scope

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

- C. Planning system resources
- D. Data acquisition and cleansing

Question No:18

(Marks:1)

Vu-Topper RM

A typical cycle of implementing the change in DWH comprises of the sequence:

- A. Production -> Development -> QA
- B. Development-> QA -> Production**
- C. Development -> Production -> QA
- D. Production -> QA -> Development

Page 314

Question No:19

(Marks:1)

Vu-Topper RM

Which of the following is NOT one of the three parallel tracks in Kimballs approach?

- A. Lifecycle technology track
- B. Lifecycle Data track
- C. Lifecycle Maintenance track**
- D. Lifecycle Analytical Applications track

Page 299

Question No:20

(Marks:1)

Vu-Topper RM

As per Bill Inmon, a data warehouse, in contrast with classical applications is:

- A. Data driven**
- B. Time sensitive
- C. Resource driven
- D. Requirement driven

Page 285

Question No:21

(Marks:1)

Vu-Topper RM

Normally the input data structure (a database table) for a data mining algorithm:

- A. Has limited amount of data
- B. Has limited amount of relations

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

- C. Has more number of records than attributes
D. Has more number of attributes than records

Question No:22 (Marks:1) **Vu-Topper RM**

Normally the term “DWH face to the business user” refers to:

- A. Lifecycle Data track
B. Lifecycle technology track
C. Lifecycle Maintenance track
D. Lifecycle Analytical Applications track

Question No:23 (Marks:1) **Vu-Topper RM**

An effective user education program includes, among others, the following guideline(s):

- A. Postpone education, if DWH not ready
B. Understand the audience, don't overwhelm
C. Train after delivery of the data and analytic applications
D. All of the given options **Page 308**

Question No:24 (Marks:1) **Vu-Topper RM**

In _____ phase of kimballs approach, we identify the components needed now and in future.

- A. Architectural design** **Page 300**
B. Product development
C. Requirement definition
D. Analytical application development

Question No:25 (Marks:1) **Vu-Topper RM**

Spiral model is _____

- A. Risk oriented model
B. Risk oriented model
C. Sequence of waterfall model
D. All of the given **Page 284**

بری صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:26

(Marks:1)

Vu-Topper RM

In context of requirement definition phase of Kimball's DWH development approach, _____ is positioned as a findings review and prioritization meeting.

- A. System analysis
- B. Scope definition
- C. Requirement configuration

D. Requirements wrap-up presentation

Page 297

Question No:27

(Marks:1)

Vu-Topper RM

In analytical application development phase, we follow standards for:

- A. Naming conventions.
- B. Standard for libraries.
- C. Standard for calculations.

D. All of the given option

Page 307

Question No:28

(Marks:1)

Vu-Topper RM

Technical architecture design supports the communication about technical requirements: I) Within the team II) Upward to management III) Outward to vendors

- A. (I) only
- B. (II) Only
- C. (III) Only

D. (I), (II) and (III)

Page 300

Question No:29

(Marks:1)

Vu-Topper RM

In context of the most fundamental data warehouse life cycle model, which of the following is NOT one of the data warehouse design activities?

- A. Source system cataloguing

B. System vision development

Page 287

بري صحبت سے تتهائي بهتر هے اور تتهائي سے نيك صحبت بهتر هے

For More Help Contact What's app 03224021365

- C. End-user interviews and re-interviews
- D. Definition of key performance indicators

Question No:30

(Marks:1)

Vu-Topper RM

Improper documentation results the problem(s) like:

- A. Maintenance issue
- B. Lot of time required for enhancing the code
- C. New developers unable to configure already existing code**

Page 314

- D. All of the given options

Question No:31

(Marks:1)

Vu-Topper RM

Vertically wide data means:

- A. Dataset has attribute skews
- B. Dataset has partitioning skews
- C. Dataset has large no. of records**
- D. Dataset has large no. of attributes

Question No:32

(Marks:1)

Vu-Topper RM

In _____ learning you don't know the number of clusters and no idea about their attributes.

- A. Supervised learning
- B. Un-Supervised learning**
- C. Multi Dimension modeling
- D. None of the given options

Page 269

Question No:33

(Marks:1)

Vu-Topper RM

Bill Inmon argues that requirements are well understood only after

- A. They are documented
- B. All schemes are defined
- C. They extracted and verified

D. Data warehouse is populated

Page 285

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:34

(Marks:1)

Vu-Topper RM

Waterfall is a/an _____ model

- A. Iterative
- B. Object Oriented
- C. Rapid development

D. Simple linear sequential **Page 284**

Question No:35

(Marks:1)

Vu-Topper RM

Which of the following activity/activities is/are part of project planning phase in Kimballs DWH development approach?

- A. Obtain resources
- B. Establish the preliminary scope and justification
- C. Assess organization's readiness for a data warehouse initiative

D. All of the given options **Page 290**

Question No:36

(Marks:1)

Vu-Topper RM

Which of the following is NOT one of the examples of dynamic attributes?

- A. Daily Sale
- B. Air pressure

C. Date of Birth **Page 342**

D. None of the given options

Question No:37

(Marks:1)

Vu-Topper RM

A bottom up implementation approach is useful when

- A. All the requirements are well documented
- B. The business objectives are very much clear

C. Technology is mature and well understood **Page 283**

D. Organization can not implement latest technologies

Question No:38

(Marks:1)

Vu-Topper RM

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

The phase-3 i.e. “Rollout and Maintenance” phase in “12-steps data warehouse implementation approach” of Shaku Atre comprises of _____ activity.

- A. On Line Analytical Processing
- B. Construct Metadata Repository
- C. Deployment & System Management**
- D. None of the these

Question No:39

(Marks:1)

Vu-Topper RM

In lifecycle data track, we begin with translating the requirements into dimensional model, which then transforms into _____

- A. System structure
- B. Logical structure
- C. Physical structure**
- D. Conceptual structure

Page 290

Question No:40

(Marks:1)

Vu-Topper RM

In context of clustering, the term “distance” means:

- A. Similarity/dissimilarity of records**
- B. The difference between the primary keys of two records
- C. The relation of a record with corresponding record in child table
- D. None of the given options

Page 272

Question No:41

(Marks:1)

Vu-Topper RM

As per Kimball, _____ is the main operational process

- A. Goal design
- B. Schema design
- C. Business process**
- D. Requirement extraction

Page 285

Question No:42

(Marks:1)

Vu-Topper RM

Which of the following is/are example(s) of static attributes?

- A. Employee Name**

Page 342

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

- B. Employee Blood Group
- C. Employee Date of Birth
- D. All of the given options

Question No:43

(Marks:1)

Vu-Topper RM

Which of the following is NOT one of the possible pitfalls in DWH Life Cycle & Development?

- A. Improper documentation
- B. Not having multiple servers
- C. Low priority for OLAP Cube Construction

D. None of the given options **Page 313**

Question No:44

(Marks:1)

Vu-Topper RM

Which of the following is NOT one of the activities of “Maintenance and Growth” phase in Kimball’s DWH development approach?

- A. Support
- B. Education Program
- C. Education Technical

D. Interface Deployment **Page 309**

Question No:45

(Marks:1)

Vu-Topper RM

_____ says that as far as company goals are concerned, the entire company pursues in the same direction

- A. Bill inmon
- B. Kimball
- C. Bohnlein

D. Westerman **Page 285**

Question No:46

(Marks:1)

Vu-Topper RM

One of the drawbacks of waterfall model is that:

- A. It does not define the project timeline/schedule
- B. It does not work when the resources are limited

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

C. Customers can not review the product during development

Page 284

D. All of the given options

Question No:47

(Marks:1)

Vu-Topper RM

_____ index uses even less space than _____ index, but the block has to be searched, even for unsuccessful searches.

A. Sparse, dense

Page 224

B. Dense, inverted

C. Sparse, inverted

D. Dense, sparse

Question No:48

(Marks:1)

Vu-Topper RM

In context of data mining definition, the term “value” means:

A. The primary key of table

B. The index location of the record

C. Importance of hidden patterns discovered

Page 250

D. Numerical or string measure assigned to an attribute

Question No:49

(Marks:1)

Vu-Topper RM

If a task takes “T” time units to execute on a single data item, then execution of this task on “N” data items will take _____ time units.

A. $N \times t$

B. $N + t$

C. N/t

D. $N - t$

Question No:50

(Marks:1)

Vu-Topper RM

Which of the following is NOT one of the variants of Nested-loop join?

A. Naïve nested-loop join

B. Indexed nested-loop join

C. Binary index nested-loop join

D. Temporary index nested-loop join

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:51

(Marks:1)

Vu-Topper RM

_____ index stores first value in each block in the sequential file and a pointer to the block.

- A. Hash
- B. Dense
- C. Sparse**
- D. B-Tree

Page 224

Question No:52

(Marks:1)

Vu-Topper RM

_____ refers to the overall process of discovering useful knowledge from data and data mining refers to a particular step in this process.

- A. Statistics
- B. Clustering
- C. Information cleansing
- D. Knowledge discovery in database**

Page 254

Question No:53

(Marks:1)

Vu-Topper RM

Which of the following tasks can NOT be parallelized?

- A. Partitioned index scans
- B. Creation of large indexes
- C. Large table scans and joins
- D. None of the given options**

Question No:54

(Marks:1)

Vu-Topper RM

In nested-loop join case, if there are 'M' rows in outer table and 'N' rows in inner table, time complexity is

- A. (MN)**
- B. (M + N)
- C. (log MN)
- D. (M log N)

Question No:55

(Marks:1)

Vu-Topper RM

In context of data mining definition, the term "nontrivial" means:

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

- A. We can not discover information
- B. Discovering information is a simple task
- C. Discovering information is a complex task**
- D. We simply find things rather than discovery

Question No:56

(Marks:1)

Vu-Topper RM

In contrast to statistics, data mining is _____ driven.

- A. Human
- B. Database
- C. Assumption
- D. Knowledge**

Page 254

Question No:57

(Marks:1)

Vu-Topper RM

Parallelism can be exploited, if there is:

- A. All of the given options**
- B. Sufficient I/O bandwidth
- C. Symmetric multi-processors (SMP)
- D. Underutilized or intermittently used CPUs

Question No:58

(Marks:1)

Vu-Topper RM

One of the preconditions to decide about operations to be parallelized is that:

- A. Operations share same namespace
- B. Operations share same memory location
- C. Output of one operation becomes input of other
- D. Operations can be implemented independent of each other**

Question No:59

(Marks:1)

Vu-Topper RM

In B-tree index, the lowest level index blocks are called leaf blocks, and these blocks contain:

- A. NULL value to make the leaf terminal node
- B. Every indexed data value and pointer to root block
- C. Every indexed data value and pointer to next level block

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

D. Every indexed data value and a corresponding ROWID
Page 225

Question No:60

(Marks:1)

Vu-Topper RM

Which of the following is NOT one of the parallel hardware architectures?

A. Shared Memory

B. Symmetric Multi Processing

C. Massively Parallel Processing

D. Non-uniform Memory Access

Question No:61

(Marks:1)

Vu-Topper RM

In context of joining tables, the join condition is specified in ____ clause

A. FROM

B. SELECT

C. WHERE

D. GROUP BY

Question No:62

(Marks:1)

Vu-Topper RM

Classification consists of examining the properties of a newly presented observation and assigning it to a predefined _____.

A. Class **Page 259**

B. Object

C. Subject

D. Container

Question No:63

(Marks:1)

Vu-Topper RM

An optimized structure which is built primarily for retrieval, with update being only a secondary consideration is

A. DSS

B. OLAP

C. OLTP

D. Inverted Index

Page 232

بري صحبت سے تتهائي بهتر ہے اور تتهائي سے نيك صحبت بهتر ہے

For More Help Contact What's app 03224021365

Question No:64

(Marks:1)

Vu-Topper RM

Data mining is all about:

A. All of the given options

Page 249

B. Finding relationships in data

C. Finding hidden patterns in data

D. Knowledge discovery in database

Question No:65

(Marks:1)

Vu-Topper RM

Mining multi dimensional databases allow users to:

A. Analyze the data

B. Categorize the data

C. Summarize the data

D. All of the given options

Question No:66

(Marks:1)

Vu-Topper RM

In context of data parallelism, the work done by query processor should be:

A. Pipelined

B. Maximum

C. Almost zero

D. Filtered across partitions

Question No:67

(Marks:1)

Vu-Topper RM

_____ do not (typically) keep the index values in sorted order

A. Dense index

B. Sparse index

C. B-Tree index

D. Hash based index

Page 227

Question No:68

(Marks:1)

Vu-Topper RM

_____ refers to "Parallel execution of single data operation across multiple partitions of data"

A. Data parallelism

Page 212

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

- B. Software parallelism
- C. Hardware parallelism
- D. Operational parallelism

Question No:69

(Marks:1)

Vu-Topper RM

In _____ index, the ith bit is set to "1" if the ith row of the base table has the value for the indexed column.

- A. Join index
- B. Cluster index
- C. Bitmap index**
- D. Inverted index

Question No:70

(Marks:1)

Vu-Topper RM

_____ is the technique in which existing heterogeneous segments are reshuffled, relocated into homogeneous segments.

- A. Clustering** **Page 269**
- B. Partitioning
- C. Aggregation
- D. Segmentation

Question No:71

(Marks:1)

Vu-Topper RM

In context of bitmap index, the length of the bit vector is:

- A. None of the given options
- B. The number of records in the base table**
- C. The possible number of domain values in corresponding field (column)
- D. The possible number of bitmap tables formed for corresponding field (column)

Question No:72

(Marks:1)

Vu-Topper RM

Bitmap index is appropriate for:

- A. Clustered data
- B. Aggregated data

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

- C. High cardinality data
- D. Low cardinality data**

Question No:73

(Marks:1)

Vu-Topper RM

In context of data parallelism, to get a speed-up of N with N partitions, it must be ensured that:

- A. All of the given options**
- B. There are enough computing resources
- C. Work done in each partition almost same
- D. Query-coordinator is very fast as compared to query servers

Question No:74

(Marks:1)

Vu-Topper RM

Which of the following is NOT one of the top-10 mistakes that should be avoided during DWH development?

- A. Not interacting directly with end user
- B. Not being an accommodating person**
- C. Isolating IT support people from business users
- D. Training the users with dummy data and considering it success

Page 316

Question No:75

(Marks:1)

Vu-Topper RM

To identify the _____ required we need to perform data profiling.

- A. Cost
- B. Time
- C. Complexity

D. Degree of Transformation

Page 437

Question No:76

(Marks:1)

Vu-Topper RM

Execution can be completed successfully or it may be stopped due to some error. If some error occurs, execution will be terminated abnormally and all transactions will be _____

Committed to the database

Page 419

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Rolled back

Question No:77

(Marks:1)

Vu-Topper RM

Companies collect and record their own operational data, but at the same time they also use reference data obtained from _____ sources such as codes, prices etc.

- A. Operational
- B. None of these
- C. Internal

D. External

Page 21

Question No:78

(Marks:1)

Vu-Topper RM

_____ in agriculture extension is that pest population beyond which the benefit of spraying outweighs its cost.

- A. Profit Threshold Level
- B. Economic Threshold Level**
- C. Medicine Threshold Level
- D. None of these

Page 332

Question No:79

(Marks:1)

Vu-Topper RM

People that design and build the data warehouse must be capable of working across the organization at all levels

True

Page 320

False

Question No:80

(Marks:1)

Vu-Topper RM

As opposed to the outcome of classification, estimation deals with _____ valued outcome.

- A. Discrete
- B. Isolated
- C. Continuous**
- D. Distinct

Page 260

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:81

(Marks:1)

Vu-Topper RM

The _____ is only a small part in realizing the true business value buried within the mountain of data collected and stored within organizations business systems and operational databases.

A. Independence on technology

B. Dependence on technology

Page 320

C. None of these

Question No:82

(Marks:1)

Vu-Topper RM

_____, if too big and does not fit into memory, will be expensive when used to find a record by given key. An Inverted Index

A. A Sparse Index

B. A Dense Index

C. None of these

Question No:83

(Marks:1)

Vu-Topper RM

The goal of ideal parallel execution is to completely parallelize those parts of a computation that are not constrained by data dependencies. The smaller the portion of the program that must be executed _____, the greater the scalability of the computation.

A. In Parallel

B. Distributed

C. Sequentially

Page 204

D. None of these

Question No:84

(Marks:1)

Vu-Topper RM

A dense index, if fits into memory, costs only _____ disk I/O access to locate a record by given key.

A. One

Page 233

B. Two

C. Linear

D. Quadratic

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:85

(Marks:1)

Vu-Topper RM

Data mining uses _____ algorithms to discover patterns and regularities in data.

- A. Mathematical
- B. Computational
- C. Statistical**
- D. None of these

Page 251

Question No:86

(Marks:1)

Vu-Topper RM

There are many variants of the traditional nested-loop join. If the index is built as part of the query plan and subsequently dropped, it is called

- A. Naive nested-loop join
- B. Index nested-loop join
- C. Temporary index nested-loop join**
- D. None of these

Page 243

Question No:87

(Marks:1)

Vu-Topper RM

In contrast to data mining, statistics is _____ driven.

- A. Knowledge
- B. Database
- C. Discovery
- D. Assumption**

Page 255

Question No:88

(Marks:1)

Vu-Topper RM

_____ do not (typically) keep the index values in stored order.

- A. Dense index
- B. Sparse index
- C. B-Tree Index
- D. Hash based index.**

Question No:89

(Marks:1)

Vu-Topper RM

if every key in the data is represented in the index file then it is called

- A. Dense index**

Page 123

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

- B. Sparse index
- C. B-Tree Index
- D. Hash based index.

Question No:90

(Marks:1)

Vu-Topper RM

As the number of processors increase, the speedup should also increase. thus we should have linear speedup. Which of the following is NOT the one of the barriers to achieve this linear speed-up?

- A. Skew
- B. Start-up
- C. Amdahl Law
- D. No interference**

Question No:91

(Marks:1)

Vu-Topper RM

In context of nested-loop join, actual number of matching rows returned as a result of the join would be _____ of the order of tables

- A. Subset
- B. Superset
- C. Depended
- D. Independent.**

Question No:92

(Marks:1)

Vu-Topper RM

If resources increase in proportion to increase in data size. time is constant'. The statement refers to:

- A. Size-up
- B. Speed-up
- C. Scale-Up**
- D. Over-utilized system

Question No:93

(Marks:1)

Vu-Topper RM

The goal of _____ is to look at as few blocks as possible to find the matching records(s).

- A. Joining

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

B. Indexing

Page 222

C. Partitioning

D. None of above

Question No:94

(Marks:1)

Vu-Topper RM

Parallelism can exploited, if there is

A. All of the given options

B. Sufficient I/O bandwidth

C. Symmetric multi processors (SMP)

D. Underutilized or intermittently used CPUs

Question No:95

(Marks:1)

Vu-Topper RM

_____ lists each term in the collection only once and then shows a list of all the documents the contain the given term.

A. Join index

B. Cluster index

C. Bitmap index

D. Inverted index

Question No:96

(Marks:1)

Vu-Topper RM

“More resources means proportionally less time for given amount of data”. The statement refers to:

A. Size-up

B. Speed-up

C. Scale-Up

D. Over-utilized system

Question No:97

(Marks:1)

Vu-Topper RM

If every key in the data file is represented in the index file then index is

A. Dense Index

Page 223

B. Sparse Index

C. Inverted Index

D. None

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:98

(Marks:1)

Vu-Topper RM

Data mining evolve as a mechanism to cater the limitations of _____ systems to deal massive data sets with high dimensionality, new data types, multiple heterogeneous data resources etc.

A. OLTP

Page 254

B. OLAP

C. DSS

D. DWH

Question No:99

(Marks:1)

Vu-Topper RM

_____ if fits into memory, costs only one disk I/O access to locate a record by given key.

A. A Dense Index

Page 223

B. A Sparse Index

C. An Inverted Index

D. None of These

Question No:100

(Marks:1)

Vu-Topper RM

The goal of ideal parallel execution is to completely parallelize those parts of a computation that are not constrained by data dependencies.

The _____ the portion of the program that must be executed sequentially, the greater the scalability of the computation.

A. Larger

B. Smaller

Page 204

C. Superior

D. Unambiguous

Question No:101

(Marks:1)

Vu-Topper RM

Data mining is a/an _____ approach, where browsing through data using data mining techniques may reveal something that might be of interest to the user as information that was unknown previously.

A. Non-Exploratory

B. Exploratory

Page 249

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

- C. Compute Science
- D. None of these

Question No:102

(Marks:1)

Vu-Topper RM

In data mining, initially you _____ what you are looking for.

A. Know

B. Don't know

Page 250

C. May or may not know.

D. None of the given options

Question No:103

(Marks:1)

Vu-Topper RM

The optimizer uses a hash join to join two tables if they are joined using an equijoin and

A. Outer table has a smaller number of rows.

B. Inner table has a smaller number of rows.

C. Cardinality of tables is equal.

D. Large amount of data needs to be joined.

Question No:104

(Marks:1)

Vu-Topper RM

If we apply Run Length Encoding on the input "11001100", the output will be:

A. 41#40

B. 14#04

C. 12#02#12#02

D. 21#20#21#20

Question No:105

(Marks:1)

Vu-Topper RM

The goal of _____ is to look at as few block as possible to find the matching records.

A. Indexing

Page 222

B. ETL

C. Joining

D. Dimensional Modeling

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:106

(Marks:1)

Vu-Topper RM

A join is identified by multiple tables in the _____ clause.

- A. From**
- B. Select
- C. Sort by
- D. Group by

Question No:107

(Marks:1)

Vu-Topper RM

Identify the TRUE statement:

- A. The data value decreases as the volume decreases
- B. The data value is independent of data volume
- C. The data value increases as volume decreases**
- D. All of the given options

Question No:108

(Marks:1)

Vu-Topper RM

In context of requirement definition phase in Kimball's DWH development approach, activities like debriefing, documentation, and prioritization are considered to be the part of:

- A. Requirement preplanning
- B. Business requirements collection
- C. None of the given options
- D. Post collection**

Question No:109

(Marks:1)

Vu-Topper RM

During the development phase we should follow standards for:

- A. Libraries
- B. Naming conventions
- C. All of the given options**
- D. Calculation

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:110

(Marks:1)

Vu-Topper RM

“If resources increase in proportion to increase in data size, time is constant”. The statement refers to:

- A. Speed - Up
- B. Over - Utilized System
- C. Size - Up
- D. Scale - Up**

Question No:111

(Marks:1)

Vu-Topper RM

Most DWH implementations today do not use _____ enforced by the database, but as TQM methods improve overall data quality and database optimizers.

- A. Attribute domain**
- B. Referential Integrity
- C. Using Data Quality Rules
- D. Consistency integrity

Question No:112

(Marks:1)

Vu-Topper RM

If every key in the data file is represented in the index file then it is called -----.

- A. A Multi level Sparse Index
- B. Dense index**
- C. Sparse Index
- D. Inverted Index

Question No:113

(Marks:1)

Vu-Topper RM

A _____ index, if fits in the memory, costs only one disk I/O access to locate a record given a key.

- A. Sparse
- B. Dense**
- C. B-tree
- D. Hash

بري صحبت سے تہائی بہتر ہے اور تہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:114

(Marks:1)

Vu-Topper RM

The ___ operator is conservative in that it assigns to the dimension an aggregate value no higher than the value of its weakest data quality indicator.

- A. **Min**
- B. Max
- C. None of the given
- D. Min and Max

Visit My YouTube Channel
For Subjective and More
Important Files
Channel Name = #VuTopperRM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365