

PSY502 - Lesson 38+39+40

MODERN TRENDS IN PSYCHOLOGICAL TREATMENT

1 Why psychological treatments changed over time

Big idea

Psychological treatment **did not start as science**. It evolved.

Explanation

- In ancient times, philosophers like **Socrates** explained mental problems using **speculation** (guessing, thinking, philosophy).
- Later, psychology became a **scientific study of behavior and mind**.
- As psychology changed, **methods of treatment also changed**.

Key term

- **Speculation**: Thinking or guessing without scientific testing.

👉 Earlier: *"Mental illness is caused by spirits or fate."*

👉 Now: *"Mental illness has psychological, biological, and social causes."*

Different **schools of psychology** (psychoanalytic, behavioral, cognitive, humanistic) focused on **different causes**, so they developed **different treatments**.

2 Classification of mental disorders

Two broad categories of mental illness

◆ Neurosis (less severe)

- Person is in touch with reality

- Can function in daily life
- Examples:
 - Anxiety
 - Phobias
 - Mild depression
 - Obsessive thoughts

 **Neurosis:** A mild mental disorder where reality testing is intact.

◆ **Psychosis (more severe)**

- Loss of contact with reality
- Hallucinations and delusions
- Person may not realize they are ill

 **Psychosis:** A severe mental disorder involving distorted perception of reality.

Examples:

- Schizophrenia
 - Severe bipolar disorder
 - Severe depression with delusions
-

3 Manuals for diagnosing mental disorders

Psychologists worldwide use **standard manuals** so diagnosis is **uniform**.

ICD

- **International Classification of Diseases**
- Developed by **World Health Organization (WHO)**
- Used internationally

DSM

- **Diagnostic and Statistical Manual of Mental Disorders**

- Developed by **American Psychiatric Association (APA)**
- Very detailed, widely used in research

 These manuals:

- List all known mental disorders
 - Give symptoms and criteria
 - Help professionals diagnose correctly
-

Two main approaches to treatment

A) Psychological approaches

(No medicines)

- Treatment through:
 - Talking
 - Listening
 - Understanding emotions
 - Changing thoughts and behaviors

 **Psychotherapy:** Treatment of mental disorders using psychological methods rather than drugs.

B) Biological approaches

(Medicines + medical procedures)

- Used for **severe and chronic disorders**
 - Includes:
 - Drugs
 - ECT
 - Surgery (rare)
-



A) PSYCHOLOGICAL APPROACHES (IN DETAIL)

5 Types of psychological therapies

Psychological treatment includes:

1. Psychodynamic
2. Behavioral
3. Cognitive
4. Humanistic
5. Group & Family therapies

Let's explain **each one carefully**.

6 Psychodynamic methodologies

Core assumption

Mental problems are caused by unconscious conflicts and unresolved past experiences.

 **Unconscious:** Part of the mind that contains thoughts and memories we are not aware of but that influence behavior.

What therapists do

- Help patient:
 - Recall past experiences
 - Understand hidden motivations
 - Resolve inner conflicts

Sometimes:

- Patient **does not know** the cause

- Therapist helps uncover it
-

Important contributors

◆ Sigmund Freud

- Unconscious mind
- Repressed desires

◆ Alfred Adler

- **Inferiority feelings**
- **Inferiority complex**: Strong feelings of inadequacy developed due to physical, social, or psychological weakness

◆ Carl Jung

- **Collective unconscious**: Shared memories and symbols inherited by all humans

◆ Karen Horney

- **Neurotic needs**: Unhealthy emotional needs caused by anxiety (e.g., need for approval)

📌 Psychodynamic therapy evolved from **many thinkers**, not just Freud.

7 Behavioral approach

Core assumption

| Mental problems are learned behaviors, so they can be unlearned.

📌 Based on **conditioning**

Conditioning

- **Classical conditioning** (Pavlov): Learning by association
- **Operant conditioning** (Skinner): Learning through reward and punishment

Systematic Desensitization (Joseph Wolpe)

Definition

A technique to reduce fear by **gradual exposure** while staying relaxed.

Example

- Person fears snakes
- Step-by-step:
 1. Think about snake
 2. See picture of snake
 3. Watch snake from distance
 4. Get closer

Fear slowly disappears.

Cognitive therapy

Core assumption

| Mental problems are caused by faulty or irrational thinking.

 **Cognition:** Thoughts, beliefs, interpretations.

What happens in therapy

- Therapist identifies:
 - Negative thoughts
 - Irrational beliefs
- Replaces them with:
 - Rational
 - Logical
 - Positive thoughts

Example

Faulty thought:

| "I am useless."

Corrected thought:

| "I failed once, not always."

Albert Ellis – REBT

Rational Emotive Behavior Therapy

- Emotional problems come from **irrational beliefs**
 - Change belief → change emotion → change behavior
-

Lesson 39 Continued

9 Humanistic approach

Core assumption

| Humans have free will and self-healing potential.

Focuses on:

- Personal growth
 - Self-acceptance
 - Meaning in life
-

Carl Rogers – Client-Centered Therapy

- Therapist is a **guide**, not an authority
- Provides:
 - Empathy

- Unconditional positive regard
- Genuineness

📌 **Client-centered therapy:** Therapy where the client leads and therapist supports.

10 Group therapy

📌 **Group therapy:** Psychotherapy where one therapist works with a small group.

Benefits

- Cheaper
 - Emotional support
 - Learning from others
 - Feeling "I'm not alone"
-

Psychodrama (J. L. Moreno)

- Acting out problems through drama
 - Emotional release and insight
-

11 Family therapy

📌 Treats the **family as a system**, not just one person.

Family Systems Theory

- Family is one unit
- Problem of one member affects all

📌 Focus:

- Communication patterns
 - Roles
 - Relationships
-

Research findings

Success rates:

- Cognitive therapy: **95%**
 - Behavioral therapy: **85%**
 - Psychodynamic therapy: **80%**
-



B) BIOLOGICAL APPROACHES

Used for **severe disorders**

1 2 Drug therapy

Types of drugs

◆ Anti-psychotic drugs

- For psychosis
- Reduce hallucinations and delusions

◆ Anti-depressants

- Improve mood
- Reduce sadness

◆ Anti-anxiety drugs

- Reduce tension and fear
-

1 3 Electroconvulsive Therapy (ECT)

📌 Mild electric shock (70–150 volts)

Used for:

- Severe depression

- When drugs fail

⚠ Exact mechanism **not fully understood**

1 4 Psycho-surgery

📌 Surgical removal of brain tissue

- Very rare today
 - Last resort only
-

🚩 Lesson 40 – ANTI-PSYCHIATRY MOVEMENT

1 5 What is Anti-Psychiatry?

📌 A movement that **challenges mainstream psychiatry**

Criticisms:

- Overuse of drugs
 - Forced treatment
 - Labeling patients
 - Ties with pharmaceutical companies
 - Stigmatizing diagnosis
-

1 6 D. L. Rosenhan experiment

The experiment

- 8 normal people entered mental hospitals
- Pretended to hear voices
- Otherwise behaved normally

Findings

- Stayed ~19 days
- Diagnosed as mentally ill
- Normal behavior seen as symptoms

Conclusions

- Cannot clearly distinguish sane from insane
- Hospitals harm patients psychologically
- Environment is dehumanizing

📌 Re-admission rate: **80%**

17 R. D. Laing

- Influenced by **existential philosophy**
- Believed:
 - Mental illness is a reaction to life
 - Not a disease
- Against labeling

📌 **Metanoia**: Change of mind / transformation

Kingsley Hall

- Creative activities:
 - Art
 - Dance
 - Yoga
 - Discussions
-

18 Aaron Esterson

Focus: Family scapegoating

 **Scapegoating:** Blaming one family member for family problems.

- Showed families label one person as "mad"
- Person may actually be healthy

Treatment

- Make patient aware of labeling
 - Build resistance to future labeling
-

FINAL SUMMARY

Two treatments

- Psychological (talk)
- Biological (medicine)

Five psychological approaches

- Psychodynamic
- Behavioral
- Cognitive
- Humanistic
- Group / Family

Anti-psychiatry says

- Listen to patient
 - Reduce labeling
 - Improve human dignity
-

1. What are modern trends in psychological treatment?

Answer

Modern trends in psychological treatment refer to the contemporary methods used to diagnose and treat mental disorders based on scientific research and systematic observation. These methods have evolved as psychology shifted from philosophical speculation to an empirical science. Modern treatments recognize that mental disorders can have psychological, biological, and social causes. Therefore, treatment methods now include psychological approaches such as psychotherapy and biological approaches such as drug therapy. These trends emphasize evidence-based practice, humane treatment of patients, and standardized diagnostic systems.

Explanation

Earlier, mental illness was explained using philosophy or superstition. Today, psychology uses **science**, experiments, and clinical observation. Because causes of mental illness differ, **multiple treatments** are used instead of one method for all patients.

Example

Anxiety may be treated through therapy, while schizophrenia may require medication.

Tips

- Use the phrase *"shift from speculation to science"* in exams
 - Mention **both** psychological and biological approaches
-

2. What is meant by neurosis and psychosis?

Answer

Neurosis and psychosis are two broad categories of mental disorders used to describe the severity of mental illness. Neurosis refers to less severe mental disorders in which the individual remains in touch with reality and can perform daily activities, although with distress. Psychosis refers to more severe mental disorders characterized by loss of contact with reality, including hallucinations and delusions.

(Hallucination: seeing or hearing things that are not real; Delusion: false belief held strongly despite evidence)

Explanation

The difference is mainly about **severity and reality contact**. Neurotic patients know something is wrong; psychotic patients often do not.

Example

- Fear of heights → Neurosis
- Hearing voices and believing others control your thoughts → Psychosis

Tips

- Write: *"Neurosis = reality intact; Psychosis = reality disturbed"*
-

3. What are ICD and DSM?

Answer

ICD and DSM are standardized manuals used for the classification and diagnosis of mental disorders. The International Classification of Diseases (ICD) is developed by the World Health Organization (WHO) and is used worldwide. The Diagnostic and Statistical Manual of Mental Disorders (DSM) is developed by the American Psychiatric Association and is widely used in clinical and research settings. Both manuals provide criteria for diagnosing mental disorders to ensure consistency and accuracy.

Explanation

These manuals ensure that a disorder diagnosed in Pakistan or the USA follows the **same criteria**.

Example

A person diagnosed with depression using DSM will meet specific listed symptoms.

Tips

- Always write **WHO → ICD** and **APA → DSM**
-

4. What are psychological and biological approaches to treatment?

Answer

Psychological approaches to treatment involve non-medical methods such as psychotherapy, counseling, and behavior modification to treat mental disorders. These approaches focus on understanding thoughts, emotions, behaviors, and past experiences. Biological approaches involve medical treatment such as drug therapy, electroconvulsive therapy, and psychosurgery, and are usually applied to severe mental disorders.

Explanation

One approach talks to the mind; the other works on the brain.

Example

- Phobia → Therapy
- Schizophrenia → Medication + therapy

Tips

- Mention **severity** when comparing approaches
-

5. What is psychodynamic therapy?

Answer

Psychodynamic therapy is a psychological treatment approach based on the assumption that mental disorders arise from unconscious conflicts and unresolved past experiences. Therapists aim to uncover these unconscious thoughts and help patients understand and resolve internal conflicts that influence current behavior.

(Unconscious: part of the mind containing thoughts and memories not in awareness)

Explanation

Problems from childhood may influence adult behavior without the person realizing it.

Example

A person with unexplained anxiety later discovers unresolved childhood fear.

Tips

- Use keywords: *unconscious, past conflicts*
-

6. What is the behavioral approach to therapy?

Answer

The behavioral approach to therapy is based on the idea that abnormal behaviors are learned and can therefore be unlearned through conditioning techniques. This approach focuses on observable behavior rather than inner thoughts or emotions. Techniques such as systematic desensitization are used to eliminate maladaptive behaviors.

Explanation

If behavior is learned, it can be changed.

Example

Fear of dogs reduced through gradual exposure.

Tips

- Mention **conditioning** (learning by association)
-

7. What is systematic desensitization?

Answer

Systematic desensitization is a behavioral therapy technique developed by Joseph Wolpe to treat phobias and anxiety disorders. It involves gradually exposing the patient to the feared stimulus while teaching relaxation techniques, thereby reducing fear responses.

Explanation

Fear is reduced slowly, step by step.

Example

First imagining a snake, then seeing a picture, then real exposure.

Tips

- Write *"gradual exposure + relaxation"*
-

8. What is cognitive therapy?

Answer

Cognitive therapy is a psychological treatment approach based on the assumption that mental disorders are caused by faulty or irrational thinking patterns. The therapist helps the patient identify and replace negative thoughts with rational and positive ones, thereby improving emotional well-being.

(Cognition: thinking and belief system)

Explanation

Change thinking → change feelings → change behavior.

Example

"I am useless" → "I made a mistake, not my identity."

Tips

- Mention **Albert Ellis** or **REBT** if possible
-

9. What is humanistic therapy?

Answer

Humanistic therapy is a psychological approach that emphasizes personal growth, free will, and self-actualization. Humanistic therapists believe that individuals have the innate capacity to heal themselves and that therapy should provide guidance rather than direction. Client-centered therapy developed by Carl Rogers is a key example.

Explanation

Therapist supports; client leads.

Example

Client explores emotions freely in a non-judgmental environment.

Tips

- Use phrase *"therapist as guide"*
-

10. What is group therapy?

Answer

Group therapy is a form of psychotherapy in which a therapist works with a small group of individuals simultaneously. The aim is to help individuals solve personal problems through interaction, mutual support, and shared experiences.

Explanation

People learn from each other.

Example

Support groups for anxiety or addiction.

Tips

- Mention *"emotional support and cost-effective"*
-

11. What is family therapy?

Answer

Family therapy is a form of psychotherapy that treats the family as a single unit rather than focusing on one individual. It is based on family systems theory, which emphasizes relationships and communication patterns within the family.

Explanation

One person's problem affects the whole family.

Example

Child's behavior improves after improving family communication.

Tips

- Write *"family as unit of treatment"*
-

12. What are biological treatments for mental disorders?

Answer

Biological treatments involve the use of medical procedures to treat mental disorders, particularly severe and chronic conditions. These include drug therapy, electroconvulsive therapy (ECT), and psychosurgery.

Explanation

These methods act directly on the brain.

Example

Antipsychotic drugs for schizophrenia.

Tips

- Mention **severity** again
-

13. What is electroconvulsive therapy (ECT)?

Answer

Electroconvulsive therapy (ECT) is a biological treatment method in which controlled electric shocks are administered to the brain to relieve severe mental disorders such as major depression. Although its exact mechanism is not fully understood, it has been found effective in treatment-resistant cases.

Explanation

Used when other treatments fail.

Example

Severe depression not responding to medication.

Tips

- Write *"used as last option"*
-

14. What is the anti-psychiatry movement?

Answer

The anti-psychiatry movement is a critical approach that challenges the practices of mainstream psychiatry, particularly biological psychiatry. It criticizes the overuse of medication, forced treatment, labeling of patients, and the dehumanizing conditions of mental hospitals.

Explanation

It questions whether psychiatry helps or harms.

Example

Opposition to forced hospitalization.

Tips

- Mention *"human rights and dignity"*
-

15. What was Rosenhan's experiment and its significance?

Answer

Rosenhan's experiment involved healthy individuals posing as mental patients to test the reliability of psychiatric diagnosis. The study showed that normal individuals were diagnosed as mentally ill, highlighting flaws in diagnostic practices and the negative effects of mental hospital environments.

Explanation

It proved mislabeling in psychiatry.

Example

Normal behavior interpreted as symptoms.

Tips

- Write *"cannot distinguish sane from insane"*
-

16. What were R. D. Laing's views on mental illness?

Answer

R. D. Laing viewed mental illness as a meaningful response to life experiences rather than a medical disease. Influenced by existential philosophy, he opposed labeling and emphasized understanding the patient's subjective experience.

Explanation

He listened to the patient's reality.

Example

Schizophrenia seen from patient's perspective.

Tips

- Mention **Metanoia (change of mind)**
-

17. What is scapegoating according to Aaron Esterson?

Answer

Scapegoating is a process in which a family unconsciously selects one member to blame for family problems by labeling them as mentally ill. Aaron Esterson argued that such labeling could create or worsen mental illness.

Explanation

Family problems are projected onto one person.

Example

A healthy child labeled "mad" by family.v

Tips

- Write *"family labeling creates illness"*
-

1. Discuss the modern trends in psychological treatment.

Answer

Introduction

- Modern psychological treatment refers to **current methods used to treat mental disorders** based on scientific understanding of behavior and mental processes.
 - Treatment has evolved from **philosophical speculation** to **evidence-based scientific approaches**.
 - Mental disorders are now classified using **standard manuals** like ICD (WHO) and DSM (APA).
-

Classification of Mental Disorders

- **Less severe:** Neurosis
 - Symptoms: Anxiety, phobias, mild depression
 - Reality testing intact
- **More severe:** Psychosis
 - Symptoms: Hallucinations, delusions, severe impairment
 - Loss of contact with reality

Two Main Approaches to Treatment

Approach	Definition	Key Features	Example
Psychological	Non-medical therapy	Talking, listening, understanding, changing thoughts/behaviors	Cognitive therapy for anxiety
Biological	Medical therapy	Drugs, ECT, surgery	Antipsychotics for schizophrenia

Psychological Approaches

1. Psychodynamic Therapy

- Based on unconscious conflicts and unresolved past experiences
- Key contributors: Freud (unconscious), Adler (inferiority complex), Jung (collective unconscious), Horney (neurotic needs)

2. Behavioral Therapy

- Focuses on learned behaviors
- Key technique: **Systematic desensitization** (gradual exposure + relaxation)

3. Cognitive Therapy

- Focuses on faulty thinking patterns
- Goal: Replace irrational thoughts with rational ones
- Example: REBT (Albert Ellis)

4. Humanistic Therapy

- Emphasizes self-growth, free will, and potential
- Example: Client-Centered Therapy (Carl Rogers)

5. Group and Family Therapy

- Group therapy: Patients share problems in a supportive group
 - Family therapy: Treats family as a unit (Family Systems Theory)
-

Biological Approaches

1. Drug Therapy

- Anti-psychotics, antidepressants, anti-anxiety drugs

2. Electroconvulsive Therapy (ECT)

- Mild shocks to the brain for severe depression

3. Psycho-surgery

- Rarely used; surgically removing part of the brain
-

Conclusion

- Modern treatments combine psychological and biological methods
 - Choice depends on **severity, patient's condition, and evidence-based effectiveness**
 - Ethical and humane care is emphasized
-

Explanation in Plain English

- Psychological treatments focus on **talking and thinking**. Biological treatments focus on the **brain and medicine**.
- Think of it like two sides: **mind vs. brain**. Some problems need one side, some need both.
- Group therapy helps people **learn from others**, while family therapy helps **fix family interactions**.

- Always remember: **Neurosis = mild, psychosis = severe.**
-

2. Explain psychological approaches to mental disorders with examples.

Answer

Introduction

- Psychological approaches aim to **treat mental disorders without medicine.**
 - Focus is on **understanding and changing thoughts, emotions, and behaviors.**
-

1. Psychodynamic Approaches

- **Assumption:** Problems arise from **unconscious conflicts and past experiences**
- **Techniques:** Free association, dream analysis, uncovering unresolved childhood issues
- **Famous psychologists:**
 - Freud → unconscious motives
 - Adler → inferiority complex
 - Jung → collective unconscious
 - Horney → neurotic needs

Example: A person with anxiety discovers it stems from a childhood fear of parental disapproval.

2. Behavioral Approaches

- **Assumption:** Mental disorders are **learned behaviors**
- **Techniques:**
 - Systematic desensitization

- Behavior modification
 - **Example:** Gradual exposure to snakes to overcome phobia
-

3. Cognitive Approaches

- **Assumption:** Mental disorders are caused by **faulty thinking**
 - **Techniques:** Cognitive restructuring, REBT
 - **Example:** Patient believes "I'm worthless" → Therapist helps change to "I can succeed with effort"
-

4. Humanistic Approaches

- **Assumption:** Humans have **self-healing potential**
 - **Techniques:** Client-centered therapy, guided self-discovery
 - **Example:** Therapist helps client explore personal strengths and goals
-

5. Group and Family Therapies

- **Group Therapy:** Emotional support + shared learning
 - **Family Therapy:** Family as a unit; addresses relationships & communication
 - **Example:** Family therapy for adolescent behavioral issues
-

Explanation in Plain English

- Think of therapies like tools in a toolbox:
 - **Psychodynamic:** Dig into past
 - **Behavioral:** Re-train habits
 - **Cognitive:** Fix thinking errors
 - **Humanistic:** Empower growth
 - **Group/Family:** Learn in social settings
 - Each has a **different goal**, but all help reduce mental distress.
-

3. Describe biological approaches to mental disorders.

Answer

Introduction

- Biological approaches treat **severe mental disorders** using medical procedures targeting the brain.
 - Used when disorders are **chronic or life-disrupting**.
-

1. Drug Therapy

- Types of drugs:
 - Anti-psychotic → Treat psychosis
 - Anti-depressant → Improve mood
 - Anti-anxiety → Reduce tension
 - **Example:** Schizophrenia treated with risperidone
-

2. Electroconvulsive Therapy (ECT)

- **Definition:** Mild electrical shocks administered to the brain
 - **Purpose:** Treat severe depression, treatment-resistant cases
 - **Voltage:** 70–150 volts
 - **Example:** Patient with suicidal depression
-

3. Psycho-surgery

- **Definition:** Surgical removal of brain tissue
 - **Use:** Very rare, last resort
 - **Example:** Severe epilepsy with psychotic symptoms
-

Explanation in Plain English

- Biological treatments are like **medical interventions**.
 - If mind therapy is not enough, doctors use **drugs or brain-focused treatments**.
 - Think: **Psychological** = talk therapy, **Biological** = medicine/shocks/surgery.
-

4. Explain the Anti-Psychiatry movement and its major contributors.

Answer

Introduction

- Anti-Psychiatry is a movement challenging **mainstream psychiatry**, especially **biological and hospital-based approaches**.
 - Criticisms include:
 - Over-medication
 - Forced treatment
 - Stigmatizing labels
 - Dehumanizing hospital practices
-

1. D. L. Rosenhan

- **Experiment:** Normal people posed as patients
 - **Result:** Diagnosed as mentally ill; stayed 19 days
 - **Significance:** Hospital labels can distort reality; patient treatment often dehumanizing
-

2. R. D. Laing

- **View:** Mental illness is a **reaction to life**, not a disease

- **Concept: Metanoia** (mind transformation)
 - **Method:** Creative therapies (art, dance, discussion) at Kingsley Hall
-

3. Aaron Esterson

- **Focus:** Family scapegoating
 - **Concept:** Families label one member “mad,” worsening mental health
 - **Treatment:** Educate patient about labeling and family dynamics
-

Explanation in Plain English

- Anti-psychiatry says: **Listen to patients, avoid harmful labels, focus on dignity.**
 - Example: A person called “mad” may only have **stressful family dynamics**, not illness.
 - Rosenhan → “Labels can harm”
 - Laing → “Understand patient’s experience”
 - Esterson → “Family dynamics can create perceived illness”
-

5. Compare psychological and biological approaches

Feature	Psychological Approach	Biological Approach
Main focus	Mind, thoughts, emotions	Brain, biology
Methods	Therapy, counseling, behavior modification	Drugs, ECT, surgery
Disorders treated	Less severe, neurosis	Severe, psychosis
Goal	Insight, coping, behavioral change	Symptom reduction, brain functioning
Examples	Cognitive therapy, family therapy	Antipsychotics, ECT

Explanation

- Psychological = **mind-based treatment**, focuses on **talking and thinking**
 - Biological = **brain-based treatment**, focuses on **medical intervention**
 - Sometimes **both approaches are combined** for better results.
-

1 True/False MCQs

1. **Neurosis is a severe mental disorder in which the patient loses touch with reality.**
 - **Answer:** False
 - **Explanation:** Neurosis is **less severe**; reality is intact. Psychosis is severe with loss of reality.
1. **Cognitive therapy focuses on changing a patient's faulty thoughts to improve mental health.**
 - **Answer:** True
 - **Explanation:** Cognitive therapy targets **irrational or negative thinking** patterns.
1. **Electroconvulsive therapy (ECT) is a first-line treatment for mild anxiety disorders.**
 - **Answer:** False
 - **Explanation:** ECT is used for **severe, treatment-resistant disorders**, not mild cases.
1. **Psychodynamic therapy assumes that unconscious conflicts and past experiences cause mental disorders.**
 - **Answer:** True
1. **Family therapy treats only the patient and not the family.**
 - **Answer:** False
 - **Explanation:** Family therapy **treats the family as a unit**, focusing on communication and relationships.

2 Conceptual MCQs

1. Which of the following is NOT a psychological approach to therapy?

- a) Cognitive Therapy
- b) Psychodynamic Therapy
- c) Electroconvulsive Therapy
- d) Humanistic Therapy

- **Answer:** c) Electroconvulsive Therapy

- **Explanation:** ECT is a **biological approach**, not psychological.

1. Which psychologist is associated with Rational Emotive Behavior Therapy (REBT)?

- a) Sigmund Freud
- b) Albert Ellis
- c) Carl Rogers
- d) Joseph Wolpe

- **Answer:** b) Albert Ellis

- **Explanation:** REBT is a **cognitive therapy technique** developed by Ellis.

1. Collective unconscious is a concept introduced by:

- a) Freud
- b) Jung
- c) Adler
- d) Horney

- **Answer:** b) Jung

- **Explanation:** Collective unconscious = shared inherited memories and symbols.

1. Systematic desensitization is mainly used to:

- a) Treat psychosis
 - b) Reduce phobias and anxiety
 - c) Improve memory
 - d) Treat depression
 - **Answer:** b) Reduce phobias and anxiety
 - **Explanation:** It uses **gradual exposure + relaxation** to remove fear.
 - 1. **Which of the following statements about anti-psychiatry is correct?**
 - a) It supports forced hospitalization.
 - b) It emphasizes listening to patient's experience.
 - c) It promotes over-medication.
 - d) It relies solely on drugs for treatment.
 - **Answer:** b) It emphasizes listening to patient's experience
 - **Explanation:** Anti-psychiatry **challenges mainstream methods**, focusing on human dignity.
-

3 Situational/Applied MCQs

1. **A patient believes they are worthless and cannot succeed. The therapist helps them replace this thought with rational thinking. Which therapy is being used?**
 - a) Behavioral Therapy
 - b) Cognitive Therapy
 - c) Psychodynamic Therapy
 - d) Humanistic Therapy
- **Answer:** b) Cognitive Therapy
- **Explanation:** Cognitive therapy focuses on **changing faulty thoughts**.
1. **A patient is terrified of snakes. The therapist first asks the patient to imagine a snake, then shows a picture, and gradually brings a real snake.**

Which therapy technique is this?

- a) Systematic Desensitization
- b) Client-Centered Therapy
- c) Electroconvulsive Therapy
- d) Metanoia

- **Answer:** a) Systematic Desensitization

- **Explanation:** Gradual exposure reduces fear step by step.

1. **A family brings their child for therapy because they think the child is “mad,” but the therapist discovers the labeling and communication in the family is the real issue. This is an example of:**

- a) Behavioral Therapy
- b) Cognitive Therapy
- c) Family Therapy / Scapegoating approach
- d) Psychodynamic Therapy

- **Answer:** c) Family Therapy / Scapegoating approach

- **Explanation:** Aaron Esterson highlighted **family labeling (scapegoating)** as a cause.

1. **A patient with severe depression, unresponsive to drugs, receives controlled mild electrical shocks. This is an example of:**

- a) Psychodynamic Therapy
- b) Electroconvulsive Therapy (ECT)
- c) Humanistic Therapy
- d) Systematic Desensitization

- **Answer:** b) Electroconvulsive Therapy (ECT)

- **Explanation:** ECT is used for **severe, treatment-resistant depression**.

1. **During a mental hospital study, normal individuals were misdiagnosed as mentally ill due to hospital rules and environment. This experiment was conducted by:**

- a) R. D. Laing
 - b) Aaron Esterson
 - c) D. L. Rosenhan
 - d) Carl Rogers
- **Answer:** c) D. L. Rosenhan
 - **Explanation:** The **Rosenhan experiment** showed mislabeling and hospital inadequacy.
-

4 Mixed Conceptual MCQs

1. Which of the following is a correct pairing of therapy and its focus?

Therapy	Focus
a) Psychodynamic	Behavior modification
b) Cognitive	Faulty thinking patterns
c) Behavioral	Self-actualization
d) Humanistic	Phobia reduction

- **Answer:** b) Cognitive → Faulty thinking patterns
- **Explanation:** Only **cognitive therapy** directly addresses thinking patterns. Others are mismatched.

1. Which therapy considers the family as a unit of treatment?

- a) Cognitive Therapy
- b) Psychodynamic Therapy
- c) Family Therapy
- d) Systematic Desensitization

- **Answer:** c) Family Therapy
- **Explanation:** Focus is on relationships and communication patterns.

1. R. D. Laing suggested that mental illness is primarily:

- a) A chemical imbalance in the brain
- b) A division in the self due to life experiences
- c) A result of faulty conditioning
- d) A phobia

- **Answer:** b) A division in the self due to life experiences
- **Explanation:** Laing's existential perspective emphasizes **patient's lived experience**.

1. **Which of the following best explains why biological approaches are preferred for psychosis?**

- a) Psychosis arises due to faulty thinking
- b) Psychosis is mild and temporary
- c) Psychosis involves severe brain dysfunction that may not respond to psychotherapy alone
- d) Psychosis can always be treated with talking only

- **Answer:** c) Psychosis involves severe brain dysfunction that may not respond to psychotherapy alone
- **Explanation:** Severe disorders often require **drugs or ECT** in addition to therapy.

1. **A patient shows improvement in social anxiety by participating in group sessions where they share experiences and support each other. Which statement is correct?**

- a) Group therapy provides insight, emotional support, and cost-effectiveness
- b) Group therapy is only about acting out dramas
- c) Family therapy cannot be done in groups
- d) Group therapy is a biological method

- **Answer:** a) Group therapy provides insight, emotional support, and cost-effectiveness
- **Explanation:** Group therapy has multiple benefits beyond acting; it's **psychological**, not biological.

Cheat Sheet: Modern Trends in Psychological Treatment & Anti-Psychiatry

1 Key Terms & Definitions

Term	Definition (Plain English)	Small Example	Memory Hook / Tip
Neurosis	Mild mental disorder; reality intact	Anxiety, phobias	"Neuro = near normal"
Psychosis	Severe disorder; loss of reality	Schizophrenia, hallucinations	"Psycho = severe problem"
ICD	International Classification of Diseases; WHO manual for diagnosis	Depression, OCD listed	"I = International"
DSM	Diagnostic and Statistical Manual; APA manual	Schizophrenia criteria	"D = Detailed manual"
Psychotherapy	Treating mental disorders through talk/behavior, no medicine	Cognitive therapy for anxiety	"Therapy = talk"
Cognition	Thinking patterns and beliefs	"I am worthless" → changed	Think → feel → act
Unconscious	Part of mind we are unaware of	Repressed childhood fear	Hidden mind
Systematic Desensitization	Gradual exposure to fears while relaxed	Snake phobia therapy	Step by step fear removal
Client-Centered Therapy	Humanistic therapy; therapist is guide	Explore personal goals	Rogers = guide, not authority
Group Therapy	Therapy in small groups	Anxiety support groups	Many share, many learn
Family Therapy	Treats family as unit	Improve parent-child communication	Family = one treatment unit

Term	Definition (Plain English)	Small Example	Memory Hook / Tip
Electroconvulsive Therapy (ECT)	Controlled shocks to brain for severe depression	Resistant depression	<i>Shock = brain reset</i>
Psycho-surgery	Surgical removal of part of brain	Rare, last resort	<i>Cutting brain tissue</i>
Anti-Psychiatry	Criticism of mainstream psychiatry	Rosenhan experiment	<i>Listen first, label later</i>
Scapegoating	Blaming one family member for family problems	Healthy child labeled "mad"	<i>Blame one = scapegoat</i>
Metanoia	Change in mind; self-transformation	Arts, discussion therapy	<i>Mental makeover</i>

2 Therapies and Focus Table

Therapy Type	Focus / Assumption	Techniques	Key Psychologist	Example
Psychodynamic	Unconscious conflicts cause problems	Dream analysis, free association	Freud, Adler, Jung, Horney	Anxiety linked to childhood fear
Behavioral	Disorders are learned behaviors	Systematic desensitization, conditioning	Joseph Wolpe	Snake phobia gradually removed
Cognitive	Faulty thinking causes disorders	Cognitive restructuring, REBT	Albert Ellis	"I can't succeed" → "I can improve"
Humanistic	Self-healing potential, personal growth	Client-centered therapy, guidance	Carl Rogers	Explore personal goals
Group Therapy	Social learning & support	Discussion, psychodrama	J. L. Moreno	Anxiety group session
Family Therapy	Family as unit, focus on	Behavioral/family systems	Aaron Esterson	Parent-child conflict

Therapy Type	Focus / Assumption	Techniques	Key Psychologist	Example
	communication	techniques		resolution
Biological Therapy	Brain/chemical imbalance	Drugs, ECT, surgery	Psychiatrists	Schizophrenia treated with antipsychotics

3 Comparison: Psychological vs Biological Approaches

Feature	Psychological	Biological
Focus	Mind, thoughts, emotions	Brain, chemistry
Methods	Therapy, counseling, behavior change	Drugs, ECT, surgery
Severity	Mild/moderate (neurosis)	Severe (psychosis)
Goal	Insight, coping, behavior change	Symptom control, brain function
Example	Cognitive therapy, group therapy	Antipsychotics, ECT

4 Anti-Psychiatry Movement Key Points

Contributor	Contribution / Idea	Example
D. L. Rosenhan	Hospital misdiagnosis experiment; labeling harms patients	Normal people diagnosed as schizophrenic
R. D. Laing	Mental illness = life response, not disease; focus on patient experience	Metanoia therapy, Kingsley Hall
Aaron Esterson	Family scapegoating leads to "madness"	Healthy child labeled "mad" by family

Mnemonic to remember contributors:

"R-L-E = Rosenhan, Laing, Esterson" → Think *"Real-Life Ethics"* (focus on human dignity)

5 Therapy Mnemonics & Memory Hooks

- **5 Psychological Approaches: P-B-C-H-G**

- **P**sychoanalytic
- **B**ehavioral
- **C**ognitive
- **H**umanistic
- **G**roup/Family

Mnemonic: "Please Bring Calm Happy Goals"

- **Cognitive Therapy Sequence: Think → Feel → Act**
- **Neurosis vs Psychosis:**
 - *Neuro = Near normal (reality intact)*
 - *Psycho = Severe (lost reality)*
- **Rosenhan experiment key:** "Normal people labeled insane" → *labels can harm*
- **Metanoia (Laing):** *Mental makeover through arts/discussion*

6 Quick Example Scenarios for Exams

Scenario	Likely Therapy / Treatment
Fear of dogs	Behavioral therapy → systematic desensitization
Feeling worthless	Cognitive therapy → change thought patterns
Severe schizophrenia	Biological therapy → antipsychotics + therapy
Family conflict causing stress	Family therapy → improve communication
Patient exploring self-growth	Humanistic therapy → client-centered