6:43 4G 36%
vulms.vu.edu.pk/Quiz/

uestion # 4 of 10 (Start time: 06:43:07 AM, 11 August 2022) Tot

While solving an LP problem by the Simplex method, in the standard table, the element at the intersection of key column and key row i
---------- element.

elect the correct option

- Leaving
- Pivot
- Slack
- Entering

Click to Save Answer & Move to Next Qu

MC210400797: RAGLA URooJ

Time Left 82 sec(s)

MTH601 - Operations Research (Quiz No 2)

Quiz Start Time: 08:00 AM, 11 August 2022

Question # 1 of 10 (Start time: 08:00:00 AM, 11 August 2022)

Total Marks: 1

If Primal Problem is a maximization problem, then the dual will be --------

Select the correct option

- minimization Problem
- mixed Problem
- maximization Problem
- none of the above

Click to Save Answer & Move to Next Question


vulms.vu.edu.pk

Question # 7 of 10 (Start time: 08:17:53 AM, 11 August 2022) **Total M**

In Simplex Standard table to solve an LP problem, if the ratio by taking the RHS of each row and dividing by the corresponding element of t key column is {2/3,5,2/3,-1/2}, then which of the following variable will be leaving?

Select the correct option

- Variable corresponding to '-1/2'
- Variable corresponding to '2/3' (a Tie case)
- Variable corresponding to '(2/3)+(2/3)=4/3'
- Variable corresponding to '5'



BC190405179: MUHAMMAD ABDULLAH

Time Left 85 sec(s

MTH601 - Operations Research (Quiz No 2)

Quiz Start Time: 08:55 AM, 11 August 20

Question # 8 of 10 (Start time: 09:01:39 AM, 11 August 2022)

Total Mark

After converting constraints into the respective Standard equalities, we have an LP problem of '4' equations in '6' variables, if the initial basic feasible solution is say;(2,4,0,2), then it is ---------- solution.

Select the correct option

- non-degenerate infeasible
- degenerate infeasible
- degenerate feasible
- non-degenerate feasible

Click to Save Answer & Move to Next Question

MTH601 - Operations Research (Quiz No 2)

Question # 2 of 10 (Start time: 08:08:32 AM, 11 August 2022)

After converting constraints into the respective Standard equalities, we have an LP pro
feasible solution is say;(2,4,1,2), then its corresponding non-basic solution is---------

Select the correct option

- (2,2)
- (0,0)
- (-4,-2)
- (1,2)

estion # 1 of 10 (Start time: 09:25:16 AM, 11 August 2022)

If the original Linear Programming problem has no Feasible Solution, then either the Big-M method or Phase-I of the Two-Phase method will give a final solution that has at least one artificial variable _____.

lect the correct option

○	equal to zero
○	greater than zero
○	of any arbitrary value
○	less than zero



If Dual has a finite optimal solution, then the primal will------.

Select the correct option

○	none of the above
○	not have a solution
○	have also finite optimal solution
○	have only basic feasible solution

MTH601 - Operations Research (Quiz No 2)

Question # 3 of 10 (Start time: 09:26:37 AM, 11 August 2022)

Dual of a Dual of Dual is------.

Select the correct option

- Primal
- Double dual
- Dual
- Single dual

9:10 19.1 K/s

Quiz
vulms.vu.edu.pk

MC210200493: SUDHEER AHMED

Time Left 89 sec(s)

MTH601 - Operations Research (Quiz No 2)

Quiz Start Time: 09:09 AM, 11 August 2022

Question # 4 of 10 (Start time: 09:10:47 AM, 11 August 2022)

Total Marks: 1

For finding the maximum profit in an enterprise of selling two products such that 'freezing' the sale of one product and keep selling the other. This scenario is studied under ----------.

Select the correct option

- Degeneracy
- Un-boundedness
- Duality
- Artificial variable technique

Click to Save Answer & Move to Next Question

8:59 90%
vulms.vu.edu.pk/Quiz/

BC190405179: MUHAMMAD ABDULLAH

MTH601 - Operations Research (Quiz No 2)

Question # 5 of 10 (Start time: 08:59:47 AM, 11 August 2022)

If the primal has an unbounded solution, then the dual has------

Select the correct option

- ○ bounded solution
- ○ infeasible solution ✓
- ○ no solution
- ○ optimal solution

8:58 90%
vulms.vu.edu.pk/Quiz/

BC190405179: MUHAMMAD ABDULLAH

Time Left 89 sec(s)

MTH601 - Operations Research (Quiz No 2)

Quiz Start Time: 08:55 AM, 11 August 2022

Question # 4 of 10 (Start time: 08:58:36 AM, 11 August 2022)

Total Marks: 1

After converting constraints into the respective Standard equalities, we have an LP problem of '4' equations in '6' variables. If the initial basic feasible solution is say;(2,4,1,2), then it is ---------- solution.

Select the correct option

- degenerate infeasible
- non-degenerate infeasible
- non-degenerate feasible
- degenerate feasible

Click to Save Answer & Move to Next Question

6:45 4G 36%
vulms.vu.edu.pk/Quiz/

Dual of a Dual is ------

elect the correct option

- (Dual)^2
- Dual
- Primal-dual
- Primal



Click to Save

8:30

Quiz
vulms.vu.edu.pk

MC210400427: SEHRISH ZAIB

Time Left 86 sec(s)

MTH601 - Operations Research (Quiz No 2)

Quiz Start Time: 08:23 AM, 11 August 2022

Question # 8 of 10 (Start time: 08:30:03 AM, 11 August 2022)

Total Marks: 1

In Simplex standard table to solve an LP problem of Maximization, we choose the candidate for entering variable in--------.

Select the correct option

- Constraint with most negative coefficient
- Objective function with most positive coefficient
- Objective function with most negative coefficient
- Constraint with most positive coefficient

Click to Save Answer & Move to Next Question

By Simplex method, to maximize 'Z = 2x−9y' of an LP problem, if 'z=0' for the initial iteration then for its next improved solution, which of the following would be the next entering variable?

Select the correct option

- ○ x<0
- ○ y<0
- ○ y>0
- ◉ x>0

The positive slack variables indicate ----------.

Select the correct option

○	nil resources
○	excess resource available
○	idle(waste) resource
◉	shortage of resources

The number of variables in the Primal will be the number of -------- in Dual and vice versa.

Select the correct option

- constraints
- slacks
- artificial variables
- variables also

Primal of a dual is-----.


Select the correct option

○	Prime primal
○	Dual
○	Primal
◉	Prime dual

Click to Save Answer & Move to Next Question

If the decision variables in primal problem are nonnegative then decision variables in dual are negative.

Select the correct option

- False 
- True


Gmail
YouTube
Maps
In Big M-method, if the objective function is expressed in terms of non-basic variable then the coefficient of artificial variable in this iteration must be --------.
Select the correct option
-M
one
M
zero


Gmail
YouTube
Maps
MTH601 - Operations Research (Quiz No 2)
Quiz Start Time: 05
Question # 8 of 10 (Start time: 05:43:26 AM, 10 August 2022)
If "$Max\ Z = x - y$ subject to $x > 3, x < 2, x, y > 0$" is solved by two phase method, then which of the following would be the objective function of Ist phase?
Select the correct option
Min $Z = A$
Max $Z = x - y + 0s_1 + 0s_2 + MA$
Max $Z = A$
Min $Z = x - y + 0s_1 + 0s_2 + MA$


Gmail YouTube Maps

Question # 5 of 10 (Start time: 05:41:38 AM, 10 August 2022)

The cost coefficient of artificial variable in Objective function is ----------.

Select the correct option

- 0
- M
- > than 1
- 1



MC200201291: MUHAMMAD RIZWAN

Time Left 85 sec(s)

MTH601 - Operations Research (Quiz No 2)

Quiz Start Time: 10:40 PM, 10 August 202

Question # 10 of 10 (Start time: 10:48:03 PM, 10 August 2022)

Total Marks

If an LP problem contains large number of constraints and a smaller number of variables then which of the following will reduce the computational burden in finding its solution?

Select the correct option

- Duality principle
- Graphical method
- M-method
- Two phase method

Click to Save Answer & Move to Next Question

6:48 4G 35%
vulms.vu.edu.pk/Quiz/

MTH601 - Operations Research (Quiz No 2) Quiz Start Time: 06:39 AM, 11 August 20

Question # 10 of 10 (Start time: 06:48:13 AM, 11 August 2022) Total Mark

After converting constraints into the respective Standard equalities, we have an LP problem of '4' equations in '6' variables. If the initial basic feasible solution is say;(2,4,12), then it is ---------- solution.

Select the correct option

- non-degenerate infeasible
- degenerate feasible
- non-degenerate feasible
- degenerate infeasible

Click to Save Answer & Move to Next Question

MC210400797: RAGLA URooJ

Time Left 82 sec(s)

MTH601 - Operations Research (Quiz No 2)

Quiz Start Time: 08:00 AM, 11 August 2022

Question # 1 of 10 (Start time: 08:00:00 AM, 11 August 2022)

Total Marks: 1

If Primal Problem is a maximization problem, then the dual will be ---------

Select the correct option

- minimization Problem
- mixed Problem
- maximization Problem
- none of the above

Click to Save Answer & Move to Next Question

MTH601 - Operations Research (Quiz No 2) Quiz Start Time: 08:00 AM, 11 August 2022

Question # 2 of 10 (Start time: 08:01:07 AM, 11 August 2022) Total Marks: 1

Graphically, in case of optimal degenerate solution,feasible solution always exists at corner points ----------.

Select the correct option

- except at both axes
- lie on any axis

Click to Save Answer & Move to Next Question

For finding the maximum profit in an enterprise of selling two products such that 'freezing' the sale of one product and keep selling the other. This scenario is studied under ----------.

Select the correct option



○	Duality
○	Un-boundedness
○	Degeneracy
○	Artificial variable technique

9:14 20.2 K/s

Quiz
vulms.vu.edu.pk

MC210200493: SUDHEER AHMED

Time Left 89 sec(s)

MTH601 - Operations Research (Quiz No 2)

Quiz Start Time: 09:09 AM, 11 August 2022

Question # 9 of 10 (Start time: 09:13:57 AM, 11 August 2022)

Total Marks: 1

"Minimizing:Z = 2x-3y+5t" is equivalent to-------

Select the correct option

- Maximizing:Z* = 2x-3y+5t
- Minimizing:Z* = -2x+3y-5t
- Maximizing:Z* = -2x+3y-5t
- Minimizing:Z* = -2x-3y-5t

Click to Save Answer & Move to Next Question

MTH601 - Operations Research (Quiz No 2) Quiz Start Time: 09:33 AM, 11 August 2022

Question # 6 of 10 (Start time: 09:37:04 AM, 11 August 2022) Total Marks: 1

If Primal Problem is a maximization problem, then the dual will be ---------

Select the correct option

- none of the above
- mixed Problem
- maximization Problem
- minimization Problem

Click to Save Answer & Move to Next Question

Question # 5 of 10 (Start time: 09:20:16 AM, 11 August 2022)

Total Marks: 1

By Simplex method, to minimize 'Z = 2x+9y' of an LP problem, if 'z=A>0' for the initial iteration then for its next improved solution(0<A<100), which of the following would be the next entering variable?

Select the correct option

- y<0
- x<0
- y>0
- x>0

Activate Windows
Go to Settings to activate Windows.

Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=4ad3fb6e-1504-4cba-a224-b3f14ca0ef29

Gmail YouTube Maps

MTH601 – Operations Research (Quiz No 2)

Quiz Start Time: 05:38 AM, 10 August 2022

Question # 8 of 10 (Start time: 05:43:26 AM, 10 August 2022)

Total Marks: 1

If "$Max\ Z = x - y$ subject to $x > 3, x < 2, x, y > 0$" is solved by two phase method, then which of the following would be the objective function of 1st phase?

Select the correct option

Reload Math Equations

- Min $Z = A$
- Max $Z = x - y + 0s_1 + 0s_2 + MA$
- Max $Z = A$
- Min $Z = x - y + 0s_1 + 0s_2 + MA$

Click to Save Answer & Move to Next Question