STAT408:Quiz 2

Quiz Start Time: 12:55 PM, 20 June 202

Question # 3 of 5 (Start time: 12:56:15 PM, 20 June 2022)

Total Marks:

In a Latin Square design, the randomization is restricted in

Select the correct option

- ● One direction
- ○ Two directions
- ○ No restriction
- ○ Three directions

STAT408:Quiz 2

Quiz Start Time: 12:55 PM, 20 June 202

Question # 3 of 5 (Start time: 12:56:15 PM, 20 June 2022)

Total Marks:

In a Latin Square design, the randomization is restricted in


Select the correct option


- One direction
- Two directions
- No restriction
- Three directions

To find the possible Latin squares of "k x k" Latin Square design, we use the formula

Select the correct option

- $2k!\ (k-1)!$
- $k!\ (k-2)!$
- $k!\ (k-1)!$ ✓
- $k!\ (2k-1)!$


Quiz List
Quiz
Not secure
https://quiz.vu.edu.pk/QuizQuestion.aspx?ver=6a237a8e-155c-4843-be8f-5af9d3ce8b92
Gmail
YouTube
Maps
BC190409174: ASIF IQBAL
STAT408:Quiz 2
Quiz Start Time: 06:40 AM, 18 June 2022
Question # 1 of 5 (Start time: 06:40:52 AM, 18 June 2022)
Total Marks: 1
In a "k x k" Latin Square design, the degrees of freedom for error is
Select the correct option
(k-1)(k-2)
(k-1)
k(k-1)(k-2)
(k-2)


Quiz List
Quiz
Not secure
https://quiz.vu.edu.pk/QuizQuestion.aspx?ver=6a237a8e-155c-4843-be8f-5af9d3ce8b92
Gmail
YouTube
Maps
BC190409174: ASIF IQBAL
STAT408:Quiz 2
Quiz Start Time: 06:40 AM, 18 June 2022
Question # 1 of 5 (Start time: 06:40:52 AM, 18 June 2022)
Total Marks: 1
In a "k x k" Latin Square design, the degrees of freedom for error is
Select the correct option
(k-1)(k-2)
(k-1)
k(k-1)(k-2)
(k-2)

Not secure | https://quiz.vu.edu.pk/QuizQuestion.aspx?ver=1a966796-0b1c-45dd-8067-0ebd0842ee85

Gmail YouTube Maps

BC190409174: ASIF IQBAL

Time Left 74 Sec(s)

STAT408:Quiz 2

Quiz Start Time: 06:40 AM, 18 June 2022

Question of 5 (Start time: 06:44:02 AM, 18 June 2022) Total Marks: 1

In a 5 x 5 Latin Square design, if the sum of squares for rows and columns is 16 and 12 respectively then the value of mean square columns is

Select the correct option

- 4.0
- 3.0
- 3.2
- 2.4

STAT408: Quiz 1

Subscribe

Question # 1 of 10

SOLVED BY: WAQAR HUSSAIN

In a 5×5 Latin Square design, if the sum of squares for rows and columns is 16 and 12 respectively then the value of mean square columns is

Select

$$Mean\ Square = \frac{Sum\ of\ Square\ of\ Column}{Degree\ of\ Freedom\ of\ Column}$$

$$s_c^2 = \frac{C_{yy}}{k-1}$$

$$s_c^2 = \frac{12}{5-1}$$

$$s_c^2 = \frac{12}{4}$$

$$s_c^2 = 3$$

STAT408: Quiz 1

Subscribe

Question # 1 of 10

SOLVED BY: WAQAR HUSSAIN

In a 5×5 Latin Square design, if the sum of squares for rows and columns is 16 and 12 respectively then the value of mean square columns is

Select the correct option

- 2.4
- 3.0
- 3.2
- 4.0

(Lecture No.5)

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT408: Quiz 1

Subscribe

Question # 2 of 10

SOLVED BY: WAQAR HUSSAIN

In a 5×5 Latin Square design, if the sum of squares for rows and columns is 16 and 12 respectively then the value of mean square rows is

Select th

$$Mean\ Square = \frac{Sum\ of\ Square\ of\ Row}{Degree\ of\ Freedom\ of\ Row}$$

$$s_r^2 = \frac{R_{yy}}{k-1}$$

$$s_r^2 = \frac{16}{5-1}$$

$$s_r^2 = \frac{16}{4}$$

$$s_r^2 = 4$$

STAT408: Quiz 1

Subscribe

Question # 5 of 10

SOLVED BY: WAQAR HUSSAIN

The analysis of a Latin Square design with missing observations

Select the correct option

- Becomes Complex
- Less Efficient
- Does not allow missing observations
- Remains Simple

(Lecture No.5)

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT408: Quiz 1

Subscribe

Question # 8 of 10

SOLVED BY: WAQAR HUSSAIN

The Latin Square design is practically applicable when the number of treatments are

Select the correct option

(i) A Latin square design reduces the error variance by controlling two sources of variation.

(ii) The analysis of a LS design is simple and remains relatively simple with missing observations.

(iii) A Latin square design is generally more efficient than a randomized complete block design.

(iv) A Latin square design is less flexible than a RCB design. It is practical only for 5 to 10 treatments. When the number of treatments exceeds 10, the design is seldom used.

(v) For a small number of treatments, a LS design does not provide a sufficient number of replicates to give a valid estimate of error.

STAT408: Quiz 1

Subscribe

Question # 9 of 10

SOLVED BY: WAQAR HUSSAIN

In a Latin Square Design with one missing observation, TSS=15, CSS=5, RSS=2, TrtSS=6, then ESS will be

Select th

Given that:

$TSS = 15 \qquad CSS = 5 \qquad RSS = 2$

$TrtSS = 6$

$ESS = ?$

By Using Formula, we get

$$ESS = TSS - (RSS + CSS + TrtSS)$$

$$ESS = 15 - (2 + 5 + 6)$$

$$ESS = 15 - 13$$

$$ESS = 2$$

STAT408: Quiz 1

Subscribe

Question # 10 of 10

SOLVED BY: WAQAR HUSSAIN

For a 3×3 Latin Square design, the Standard Latin Squares can be

Select the correct option

- Two
- Three
- One (Lecture No.5)
- Four

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT408: Quiz 1

Subscribe

Question # 1 of 10

SOLVED BY: WAQAR HUSSAIN

If the square of Grand total is 250 and k=5 then the value of Correction Factor in a Latin square design will one missing observation will be

Select th

Given that:

$$Grand\ Total = G^2 = 250$$

$$K = 5$$

$$C.F = \frac{G^2}{K^2}$$

$$C.F = \frac{250}{5 \times 5} = 10$$

STAT408: Quiz 1

Subscribe

Question # 7 of 10

SOLVED BY: WAQAR HUSSAIN

If the Mean Square for columns is 25 with the corresponding degrees of freedom 4 and the Mean Square error is 10, then the value of F will be

Select the correct option

- 3
- 2.5
- 3.5
- 5

(Lecture No.6)

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT408: Quiz 1

Subscribe

Question # 8 of 10

SOLVED BY: WAQAR HUSSAIN

In a Latin Square design, the randomization is restricted in

Select the correct option

- Two directions (Lecture No. 5)
- One direction
- Three directions
- No restriction

For More Quiz Subscribe our Channel TALEEMI MARKAZ

STAT408: Quiz 1

Subscribe

Question # 9 of 10

SOLVED BY: WAQAR HUSSAIN

The mean square is the sum of square divided by

Select the correct option

- Its corresponding degree of freedom (Lecture No.5,6,7)
- Total number of observations
- Total number of observation - 1
- Its corresponding degree of freedom -1

For More Quiz Subscribe our Channel TALEEMI MARKAZ

Ufone
ZONG
11% 4:21 PM

Quiz
vulms.vu.edu.pk

BC200406870: MARYAM BATOOL

Time Left 67 sec(s)

STAT408 - Experimental Design Analysis (Quiz#2)

Quiz Start Time: 04:21 PM, 03 June 2023

Question # 1 of 10 (Start time: 04:21:06 PM, 03 June 2023)

Total Marks: 1

If the square of Grand total is 250 and k = 5 then the value of Correction Factor in a Latin square design with one missing observation will be

Select the correct option

- 25
- 10
- 15
- 20

Click to Save Answer & Move to Next Question

Ufone ZONG 10% 4:21 PM

Quiz
vulms.vu.edu.pk

BC200406870: MARYAM BATOOL

STAT408 - Experimental Design Analysis (Quiz#2) Quiz Start

Question # 2 of 10 (Start time: 04:21:35 PM, 03 June 2023)

In a Latin Square Design with one missing observation, TSS=15, CSS=5, RSS=2, TrtSS= 6, then ESS will be

Select the correct option

- 5
- 6
- 2
- 15

Click to Save Answe

Ufone
ZONG
10% 4:22 PM

Quiz
vulms.vu.edu.pk

BC200406870: MARYAM BATOOL

Time Left 43 sec(s)

STAT408 - Experimental Design Analysis (Quiz#2)

Quiz Start Time: 04:21 PM, 03 June 2023

Question # 3 of 10 (Start time: 04:22:02 PM, 03 June 2023)

Total Marks: 1

In a Latin Square design with one missing observation, the degrees of freedom for rows=columns=treatments=4, then the error degrees of freedom will be

Select the correct option

- 13
- 12
- 11
- 10

Click to Save Answer & Move to Next Question

GBWhatsApp • now
MtH603 Qu¡Z GrOuP 💻📗🖊️ (2 messages)
Gulshan https://youtu.be/03Uyz3ydU_g Don't for..
REPLY MARK AS READ

STAT408 - Experimental Design Analysis (Quiz#2) Quiz Start Time: 04:21

Question # 4 of 10 (Start time: 04:23:05 PM, 03 June 2023)

In a Latin Square design, number of rows and number of columns are

Select the correct option

- ○ No specified rule
- ◉ Always equal
- ○ Number of Columns is greater
- ○ Number of Rows is greater

Ufone ZONG 10% 4:24 PM

Quiz
vulms.vu.edu.pk

STAT408 - Experimental Design Analysis (Quiz#2) Quiz

Question # 5 of 10 (Start time: 04:23:16 PM, 03 June 2023)

An experimental design where the treatments are appear once and only once in each direction is

Select the correct option

- (●) Randomized Complete Block design
- ( ) Factor Block design
- ( ) Latin Square design
- ( ) Completely Randomized design

Click to Save A

Ufone
ZONG
10% 4:25 PM

Quiz
vulms.vu.edu.pk

BC200406870: MARYAM BATOOL

STAT408 - Experimental Design Analysis (Quiz#2) Quiz Start Time: 04:21

Question # 6 of 10 (Start time: 04:24:21 PM, 03 June 2023)

If there are 4 rows, 4 columns and 4 treatments formed a Latin Square design, the total degrees of freedom will be

Select the correct option

- 4
- 8
- 9
- 15

Click to Save Answer & Move to

Ufone
ZONG
10% 4:25 PM

Quiz
vulms.vu.edu.pk

In a "k x k" Latin Square design, the degrees of freedom for error is

Select the correct option

- (k-1)
- (k-2)
- (k-1)(k-2) ✓
- k(k-1)(k-2)

Click to

Ufone ZONG 10% 4:25 PM

Question # 8 of 10 (Start time: 04:25:21 PM, 03 June 2023)

Replication in a Latin Square design is

Select the correct option

- ○ Invalid
- ○ Less efficient
- ○ Flexible
- ● Costly

Ufone ZONG 10% 4:26 PM

Quiz
vulms.vu.edu.pk

Question # 9 of 10 (Start time: 04:25:54 PM, 03 June 2023)

The mean square is the sum of square divided by

Select the correct option

○	Total number of observations - 1
●	Its corresponding degree of freedom
○	Its corresponding degree of freedom -1
○	Total number of observations