


ZONG
8:08 p.m.
Done
Insert text
Start Time: 11:25 PM
118:00
Time Left
paper.aspx
VU Examination System (CLIENT) VUTES 6.5 ::::: Fall 2012 (FinalTerm) ::::: - Windows Internet Explorer
http://localhost/VUTES/client/Instructions.aspx
File Edit View Favorites Tools Help
Favorites
Suggested Sites
Web Slice Gallery
Examination
VU Examination System (...
Question No : 25 of 52
The magnitude of truncation error in Milne's predictor formula is
Answer (Please select your correct option)
$\frac{1}{90}h\Delta^4 y_0'$
$\frac{1}{90}h\Delta^3 y_0'$
$\frac{28}{90}h\Delta^3 y_0'$
$\frac{28}{90}h\Delta^4 y_0'$
Start Time: 11:25 PM
118:00
Time Left
paper.aspx
Text editor
Edit picture
VU Examination System (CLIE
ows Internet Explorer
http://localhost/VUTES/client/Instructions.aspx


ZONG
8:09 p.m.
Done
Insert text
Question No : 10 of 52
In Crout's reduction method the elements of the main diagonal of upper triangular matrix are taken as
Answer (Please select your correct option)
0
1
Correct
-1
None of the given choices
None of the given choices
Start Time: 11:25 PM
118:00
Time Left
Question No : 11 of 52
In Gauss-Seidal method, the new approximation calculated is
Answer (Please select your correct option)
Used in the next iteration for next approximation
Instantly replaced by the previous one
Never used again
None of the given choices
Start Time: 11:25 PM
118:00
Time Left
Text editor
Edit picture

ZONG 4G 32 8:08 p.m.
Done Insert text
118:00 Time Left
paper.aspx

VU Examination System (CLIENT) VUTES 6.5 ::.... Fall 2012 (FinalTerm) ...::: - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

Favorites Suggested Sites Web Slice Gallery

Examination | VU Examination System (...

Question No : 29 of 52

While deriving Simpson's 3/8 rule, we approximate f(x) in the form .....

Answer (Please select your correct option)

- $ax+b$
- ax^2+bx+c
- ax^3+bx^2+cx+d — Correct
- $ax^4+bx^3+cx^2+dx+e$

Start Time: 11:25 PM

118:00 Time Left

paper.aspx

VU Examination System (CLIENT) VUTES 6.5 ::.... Fall 2012 (FinalTerm) ...::: - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools

Favorites Suggested Sites

Examination | VU Examination System (...

Text editor Edit picture

ZONG 4G 32 8:08 p.m.
Done Insert text
Time Left
paper.aspx

VU Examination System (CLIENT) VUTES 6.5 ::::.... Fall 2012 (FinalTerm) ....:::: - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

Favorites Suggested Sites Web Slice Gallery

Examination VU Examination System (...

Question No : 27 of 52

From the following table of values:

x	1.3	1.5	1.7	1.9	2.1	2.3
y	2.9648	2.6599	2.3333	1.9922	1.6442	1.2969

Estimation of $y'(1.3)$ will be done using the formula of differential operator in terms of

Answer (Please select your correct option)

- Backward difference operator
- Central difference operator
- None of the given choices
- Forward difference operator

Correct

Start Time: 11:25 PM

118:00

Time Left

paper.aspx

VU Examination System (CLIENT) VUTES 6.5 ::::.... Fall 2012 (FinalTerm) ....:::: - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools

Favorites Suggested

Examination VU Examination System (...

Text editor Edit picture

ZONG 4G 31 8:09 p.m.
Done Insert text

None of the given choices

Start Time: 11:25 PM
118:00
Time Left

12

paper.aspx

VU Examination System (CLIENT) VUTES 6.5 ::... Fall 2012 (FinalTerm) ...:: - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

Favorites Suggested Sites Web Slice Gallery

Examination VU Examination System (...

Question No : 13 of 52

Every square ------- matrix has an inverse.

Answer (Please select your correct option)

Singular

Non-singular Correct

Zero

None of the above

Start Time: 11:25 PM
118:00
Time Left

13

paper.aspx

VU Examination System (CLIENT) VUTES 6.5 ::... Fall 2012 (FinalTerm) ...:: - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help


Favorites Suggested Sites Web Slice Gallery

Examination VU Examination System (...

Question No : 14 of 52

Text editor Edit picture

If $S=\begin{pmatrix}1 & 2 & 3\\ 6 & 4 & 7\end{pmatrix}$, then


ZONG
8:09 p.m.
Done
Insert text
Question No : 2 of 52
Marks:
The minimum interval in which the root of the equation $x^2 - 3x + 1 = 0$ lie is
Answer (Please select your correct option)
(0, 1)
Correct
(1, 2)
(2, 4)
(0, 2)
Start Time 11:25 PM
119:00
Time Left
Question No : 3 of 52
Marks:
If the root of the given equation lies between a and b, then the first approximation to the root of the equation by bisection method is .....
Answer (Please select your correct option)
$\frac{(a+b)}{2}$
Correct
$\frac{(a-b)}{2}$
$\frac{(b-a)}{2}$
None of the given choices
Start Time 11:25 PM
119:00
Time Left
Text editor
Edit picture

Done

Insert text

Time Left

paper.aspx

VU Examination System (CLIENT) VUTES 6.5 ::... Fall 2012 (FinalTerm) ....:: - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

Favorites Suggested Sites Web Slice Gallery

Examination VU Examination System (...

Question No : 21 of 52

Relationship between differential operator and backward difference operator is given by

Answer (Please select your correct option)

- $hD = -\log(1+\nabla)$
- $hD = \log(1+\nabla)$
- $hD = \log(1-\nabla)$
- $hD = -\log(1-\nabla)$ Correct

Start Time: 11:25 PM

118:00

Time Left

paper.aspx

VU Examination System (CLIENT) VUTES 6.5 ::... Fall 2012 (FinalTerm) ....:: - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools

Favorites Suggested

Examination VU Examination System (...

Text editor Edit picture

ZONG 4G 32 8:08 p.m.
Done Insert text

Time Left

paper.aspx

VU Examination System (CLIENT) VUTES 6.5 ::.... Fall 2012 (FinalTerm) ....:: - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

Favorites Suggested Sites Web Slice Gallery

Examination VU Examination System (...

Question No : 28 of 52

While deriving Trapezoidal rule, we approximate f(x) in the form .....

Answer (Please select your correct option)

- $ax+b$ Correct
- ax^2+bx+c
- ax^3+bx^2+cx+d
- $ax^4+bx^3+cx^2+dx+e$

Start Time: 11:25 PM

118:00

Time Left

paper.aspx

VU Examination System (CLIENT) VUTES 6.5 ::.... Fall 2012 (FinalTerm) ....:: - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx


File Edit View Favorites Tools Help


Favorites Suggested


Text editor Edit picture


Examination

Question No : 29 of 52


ZONG
8:09 p.m.
Done
Insert text
Question No : 4 of 52
Marks:
Next approximation to the root of the given equation by bisection method can be found if
Answer (Please select your correct option)
f(2) = -7, f(3) = -8
f(2) = -7, f(3) = 8
Correct
f(2) = 7, f(3) = 8
None of the given choices
Start Time: 11:25 PM
119:00
Time Left
Question No : 5 of 52
Marks:
If 8 + 7i is the root of a quadratic equation f(x) = 0 , then the other root of the given equation will be
Answer (Please select your correct option)
8 - 7i
Correct
-8 - 7i
-8 + 7i
8
Start Time: 11:25 PM
119:00
Time Left
Text editor
Edit picture


ZONG
8:09 p.m.
Done
Insert text
Question No : 8 of 52
If there are two roots of the equation and one root is 2 + 3i , then the other root will be
Answer (Please select your correct option)
2+3i
2-3i
Correct
3+2i
3-2i
Start Time 11:25 PM
119:00
Time Left
Question No : 9 of 52
It can be verified that for any matrix [A]
Answer (Please select your correct option)
[A][A-1]=[I] , I = identity matrix
Correct
[A][A-1]=[D] , D = diagonal matrix
[A][A-1]=[S] , S = symmetric matrix
[A][A-1]=[Z] , Z = orthogonal matrix
Start Time 11:25 PM
119:00
Time Left
Text editor
Edit picture


ZONG
8:09 p.m.
Done
Insert text
Start Time: 11:25 PM
118:00
Time Left
15
paper.aspx
VU Examination System (CLIENT) VUTES 6.5 ::.. Fall 2012 (FinalTerm) ...::: - Windows Internet Explorer
http://localhost/VUTES/client/Instructions.aspx
File Edit View Favorites Tools Help
Favorites
Examination
VU Examination System (...
Question No : 16 of 52
Jacobi's method for finding the eigen values can be applied to
Answer (Please select your correct option)
Real and symmetric matrix
Correct
Real and unsymmetric matrix
Real and complex unsymmetric matrix
None of given choices
Start Time: 11:25 PM
118:00
Time Left
16
paper.aspx
VU Examination System (CLIENT) VUTES 6.5 ::.. Fall 2012 (FinalTerm) ...::: - Windows Internet Explorer
http://localhost/VUTES/client/Instructions.aspx
File Edit View Favorites Tools Help
Favorites
Examination
VU Examination System (...
Question No : 17 of 52
Lagrange's interpolation formula is
Text editor
Edit picture


ZONG
8:07 p.m.
Done
Insert text
Edit View Favorites Tools Help
Favorites
Suggested Sites
Web Slice Gallery
Examination
VU Examination System (...
Question No : 32 of 52
Romberg's integration method is ---------- than Trapezoidal and Simpson's rule.
Answer (Please select your correct option)
none of the given choices
more accurate
Correct
less accurate
equally accurate
Start Time: 11:25 PM
118:00
Time Left
Text editor
Edit picture
VU Examination System
Windows Intern
http://localhost/VUTES/client/Instructions.aspx

ZONG 4G 31 8:09 p.m.
Done Insert text

None of the above

Start Time: 11:25 PM
118:00
Time Left

13

Question No : 14 of 52

If $S=\begin{pmatrix}1 & 2 & 3\\ 6 & 4 & 7\\ 8 & 6 & 5\end{pmatrix}$, then

Answer (Please select your correct option)

- $S^{-1} = S^T$
- $S^T = S$
- $I = S$
- None of given choices

Correct


Start Time: 11:25 PM
118:00
Time Left

14

Question No : 15 of 52

A 3×3 matrix $[A]$ is said to be or

Text editor Edit picture


ZONG
8:07 p.m.
Done
Insert text
File Edit View Favorites Tools Help
Favorites
Suggested Sites
Web Slice Gallery
Examination
VU Examination System (...
Question No : 31 of 52
To apply Simpson's 3/8 rule, the number of intervals can be....
Answer (Please select your correct option)
4
7
9
Correct
8
Start Time: 11:25 PM
118:00
Time Left
paper.aspx
Text editor
Edit picture
VU Examination Syste
lTerm) ..... - Windows Int
http://localhost/VUTES/client/Instructions.aspx

ZONG 4G 32 8:08 p.m.
Done Insert text

Correct

Start Time: 11:25 PM
118:00 Time Left

paper.aspx

VU Examination System (CLIENT) VUTES 6.5 ::::.. Fall 2012 (FinalTerm) .....:: - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

Favorites Suggested Sites Web Slice Gallery

Examination VU Examination System (...

Question No : 23 of 52

For the given table of values

x	0.1	0.2	0.3	0.4	0.5	0.6
$f(x)$	0.425	0.475	0.400	0.452	0.525	0.575

using two-point equation the value of f '(0.5) is.....:

Answer (Please select your correct option)

- 0.73
- -0.75
- 0.5 Correct
- -0.5


Start Time: 11:25 PM
118:00 Time Left

paper.aspx

Text editor Edit picture

VU Examination System (CLIE ows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx


ZONG
8:09 p.m.
Done
Insert text
Question No : 10 of 52
In Crout's reduction method the elements of the main diagonal of upper triangular matrix are taken as
Answer (Please select your correct option)
0
1
Correct
-1
None of the given choices
None of the given choices
Start Time: 11:25 PM
118:00
Time Left
Question No : 11 of 52
In Gauss-Seidal method, the new approximation calculated is
Answer (Please select your correct option)
Used in the next iteration for next approximation
Correct
Instantly replaced by the previous one
Never used again
None of the given choices
Start Time: 11:25 PM
118:00
Time Left
Text editor
Edit picture

ZONG ... 8:10 p.m.

Done Insert text

VU Examination System (CLIENT) VUTES 6.5 ::... Fall 2012 (FinalTerm) ...:: - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

Favorites Suggested Sites Web Slice Gallery

Examination | VU Examination System (...

Question No : 1 of 52

In integrating $\int_0^{\frac{\pi}{2}} \sin x dx$, by dividing the interval into four equal parts, width of the interval should be

Answer (Please select your correct option)

- π
- $\frac{\pi}{2}$
- $\frac{\pi}{4}$
- $\frac{\pi}{8}$ Correct

Start Time: 11:25 PM

119:00 Time Left

1

Done

VU Examination System (CLIENT) VUTES 6.5 ::... Fall 2012 (FinalTerm) ...:: - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

Favorites Suggested Sites Web Slice Gallery

Examination | VU Examination System (...

Question No : 2 of 52

The minimum interval in which the root of the equation $x^2 - 3x + 1 = 0$ lie is

Text editor Edit picture

ZONG 4G 32 8:08 p.m.
Done Insert text

Start Time: 11:25 PM
118:00
Time Left

paper.aspx

VU Examination System (CLIENT) VUTES 6.5 ::::.. Fall 2012 (FinalTerm) ...::: - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

Favorites Suggested Sites Web Slice Gallery

Examination VU Examination System (...

Question No : 25 of 52

The magnitude of truncation error in Milne's predictor formula is

Answer (Please select your correct option)

- $\frac{1}{90}h\Delta^4 y_0'$ Correct
- $\frac{1}{90}h\Delta^3 y_0'$
- $\frac{28}{90}h\Delta^3 y_0'$
- $\frac{28}{90}h\Delta^4 y_0'$


Start Time: 11:25 PM
118:00
Time Left


paper.aspx

Text editor Edit picture

VU Examination System (CLIE ows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx


ZONG
8:07 p.m.
Done
Insert text
http://localhost/VUTES/client/Instructions.aspx
File Edit View Favorites Tools Help
Favorites
Suggested Sites
Web Slice Gallery
Examination
VU Examination System (...
Question No : 34 of 52
Rate of change of any quantity with respect to another can be modeled by
Answer (Please select your correct option)
An ordinary differential equation
Correct
A partial differential equation
A polynomial equation
None of the given choices
Start Time: 11:25 PM
118:00
Time Left
Text editor
Edit picture
paper.aspx


ZONG
8:09 p.m.
Done
Insert text
Question No : 6 of 52
Marks:
For the equation $x^3 + 3x - 1 = 0$, the root of the equation lies in the interval.....
Answer (Please select your correct option)
(1, 2)
(1, 3)
(0, 1)
Correct
(1, 2)
Start Time 11:25 PM
119:00
Time Left
Question No : 7 of 52
Marks:
The quantity of error which is present in the statement of the problem itself ,before finding its solution is called
Answer (Please select your correct option)
Inherent error
Correct
Local round off error
Local Truncation error
Typing error
Start Time 11:25 PM
119:00
Time Left
Text editor
Edit picture
Question No : 8 of 52
Marks:

ZONG ... 4G 32 8:08 p.m.
Done Insert text

Start Time: 11:25 PM
118:00
Time Left

paper.aspx

VU Examination System (CLIENT) VUTES 6.5 ::.... Fall 2012 (FinalTerm) ...::: - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

Favorites Suggested Sites Web Slice Gallery

Examination VU Examination System (...

Question No : 22 of 52

Shift operator is defined as

Answer (Please select your correct option)

- $Ef(x) = f(x-h)$
- $Ef(x) = -f(x-h)$
- $Ef(x) = -f(x+h)$
- $Ef(x) = f(x+h)$


Correct


Start Time: 11:25 PM
118:00
Time Left

paper.aspx

VU Examination System (CLIENT) VUTES 6.5 ::.... Fall 2012 (FinalTerm) ...::: - Windows Internet Explorer

Text editor Edit picture


ZONG
8:09 p.m.
Done
Insert text
Never used again
None of the given choices
Start Time 11:25 PM
118:00
Time Left
Question No : 12 of 52
Marks:
In relaxation method, for fast convergence all the terms should be taken to one side and then reordering should be done so that the largest coefficients should appear on the
Answer (Please select your correct option)
End of the rows
Beginning of the rows
Diagonal
Correct
None of the given choices
Start Time 11:25 PM
118:00
Time Left
Question No : 13 of 52
Marks:
Every square ------- matrix has an inverse.
Answer (Please select your correct option)
Singular
Text editor
Edit picture
Non-singular
Correct


ZONG
8:08 p.m.
Done
Insert text
Start Time: 11:25 PM
118:00
Time Left
paper.aspx
VU Examination System (CLIENT) VUTES 6.5 ::::.. Fall 2012 (FinalTerm) ...::: - Windows Internet Explorer
http://localhost/VUTES/client/Instructions.aspx
File Edit View Favorites Tools Help
Favorites
Suggested Sites
Web Slice Gallery
Examination
VU Examination System (...
Question No : 30 of 52
Two segment trapezoidal rule of integration is exact for integrating at most ..... order polynomial
Answer (Please select your correct option)
first
Correct
second
third
fourth
Start Time: 11:25 PM
118:00
Time Left
paper.aspx
VU Examination System (CLIENT) VUTES 6.5 ::::.. Fall 2012 (FinalTerm) ...::: - Windows Internet Explorer
Text editor
Edit picture
File Edit View Favorites
Favorites
Suggested Sites
Web Slice Gallery

ZONG 4G 32 8:08 p.m.
Done Insert text

Start Time: 11:25 PM
118:00
Time Left

16

aper.aspx

VU Examination System (CLIENT) VUTES 6.5 ::... Fall 2012 (FinalTerm) ...:: - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

Favorites Suggested Sites Web Slice Gallery

Examination VU Examination System (...

Question No : 17 of 52

Lagrange's interpolation formula is used when the values of the independent variable are

Answer (Please select your correct option)

- Equally spaced
- Not equally spaced
- Constant
- None of the above

Correct

Start Time: 11:25 PM
118:00
Time Left

17

aper.aspx

VU Examination System (CLIENT) VUTES 6.5 ::... Fall 2012 (FinalTerm) ...:: - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

Favorites Suggested Sites Web Slice Gallery

Examination VU Examination System (...

Question No : 18 of 52

If there are (n+1) values of y corre nction f(x) by a polynomial of degree

Text editor Edit picture

ZONG 4G 31 8:09 p.m.
Done Insert text

Start Time: 11:25 PM
118:00
Time Left

14

VU Examination System (CLIENT) VUTES 6.5 ::... Fall 2012 (FinalTerm) ...:: - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

Favorites Suggested Sites Web Slice Gallery

Examination VU Examination System (...

Question No : 15 of 52

A 3×3 matrix $[A]$ is said to be orthogonal if

Answer (Please select your correct option)

- $[A]^{-1}[A]=[I]$
- $[A]^{T}[A]=[I]$ Correct
- $[A]^{T}[A]=[O]$
- None of the given choices

Start Time: 11:25 PM
118:00
Time Left

15

VU Examination System (CLIENT) VUTES 6.5 ::... Fall 2012 (FinalTerm) ...:: - Windows Internet Explorer

http://localhost/VUTES/client/Instructions.aspx

File Edit View Favorites Tools Help

Favorites Suggested Sites Web Slice Gallery

Examination VU Examination System (...

Question No : 16 of 52

Jacobi's method for finding the eigen values can be applied to

Text editor Edit picture

Answer (Please select your correct option)